



Table of Content PCIM Europe 2014

Keynotes

| | |
|---|-----------|
| Progress in Power Semiconductor Devices and Applications | 18 |
| Speaker: Thomas Neyer, Fairchild Semiconductor, D | |
| Ultra High Voltage SiC Power Devices and its Impact on Future Power Delivery System | 19 |
| Speaker: Alex Huang, FREEDM Systems Center, USA | |
| e-Mobility 2020: Power Electronics, a Key Technology for the Effective Deployment of Electric Vehicles in a Low Carbon Society | 27 |
| Speaker: Enrique Dede, GH EVERDRIVE, ES | |

Module Technologies I

| | |
|---|-----------|
| The Next Generation 6.5 kV IGBT Module with High Robustness | 28 |
| Kenji Ota, Kenji Hatori, Yasuhiro Sakai, Shuichi Kitamura, Tetsuo Motomiya, Yumie Kitajima, Shinichi Iura, Hiroshi Yamaguchi, Kazuhiro Kurachi, Mitsubishi Electric Corporation, J; Eugen Wiesner, Eckhard Thal, Mitsubishi Electric Europe B.V., D | |
| 7th Generation IGBT Module for Industrial Applications | 34 |
| Miyazawa Masaomi, Mitsuharu Tabata, Tomohiro Hieda, Hiroki Muraoka, Mitsubishi Electric Corporation, J; Thomas Radke, Mitsubishi Electric Europe, D | |
| An Intelligent Power Module with High Accuracy Control System and Direct Liquid Cooling for Hybrid System | 39 |
| Keiichi Higuchi, Akio Kitamura, Hirohisa Arai, Takeshi Ichimura, Hiromichi Gohara, Akira Nishiura, Fuji Electric, J; Peter Dietrich, Fuji Electric Europe GmbH, D | |
| The SPT++ Chip in a Novel SEMITRANS Package | 47 |
| Stefan Schuler, Sven Berberich, Michael Gross, Martin May, SEMIKRON, D | |

Special Session “HVDC”

| | |
|--|-----------|
| Calculating the Harmonics at the Connection Point of a Modular Multilevel HVDC Converter | 48 |
| Mike Dommaschk, Marcos Pereira, Jörg Dorn, Siemens, D; Dietmar Retzmann, Siemens, D | |
| New Thyristor Platform for UHVDC (> 1 MV) Transmission | 54 |
| Jan Vobecky, Thomas Stiasny, Virgiliu Botan, Karlheinz Stiegler, Urban Meier, ABB Switzerland, CH; Marco Bellini, ABB Corporate Research Center, CH | |
| New 4.5 kV IGBT and Diode Chip Set for HVDC Transmission Applications | 60 |
| Josef Georg Bauer, Matthias Wissen, Thomas Gutt, Frank Pfirsch, Jürgen Biermann, Infineon Technologies, D; Carsten Schäffer, Gerhard Schmidt, Infineon Technologies, A | |



A Fast Switching, Scalable DC-Breaker for Meshed HVDC-SuperGrids 68
 Yeqi Wang, Rainer Marquardt, University of the Federal Armed Forces Munich, D

Drives for Power Converters

Maximum Power Limit for Withstand Insulation Capability of IGBT/MOSFET Gate Drivers 75
 Bernhard Strzalkowski, Analog Devices, USA

Proportional Driver for SiC BJT's in Electric Vehicle Inverter Application 82
 Sophia Frankeser, Sebastian Hiller, Josef Lutz, Chemnitz University of Technology, D;
 Konrad Domes Fraunhofer IISB, D

On-line Tj monitoring Sensor Embedded on VSI Driver Board Application on a 5 kW High Speed PMSM for Aeronautic "Blowing-fan" 90
 Frédéric Richardeau, Matthieu Morvan, Franck Mosser, University of Toulouse, F;
 Pascal Rollin, Sylvain Poignant, Technofan, F

Real-Time Adjustable Gate Current Control IC solves dv/dt Problems in Electric Drives 98
 Wolfgang Frank, Andre Arens, Infineon Technologies, D; Stephan Hörold, Infineon Technologies, A

Power Quality Solutions

Robust Control of Current Source Rectifier for UPS Applications 105
 Marco Crespan, Lorenzo Giuntini, Ivan Furlan, Silvio Colombi, General Electric Consumer & Industrial SA, CH

A new Line Filter Design strategy for Fast Switching Grid Connected Inverters 112
 Marek Galek, Manuel Blum, Siemens, D

Half Wave Bridge AC/DC Converters – From diode rectifiers to PWM multilevel converters 120
 Nicola Serbia, Marino Pompeo, Philippe Ladoux, University of Toulouse, F

Efficiency and Lifetime of an Active Power Filter with SiC-MOSFETs for Aerospace Application 128
 Sebastian Liebig, Liebherr Elektronik, D; Josef Lutz, Chemnitz University of Technology, D

Control Techniques in Intelligent Motion

Sensorless Control of Short Stator Permanent Magnet Synchronous Linear Machines – A Renewed Approach 137
 Sebastian Ebersberger, Bernhard Piepenbreier, University of Erlangen-Nuremberg, D

Harmonic Current Control for Transverse Flux Machines 145
 Jan Klöck, W. Schumacher, Technical University of Braunschweig, D

High Dynamic Rotor Oriented Current Control for Permanent Magnet Synchronous Machines with Saturation Characteristics 153
 Tobias Gemaßmer, Jan Richter, Mathias Schnarrenberger, Michael Braun, KIT Karlsruhe Institute of Technology, D

Novel Evaluation of a Velocity Controller for Sensorless Vector Control of S-PMSM, using a Motor-Load Coupled System with Different Dynamic-Load Curves 161
 Juan Carlos Ramirez Martinez, Georg Jaskowski, Kollmorgen D; Heiko Schmirgel, External Consultant, D

New Materials in Packaging

| | |
|---|------------|
| Hybrid Substrate – A Future Material for Power Semiconductor Modules | 169 |
| Xinhe Tang, Andreas Meyer, Karsten Schmidt, Ulrich Völler, Manfred Götz, Curamik Electronics, D | |
| Vertical Integration Power Modules for Double Sided Cooling Applications using Aluminium Conductors and Thick Film Dielectrics | 174 |
| Chris Burns, AB Mikroelektronik, A | |
| Influence of Danfoss Bond Buffer and Cu-wire Bonds on the Electrical Switching Behaviour of IGBTs | 182 |
| Guido Mannmeusel, Frank Osterwald, Marco Bäßler, Henning Ströbel-Maier, Danfoss Silicon Power, D; Martin Becker, University of Applied Sciences Kiel, D | |

IGBT Improvement

| | |
|---|------------|
| Next Generation 1700 V IGBT and Emitter Controlled Diode with .XT Technology | 190 |
| Andre Stegner, Thomas Auer, Alexander Ciliox, Infineon Technologies, D | |
| 1200 V Class Reverse-Conducting IGBT Optimized for Hard Switching Inverter | 198 |
| Thomas Heinzl, Fuji Electric Europe GmbH, D; Kouta Takahashi, Yasuyuki Kobayashi, Osamu Ikawa, S. Yoshida, S. Noguchi, H. Kuribayashi, N. Nashida, H. Kobayashi, K. Mochizuki, Y. Ikeda, Fuji Electric, J | |
| Experimental and Numerical Study of Low and High Frequency Oscillations in IGBTs during Short Circuit | 206 |
| Giovanni Busatto, Carmine Abbate, Annunziata Sanseverino, University of Cassino and Southern Lazio, I; Cesare Ronsisvalle, Fairchild Semiconductor, D | |

Sensors

| | |
|--|------------|
| An IGBT Driver Concept with Integrated Real-Time Junction Temperature Measurement | 214 |
| Marco Denk, Mark-M. Bakran, University of Bayreuth, D | |
| New Open-Loop Current Transducers with near Closed-Loop Performance | 222 |
| David Jobling, LEM Switzerland SA, CH | |
| Mosolver™ – Integrated Motor and Resolver – Operational | 227 |
| Donald Labriola II, QuickSilver Controls, USA | |

Capacitors

| | |
|---|------------|
| Progress in Performance of High Voltage Aluminum Electrolytic Capacitors | 233 |
| Victor Andoralov, Christer Larsson, Leif Eliasson, KEMET, S | |
| High Reliability Design Considerations for Power Supply Capacitors | 238 |
| Ussama Margieh, AVX GmbH, D; Slavomir Pala, AVX Corporation, CZ; Chris Reynolds, AVX Corporation, USA | |
| Glass Ceramics as Dielectrics for High Power Capacitors | 245 |
| Martin Letz, Hubertus Braun, Michael Kluge, Niko Schultz, Jörn Besinger, Bernd Rüdinger, SCHOTT, D; Martun Hovhannisyanyan, Darmstadt University of Technology, D | |

Converter Control

| | |
|--|------------|
| Finite Set Model Predictive Control with Imposed Target Dynamic | 246 |
| Daniel Glose, Saeid Saeidi, Ralph Kennel, Technical University of Munich, D | |



| | |
|---|------------|
| Advanced Control Scheme to Improve the Efficiency of 3-Level Active Front End Inverters for Servo Drives | 254 |
| Markus Höltgen, Jens Onno Krahn, Cologne University of Applied Sciences, D | |



| | |
|--|------------|
| Interleaved Switching of Symmetrical Six Phase Drives | 263 |
| Daniel Glose, Lukas Leitner, Ralph Kennel, Technical University of Munich, D | |

Power Converters

| | |
|---|------------|
| The Modular Multilevel Converter as Universal High-Precision 3AC Voltage Source for Power Hardware-in-the-Loop Systems | 272 |
| Johannes Kolb, Schaeffler Technologies – SHARE at KIT, D; Felix Kammerer, Alexander Schmitt, Mario Gommeringer, Michael Braun, KIT Karlsruhe Institute of Technology, D | |

| | |
|--|------------|
| Class-E Amplifier with SiC-MOSFET switching at 2.5 MHz | 280 |
| Karsten Hähre, Nicolai Hildebrandt, Rainer Kling, Wolfgang Heering, KIT Karlsruhe Institute of Technology, D | |

| | |
|--|------------|
| High Power IGBT based Multilevel Inverter | 288 |
| Jonas Wahlstroem, Drazen Dujic, Matthias Luescher, ABB Switzerland, CH | |

| | |
|---|------------|
| Predictive Deadbeat Power Control of PWM Rectifier | 294 |
| Zhengxi Li, Yongchang Zhang, Shengwen Fan, Hu Zhang, North China University of Technology, CN | |

New Frontiers of Power Electronics with GaN



| | |
|--|------------|
| Improving Performance of High Speed GaN Transistors Operating in Parallel for High Current Applications | 302 |
| David Reusch, Johan Strydom, Efficient Power Conversion (EPC) Corp, USA | |

| | |
|---|------------|
| Lateral GaN Transistors – A Replacement for IGBTs in Automotive Applications | 310 |
| Larry Spaziani, John Roberts, GaN Systems, CA | |

| | |
|---|------------|
| Ultra-Low Loss 600 V – 1200 V GaN Power Transistors for High-Efficiency Applications | 318 |
| David Sheridan, D. Y. Lee, A. Ritenour, V. Bondarenko, J. Yang, C. Coleman, RFMD, USA | |



| | |
|--|------------|
| 99.3 % Efficiency of Boost-up Converter for Totem-pole Bridgeless PFC using GaN Gate Injection Transistor | 325 |
| Tatsuo Morita, Hiroyuki Handa, Shinji Ujita, Masahiro Ishida, Tetsuzo Ueda, Panasonic Corporation, J | |

| | |
|--|------------|
| Appliance Motor Drive Performance Improvements Using 600 V GaN Cascode FETs | 330 |
| Eric Persson, International Rectifier, US | |

High Voltage

| | |
|---|------------|
| Influence of Conduction Time on Switching Performance of High Voltage IGBT Modules | 338 |
| Eugen Wiesner, Eugen Stumpf, Mitsubishi Electric Europe, D; Shinichi Iura, Hitoshi Uemura, Mitsubishi Electric Corporation, J | |

| | |
|--|------------|
| 1800 A/3.3 kV IGBT Module using Advanced Trench HiGT Structure and Module Design Optimization | 346 |
| Takayuki Kushima, Katsunori Azuma, Yasuhiro Nemoto, Yoshihiko Koike, Hitachi, J | |
| Resolving Design Trade-offs with the BIGT Concept | 354 |
| Liutauras Storasta, Munaf Rahimo, Chiara Corvasce, Arnost Kopta, ABB Switzerland, CH | |
| 3.3 kV RC-IGCTs Optimized for Multi-Level Topologies | 362 |
| Umamaheswara Reddy Vemulapati, Martin Arnold, Munaf Rahimo, Thomas Stiasny, Jan Vobecky, ABB Switzerland, CH | |

Power Electronics in Automotive, Traction and Aerospace

| | |
|---|------------|
| Design of an Active Battery Management System for Electric Vehicles | 370 |
| Thomas Szalai, Ulf Schwalbe, Marco Schilling, Fabia Endert, Tobias Heidrich, Svetlozar Dimitrov Ivanov, Ilmenau University of Technology, D | |



| | |
|---|------------|
| Configurable Modular Multilevel Converter (CMMC) for a Universal and Flexible Integrated Charging System | 378 |
| Martel Tsirinomeny, Alfred Rufer, EPFL, CH | |

| | |
|--|------------|
| On the Radiated Emissions of a Wireless Energy Transmission System for High Power Charging Applications | 386 |
| Sven Thamm, ifak Magdeburg, D | |

| | |
|---|------------|
| Modular Multilevel Parallel Converter (M2PC) for Electrically Driven Vehicles | 393 |
| Florian Helling, Thomas Weyh, University of the Federal Armed Forces Munich, D; Michael Pfaeffl, Jonas Huber, Technical University of Munich, D; Stefan Götz, Duke University Durham, USA | |

Energy Storage

| | |
|--|------------|
| Low-Cost, Precision Battery Management System with Active Balancing up to ± 10 A | 401 |
| Wenzel Maier, Graz University of Technology, A; Izabella Carneiro Bastos, Federal University of Alfenas, BR; Andreas Schmid, University of Leoben, A | |

| | |
|---|------------|
| Lithium ion Batteries Balancing | 409 |
| Daniel Chatroux, CEA-LITEN Centre d'Etues Nucleaires, F | |

| | |
|--|------------|
| An Innovative Balancing Solution Used to Supply the 12 V Auxiliary Network of an Electric Vehicle | 417 |
| Laurent Garnier, CEA, F | |

| | |
|--|------------|
| Optimal Supercapacitors and Batteries Combination as an On-board Energy Storage System in Railways | 425 |
| V́ctor Ĺpez, Joś Luis Martin, Jon Andreu, Iñigo Kortabarria, University of the Basque Country, ES; David Ortega, Ingeteam Power Technology, ES | |

SiC Devices

| | |
|--|------------|
| Highly Efficient, and Compact ZVS Resonant Full Bridge Converter using 1200 V SiC MOSFETs ... | 433 |
| Jimmy Liu, Kin Lap Wong, Cree, HK; John Mookken, Cree, USA | |

| | |
|---|------------|
| 1200 V 4H-SiC Trench Devices | 441 |
| Ryota Nakamura, Yuki Nakano, Noriaki Kawamoto, Masatoshi Aketa, Kazuhide Ino, ROHM, J | |

| | |
|---|------------|
| Investigation of SiC Stack and Discrete Cascodes | 448 |
| Anup Bhalla, Xueqing Li, Peter Alexandrov, John Hostetler, Leonid Fursin, United Silicon Carbide, USA | |

Package and Thermal Aspects

| | |
|---|------------|
| Investigation of Temperature Sensitive Electrical Parameters for Power Semiconductors (IGBT) in Real-time Applications | 456 |
| Jimmy Alexander Butrón Ccoa, Gerhard Mitic, Siemens, D; Bastian Strauss, Andreas Lindemann, Otto-von-Guericke-University Magdeburg, D | |
| Packaging Technology Platform for Next Generation High Power IGBT Modules | 465 |
| Samuel Hartmann, Venkatesh Sivasubramaniam, David Guillon, David Hajas, Rolf Schütz, Dominik Trüssel, ABB Switzerland, CH | |
| Compact, Low Loss and High Reliable Next Generation Si IGBT Module with Advanced Structure | 472 |
| Hori Motohito, Mai Saito, Yuichiro Hinata, Norihiro Nashida, Hayato Nakano, Yoshinari Ikeda, Eiji Mochizuki, Fuji Electric, J | |


Power Electronics in Transmission Systems

| | |
|--|------------|
| D-STATCOM: A Dynamic Local Reactive Power Reserve for Correction of System Voltage Problems | 477 |
| Gianluca Postiglione, F. Pezet, NIDEC ASI, F; G. Borghetti, G. Torre, E. Gatti NIDEC ASI, I; O. Laurence, Vallourec, F | |
| Operational Tests for the MMC-Based VSC Valves | 485 |
| Tianning Xu, Colin Davidson, Alstom Grid, UK | |
| Controlled Square Wave High Frequency Rectifier | 493 |
| Ángel Luis Perez-Basante, Inigo Martínez de Alegría, José Ignacio Gárate, Iñigo Kortabarria, Jon Andreu, UPV/EHU, ES | |

High Efficiency Converter

| | |
|--|------------|
| Integrated DC Link Capacitor/Bus Enables a 20 % Increase in Inverter Efficiency | 501 |
| Edward Sawyer, Michael Brubaker, Terry Hosking, SBE, USA; Dayana El Hage, SBE, NL; T. W. Franke, Danfoss Silicon Solutions, DK | |
| Improving Efficiency in AC drives: Comparison of Topologies and Device Technologies | 509 |
| Klaus Vogel, Adalberto Jose Rossa, Infineon Technologies, D | |
| Recursive Dead Time Compensation Techniques for PV System Power Converters | 517 |
| Matilde D'Arpino, Mauro Di Monaco, Ciro Attaianesi, Giuseppe Tomasso, University of Cassino and Southern Lazio, I | |

Passive Inductors

| | |
|--|------------|
| Performance Advantage of Enhanced Transformers with Integrated Current Doubler | 525 |
| Thiemo Kleeb, Florian Fenske, Mehmet Kazanbas, Samuel Araújo, Peter Zacharias, University of Kassel, D | |
|  Engineering Illusion to Accurately Predict Power Losses in Magnetic Materials on the Base of Standard Manufacturer's Datasheets | 533 |
| Robert J. Pasterczyk, Schneider Electric, F; Timote Delaforge, Saint Martin d'Herès, F | |
| Simulating Saturation Behavior of Inductive Components | 542 |
| Jörn Schlieve, Stefan Scheffler, Stefan Weber, EPCOS, D | |

Module Technologies II

An APF Oriented Transfer Mold DIPIPM Utilizing MOSFET with Super Junction Structure 550
Masahiro Kato, Tomofumi Tanaka, Masataka Shiramizu, Mitsubishi Electric, J



Impact of Module Parasitics on the Performance of Fast-Switching Devices 557
Christian Müller, Stefan Buschhorn, Infineon Technologies, D

Potentials and Requirements of Silicon Carbide Hybrid Power Modules for Railway on Board Auxiliary Power Supplies 565
Marc-André Ocklenburg, Martin Helsper, Andreas Gusek, Holger Siemer, Siemens, D

Evaluation of Enhanced Power Modules with Planar Interconnection Technology for Aerospace Application 573
Sebastian Liebig, Jürgen Engstler, Liebherr Elektronik, D; Kai Kriegel, Karl Weidner, Siemens AG, D

Special Session “Designing Packages for Fast Switching”

Integrated Packaging Allows for Improvement in Switching Characteristics of Silicon Carbide Devices 578
Cyril Buttay, Khalil El Falahi, Rémi Robutel, Stanislavs Hascoet, Bruno Allard, Christian Martin, Laboratoire Ampere, CNRS, F; Mark Johnson, University of Nottingham, UK

SiC-JFET in Half-bridge Configuration – Parasitic Turn-on at Current Commutation 586
Daniel Heer, Reinhold Bayerer, Daniel Domes, Infineon Technologies, D

Packages for Fast Switching HV GaN Power Devices 594
Kirill Klein, Eckart Hoene, Klaus-Dieter Lang, Fraunhofer IZM, D

DC/DC Converters I

Leveraging Bus Converters in Regulated DC-DC Applications – Comparative Study of Yeaman Topology vs Factorized Power Architecture 602
David Bourner, Maurizio Salato, Vicor Corporation, USA

eGaN® FET based Wireless Energy Transfer Topology Performance Comparisons 610
Michael de Rooij, Efficient Power Conversion, USA



High Efficiency Parallel-parallel Interleaved LLC Resonant Converter for HV/LV Conversion in Electric/Hybrid Vehicles 618
Gang Yang, Pierre Sardat, Patrick Dubus, Valeo, F; Daniel Sarcanac, Supélec, F

Non-Isolated DC-DC Converters for High Power Applications – Control of the Capacitive Voltage Divider 627
Philippe Barrade, Alfred Rufer, EPFL, CH

New and Renewable Energy Systems

A Three-phase Four-wire Grid-connected Photovoltaic System with Active Power Line Conditioning 637
Leonardo P. Sampaio, Sergio Oliveira da Silva, Leonardo Campanhol, Federal Technological University of Paraná, BR

A Low Cost Photovoltaic Maximum Power Point Tracking Buck Converter for Remote Cell Phone Charging Applications 643
Dan Rogers, James Green, Martin Foster, David Stone, Dan Schofield, Sami Abuzed, University of Sheffield, UK

| | |
|---|------------|
| Development of a Hybrid Power Generation System | 651 |
| Hartmut Hinz, Benjamin Zuber, Frankfurt University of Applied Sciences, D; Jonas Kilz, Süwag Erneuerbare Energien GmbH, D | |

| | |
|---|------------|
| Control of Converters for Micro Grid Applications – Challenges and Solutions | 659 |
| Lutz Namyslo, Norbert Benesch, Siemens, D | |

Reliability

| | |
|---|------------|
| A new HiPak Module Platform with Improved Reliability | 667 |
| Gontran Pâques, Harald Beyer, Roman Ehrbar, Stefan Ellenbroek, Fabian Fischer, Sana Karadaghi, Sven Matthias, Emre Özkol, Dominik Trüssel, Raffael Schnell, Arnost Kopta, ABB Switzerland, CH | |

| | |
|---|------------|
| Comparison between Active and Passive Thermal Cycling Stress with Respect to Substrate Solder Reliability in IGBT Modules with Cu Baseplates | 674 |
| Marc Schäfer, O. Schilling, C. Yue, T. Kashko, Infineon Technologies, D | |

| | |
|---|------------|
| Reliable & Fault-Tolerant DC/DC-Converter Structures | 682 |
| Michael Gleißner, Mark-M. Bakran, University of Bayreuth, D | |



| | |
|---|------------|
| Simultaneous Online Estimation of Junction Temperature and Current of IGBTs Using Emitter-auxiliary Emitter Parasitic Inductance | 690 |
| Vinoth Kumar Sundaramoorthy, Enea Bianda, Richard Bloch, Franz Zurfluh, ABB Switzerland, CH | |

SiC Systems

| | |
|---|------------|
| Compact 100 A / 1200 V SiC Power Module for Industrial Applications Using DiMOS (Diode in MOSFET) Devices | 698 |
| Keisuke Watanabe, Norimitsu Hozumi, Yasuhiro Kaizaki, Hideki Nakata, Takashi Harada, Ryosuke Usui, Kazuyuki Sawada, Tetsuzo Ueda, Eiji Fujii, Panasonic Corporation, J; Hironori Hiraoka, Hirofumi Yamamoto, Yoshikazu Nishimura, Sansha Electric Mfg. Co., Ltd., J | |

| | |
|---|------------|
| Increasing the Efficiency of a Single Phase Z-Source Inverter by utilizing SiC – MOSFETS | 706 |
| Manuel Steinbring, Mario Pacas, University of Siegen, D | |

| | |
|---|------------|
| Power Losses Estimation in SiC Power BJTs | 713 |
| Cheng Chen, Denis Labrousse, Stéphane Lefebvre, SATIE, F; Cyril Buttay, Hervé Morel, Ampère, F; Julien André, Fairchild Semiconductor, F; Martin Domeij, Fairchild Semiconductor AB, SE | |

DC/DC Converters II

| | |
|---|------------|
| Novel Improved Loss Prediction for Multi-Resonant Converter Optimization Based on the First-Harmonic-Approximation | 721 |
| Christian Oeder, Jens Goettle, Thomas Duerbaum, University of Erlangen-Nuremberg, D | |

| | |
|--|------------|
| Detailed Analysis and Optimization of the Asymmetrical Half-Bridge PWM Converter Including Parasitics | 728 |
| Jens Goettle, Tobias Hieke, Thomas Duerbaum, University of Erlangen-Nuremberg, D | |

| | |
|--|------------|
| Soft Switching Flyback Topology by Using the Energy Contained in Parasitic Elements | 736 |
| Ionel Jitaru, Rompower Energy Systems, USA | |

High Efficiency Converters II

| | |
|--|------------|
| Designing a Low Weight Low Loss Auxiliary Converter for Railway Application | 744 |
| Andreas März, Mark-M. Bakran, University of Bayreuth, D | |
| PFC Single Conversion Line Ripple Cancellation Using the Yeaman Topology | 752 |
| Harry Vig, David Bourner, Vicor Corporation, USA | |
| Cost Benefits on High Frequency Converter System Based on SiC MOSFET Approach | 760 |
| Luigi Abbatelli, Michele Macaudo, Giuseppe Catalisano, Albert Boscarato, STMicroelectronics, I; Daniel Kohout, STMicroelectronics, CZ | |
| Saving Money: SiC in UPS Applications | 765 |
| Stefan Buschhorn, Klaus Vogel, Infineon Technologies, D | |

Renewable Energy Systems

| | |
|---|------------|
| Improved Modulation Strategy for a LLC-type Resonant Converter in a Solar Application | 772 |
| Christian Peter Dick, Patrick Deck, Cologne University of Applied Sciences, D | |
| Efficient and Compact 50 kW Gen2 SiC Device Based PV String Inverter | 780 |
| John Mookken, Cree, USA; Binod Agrawal, Gree, IN; Jimmy Liu, Cree, HK | |
| System Benefits for Solar Inverters using SiC Semiconductor Modules | 787 |
| Ulrich Schwarzer, Stefan Buschhorn, Klaus Vogel, Infineon Technologies, D; | |
| PV Inverter Requirement Updated for LVRT Capabilities under Recent Grid Codes Legislation | 795 |
| José Alberto Vite Frías, Jesús Muñoz-Cruzado Alba, Javier Villegas Núñez, Ezequiel Rubén Hernández, GPTech, ES | |
| Efficiency of Selected Generator-Converter-Topologies for Wind and Water Power Plants | 801 |
| Markus Urech, Felix Jenni, Martin Wiederkehr, University of Applied Sciences Northwestern Switzerland, CH | |
| Arc Fault Detection using Rogowski Coils | 809 |
| Gerard Healy, Pulse Electronics, IE; Glenn Roemer, Pulse Electronics, USA | |
| Robust Induction Generator Concept with Parallel Excitation | 814 |
| Christian Meier, Felix Jenni, Roger Schlumpf, Tobias Strittmatter, University of Applied Sciences Northwestern Switzerland, CH | |
| Ultra Low Voltage DC-to-DC Converter for Solar Applications | 821 |
| Karl Edlmoser, Felix Himmelstoss, Vienna University of Technology, A | |
| Experiment on DC Circuit Breaker by Improved Magnetic Arc-Extinguisher Circuit | 828 |
| Tae Jin Kim, Ju Won Baek, Myoung Ho Ryu, Dong Wook Yoo, Keri, KR | |
| Existing and Future Ultracapacitor-Applications in the Renewable Energy Market | 834 |
| Stefan Werkstetter, Maxwell Technologies, D; R. Shaw Lynds, Maxwell Technologies, USA | |
| Resistorless Precharging of Boost PFCs by Phase Angle Control of Thyristors | 841 |
| Frank Schafmeister, Michael Hufnagel, Peter Ide, Delta Energy Systems, D | |

IGBTs

| | |
|---|------------|
| Potential of RC-IGBT in Full Size Converters for Wind Energy Application | 849 |
| David Weiss, Hans-Günter Eckel, University of Rostock, D | |

| | |
|--|------------|
| Influence of the Charge Distribution on the Electrical Behavior of the BIGT | 857 |
| Daniel Wigger, Hans-Günter Eckel, University of Rostock, D | |
| Investigation of 1200 V Low Loss Enhanced-Planar IGBTs | 865 |
| Viacheslav Muskatinev, Valentin Martynenko, Alexey Bormotov, Electroprivyamitel, RUS; Pavel Mashevich, Tatiana Kritskaya, Leonid Ischenko, Angstrom, RUS | |
| New IHR Field Stop II IGBT technology, the best efficiency for high frequency Induction Cooking Applications | 873 |
| Vittorio Crisafulli, ON Semiconductor, D | |
| Switching characteristics of modern 6.5 kV IGBT/Diode | 881 |
| Daniel Heer, Amr Khair Bayoumi, Infineon Technologies, D | |
| Non-destructive analysis of an IGBT for switching simulation with the Charge Extraction Model | 889 |
| Jörg Schumann, Hans-Günter Eckel, University of Rostock, D | |
| A Robust and Automated Parameters Calibration Procedure for PSpice IGBT Models | 897 |
| Domenico Cavaiuolo, Michele Riccio, Luca Maresca, Giuseppe de Falco, Gianpaolo Romano, Andrea Irace, Giovanni Breglio, University of Naples "Federico II", I | |
| Maximum Switching Frequency of IGBTs as a Function of Duty Cycle | 905 |
| David Naviaux, Microsemi Corporation, D | |
| Source Modulation Technique Applied to Enhance the Short-Circuit Robustness of a PT-IGBT | 906 |
| Luca Maresca, Michele Riccio, Giovanni Breglio, Andrea Irace, University of Naples "Federico II", I; Carmelo Sanfilippo, Filippo Crudelini, Nabil El Baradai, Rossano Carta, Luigi Merlin, Vishay Intertech- nology (Diodes Division), I | |
| Design Considerations to Increase Power Density in Welding Machines Converters Using TRENCHSTOP™ 5 IGBTs | 913 |
| Fabio Brucchi, Infineon, A; Forrest Zheng, Infineon, CN | |
| Simulations and Experimental Investigations of High Voltage Semiconductor Stacks for Ultra-High Current Commutation | 921 |
| Alexey Grishanin, V. Martynenko, O. Frolov, Electroprivyamitel JSC, RUS; N. Yantsen, K. Nishchev, Ogarev Mordovia State University, RUS | |
| MOSFETs | |
| P-channel Power MOSFETs working in Linear Zone: theoretical and experimental studies and comparison with N-channel devices | 926 |
| Giuseppe Consentino, STMicroelectronics, I | |
| Using Application Loss Analysis as a Figure of Merit for MOSFET Selection | 931 |
| Sanjay Havanur, Philip Zuk, Vishay Siliconix, USA | |
| The new ST Super-junction Technologies ideal for Resonant Topologies | 938 |
| Luigi Abbatelli, Antonino Gaito, Ardita Giovanni, Stella Cristiano Gianluca, STMicroelectronics, I | |
| MOSFET Technologies' Key Parameters to improve the EMI Circuit Behaviour | 942 |
| Filippo Scrimizzi, Giuseppe Longo, STMicroelectronics, D | |
| MOSFET Selection and Drive Strategies for DC Solid State Circuit Breakers | 950 |
| Stefan Schmitt, BLOCK Transformatoren-Elektronik, D | |

| | |
|--|------------|
| A Physically Based Scalable SPICE Model for High-Voltage Super-Junction MOSFETs | 956 |
| James Victory, Dongkook Son, Thomas Neyer, Kwangwon Lee, Edward Zhou, Jason Wang, Merhad Baghaie Yazdi, Fairchild Semiconductor, D | |

SiC and GaN

| | |
|---|------------|
| Comparison of Si/SiC Semiconductor Performance Using Experiment-based Simulation | 964 |
| Tim Hilden, Lothar Frey, University of Erlangen-Nuremberg, D; Peter Jänker, EADS, D | |

| | |
|--|------------|
| SiC Mosfet for High Temperature Motor Driving Applications | 973 |
| Sebastien Oge, Rémy Ouaida, Georges Peyresoubes, Pierre Brosselard, Thales Microelectronics, F | |

| | |
|--|------------|
| Switching Losses Mechanisms of Unipolar Devices with Large Parasitic Capacitances | 981 |
| Tobias Appel, Hans-Günter Eckel, University of Rostock, D | |

| | |
|---|------------|
| Challenges in Switching SiC MOSFET without Ringing | 989 |
| Helong Li, Stig Munk-Nielsen, Aalborg University, DK | |

| | |
|---|------------|
| Zero-Voltage-Switching Clamped Voltage DC/DC Buck Converter with SiC Power Devices | 995 |
| Thomas Rump, Hans-Günter Eckel, University of Rostock, D | |

| | |
|---|-------------|
| Economics of High Efficiency SiC MOSFET based 3-ph Motor Drive | 1003 |
| Julius Rice, John Mookken, Cree, USA | |

| | |
|--|-------------|
| Efficiency Improvement with GaN-Based SSFET as Synchronous Rectifier in PFC Boost Converter | 1011 |
| Jian Yang, RFMD, USA | |

| | |
|---|-------------|
| Multi Megahertz Buck Converters Using eGaN® FETs for Envelope Tracking | 1017 |
| Johan Strydom, David Reusch, Efficient Power Conversion (EPC) Corporation, USA | |



| | |
|---|-------------|
| Highly Efficient Low-Voltage DC-DC Converter at 2-5 MHz with High Operating Current Using GaN Gate Injection Transistors | 1025 |
| Hidekazu Umeda, Yusuke Kinoshita, Shinji Ujita, Tatsuo Morita, Satoshi Tamura, Masahiro Ishida, Tetsuzo Ueda, Panasonic, J | |

| | |
|--|-------------|
| Prospects of GaN Devices in Automotive Electrification | 1033 |
| Samuel Araujo, Mehmet Kazanbas, Marita Wendt, Thiemo Kleeb, Peter Zacharias, University of Kassel, D | |

Packaging, Modules, Reliability

| | |
|---|-------------|
| Low Inductance full SiC Power Module | 1041 |
| Satoshi Hatsukawa, Takashi Tsuno, Shigenori Toyoshima, Noriyuki Hirakata, Sumitomo Electric Industries, J | |

| | |
|---|-------------|
| Low-inductive Compact SiC Power Modules for High Frequency Operation | 1046 |
| Michael Meißer, Thomas Blank, KIT Karlsruhe Institute for Technology, D; Dean Hamilton, Philip Mawby, University of Warwick, GB | |

| | |
|---|-------------|
| p² Pack – the Paradigm Shift in Interconnect Technology | 1054 |
| Christian Rößle, Thomas Gottwald, Schweizer Electronic, D | |



| | |
|--|-------------|
| Novel Design Concept for Modular Multilevel Converter Power Modules | 1063 |
| Uwe Waltrich, Dirk Malipaard, Andreas Schletz, Fraunhofer IISB, D | |

| | |
|---|-------------|
| Reliability Improvement of Large Area Soldering Connections by Antimony Containing Lead-Free Solder | 1069 |
| Harald Beyer, Venkatesh Sivasubramaniam, David Hajas, Erich Nanser, Franziska Brem, ABB Switzerland, CH | |
| Thermal Performance of Interconnect Materials for Power Electronic Devices | 1077 |
| Thomas Krebs, Wolfgang Schmitt, Susanne Duch, Tanja Dickel, Heraeus Materials Technology, D | |
| A Critical Review of Corrosion Phenomena in Microelectronic Systems | 1078 |
| Stefan Wagner, Michael Töpfer, Olaf Wittler, Fraunhofer IZM, D; Karin Höppner, Klaus-Dieter Lang, Berlin University of Technology, D | |
| Microstructural and Mechanical Analyses of Ag Sintered Joints | 1085 |
| Constanze Weber, Matthias Hutter, Hermann Oppermann, Fraunhofer IZM, D; Klaus-Dieter Lang, Berlin University of Technology, D | |
| New Compact-package Power Modules for Electric and Hybrid Vehicles (J1-Series) | 1093 |
| Mikio Ishihara, K. Hiyama, N. Miyamoto, T. Nakano, Mitsubishi Electric Corporation, J; Thomas Radke, Mitsubishi Electric Europe, D | |

IPMs, Drivers, Systems

| | |
|--|-------------|
| A Compact Intelligent Power Module with High Thermal Performance for up to 4 kW Power Motor Drives | 1098 |
| Sungbum Park, Jeongsu Cho, Hyukdong Kwon, Junbae Lee, Daewoong Chung, LS Power Semitech, ROK | |
| New Industrial Series Transfer Mold MINI-DIIPM with Integrated BSD and Temperature Measurement Function | 1104 |
| Yazhe Wang, Tomofumi Tanaka, Toru Iwagami Mitsubishi Electric, J | |
| A New Low Loss MOSFET Intelligent Power Module for the Low Power Motor Drive Applications | 1110 |
| SungUn Shim, Taehyun Kim, Minsub Lee, Junbae Lee, Daewoong Chung, LS Power Semitech, ROK | |
| Development of New 1200 V SPM® Smart Power Module for Industrial Motor Drive Applications | 1114 |
| Taesung Kwon, Seunghyun Hong, Jonghwan Baek, Sungil Yong, Fairchild Semiconductor, ROK | |
| Over Temperature Protection in Power Module for Hybrid and Electric Vehicle | 1120 |
| JeHwan Lee, HanGeun Jang, SangChul Shin, JungHong Joo, JinHwan Jung, Hyundai Motors, ROK | |
| 1ED Compact – a new high Performance, Cost Efficient, High Voltage Gate Driver IC Family | 1127 |
| Heiko Rettinger, Infineon Technologies, D | |
| Electromagnetic robustness validation for gate drivers | 1134 |
| Stefan Junk, Eckart Hoene, Fraunhofer IZM, D | |

Cooling



| | |
|---|-------------|
| Application of Nucleate Boiling with Micro Structured Surfaces for Electronic Cooling | 1141 |
| Mike Zinecker, Matthias Hackert-Oschätzchen, Andreas Schubert, Chemnitz University of Technology, D; Martin Lausberg, cool tec Electronic, D; Andreas Schulz, Strukturtechnik UG, D | |

| | |
|---|-------------|
| Void Reduction & Better Thermals with Engineered Flux-Coated Solder Preforms | 1149 |
| Karthik Vijay, Seth Homer, Indium Corporation, USA | |

| | |
|---|-------------|
| Two-Phase Cooling of Hot-Swappable Modular Converters | 1157 |
| Thomas Gradinger, Francesco Agostini, Didier Cottet, ABB Switzerland, CH | |
| The Challenge of Accurately Analyzing Thermal Resistances | 1165 |
| Nils Kerstin, Martin Schulz, Infineon Technologies, D | |
| Analysis of Thermal Performances of a Power Module in PQFN Package vs. PCB Characteristics | 1173 |
| Stefano Ruzza, M. Palma, International Rectifier, I | |
| Dual-sided Cooling of Power Semiconductor Modules | 1179 |
| Jacek Marcinkowski, International Rectifier, USA | |
| New Technologize for Combining Fine Pitch and Thick Copper on One Substrate and Lowering Thermal Resistance | 1186 |
| Roland Dilsch, CeramTec, D | |
| Next-Generation IGBT Module Structure for Hybrid Vehicle with High Cooling Performance and High Temperature Operation | 1187 |
| Hiromichi Gohara, Yoshitaka Nishimura, Akira Morozumi, Ako Kitamura, Eiji Mochizuki, Yoshikazu Takahashi, Fuji Electric, J; Peter Dietrich, Fuji Electric Europe GmbH, D | |
| Evaluation of Phase Change Thermal Interface Materials for Power Modules Performance Enhancement | 1195 |
| Serge Bontemps, Anthony Basler, Matthieu Salland, Microsemi, F | |
| Power Electronics in Automotive | |
| IPT Station for Static and Dynamic Charging of Electric Vehicles | 1203 |
| Nikolay Madzharov, Anton Tonchev, Technical University of Gabrovo, BG | |
| Comparison of Topologies for the Main Inverter of an Electric Vehicle | 1211 |
| Stephan Brüske, Robin Kuehne, Friedrich W. Fuchs, University of Kiel, D | |
| Building a Continuous Source and Sink Solution for Battery Powered Device Testing | 1219 |
| Carlo Canziani, Ed Brorein, Neil Forcier, Agilent Technologies, I | |
| A new Versatile Intelligent Power Module (IPM) for EV and HEV Applications | 1223 |
| Seiichiro Inokuchi, Marco Honsberg, Shoji Saito, Mitsubishi Electric Europe, D; Khalid Hussein, Shinji Hatae, Mitsubishi Electric Corporation, J | |
| Electric Vehicle DC-Quick-Charger Security | 1229 |
| Abdoulkarim Bouabana, Philip Dost, Constantinos Sourkounis, Ruhr University Bochum, D | |
| Onboard Battery Chargers in Electric Cars: Benchmarking a Novel 5-level hybrid Converter with a Full SiC-based Approach | 1236 |
| Eduardo de Oliveira, Samuel Araujo, Benjamin Dombert, Peter Zacharias, University of Kassel, D | |
| Adaptable AC Input Phase Switching for Optimum Utilization of Various Grid Configurations supplying Power Electronic Converters and EV/HEV on Board Chargers | 1244 |
| Frank Schafmeister, Peter Ide, Jörg Richter, Delta Energy Systems, D | |
| A Soft-Switching Interleaved DC-DC Converter with Integrated Magnetics for High Voltage Battery Charger | 1252 |
| Rongyuan Li, Hugues Nijende, Frank Schafmeister, Pete Ide, Delta Energy Systems, D | |
| Electric Vehicle DC-Quick-Charger DC-Link Assessment | 1260 |
| Philip Dost, Abdoulkarim Bouabana, Constantinos Sourkounis, EneSys Ruhr University Bochum, D | |

| | |
|--|------|
| High Frequency Hard-Switching Isolating DC-DC Converter for Auxiliary Power Supply for Trolleybuses | 1267 |
| Miroslav Hruška, Škoda Electric, CZ; Martin Jara, University of West Bohemia, CZ | |
| Vishay Dale WSBP8518 Intelligent Battery Sensor | 1275 |
| Christoph Lohmeier, Tom Veik, Vishay Dale Electronics, USA | |
| Comparison of Powertrain Concepts for Electric Vehicles Using Distributed Induction Motors | 1283 |
| Michael Schael, Philipp Spichartz, Constantinos Sourkounis, Ruhr University Bochum, D | |
| Consideration on IGBT Module Lifetime for Electrical Vehicle (EV) Application | 1289 |
| Hui Han, Gaosheng Song, Mitsubishi Electric & Electronics, CN | |

Converter Control

| | |
|--|------|
| Study on Fault-tolerant Electrical Drive, based on Transverse Flux Reluctance Motor and Improved Converter Topology | 1296 |
| Jacek Borecki, Bernd Orlik, University of Bremen, D; Matthias Joost, Friedrich-Wilhelm Bessel Institute Bremen, D | |
| Practical Control Loop Design and Verification in Switched-mode Power Supply Applications | 1303 |
| Marco Schilling, Ulf Schwalbe, Tobias Reimann, Ilmenau University of Technology, D | |
| Advanced Active Neutral Point Three Level Inverter with Standard Half-Bridge Modules | 1311 |
| Jan Fuhrmann, Hans-Günter Eckel, University of Rostock, D | |
| Digital Control Methods to Improve LLC Resonant Converter Light Load Mode Operation and Implement Synchronous Rectifier Gate Driver | 1318 |
| Chunyu Hou, Analog Devices, TW; Qingyi Huang, Renjian Xie, Analog Devices, CN | |
|  Hybrid Control of 2- and 3-Level Converters | 1323 |
| Jens Onno Krahn, Markus Höltgen, Cologne University of Applied Sciences, D | |
| A Theoretical and Experimental Analysis of N+1 and 2N+1 Phase-Shifted Carrier-Based PWM Strategies in Modular Multilevel Converters | 1332 |
| Xudan Liu, Andreas Lindemann, Hadi Amiri, Otto von Guericke University Magdeburg, D | |
| Turnkey Solution for Single-phase Grid-connected DC/AC Converter Controls | 1340 |
| Christian Peter Dick, Sarah Gerngross, Cologne University of Applied Sciences, D | |
| Modulation and Losses of Modular Multilevel Converters for HVDC Applications | 1348 |
| Andre Birkel, André Schön, Mark-M. Bakran, University of Bayreuth, D | |
| Speed Estimation of DFIM by Using Frequency Analysis of Stator Current | 1356 |
| Volker Staudt, Jie Fang, Andreas Steimel, EneSys Ruhr University Bochum, D | |
| Comparison of Stabilization Methods for V/f controlled Induction Motor Drive System | 1362 |
| Yaqiong Liu, Bernhard Piepenbreier, University of Erlangen-Nuremberg, D | |
| Development of a 5 kW Bidirectional Inductive Power Transfer System Including Control Strategy for Electric Vehicles | 1370 |
| Marinus Petersen, Friedrich W. Fuchs, University of Kiel, D | |
| Impact of the Working Frequency on Wireless Power Transfer Systems | 1378 |
| Faical Turki, Ralf Wiengarten, Viktor Reising, Alexey Kratser, Paul-Vahle GmbH, D | |
| Converter Concepts for Increasing the Speed of Switched Reluctance Machines | 1384 |
| Felix Himmelstoss, Karl Edelmoser, Vienna University of Technology, A | |

Power Quality

| | |
|--|-------------|
| Magnetic Emissions Reduction by Varying Secondary Side Capacitor for Ferrite Geometry based Series-Parallel Topology Wireless Power Transfer to Vehicles | 1392 |
| Erik Schaltz, Tushar Batra Aalborg University, DK | |
| An Improved Series-Parallel Processing Applied to a Single-Phase Line-interactive UPS System for Low Power and Low Cost Applications | 1401 |
| Leonardo Poltronieri Sampaio, Sergio Oliveira da Silva, Vinicius Bacon, Rodrigo Modesto, Federal Technological University of Paraná, BR | |
| A novel Approach to Industrial Rectifier Systems: Dense, Efficient and Modular Architecture Enabled by Fixed-Ratio Bus Converters | 1410 |
| Maurizio Salato, Vicor Corporation, USA | |
| SiC Modular Multilevel Converters: Sub-Module Voltage Ripple Analysis and Efficiency Estimations | 1418 |
| Angel Luis Perez-Basante, University of the Basque Country, ES; Josep Pou, University of New South Wales, AUS; Salvador Ceballos, Asier Gil de Muro, Ainhoa Pujana, Pedro Ibáñez, Tecnalia Research & Innovation, ES | |
| Identifying EMI Sources in Power Switch Commutation | 1426 |
| Cesare Bocchiola, International Rectifier, I; Andrea Gorgerino, International Rectifier, USA | |
| Advanced Active dV/dt Filter for Inverter Powered Drives with Charge Pulse and Motor Sided Capacitance | 1433 |
| Patrick Münster, Hans-Günter Eckel, Johannes Hermann, University of Rostock, D | |
| A Novel Approach to Efficient Inrush Current Limitation for LED Power Applications | 1439 |
| Hendrik Tech, Dirk Leber, Systemtechnik LEBER, D; Andre Schwarzmeier, University of Erlangen-Nuremberg, D | |
| Optimal PWM Implementation for Dimming Control of LED Lamps | 1447 |
| Christian Branas, Francisco Azcondo, Rosario Casanueva, Francisco Diaz, University of Cantabria, ES | |
| Half Current Line Stress by LED Lamps Less 25 Watt Equipped With a Simple Nonlinear Passive PFC | 1455 |
| Reinhard Jaschke, Klaus F. Hoffmann, Helmut Schmidt University, D | |
| AC/DC Converter with Switched Capacitor Applied to Power LEDs | 1463 |
| Fernando Antunes, Pedro Miranda, Esio Santos, Edilson Mineiro, Federal University of Ceara, BR | |
| Study of the Dependence between the Dissipated Power and the Inductance when an HV power MOSFET works in UIS Passive Mode Test | 1469 |
| Giuseppe Consentino, Yosef Damante, STMicroelectronics, I | |

Converters

| | |
|--|-------------|
| Generation of Multiple Isolated Bias Rails for IGBT Inverters using Flyback/SEPIC/Cuk Combination | 1475 |
| Robert Zwicker, Analog Devices, USA | |
| NZID (Near Zero Interlock Delay) driving principle | 1483 |
| Anja Zajc, Franci Zajc, Ivica Zajc Zdesar, Franc Zajc, Fraza d.o.o., SLO | |
| Power supply source for the continental shelf bottom exploration system | 1492 |
| Nikolay Volskiy, Yury Skorokhod, Sergey Volskiy, Nikolay Antushev, Transconverter, RUS | |

| | |
|---|-------------|
| Quasi-Resonant Two-Switch Flyback Converter with Input Voltage Range Extension Circuit | 1500 |
| Hangseok Choi, Fairchild Semiconductor, USA | |
| A Novel Method to Predict ZVS Behavior of LLC Converters | 1507 |
| Christian Oeder, Thomas Duerbaum, University of Erlangen-Nuremberg, D | |
| Combined Solid-State AC/DC Switch for Laboratory Applications | 1515 |
| Michael Kohlmann, Torsten Küper, Volker Staudt, Andreas Steimel, Ruhr University Bochum, D | |
| A Highly Reliable Point of Load, Low-Voltage DC/DC Converter for an FPGA Platform | 1522 |
| Masoumeh Amirpour, Lothar Czarnecki, Michael Patt, Technology Network Allgäu, D; Markus Polster, Fraunhofer IIS, D | |
| Indirect Current Source Inverter with Regenerative Snubber Circuit | 1529 |
| Johann Austermann, Christian Studen, Holger Borcharding, University of Applied Sciences Ostwestfalen-Lippe, D; Joachim Böcker, University of Paderborn, D | |
| A High Current, High Frequency Modular Multiphase Multilevel Converter for Power Hardware-in-the-Loop Emulation | 1537 |
| Alexander Schmitt, Mario Gommeringer, Johannes Kolb, Michael Braun, KIT Karlsruhe Institute of Technology, D | |
| Voltage Balancing Control of a Three-Phase Hybrid-Clamped Five-Level Inverter Based on Optimal Switching Combination | 1545 |
| Xiaokun Wu, Yingyu Zeng, Kui Wang, Yongdong Li, Tsinghua University, CN | |
| Control of the Cascaded H-bridge Multilevel Matrix Converter | 1552 |
| Li Yao, Lie Xu, Yongdong Li, Tsinghua University, CN | |
| An Innovative System Capable to Turn on Any Turned Off electrical Appliance by means of an efficient optical energy transfer | 1559 |
| Roberto La Rosa, Natale Aiello, Giulio Zoppi, STMicroelectronics, I | |
| An Overview on Converter Efficiency Increasing Techniques | 1567 |
| Oier Oñederra, Edorta Ibarra, Iñigo Kortabarria, Jon Andreu, Angel Luis Perez-Basante, University of the Basque Country, ES | |
| Optimizing Power Consumption of Embedded Systems Using Smart Power Supply Solutions | 1575 |
| Norbert Schönitz, Wilhelm Winterstein, Fraunhofer IIS, D; Bernhard Strzalkowski, Analog Devices, D | |
| Analysis of Hybrid MOSFET/IGBT Switches Utilized in High Frequency Resonant Converters | 1582 |
| Jörn Bergmann, Klaus F. Hoffmann, Felix Bröcker, Helmut Schmidt University, D | |
| Design of a High Efficiency Planar Transformer with Deep Interleave Flat Coil Windings for >250 W Converter Topologies | 1588 |
| Gerard Healy, Pulse Electronics, IE | |

Sensors, Diagnostics, Magnetics

| | |
|---|-------------|
| Ultra High Voltage High Current Probe for Power Device Testing | 1594 |
| Kazuki Negishi, Cascade Microtech, USA | |
| High Bandwidth Current Sensors for Electromobility Applications | 1602 |
| Rolf Slatter, Sensitec, D | |
| Over-Temperature Protection for IGBT Modules | 1610 |
| Ke Wang, Yongjun Liao, Xiankui Ma, Gaosheng Song, Mitsubishi Electric & Electronics, CN | |

| | |
|--|-------------|
| Highly Dynamic Current Measurements with Inductive Current Sensors – a Numerical Recipe | 1617 |
| Stefan Hain, Mark-M. Bakran, University of Bayreuth, D | |
| VCC-Less RDSON Current Sensing Circuit | 1625 |
| Thomas Ribarich, International Rectifier, USA | |
| Electric Vehicle DC-Quick-Charger Test Bed configuration | 1631 |
| Abdoulkarim Bouabana, Philip Dost, Constantinos Sourkounis, Ruhr University Bochum, D | |
| Online Insulation Condition Monitoring of AC Machines using Ultra-fast Inverter Switching Transition Based on New Semi-Conductor Materials | 1636 |
| Markus Vogelsberger, Bombardier Transportation, A; Hans Ertl, Clemes Zöller, Thomas M. Wolbank, P. Nussbaumer, H. Votzi, Vienna University of Technology, A | |
| Model Based Design Tools in Closed Loop Motor Control | 1643 |
| Dara O'Sullivan, Analog Devices International, IE; Jens Sorensen, Analog Devices USA; Anders Frederiksen, Analog Devices, DK | |
| Design and Simulation of High Power Filter Inductors with Minimized Thermal Resistance | 1652 |
| Alexander Stadler, Tobias Stolzke, Christof Gulden, STS, D | |
| Modeling of Softmagnetic Composites | 1659 |
| Michael Owzareck, Block transformatoren, D | |
| Size Reduction of a DC Link Choke Using Saturation Gap and Biasing with Permanent Magnets | 1667 |
| Andres Revilla Aguilar, Stig Munk-Nielsen, Aalborg University, DK; Marco Zuccherato, Danfoss, DK; Hans-Jørgen Thouggaard, Sintex, DK | |
| Electric Vehicle DC-Quick-Charger Grid Load Assessment | 1675 |
| Philip Dost, Abdoulkarim Bouabana, Constantinos Sourkounis, EneSys Ruhr University Bochum, D | |
| Veranstaltungskalender / Exhibition calendar | 1682 |