

Table of contents

About the authors	1
Foreword	5
1 Introduction	7
2 Positioning Industrie 4.0	8
3 Requirements for a reference architecture model for Industrie 4.0	11
3.1 Characteristics of a reference architecture model	11
3.2 General requirements within Industrie 4.0	12
3.3 The current state of technology	13
3.4 Scenario: The versatile factory	16
4 The Property principle	22
4.1 Describing the physical world and the information world	22
4.1.1 Terms and definitions	22
4.1.2 Properties	23
4.2 Properties in Industrie 4.0	24
4.2.1 Specification of properties for Industrie 4.0	24
4.2.2 Property values	27
4.2.3 The structured use of properties	29
4.2.4 Lists of properties for different processes and process phases	32
5 Aspects of an asset in Industrie 4.0	36
5.1 Basic considerations	36
5.2 Presentation and communication ability	39
6 The Reference Architecture Model for Industrie 4.0 (RAMI 4.0)	43
6.1 Background	43
6.2 The Life cycle & Value Stream axis	47
6.3 The Hierarchy axis (allocation)	49
6.4 The Architecture axis (“layers”)	51
6.4.1 The Asset Layer and the Integration Layer	51
6.4.2 The Communication Layer	53
6.4.3 The Information Layer	56
6.4.4 The Functional Layer	57
6.4.5 The Business Layer	59

- 6.5 Example of a servo-hydraulic axis using the architectural layers of RAMI 4.0 60
- 7 The application of RAMI 4.0 in value-added networks 62**
 - 7.1 Value streams: Different perspectives 62
 - 7.2 Data and information: Different perspectives 64
- 8 Reflecting the physical world in the information world 67**
 - 8.1 Object worlds 68
 - 8.2 Fundamentals of the reflection process 69
 - 8.3 Identifiers 70
 - 8.3.1 International Registration Data Identifier (IRDI) 70
 - 8.3.2 Uniform Resource Identifier (URI) 72
- 9 The I4.0 component 73**
 - 9.1 Motivation for a reference model 73
 - 9.2 The fundamental concept of the I4.0 component 75
 - 9.3 Scope of the I4.0 component 75
 - 9.4 Digital representation of an administration shell 77
 - 9.4.1 Case 1: The administration shell is provided by the asset itself 78
 - 9.4.2 Case 2: The administration shell is provided by a central repository 79
 - 9.5 Dynamically connecting I4.0 components 80
 - 9.5.1 Activating operation (case 1) 81
 - 9.5.2 Asset-oriented access (case 2) 82
 - 9.5.3 Dynamic cooperation (case 3) 83
 - 9.6 Which information elements should the administration shell include? 84
 - 9.7 The format of standardized properties 87
 - 9.8 Implementation of data elements as properties 88
 - 9.9 Standardized functions 91
 - 9.10 Submodels group the information and functions of an I4.0 component 93
 - 9.11 Identifiers for the different elements of the I4.0 component 96
 - 9.12 The general structure of the (asset) administration shell 98
 - 9.13 Example of a submodel 99
 - 9.14 Designing the I4.0 component 101
 - 9.15 The design process for a system comprising I4.0 components 102

10	Asset compounds and relationship complexes	104
10.1	Cooperation	104
10.2	Relationships	106
10.3	Asset compounds	107
10.4	Examples of asset compounds	108
10.4.1	Screw connection	108
10.4.2	Machines as part of a factory	109
10.4.3	Pipe with valve	111
10.5	Asset compounds: Aggregation and details	112
10.6	Diagram of cooperation	114
10.7	A uniform language (grammar) for cooperation	115
11	Connectivity	117
11.1	Service-orientation	117
11.2	Interaction models for I4.0 components	117
12	Security	121
12.1	Identifiers and identities	121
12.2	Security (process) as an asset	122
13	Standards and standardization	124
13.1	The need for standardization	124
13.2	Standardizing properties	125
14	Criteria for Industrie 4.0 products	130
14.1	General	130
14.2	Outlook	136
	Bibliography	138
	Bibliography of standards and technical rules	141
	Index	149