

System.Runtime.CompilerServices.TypeForwardedToAttribute Class

```
[ILAsm]
.class public sealed beforefieldinit TypeForwardedToAttribute extends
System.Attribute

[C#]
public sealed class TypeForwardedToAttribute: Attribute
```

Assembly Info:

- *Name:* mscorlib
- *Public Key:* [00 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00]
- *Version:* 4.0.0.0
- *Attributes:*
 - CLSCompliantAttribute(true)

Type Attributes:

- System.AttributeUsage(System.AttributeTargets.Assembly, AllowMultiple=true, Inherited=false)

Summary

Specifies a destination `System.Type` in another assembly.

Inherits From: System.Attribute

Library: RuntimeInfrastructure

Description

Use the `System.Runtime.CompilerServices.TypeForwardedToAttribute` attribute to move a type from one assembly to another without disrupting callers that compiled against the old assembly.

TypeForwardedToAttribute(System.Type) Constructor

```
[ILAsm]  
.method public hidebysig specialname rtspecialname instance void  
.ctor(class System.Type destination) cil managed  
  
[C#]  
public TypeForwardedToAttribute (Type destination)
```

Summary

Initializes a new instance of the `System.Runtime.CompilerServices.TypeForwardedToAttribute` class specifying a destination `System.Type`.

Parameters

Parameter	Description
<i>destination</i>	The destination <code>System.Type</code> in another assembly.

TypeForwardedToAttribute.Destination Property

```
[ILAsm]  
.property instance class System.Type Destination  
  
[C#]  
public Type Destination { get; }
```

Summary

Gets the destination `System.Type` in another assembly.

Property Value

The destination `System.Type` in another assembly.