



**International
Standard**

ISO/IEC 24760-1

**Information security, cybersecurity
and privacy protection —
A framework for identity
management —**

**Part 1:
Core concepts and terminology**

*Sécurité de l'information, cybersécurité et protection de la vie
privée — Cadre pour la gestion de l'identité —*

Partie 1: Concepts fondamentaux et terminologie

**Third edition
2025-09**



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 General terms.....	1
3.2 Identification.....	3
3.3 Authenticating identity information.....	3
3.4 Management of identity.....	6
3.5 Federation.....	8
3.6 Privacy protection.....	8
4 Symbols and abbreviated terms	9
5 Identity	9
5.1 General.....	9
5.2 Identity information.....	10
5.3 Identifier.....	11
5.4 Credential.....	11
5.4.1 General.....	11
5.4.2 Authenticator.....	12
5.4.3 Credential management.....	13
6 Attributes	13
6.1 General.....	13
6.2 Types of attributes.....	13
6.3 Domain of origin.....	14
7 Managing identity information	15
7.1 General.....	15
7.2 Identity lifecycle.....	15
8 Identification	17
8.1 General.....	17
8.2 Verification.....	18
8.3 Enrolment.....	18
8.4 Registration.....	18
8.5 Identity proofing.....	19
8.5.1 General.....	19
8.5.2 Identity evidence.....	19
9 Authentication	20
10 Maintenance	20
11 Implementation aspects	20
12 Privacy	21
Bibliography	22
Index of terms	24

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 27, *Information security, cybersecurity and privacy protection*.

This third edition cancels and replaces the second edition (ISO/IEC 24760-1:2019), which has been technically revised. It also incorporates the Amendment ISO/IEC 24760-1:2019/Amd 1:2023.

The main changes are as follows:

- title has been updated;
- the document has been editorially revised.

A list of all parts in the ISO/IEC 24760 series can be found on the ISO website.

This document has been given the status of a horizontal document in accordance with the ISO/IEC Directives, Part 1.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

Data processing systems commonly gather a range of information on their users, be it a person, piece of equipment, or piece of software connected to them, and make decisions based on the gathered information. Such identity-based decisions can concern access to applications or other resources.

To address the need to efficiently and effectively implement systems that make identity-based decisions, the ISO/IEC 24760 series specifies a framework for the issuance, administration, and use of data that serves to characterize individuals, organizations or information technology components which operate on behalf of individuals or organizations.

For many organizations, the proper management of identity information is crucial for maintaining security within organizational processes. For individuals, correct identity management is important for protecting privacy.

The ISO/IEC 24760 series specifies fundamental concepts and operational structures for identity management and provides a framework on which information systems can meet business, contractual, regulatory, and legal obligations.

This document specifies the terminology and concepts for identity management, in order to promote a common understanding in the field of identity management.

This document is intended to provide a foundation for the terminology and concepts in other international standards related to identity information processing including other parts of the ISO/IEC 24760 series, ISO/IEC 29100, ISO/IEC 29101, ISO/IEC 29115, and ISO/IEC 29146.

Information security, cybersecurity and privacy protection — A framework for identity management —

Part 1: Core concepts and terminology

1 Scope

This document:

- defines terms for identity management and specifies core concepts of identity and identity management, and their relationships;
- is applicable to any information system where information relating to identity is processed or stored;
- is considered to be a horizontal document for the following reasons:
 - it applies concepts such as distinguishing the term “identity” from the term “identifier” on the implementation of systems for the management of identity information and on the requirements for the implementation and operation of a framework for identity management,
 - it provides an important contribution to assess identity management systems with regard to their privacy-friendliness and their ability to assure the relevant attributes of an identity, and consequently it provides a foundation and a common understanding for any other standard addressing identity, identity information, and identity management.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 24760-2, *Information security, cybersecurity and privacy protection — A framework for identity management — Part 2: Reference architecture and requirements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 General terms

3.1.1 entity

item relevant for the purpose of operation of a *domain* (3.2.3) that has recognizably distinct existence

Note 1 to entry: An entity can have a physical or a logical embodiment.

EXAMPLE A person, an organization, a device, a group of such items, a human subscriber to a telecom service, a SIM card, a passport, a network interface card, a software application, a service or a website.

3.1.2 identity partial identity

set of *attributes* (3.1.3) related to an *entity* (3.1.1)

Note 1 to entry: An entity can have more than one identity.

Note 2 to entry: Several entities can have the same identity.

Note 3 to entry: ITU-T X1252 specifies the distinguishing use of an identity. In this document, the term *identifier* (3.1.4) implies this aspect.

3.1.3 attribute

characteristic or property of an *entity* (3.1.1)

EXAMPLE An entity type, address information, telephone number, a privilege, a MAC address, a domain name are possible attributes.

3.1.4 identifier

attribute (3.1.3) or set of attributes that uniquely characterizes an *identity* (3.1.2) in a *domain* (3.2.3)

Note 1 to entry: An identifier can be a specifically created attribute with a value assigned to be unique within the domain.

EXAMPLE A name of a club with a club-membership number, a health insurance card number together with a name of the insurance company, an email address, or a universal unique identifier (UUID) can all be used as identifiers. In a voter's register, the combination of attributes name, address and date of birth is sufficient to unambiguously distinguish a voter.

3.1.5 domain of origin

domain (3.2.3) where an *attribute* (3.1.3) value was created or its value has been (re)assigned

Note 1 to entry: The domain of origin can be provided as meta data for an attribute.

Note 2 to entry: The domain of origin typically specifies the meaning and format of the attribute value. Such specification can be based on international standards.

Note 3 to entry: An attribute can contain an explicit value that references the domain of origin, e.g. an ISO country code for a passport number as reference to the issuing country that is the domain of origin of *identity information* (3.2.4) in the passport.

Note 4 to entry: Operationally, a domain of origin can be available as an authoritative source for an attribute (sometimes known as the attribute authority). An authoritative source can be operated outside the actual domain of origin. Multiple authoritative sources can exist for the same domain of origin.

EXAMPLE The domain of origin of a club-membership number is the specific club that assigned the number.

3.1.6 reference identifier RI

identifier (3.1.4) in a *domain* (3.2.3) that is intended to remain the same for the duration an *entity* (3.1.1) is known in the domain and is not associated with another entity for a period specified in a policy after the entity ceases to be known in that domain

Note 1 to entry: A reference identifier persists at least for the existence of the entity in a domain and can exist longer than the entity, e.g. for archival purposes.

Note 2 to entry: A reference identifier for an entity can change during the lifetime of an entity, at which point the old reference identifier is no longer applicable for that entity.

EXAMPLE A driver license number that stays the same for an individual driver's driving life is a persistent identifier, which references additional *identity information* (3.2.4) and that is a reference identifier. An IP address is not a reference identifier as it can be assigned to other entities.

3.1.7

principal

subject

entity (3.1.1) of which *identity information* (3.2.4) is stored and managed by an *identity management system* (3.4.8)

Note 1 to entry: Typically, in a context of privacy protection or where a principal is seen as having agency a principal refers to a person.

3.2 Identification

3.2.1

identification

process of recognizing an *entity* (3.1.1) in a particular *domain* (3.2.3) as distinct from other entities

Note 1 to entry: The process of identification applies verification to claimed or observed attributes.

Note 2 to entry: Identification typically is part of the interactions between an entity and the services in a domain and to access resources. Identification can occur multiple times while the entity is known in the domain.

3.2.2

verification

process of establishing that *identity information* (3.2.4) associated with a particular *entity* (3.1.1) is correct

Note 1 to entry: Verification typically involves determining which attributes are needed to recognize an entity in a *domain* (3.2.3), checking that these required attributes are present, that they have the correct syntax, and exist within a defined validity period and pertain to the entity.

3.2.3

domain

domain of applicability

context

environment where an *entity* (3.1.1) can use a set of *attributes* (3.1.3) for *identification* (3.2.1) and other purposes

Note 1 to entry: In general, the domain of an *identity* (3.1.2) is well defined in relation to the particular set of attributes.

Note 2 to entry: ITU-T X1252 uses the term context; this document prefers the term domain.

EXAMPLE An IT system deployed by an organization that allows users to login is the domain for the user's login name.

3.2.4

identity information

set of values of *attributes* (3.1.3) optionally with any associated metadata in an *identity* (3.1.2)

Note 1 to entry: In an information and communication technology system, an identity is present as identity information.

3.3 Authenticating identity information

3.3.1

authentication

formalized process of *verification* (3.2.2) that, if successful, results in an *authenticated identity* (3.3.2) for an *entity* (3.1.1)

Note 1 to entry: The authentication process involves tests by a verifier of one or more identity attributes provided by an entity to determine, with the required level of assurance, their correctness.

Note 2 to entry: Authentication typically involves the use of a policy to specify a required level of assurance for the result of a successful completion.

3.3.2

authenticated identity

identity information (3.2.4) for an *entity* (3.1.1) created to record the result of *authentication* (3.3.1)

Note 1 to entry: An authenticated identity typically contains information obtained in the authentication process, e.g. the level of assurance attained.

Note 2 to entry: The existence of an authenticated identity in a particular domain denotes that an entity has been recognized in that domain.

Note 3 to entry: An authenticated identity typically has a lifespan restricted by an authentication policy.

3.3.3

identity information authority

IIA

entity (3.1.1) related to a particular *domain* (3.2.3) that can make provable statements on the validity and/or correctness of one or more *attribute* (3.1.3) values in an *identity* (3.1.2)

Note 1 to entry: An identity information authority is typically associated with the domain, for instance the *domain of origin* (3.1.5), in which the attributes, which the IIA can make assertions on, have a particular significance.

Note 2 to entry: The activity of an identity information authority can be subject to a policy on privacy protection.

Note 3 to entry: An entity can combine the functions of *identity information provider* (3.3.4) and identity information authority.

3.3.4

identity information provider

IIP

identity provider

entity (3.1.1) that makes available *identity information* (3.2.4)

Note 1 to entry: Typical operations performed by an identity information provider are to create and maintain identity information for entities known in a particular domain. An identity information provider and an *identity information authority* (3.3.3) can be the same entity.

3.3.5

credential

representation of an *identity* (3.1.2) for use in *authentication* (3.3.1)

Note 1 to entry: As described in 5.4, customary embodiments of a credential are very diverse. To accommodate this wide range, the definition adopted in this document is very generic.

Note 2 to entry: A credential is typically made to facilitate data authentication of the *identity information* (3.2.4) pertaining to the identity it represents. Data authentication is typically used in authorization.

Note 3 to entry: The identity information represented by a credential can, for example, be printed on human-readable media, or stored within a physical token. Typically, such information can be presented in a manner designed to reinforce its perceived validity.

EXAMPLE A credential can be a username, username with a password, a PIN, a smartcard, a token, a fingerprint, a passport, etc.

3.3.6

verifier

entity (3.1.1) that performs *verification* (3.2.2)

Note 1 to entry: A verifier can be the same as, or act on behalf of, the entity that controls identification of entities for a particular domain.

3.3.7
relying party
RP

entity (3.1.1) that relies on the *verification* (3.2.2) of *identity information* (3.2.4) for a particular entity

Note 1 to entry: A relying party is exposed to risk caused by incorrect identity information. Typically, it has a trust relationship with one or more *identity information authorities* (3.3.3).

3.3.8
identity assertion

statement by an *identity information authority* (3.3.3) used by a *relying party* (3.3.7) for *authentication* (3.3.1)

Note 1 to entry: An identity assertion can be the cryptographic proof of a successful authentication, created with algorithms and keys agreed between parties, e.g. in an identity federation.

3.3.9
authentication factor

distinguishing feature of an authenticator to characterize its use in *authentication* (3.3.1)

Note 1 to entry: Four different authentication factors can be recognized:

- cognition factor, any *credential* (3.3.5) that is formed by something that the *principal* (3.1.7) knows and can reproduce (exclusively): a *personal secret* (3.3.13);
- possession factor, any credential that is formed by something that the principal possesses, e.g. an authenticator;
- inherent factor, any credential that is formed by a description of something that is inherent to the physical existence of the principal, e.g. a biometric characteristic such as fingerprint, facial image, or 1, iris pattern;
- behaviour factor, any credential that is formed by a description of something that the principal typically does, e.g. a behaviour pattern.

3.3.10
multi-factor authentication

authentication (3.3.1) in which multiple *authenticators* (3.3.11) are used of two or more *authentication factors* (3.3.9)

Note 1 to entry: If two or more authenticators are being used in authentication that have the same authentication factor, they should have been issued by different *credential issuers* (3.4.10).

Note 2 to entry: Using multiple authenticators that differ in authentication factor can enhance the security of the authentication as that could prompt the *principal* (3.1.7) to act differently with each of them.

[SOURCE: ISO/IEC 19790:2012,¹⁾ 3.74, modified — definition and notes to entry have been updated to align with the context of this document.]

3.3.11
authenticator

representation of an *entity* (3.1.1) to demonstrate it is known in a *domain of origin* (3.1.5)

EXAMPLE One-time password (OTP) generator token, transaction authentication number (TAN) generator token, an electronic (identity) card or a mobile phone application with one or more of these functions.

Note 1 to entry: An authenticator can have a physical form, which can be under exclusive operational control of a *principal* (3.1.7).

Note 2 to entry: As a physical device an authenticator can provide a cryptographically strong identifier for the principal, which can be a pseudonym or *ephemeral* (3.6.4).

Note 3 to entry: An authenticator is intended to be used by the principal to provide input on its behalf during *authentication* (3.3.1) functioning as a possession factor.

1) Cancelled and replaced by ISO/IEC 19790:2025.

Note 4 to entry: An authenticator can be provided to a principal by a *credential issuer* (3.4.10) which is unrelated to the domain of origin. Upon enrolment in a domain of origin of a principal who has such a third-party authenticator, the (pseudonymous) identifier of the authenticator is typically recorded as attribute for the principal.

Note 5 to entry: An authenticator can either be unconnected, or connected through a computer interface, e.g. a USB port, or can be integrated with a user device, e.g. as application in a smart phone. As a mobile application it could use a secure element in the phone to protect cryptographic secrets or a *personal secret* (3.3.13).

Note 6 to entry: While under operational control of the principal, an authenticator can also be under secure, remote functional control of its issuer, e.g. to update functional parameters or refresh cryptographic keys.

3.3.12

one-time password

OTP

single-use value randomly generated for use in *authentication* (3.3.1)

Note 1 to entry: An authenticator may be configured to generate a one-time password, typically after its operator has entered a *personal secret* (3.3.13).

3.3.13

personal secret

knowledge exclusive to a *principal* (3.1.7) that can be validated in a *domain of origin* (3.1.5) where the principal is known

EXAMPLE A password, PIN, selecting pictures from a presented randomized grid with a type of content pre-arranged with the *credential issuer* (3.4.10).

Note 1 to entry: Each different type of personal secret has an establishment procedure implemented by the credential issuer to provide an associated *identity information authority* (3.3.3) with the information required for future validation.

Note 2 to entry: Each different type of personal secret has a *verification* (3.2.2) procedure implemented by the identity information authority associated with the credential issuer to verify that knowledge based on securely stored information.

Note 3 to entry: In general, data communication during the process to establish or validate a personal secret as a *credential* (3.3.5) is cryptographically protected, e.g. with HTTPS.

3.4 Management of identity

3.4.1

identity management

IDM

processes and policies involved in managing the lifecycle and value, type and optional metadata of *attributes* (3.1.3) in *identities* (3.1.2) known in a particular *domain* (3.2.3)

Note 1 to entry: In general, identity management is involved in interactions between parties where *identity information* (3.2.4) is processed.

Note 2 to entry: Processes and policies in identity management support the functions of an *identity information authority* (3.3.3) where applicable, in particular to handle the interaction between an entity for which an identity is managed and the identity information authority.

3.4.2

identity proofing

initial entity authentication

verification (3.2.2) based on *identity evidence* (3.4.4) aimed at achieving a specific level of assurance

Note 1 to entry: Identity proofing is typically performed as part of *enrolment* (3.4.3). Identity evidence can also be needed during maintenance of registered identity information, e.g. recovery of a user account.

Note 2 to entry: Typically, identity proofing involves a verification of provided identity information and can include uniqueness checks, possibly based on biometric techniques.

Note 3 to entry: Verification for identity proofing is usually based on an enrolment policy that includes specification of the verification criteria of the identity evidence to be provided by the entity.

Note 4 to entry: The verified *identity information* (3.2.4) obtained when performing identity proofing can be included in the registration and can serve to facilitate future identification of the *entity* (3.1.1).

3.4.3 enrolment

process to make an *entity* (3.1.1) known within a particular *domain* (3.2.3)

Note 1 to entry: Enrolment typically comprises the collection and validation of *identity information* (3.2.4) for identification of an entity and the collection of the *identity information* (3.2.4) required for *identity registration* (3.4.6), followed by identity registration itself.

3.4.4 identity evidence

evidence of identity

information that can support validating *identity information* (3.2.4)

Note 1 to entry: Identity evidence is the presented and gathered information related to an entity that provides the *attributes* (3.1.3) needed for a successful identification or *authentication* (3.3.1) at a specific (high) level of assurance.

3.4.5 identity register

IMS register

repository of *identities* (3.1.2)

Note 1 to entry: A typical identity register is indexed by a reference identifier.

Note 2 to entry: The *identity information authority* (3.3.3) in a particular *domain* (3.2.3) typically uses its own identity register. However, an identity register can be shared between related domains, e.g. within the same commercial entity.

Note 3 to entry: The reliability of the *identity information* (3.2.4) in an identity register is determined by the identity proofing policies used during *enrolment* (3.4.3).

3.4.6 identity registration

registration

process of recording an *entity's* (3.1.1) *identity information* (3.2.4) in an *identity register* (3.4.5)

3.4.7 identity management system

mechanism comprising of policies, procedures, technology and other resources for maintaining *identity information* (3.2.4) including associated metadata

Note 1 to entry: An identity management system is typically used for *identification* (3.2.1) or *authentication* (3.3.1) of entities. It can be deployed to support other automated decisions based on identity information for an entity recognized in the domain for the identity management system.

3.4.8 registration authority

RA

entity (3.1.1) related to a particular *domain* (3.2.3) responsible for *enrolment* (3.4.3), *identity proofing* (3.4.2) and *identity registration* (3.4.6)

3.4.9 credential issuer

entity (3.1.1) responsible for provisioning of a *credential* (3.3.5) to a *principal* (3.1.7) in a specific *domain* (3.2.3)

Note 1 to entry: A credential provisioned by a credential issuer can have a physical form, e.g. a membership (smart) card.

Note 2 to entry: The issuance of a credential for a principal can be recorded as an *attribute* (3.1.3) for the principal, e.g. by recording the unique number of the token issued.

Note 3 to entry: A credential provisioned by an issuer can be a username and password. A credential in the form of a smart card or similar security device, can be configured to validate a password off-line.

3.4.10

entity authentication assurance

assertion that the reliability of *identity information* (3.2.4) pertains to a particular entity

3.4.11

level of assurance

description of the strength of entity authentication assurance

Note 1 to entry: ISO/IEC 29115:2013 specifies multiple levels of assurance.

3.4.12

principal's personal identity management system

PPI

mobile identity

identity management system (3.4.8) holding *identity information* (3.2.4) for a single *principal* (3.1.7), operated by, or under exclusive control of, this principal

Note 1 to entry: The term "mobile identity" has been used, among other concepts, to refer to a PPI, e.g. as implemented on a mobile phone or as a dedicated processing token.

Note 2 to entry: An authenticator can be configured to operate as private IMS for its principal. In that case, some attributes in the identity are exclusively stored in the authenticator, while an external *identity information provider* (3.3.4) may be used for additional attributes, and an external identity information authority may be used to provide (additional) cryptographic assertions on the contained identity information.

3.5 Federation

3.5.1

identity federation

agreement between two or more *domains* (3.2.3) specifying how *identity information* (3.2.4) will be exchanged and managed for cross-domain *identification* (3.2.1) purposes

Note 1 to entry: Establishing an identity federation typically includes an agreement on the use of common protocols and procedures for privacy control, data protection and auditing. The federation agreement can specify the use of standardized data formats and cryptographic techniques.

Note 2 to entry: The federation agreement can be the basis for identity authorities in each of the domains of applicability to mutually recognize credentials for authorization.

3.6 Privacy protection

3.6.1

selective disclosure

principle of *identity management* (3.4.1) that gives a person a measure of control over the *identity information* (3.2.4) that can be transferred to a third party, e.g. during *authentication* (3.3.1)

Note 1 to entry: In jurisdictions where certain types of legal entities are granted the right of privacy protection, the term "person" should be interpreted to include such entities, otherwise the term "person" is used in relation to a single human individual.

3.6.2

minimal disclosure

principle of *identity management* (3.4.1) to restrict the request or transfer of *identity information* (3.2.4) to a third party to the minimum information strictly required for a particular purpose

Note 1 to entry: The principle of proportionality is related to minimal disclosure in so far as the effort of control intervention is reasonable in relation to the activity.

3.6.3

pseudonym

identifier (3.1.4) that contains the minimal *identity information* (3.2.4) sufficient to allow a *verifier* (3.3.6) to establish it as a link to a known *identity* (3.1.2)

Note 1 to entry: A pseudonym can be used to reduce privacy risks that are associated with the use of identifiers with fixed or known values.

Note 2 to entry: A pseudonym can be an identifier with a value chosen by the person or assigned randomly.

Note 3 to entry: In jurisdictions where certain types of legal entities are granted the right of privacy protection, the term "person" should be interpreted to include such entities, otherwise the term "person" is used in relation to a single human individual.

3.6.4

ephemeral identifier

identifier (3.1.4) with a restricted validity period

Note 1 to entry: Typically, an ephemeral identifier is provided to a subject as a cryptographic credential to represent an *authenticated identity* (3.3.2).

Note 2 to entry: Typically, an ephemeral identifier can only be verified in the *domain* (3.2.3) that created it, possibly also in domains federated with this domain.

4 Symbols and abbreviated terms

HTTPS	Hypertext transport protocol, secured
MAC	Media access control
ICT	Information and communication technology
URI	Uniform resource identifier

5 Identity

5.1 General

An identity represents an entity in an ICT system as data to be stored or processed. The (business) purposes of a particular domain of application served by an ICT system determine which of the attributes pertaining to an entity shall be used in its identity. A persistently stored identity is the basis for identification of a principal. If a persistent identity is not an identifier, identification can require additional information from the principal.

An identity can, in part or fully, be represented by a credential issued to the principal. If an identity is represented by such a credential, an identifier for the credential can be included in the registered identity.

This document considers any set of attributes that describe a particular entity as an identity for the entity. In some domains, the persistently stored identity information for different entities can be the same. In this case, additional information is used in identification to recognize an entity as distinct, where needed. In other standards, e.g. ITU-T X1252,^[15] the explicit purpose of an identity is the capability of the identity information to distinguish entities from each other to the extent relevant for applications in a domain ("in context").

An entity can have multiple identities, each identity relating to at least one domain. An entity can have multiple identities relating to the same domain. Some identities of an entity cannot be unique in any domain.

NOTE 1 The term entity is taken in a broad sense. It represents a physical person, a moral or legal person (institution, company), an object (information, a system, a device), or a group of these individual entities.

NOTE 2 A human is an entity in this document and has a single, whole existence. It can be described by many different attributes. Different sets of these attributes form different identities for the same human entity.

If an identity is not unique in a particular domain, it can serve to distinguish a group of entities in that domain that share one or more characteristics from other entities that do not have such a characteristic.

The identity of an entity serves to make known relevant information of the entity in its interactions with the services and access of resources provided by a domain. A domain specifies the type and range of permissible values of attributes to be used for identification or other purposes.

NOTE 3 In some cases the term “partial identity” can be used to refer to a particular set of attributes taken from a larger set of attributes, which in contrast can be referred to as the full identity — all available attributes — of an entity in a domain. The preferred term in this document is identity.

A domain should deploy an identity management system conforming to the ISO/IEC 24760 series to manage the identity information of the entities it intends to recognize.

5.2 Identity information

Information pertaining to a particular entity in a domain is called identity information.

If given identity information sufficiently distinguishes an entity from others in the context of a given use case, then this identity information is a distinguishing identity.

If the combination of values contained in identity information is unique in the domain, then this identity information is an identifier of the entity.

When a new identity is created for an entity in a domain, an identity information provider for the domain can create values for required attributes of the new identity. The new attributes can consist of:

- any information required to facilitate the interaction between the domain and the entity for which the identity is created;
- any information required for future identification of the entity, including description of aspects of the physical existence of the entity;
- any information required for future authentication of the entity’s identity; or
- one or more reference identifiers.

The new identity information can be derived from identity information for the entity created in the current or another domain. Deriving information can involve copying, collating, or creating a pseudonym.

The domain shall ascertain that the created identity information accurately pertains to the entity.

Identity information can be associated with metadata specifying, for instance, its origin, scope of use, and period of validity. Identity information metadata can itself be identity information and can be included in the identity it relates to.

Identity information and its associated metadata can be changed. Procedures and conditions for changing, updating, and creating identity information shall be specified in appropriate policies. These policies can include keeping records for auditing. These policies can distinguish between a number of tasks and activities relating to the identity lifecycle (see [7.2](#)), including:

- requesting and receiving information from external sources;
- verifying and validating;
- qualifying and categorizing;
- recording;
- provisioning;

- archiving; and
- deleting.

5.3 Identifier

The unique attribute or attributes in an identity used as an identifier can be:

- available to the entity for exclusive use in the domain of origin; or
- suitable for use in domains other than the domain of origin.

An identifier can be constructed in a domain of origin from scratch, can be the result of observation, or can be based on presented identifiers.

NOTE 1 In some cases, e.g. single sign on, an identifier can be created with the purpose of being also used outside the domain of origin.

NOTE 2 In some cases, the identifier alone cannot be sufficient to distinguish the entity from another entity in a domain different from the originating domain. In this case, the other domain can, depending on the use of the identifier, require additional identity information. An example of this can be a library membership card containing the membership number as identifier that also gives regular access to a museum, where, if the museum has an exhibit accessible over a certain age, this additional information is being asked.

5.4 Credential

5.4.1 General

A credential can exist in different formats:

- as information only known to the principal and the identity management system, e.g. a password, a PIN, a passphrase;
- non-secret information known to the principal and possibly other entities, e.g. a username;
- as a digital record containing identity information;
- as a document with printed identity information possibly machine readable;
- as a portable processing device, e.g. smart card, with identity information stored in its (persistent) memory; or
- as a combination of these formats.

NOTE 1 For human entities (persons), credentials are often in the form of physical objects held by the person whose identity is represented by the credential. Credentials indirectly represent the domain of the identity it represents, e.g. the context of a secret that indicates where the secret can be validated.

NOTE 2 If a secret credential does not have a unique value, additional information such as a username or a biometric sample can be required for authentication. This information can be provided by a separate credential.

NOTE 3 A physical credential can be unique in the domain of the issuer. For example, a passport uniquely identifies a person (entity) as a citizen of a country (domain).

NOTE 4 A credential can also be viewed as an entity in its own right with a specific identifier, e.g. a passport identified by a unique passport number.

A credential can contain information that facilitates verification of the contained identity information at a given level of assurance. Appropriate verification techniques will depend on the application and the form of the credential used, and can include:

- a reference to the domain of origin, e.g. a name or a URL;
- a reference to the credential issuer, e.g. a name or a URL;

- secret information only known to the entity, e.g. a password;
- biometric reference data;
- physical characteristics that are difficult to copy such as:
 - a watermark,
 - security printing,
 - a hologram, or
 - a physically unclonable function (PUF);
- a secret cryptographic key;
- a cryptographic public key;
- a public key certificate;
- a description of the parameters for cryptographic keys; or
- a reference to a specification for identity proofing or the level of assurance of contained identity information, e.g. an international standard.

NOTE 5 The information in a credential intended to support verification allows a third party to assert the physical integrity of the credential or the logical integrity of the identity information it contains. This supporting information allows a verifier to gain assurance in any information it obtains from the credential. A verifier can use additional information, e.g. obtained from the domain where the credential was issued, in order to make the determination of integrity of the credential and the information it contains.

To the extent permitted by relevant legislation or regulation, information in a credential that is used to support verification information in a credential pertaining to a person should be chosen to protect privacy, e.g. to enable anonymous or pseudonymous cryptographic operations.

A credential can additionally support cryptographic methods to authenticate and protect the confidentiality of the identity information the credential represents. These cryptographic methods can support selective disclosure of this information.

A credential can act as an identifier for an entity in the domain where the credential is issued. A credential can be used as identity evidence for enrolment in another domain.

5.4.2 Authenticator

An authenticator is a secure device of some kind that is bound to and represents a principal in an authentication process with a relying party.

NOTE 1 Used in multi-factor authentication, an authenticator allows to establish higher levels of assurance in the result of an authentication.

NOTE 2 An authenticator is typically realized as an IT device, which can be offline or online during its use in authentication.

NOTE 3 If implemented as an IT device, an authenticator typically contains a cryptographic secret, e.g. a secret key, and uses that secret in a cryptographic protocol to assert its presence, identity and correctness of other data it can contain.

During authentication, an authenticator can communicate with a device operated by the party relying on the result of the authentication. Additionally, an authenticator can engage in a real-time interaction with the principal that can enhance the level of assurance.

NOTE 4 Typically, the communication between an authenticator and a relying party during authentication requires the active involvement of the principal, e.g. by copying text in or out of the device or by scanning a QR code.

An authenticator may contain identity information for the principal it represents, which is used during authentication. An authenticator may be configured to be used by multiple principals, in which case it shall only utilize identity information for a single principal during a particular authentication. An authenticator may selectively share some of the information it contains with the relying party with which it interacts in the authentication. An authenticator may support a means for the principal to control which information can be shared. The handling of identity information by an authenticator is beyond the scope of this document.

NOTE 5 ISO/IEC 24760-3:2025, Annex B gives an example of an authenticator being used specifically to selectively and restrictively share identity information with attribute-based credentials.

5.4.3 Credential management

A credential shall be associated with the entity it represents and any identity information it contains shall be correct at the time of its issuance. A domain where credentials are issued in a physical form can associate each credential with a unique identifier and issuance of a credential can be recorded in a register. A credential register shall be implemented in accordance with ISO/IEC 24760-2.

NOTE To enhance protection of privacy, a credential register can be disjoint from the identity register in the domain of issuance.

Principles for the management of a credential are described in ISO/IEC 29115.

6 Attributes

6.1 General

An attribute of an identity describes the state, appearance or other qualities of an entity relevant in a domain. Each attribute has its own semantics to govern the interpretation of the values the attribute can take. The semantics of an attribute can be explicitly defined, e.g. by reference to an international standard for the equipment to establish its value.

An attribute has a type, value, and an operational context. An attribute can have a name that can be used to reference it. Depending on the use of the value of an attribute, its operational context is its domain of origin or the domain of applicability.

Clearly defined and documented semantics and syntax shall be specified for attributes.

For an IT system that implements identity management, each data element that represents an attribute, its internal and external representation (syntax) and the ways it can be processed (semantics) shall be explicitly defined in the system's design documents.

6.2 Types of attributes

Attributes can be classified into one or more types, which include, but are not limited to, the following:

NOTE The classification of attributes here is given as an example. Some attributes can be classified under multiple types.

- Information about physical existence, such as:
 - biographical details;
 - home or business address;
 - employer;
 - employment history;

- device location;
- Information describing the entity's evolution over time such as:
 - educational degree;
 - competency qualifications;
 - awards;
 - installed applications;
 - device configuration;
- Information intrinsic to the physical existence of the entity, such as biometrics;
- Information assigned to the entity, such as:
 - title;
 - role;
 - digital signature;
 - social security number;
 - citizenship number;
 - passport number;
 - manufacturer's serial number;
 - network (MAC) address;
 - cryptographic key;
- Reference to an object that represents identity information for the entity, such as:
 - passport;
 - educational diploma;
 - business card;
 - articles of incorporation;
 - vehicle registration.

6.3 Domain of origin

The domain of origin of an attribute can provide metadata for an attribute to indicate:

- the range of values of an attribute;
- uniqueness of attribute values;
- the encoding of the attribute value;
- the time of creation or verification of attributes or identities;
- the time of expiration of attributes or identities;
- the method of establishing the value of attributes or identities;
- the method of verification of the value of attributes;

- the mechanism to obtain a human readable representation of an attribute value.

The domain of origin of an attribute, or any of the information specified by the domain of origin, can be explicitly specified as part of the attribute value, e.g. with a reference to a system specification document or to applicable standards.

NOTE 1 An explicit domain of origin can be specified as part of the value of the attribute or be determined when needed, e.g. in a discovery process.

NOTE 2 Attribute properties indicated by a domain of origin can be indicated with a unique reference, e.g. URI, to a system specification document that is included in the attribute type definition.

NOTE 3 The value of an attribute that includes metadata can be called a composite value.

7 Managing identity information

7.1 General

A domain can use an identity management system to support its interaction with entities, e.g. authentication.

Identity management covers the lifecycle of identity information, from initial enrolment to archiving or deletion.

Identity management includes the governance, policies, processes, data, technology, and standards, which can include:

- application(s) implementing an identity register;
- authenticating the identity;
- establishing provenance of identity information;
- establishing the link between identity information and an entity;
- maintaining the identity information;
- ensuring integrity of the identity information;
- providing credentials and services to facilitate authentication of an entity as a known identity;
- mitigating the risk of identity information theft or misuse.

7.2 Identity lifecycle

[Figure 1](#) shows the lifecycle of an identity in an identity management system. Initially no information is present, and an entity is unknown. After deleting all identity information for an entity, it is unknown again.

NOTE From the perspective of an identity management system, an unknown entity does not exist.

The following stages in the identity lifecycle have been identified.

- Unknown: no information is present in the identity register that can be used to identify an entity which is hence unknown.
- Established: required identity information has been verified during the enrolment process (see [8.3](#)), additional information, e.g. a reference identifier has been generated and the information has been registered (see [8.4](#)).
- Active: identity information is present in the identity management system, which allows the entity to interact with services and utilize the resources available in a domain of applicability, for instance, the entity can be entitled to initiate an active session in an IT system.

- Suspended: identity information is present in the identity management system specifically to indicate that the entity cannot utilize the resources of the domain.
- Archived: identity information for an entity is still present in the identity register, even though the entity no longer exists in the domain. Archived information is not available for recognizing the entity except possibly during re-enrolment. When the entity re-enrols, the archived information can be used to establish a new identity for the entity, which can include some of the archived information (restore).




Figure 1 — Identity lifecycle

The following transitions can be applied in managing the lifecycle:

- Enrolment includes identity proofing and registration of an identity with verified and generated identity information (see [8.3](#)).
- Activation is the addition of identity information to the information stored in the identity register for an entity specifically to enable the entity to access resources and interact with services provided by a domain.
- Maintenance is the update of identity information stored in the identity register for an entity (see [Clause 10](#)).
- Identity adjustment is an update of the information in the identity register for an entity, where the new information gives rise to the modification of activation information.
- Suspension is marking some of the identity information stored in the identity register for an entity as being temporarily unavailable for use. Suspension can be achieved by removing access rights expressed in the stored identity information.
- Reactivation is the reversion of the suspension.
- Delete is the complete removal of the identity information in a registered identity.
- Archive is the partial removal of identity information from the identity register for an entity, such that the information is only available for statistical processing and can only be accessed as pertaining to an entity with additional information provided by the entity.
- Enrolment/restore is an enrolment process, where some of the identity information used as identity proof is obtained from the identity register.

8 Identification

8.1 General

Identification determines that a presented identity contains the information required to establish that:

- the entity is already known in the domain; or
- the entity qualifies to become known in the domain.

Identification can use the identity information associated with a particular entity to determine if:

- an identity already exists for the entity;
- the entity matches the known or presented or observed identity information;
- the entity is uniquely associated with the identity.

After identification, the domain can actively distinguish the entity and the entity's interactions with the domain from any other entity it has also identified.

NOTE 1 This document presents identification from the perspective of a domain. In mutual identification, both parties are both entity and domain.

Identification involves associating a set of attributes both with an entity and an identity. The value of these attributes can be:

- determined by observation;
- provided by the entity;
- retrieved from the identity register;
- provided by another source; or
- assigned during the process.

Identification can be followed by authorization in establishing entitlements for the entity to access resources and interact with services provided by the domain (see [7.2](#)).

In a system where access to resources or interaction with services involves identity-related risks, the required level of assurance in identification shall be specified based on the type and level of identity risk to the resource, and the type of interaction with the service for which an entitlement can be established. See [Clause 9](#) and ISO/IEC 29146 for requirements on designing access controls.

Identification can be for a single purpose, specific to the domain, or for multiple different purposes. Identification is part of many identity management processes, for instance as defined in ISO/IEC 29115 for IT systems.

A process for identification shall be specified with the following principles:

- Risk: risks associated with the use of the identity of entities shall be assessed and treated to the degree necessary for them to be acceptable;

NOTE 2 Different levels of assurance in identification can be associated with different levels of risk associated with the access to different resources and interaction with different services.

- Quality of information: identity information shall be verified to provide sufficient level of assurance in the correctness for the purposes of its use;
- Data minimization: when identifying people, no more identity information shall be collected than necessary.

NOTE 3 Assessing risks involves consideration of the quality of the available information and of the means to establish its correctness.

NOTE 4 Selection of suitable risk mitigation options includes ensuring that the cost is proportional to the risk.

8.2 Verification

New identity information shall be verified. Verification can also be performed for identity information that is retrieved from an identity register or from an identity information provider.

Verification of identity information shall ensure that it:

- is present in an approved format;
- contains a value that meets criteria specific to the domain or the purpose of identification;
- originated within a required validity period; or
- originated from a reliable source.

NOTE Verification can also provide input to identification and its result can be specific to the particular circumstances, e.g. location and time of that process.

Verification can also establish that an attribute pertains to the physical existence of an entity, e.g. match a biometric sample from the entity with a biometric template contained in its identity.

Verification can establish that all the presented attributes pertain to the same entity and are consistent with its physical existence.

Verification can include an examination of the validity of attributes not required for the identification process which can be used during interaction with services and access to resources provided by the domain after identification, e.g. a language preference, an account number.

8.3 Enrolment

Enrolment can result in the creation of one or more identities for the enrolled entity. In particular, a reference identifier can be created. Created identity information is registered as the enrolled entity's identity in a domain; identity information selected from the identity evidence can also be registered with this identity at the time of enrolment.

The value of the unique attribute(s) in a created identity can be chosen by the entity or can be assigned by the identity management system, e.g. based on the reference identifier created at registration of the identity for the enrolled entity.

Enrolment can include the capture of biometric data as identity information for the enrolled entity.

If the entity determines the value of an identifier created during enrolment, the identity management system should ensure its uniqueness.

NOTE A physical object, e.g. a membership card, can contain an identifier that has been created during enrolment.

8.4 Registration

An identity management system can enter identity information for the entities it intends to recognize in an identity register. Enrolment includes the first registration of identity information. Further registration can happen at other occasions.

NOTE 1 After registration, an entity has become known in the domain and the lifecycle of its identity has started.

Registration can be for a specific or indefinite duration. National legislation can impose restrictions on the actual duration of indefinite registration, including when and how indefinite registration can end.

Unless prevented by legal requirements, registration shall end at a request by, or on behalf of, the entity for removal. With the deletion of all identity information for the entity, the entity shall be removed from the identity register. However, as determined by an appropriate policy, a domain can retain some identity information for archival and auditing purposes, and, in this case, the identity will be in the "archived" lifecycle stage (see 7.2). In particular, a reference identifier can be retained to prevent its reuse as a reference to another entity.

The identity stored in an identity register shall have a reference identifier that is unique among all stored identities. A reference identifier shall have the same value for the duration of registration of identity information for a particular identity.

A reference identifier can be intended for exclusive use inside the domain that operates the identity management system.

NOTE 2 A reference identifier, if not used exclusively by a domain, can be available for use as an attribute in the identity presented by an entity for identification in another domain.

The identity information stored in an identity register can include multiple reference identifiers. A reference identifier can be used to indicate a particular partial identity for the entity in a domain.

8.5 Identity proofing

8.5.1 General

The purpose of identity proofing for a domain is to establish a specific level of assurance that:

- selected attributes for an entity have a particular value;
- these attributes actually pertain to a particular entity;
- where required in a domain, no other entity is known in the domain to whom the same attributes pertain.

NOTE 1 In a domain where the persistently stored identity information is not unique, it can be required to only create an identity for an entity that is not already identified. In this case, the identity management system can store additional persistent information, not linkable to the identity information, to support determining that the identity for an entity being proofed is unique.

NOTE 2 A registration authority is responsible for identity proofing.

NOTE 3 Requirements for identity proofing are specified in ISO/IEC TS 29003.

8.5.2 Identity evidence

Identity evidence shall be used to establish attribute values for registration of an entity in a domain. Credentials issued in a domain can be used as identity evidence in another domain. These credentials can be presented by an entity. Alternatively, they can be obtained from an identity information provider in another domain where the identity is known based on information provided by the entity.

Attribute aggregation, verifying multiple credentials from the same or different domains, where each of the credentials provides a level of assurance less than required for the result, can be applied to achieve a required level of assurance in an attribute value and in establishing the value as pertaining to a specific entity.

The identity information authority for a domain where a credential has been issued can support the verification of identity information during identity proofing by:

- providing a limited, authenticated set of valid attribute values, e.g. a list of street names, district numbers or neighbourhood names;
- publishing format and other physical or logical properties of valid credentials issued by its domain;
- publishing policies applied to identity proofing and identity information maintenance;

- providing a public key in a public key infrastructure shared with the proofing registration authority to validate digital signatures used to authenticate a credential or data represented by it;
- providing an online service to validate presented attributes as about an entity known in its domain; or
- providing an online service to obtain additional attributes for an entity known in its domain.

9 Authentication

Successful authentication of an entity in a domain, at a specific level of assurance, gives a relying party confidence in the correctness and applicability of the verification result. ISO/IEC 29115 specifies levels of assurance.

An identity management system conforming to the ISO/IEC 24760 series shall specify for each of its authentication processes:

- policies for verification of identity information;
- mechanisms for establishing the validity and correctness of an authenticated identity;
- the period of validity of an authenticated identity;
- mechanisms for the recording and auditing; processing steps and (intermediate) processing results.

NOTE Authentication relates to a security model of perimeter control where a strict verification at the entrance gives authorization to enter a specific area of activity for a specific period of time.

10 Maintenance

An identity management system can perform maintenance on identity information it has registered by changing one or more of the attribute values in an identity.

An identity management system shall specify mechanisms for maintaining the integrity and accuracy of attributes it stores. It shall maintain the identity information stored in the register as an accurate representation of the identity.

An identity information authority shall provide the most accurate data available for an identity in a process that respects privacy.

11 Implementation aspects

An identity management system can be:

- centralized — a fully centralized system has a single identity register and a single point of control over enrolment and access to the stored identity information;
- distributed — an identity management system can have multiple identity registers and multiple points of control over enrolment and access to registered identity information;

NOTE 1 A more centralized system typically displays less complexity but is more rigid in structure.

- user-centric — an identity management system is user-centred when it allows the entities to play an active role in the management of the identity information stored in the identity register (see [8.4](#));
- federated — federation allows an identity management system that does not contain required identity information in its own register to trust identity information from, and identity assertions made by, another identity management system. In this case, the other identity management system acts as an identity information authority.

In situations where entities interact with multiple domains, identity federation is intended to:

- facilitate identity proofing;
- facilitate authentication;
- facilitate enrolment;
- improve user experience.

NOTE 2 Identity federation is especially suitable for entities (and domains) that interact with domains on the Internet.

12 Privacy

An identity management system conforming to the ISO/IEC 24760 series shall implement measures to protect the privacy of the human entities it interacts with. The design of such a system shall clearly specify any sensitive information it processes.

An identity management system conforming to the ISO/IEC 24760 series should provide privacy-related capabilities to:

- implement mechanisms for minimal disclosure, including policies, processes and technology;
- authenticate entities that use identity information;
- minimize the ability to link identities;
- record and audit the use of identity information;
- protect against inadvertently generating risks to privacy, e.g. those posed by inadequately protecting identity information in logs and audit trails;
- implement policies for selective disclosure;
- implement policies to engage a human entity for explicit direction or consent, for activities related to their sensitive identity information.

Requirements for handling sensitive identity information are given in ISO/IEC 29100 and ISO/IEC 29101.

Bibliography

- [1] ISO 9001, *Quality management systems — Requirements*
- [2] ISO/IEC 9594-2, *Information technology — Open systems interconnection — Part 2: The Directory: Models*
- [3] ISO/IEC 9594-8, *Information technology — Open systems interconnection — Part 8: The Directory: Public-key and attribute certificate frameworks*
- [4] ISO/IEC 9798 (all parts), *Information technology — Security techniques — Entity authentication*
- [5] ISO 19092, *Financial services — Biometrics — Security framework*
- [6] ISO/IEC 24760-3:2025, *Information security, cybersecurity and privacy protection — A framework for identity management — Part 3: Practice*
- [7] ISO/IEC 27007, *Information security, cybersecurity and privacy protection — Guidelines for information security management systems auditing*
- [8] ISO/IEC TS 27008, *Information technology — Security techniques — Guidelines for the assessment of information security controls*
- [9] ISO/IEC TS 29003, *Information technology — Security techniques — Identity proofing*
- [10] ISO/IEC 29100, *Information technology — Security techniques — Privacy framework*
- [11] ISO/IEC 29101, *Information technology — Security techniques — Privacy architecture framework*
- [12] ISO/IEC 29115, *Information technology — Security techniques — Entity authentication assurance framework*
- [13] ISO/IEC 29146, *Information technology — Security techniques — A framework for access management*
- [14] ANSI INCITS 359-2004, *Role based access control*
- [15] ITU-T Recommendation X1252, *Baseline identity management terms and definitions*
- [16] ITU-T Recommendation Y 2720, *NGN identity management framework²⁾*
- [17] MANAGEMENT I., No D. W041, Copyright © [March 2004] The Open Group (Skip Slone and The Open Group Identity Management Forum), <www.opengroup.org/onlinepubs/7699959899/toc.pdf>
- [18] EU PROJECT FIDIS (FUTURE OF IDENTITY IN THE INFORMATION SOCIETY). Inventory of topics and clusters; D 2.1, 2004; <www.fidis.net>
- [19] EU PROJECT FIDIS (FUTURE OF IDENTITY IN THE INFORMATION SOCIETY). Set of use cases and scenarios; D 2.2; 2005; <www.fidis.net>
- [20] EU PROJECT FIDIS (FUTURE OF IDENTITY IN THE INFORMATION SOCIETY). Models; D 2.3; 2005; <www.fidis.net>
- [21] EU Project FIDIS (Future of Identity in the Information Society: Structured Overview on Prototypes and Concepts of Identity Management Systems, D 3.1, 2005; <www.fidis.net>
- [22] EU Project FIDIS (Future of Identity in the Information Society: Study on Mobile Identity Management, D 3.3, 2005; <www.fidis.net>
- [23] US OFFICE OF MANAGEMENT AND BUDGET. 2003, E-authentication guidance for federal agencies (M-04-04); <www.whitehouse.gov>

2) <<https://www.itu.int/rec/T-REC-Y.2720-200901-1>> 3.13

ISO/IEC 24760-1:2025(en)

- [24] US NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY. June 2017, *Digital Identity Guidelines (NIST 800-63-3)*; <<https://csrc.nist.gov/publications/detail/sp/800-63/3/final>>
- [25] US NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY. August 2013, *Information Processing Standard (FIPS) 201-2, Personal Identity Verification (PIV) of Federal Employees and Contractors*; <<https://www.nist.gov/publications/personal-identity-verification-piv-federal-employees-and-contractors>>
- [26] ISO/IEC 19790:2012³⁾, *Information technology — Security techniques — Security requirements for cryptographic modules*

3) Cancelled and replaced by ISO/IEC 19790:2025.

Index of terms

- A
- applicability, domain of* [3.2.3](#) 1
 - assertion, identity [3.3.8](#) 1
 - assurance, level of [3.4.11](#) 1
 - attribute [3.1.3](#) 1
 - authenticated identity [3.3.2](#) 1
 - authentication [3.3.1](#) 1
 - authentication assurance, entity [3.4.10](#) 1
 - authentication factor [3.3.9](#) 1
 - authentication, multi-factor [3.3.10](#) 1
 - authenticator [3.3.11](#) 1
 - authority, identity information [3.3.3](#) 1
 - authority, registration [3.4.8](#) 1
- C
- context* [3.2.3](#)
 - credential [3.3.5](#) 1
 - credential issuer [3.4.9](#) 1
- D
- disclosure, minimal [3.6.2](#) 1
 - disclosure, selective [3.6.1](#) 1
 - domain [3.2.3](#) 1
 - domain of applicability* [3.2.3](#) 1
 - domain of origin [3.1.5](#) 1
- E
- enrolment [3.4.3](#) 1
 - entity [3.1.1](#) 1
 - entity authentication assurance [3.4.10](#) 1
 - ephemeral identifier [3.6.4](#) 1
 - evidence, identity [3.4.4](#) 1
 - evidence of identity* [3.4.4](#) 1
- F
- factor, authentication [3.3.9](#) 1
 - factor, multi-factor authentication [3.3.10](#) 1
 - federation, identity [3.5.1](#) 1
- I
- identification [3.2.1](#) 1
 - identifier, ephemeral [3.6.4](#) 1
 - identifier [3.1.4](#) 1
 - identifier, reference [3.1.6](#) 1
 - identity assertion [3.3.8](#) 1
 - identity, authenticated [3.3.2](#) 1
 - identity evidence [3.4.4](#) 1
 - identity, evidence of [3.4.4](#) 1
 - identity federation [3.5.1](#) 1
 - identity [3.1.2](#) 1
 - identity information authority [3.3.3](#) 1
 - identity information [3.2.4](#) 1
 - identity information provider [3.3.4](#) 1
 - identity management authority [3.2](#) 2
 - identity management [3.4.1](#) 1
 - identity management system [3.4.7](#) 1, 2
 - identity, partial* [3.1.2](#) 1
 - identity proofing [3.4.2](#) 1
 - identity provider* [3.3.4](#) 1
 - identity register [3.4.5](#) 1
 - identity registration [3.4.6](#) 1
 - information authority, identity [3.3.3](#) 1

ISO/IEC 24760-1:2025(en)

information, identity [3.2.4](#) 1

information provider, identity [3.3.4](#) 1

issuer, credential [3.4.9](#) 1

L

level of assurance [3.4.11](#) 1

M

management authority, identity [3.2](#) 2

management, identity [3.4.1](#) 1

management system, identity [3.4.8](#) 1, 2

manager, federation [3.5](#) 3

minimal disclosure [3.6.2](#) 1

multi-factor authentication [3.3.10](#) 1

O

one-time password [3.3.12](#) 1

origin, domain of [3.1.5](#) 1

P

partial identity [3.1.2](#) 1

party, relying [3.3.7](#) 1

password, one-time [3.3.12](#) 1

personal secret [3.3.13](#) 1

principal [3.1.7](#) 1, 2

principal's personal identity management system [3.4.12](#) 1

proofing, identity [3.4.2](#) 1

provider, identity [3.3.4](#) 2

provider, identity information [3.3.4](#) 2

pseudonym [3.6.3](#) 2

R

reference identifier [3.1.6](#) 1

register, identity [3.4.5](#) 1

registration authority [3.4.8](#) 1

registration, identity [3.4.6](#) 1

registration [3.4.6](#) 1

relying party [3.3.7](#) 1

S

Secret, personal [3.3.13](#) 1

selective disclosure [3.6.1](#) 1

stakeholder 3.7 2

subject [3.1.7](#) 1, 2

system, identity management [3.4.7](#) 1, 2

V

verification [3.2.2](#) 1

verifier [3.3.6](#) 1

NOTE Terms in *italics* are synonyms for the preferred wording.



ICS 01.040.35; 35.030

Price based on 23 pages

© ISO/IEC 2025
All rights reserved

[iso.org](https://www.iso.org)