



INTERNATIONAL STANDARD ISO/IEC 13712-3:1995

TECHNICAL CORRIGENDUM 1

Published 1996-07-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Remote Operations: OSI realizations — Remote Operations Service Element (ROSE) protocol specification

TECHNICAL CORRIGENDUM 1

Technologies de l'information — Opérations à distance: Réalisations OSI — Spécification du protocole pour l'élément de service des opérations à distance (ROSE)

RECTIFICATIF TECHNIQUE 1

Technical corrigendum 1 to International Standard ISO/IEC 13712-3:1995 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 21, *Open systems interconnection, data management and open distributed processing*.

ICS 35.240.20

Ref. No. ISO/IEC 13712-3:1995/Cor.1:1996(E)

Descriptors: data processing, information interchange, network interconnection, open systems interconnection, teleprocessing, interaction, protocols.

© ISO/IEC 1996

Printed in Switzerland

This page intentionally left blank

INTERNATIONAL STANDARD**ITU-T RECOMMENDATION**

**INFORMATION TECHNOLOGY – REMOTE OPERATIONS:
OSI REALIZATIONS – REMOTE OPERATIONS SERVICE ELEMENT (ROSE)
PROTOCOL SPECIFICATION**

**TECHNICAL CORRIGENDUM 1
(to ITU-T Rec. X.882 | ISO/IEC 13712-3)**

1) Subclause 10.5.3

Replace the contents of the ASN.1 box with the following:

```

AllValues {APPLICATION-CONTEXT:ac} ::= CHOICE
{
    bind      Bind{ac.&associationContract.&connection.&bind},
    unbind    Unbind{ac.&associationContract.&connection.&unbind},
    ros-singleAS  ROS-SingleAS
{
    {ROSEInvokeIds},
    combine
    {
        {
            ac.&associationContract.&OperationsOf
            | ac.&associationContract.&InitiatorConsumerOf
            | ac.&associationContract.&ResponderConsumerOf
        },
        {...},
        {}
    }
}
}

```

2) Annex B

In the module:

Remote-Operations-Abstract-Syntaxes {joint-iso-itu-t remote-operations(4) remote-operations-abstract-syntaxes(12) version1(0)},

replace the definition of:

AllValues{APPLICATION-CONTEXT:ac}

with the following:

```
AllValues {APPLICATION-CONTEXT:ac} ::= CHOICE
{
    bind      Bind{ac.&associationContract.&connection.&bind},
    unbind    Unbind{ac.&associationContract.&connection.&unbind},
    ros-singleAS  ROS-SingleAS
{
    {ROSEInvokeIds},
    combine
    {
        {
            ac.&associationContract.&OperationsOf
            | ac.&associationContract.&InitiatorConsumerOf
            | ac.&associationContract.&ResponderConsumerOf
        },
        {...},
        {}
    }
}
}
```