
**Information technology — Coding
of audio-visual objects —**

**Part 4:
Conformance testing**

AMENDMENT 3: Visual new levels and tools

Technologies de l'information — Codage des objets audiovisuels —

Partie 4: Essai de conformité

AMENDEMENT 3: Nouveaux niveaux et outils visuels

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 3 to ISO/IEC 14496-4:2004 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

Information technology — Coding of audio-visual objects —

Part 4: Conformance testing

AMENDMENT 3: Visual new levels and tools

Add the following subclause at the end of Clause 5:

5.9 Conformance for New Levels of Video Profiles

5.9.1 Specification of the test bitstreams

5.9.1.1 Test Bitstreams — General

As the bitstreams related to Simple Scalable Profile Level 0 and Advanced Simple Profile Level 3b only invoke tools already defined in ISO/IEC 14496-2:2001, reference is made to bitstream definitions of ISO/IEC 14496-4 Visual bitstream specifications.

5.9.1.2 Test Bitstreams

5.9.1.2.1 #SCS-12

Bitstream: Base layer: pv_scs12.bits, enhancement layer: pv_scs12_e.bits

Specification: Temporal scalability with P-VOP in the enhancement layer. There is one P-VOP between every two base layer VOPs with ref_select_code == 1.

Functional stage: P-VOP temporal prediction from the base layer.

Purpose: Verify that the decoder handles P-VOP based temporal scalability.

5.9.1.2.2 #SCS-13

Bitstream: Base layer: pv_scs13.bits, enhancement layer: pv_scs13_e.bits

Specification: Spatial scalability with temporally corresponding P-VOP in the enhancement layer, with ref_select_code == 3.

Functional stage: P-VOP spatial prediction from the base layer.

Purpose: Verify that the decoder handles P-VOP based spatial scalability.

5.9.1.2.3 #SCS-14

Bitstream: base layer: pv_scs14.bits, enhancement layer: pv_scs14_e.bits

Specification: Temporal scalability with B-VOP in the enhancement layer. There is one B-VOP between every two base layer VOPs with ref_select_code == 3.

Functional stage: B-VOP temporal prediction from the base layer.

Purpose: Verify that the decoder handles B-VOP based temporal scalability.

5.9.1.2.4 #SCS-15

Bitstream: Base layer: pv_scs15.bits, enhancement layer: pv_scs15_e.bits

Specification: Spatial scalability with temporally corresponding B-VOP in the enhancement layer, with ref_select_code == 0.

Functional stage: B-VOP spatial prediction from the base layer.

Purpose: Verify that the decoder handles B-VOP based spatial scalability.

5.9.1.2.5 #A1GE-10

Bitstream: mobile_a1ge10.bits

Specification: A series of consecutive progressively coded P-VOPs. As many quarter-sample components as possible in both the horizontal and vertical directions, luminance and chrominance blocks. Number of MB/s and bitrate are the maximum allowed for the profile-and-level combination. Maximize number of prediction blocks required to reconstruct a macroblock.

Functional stage: Prediction bandwidth.

Purpose: Check that decoder handles largest prediction bandwidth with progressively coded P-VOPs including quarter-sample interpolation. This test is similar to Test bitstream GEQ#3, except that it uses progressive VOPs.

5.9.1.2.6 #A1GE-11

Bitstream: stefan_a1ge11.bits

Specification: A series of consecutive progressively coded S(GMC)-VOPs. As many affine warping transformations (no_of_sprite_warping_points==3) with 1/16 pixel accuracy (sprite_warping_accuracy==3) as possible, luminance and chrominance blocks. Number of MB/s and bitrate are the maximum allowed for the profile-and-level combination. Maximize number of prediction blocks required to reconstruct a macroblock.

Functional stage: Prediction bandwidth.

Purpose: Check that decoder handles largest prediction bandwidth with progressively coded S(GMC)-VOPs. This test is similar to Test bitstream GEG#3, except that it uses progressive VOPs.

5.9.1.2.7 #A1GE-12

Bitstream: mobile_a1ge12.bits

Specification: A bitstream with a series of consecutive progressively coded B-VOPs with bi-directional macroblock motion compensation. Sequence contains many consecutive B-VOPs. Number of MB/s and bitrate are the maximum allowed for the profile-and-level combination. Use quarter-sample prediction in both the horizontal and vertical directions, for all luminance and chrominance blocks. Maximize number of prediction blocks required to reconstruct a macroblock.

Functional stage: Prediction bandwidth.

Purpose: Check that decoder can cope with this case of worst case bandwidth including quarter-sample interpolation. This test is similar to Test bitstream GEQ#1, except that it uses progressive VOPs.

5.9.1.2.8 #A1GE-13**Bitstream:** stefan_a1ge13.bits**Specification:** A bitstream with I-, P- and B-VOPs, with quarter-sample motion vectors that are as large as permitted by the profile-and-level combination.**Functional stage:** Reconstruction of motion vectors, MCP, control.**Purpose:** Check that decoder implements motion compensation especially for quarter-sample interpolation properly when motion vectors are very large.**5.9.2 Normative Test Suites for Simple Scalable Profile Level 0 and Advanced Simple Profile Level 3b**

NOTE Each row represents a single bitstream. A single bitstream is prepared independently of level for static test, while a single bitstream is prepared for each level @ a profile for dynamic test.

Legend:

S — Bitstream is intended for functional test

D — Bitstream is intended for dynamic test

X — Bitstream is for functional and dynamic test

Categories	Bitstream	Donated by	Bitstream Name	Profile Name	
				Simple Scalable	Advanced Simple
				L0	L3b
General	SCS-12	PacketVideo	pv_scs12.bits	X	
	SCS-12_e	PacketVideo	pv_scs12_e.bits	X	
	SCS-13	PacketVideo	pv_scs13.bits	X	
	SCS-13_e	PacketVideo	pv_scs13_e.bits	X	
	SCS-14	PacketVideo	pv_scs14.bits	X	
	SCS-14_e	PacketVideo	pv_scs14_e.bits	X	
	SCS-15	PacketVideo	pv_scs15.bits	X	
	SCS-15_e	PacketVideo	pv_scs15_e.bits	X	
	A1GE-10	Philips	mobile_a1ge10.bits		X
	A1GE-11	Philips	stefan_a1ge11.bits		X
	A1GE-12	Philips	mobile_a1ge10.bits		X
	A1GE-13	Philips	stefan_a1ge13.bits		X

