



CONSOLIDATED VERSION



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

**Specification for radio disturbance and immunity measuring apparatus and methods –
Part 4-4: Uncertainties, statistics and limit modelling – Statistics of complaints
and a model for the calculation of limits for the protection of radio services**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.100.10; 33.100.20

ISBN 978-2-8322-4552-1

Warning! Make sure that you obtained this publication from an authorized distributor.

REDLINE VERSION



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

Specification for radio disturbance and immunity measuring apparatus and methods –

Part 4-4: Uncertainties, statistics and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services



CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Statistics of complaints and sources of interference	8
4.1 Introduction and history	8
4.2 Relationship between radio frequency interference and complaints	8
4.2.1 Radio frequency interference to a fixed radio receiver	8
4.2.2 Radio frequency interference to a mobile radio receiver	8
4.2.3 Consequences of the move from analogue to digital radio systems.....	8
4.3 Towards the loss of a precious indicator: interference complaints.....	9
4.4 CISPR recommendations for collation of statistical data on interference complaints and classification of interference sources	9
4.5 Forms for statistics of interference complaints	10
5 A model for the calculation of limits	15
5.1 Introduction	15
5.1.1 Generation of EM disturbances.....	15
5.1.2 Immunity from EM disturbances.....	15
5.1.3 Planning a radio service	15
5.2 Probability of interference.....	16
5.2.1 Derivation of probability of interference	16
5.3 Circumstances of interferences	17
5.3.1 Close coupling and remote coupling	18
5.3.2 Measuring methods	19
5.3.3 Disturbance signal waveforms and associated spectra	21
5.3.4 Characteristics of interfered radio services	22
5.3.5 Operational aspects.....	23
5.3.6 Criteria for the determination of limits	24
5.4 A mathematical basis for the calculation of CISPR limits	28
5.4.1 Generation of EM disturbances (source of disturbance).....	28
5.4.2 Immunity from EM disturbances (victim receiver).....	29
5.5 Application of the mathematical basis.....	29
5.5.1 Radiation coupling.....	29
5.5.2 Wire-line coupling.....	31
5.6 Another suitable method for equipment in the frequency range 150 kHz to 1 GHz.....	39
5.6.1 Introduction	39
5.6.2 Derivation of limits.....	39
5.6.3 Application of limits	44
5.6.4 Overview of proposals for determination of disturbance limits for a given type of equipment.....	44
5.6.5 Rationale for determination of CISPR limits in the frequency range below 30 MHz.....	45
5.6.6 Model for limits for the magnetic component of the disturbance field strength for the protection of radio reception in the range below 30 MHz.....	51

5.7	Rational for determination of CISPR limits in the frequency range above 1 GHz.....	54
5.7.1	Introduction	54
5.7.2	Consideration and estimated values of μ_{P1} to μ_{P7}	55
5.7.3	Equivalent EMC environment below and above 1 GHz.....	61
5.7.4	Overview on parameters of radio communication services operating in the frequency range above 1 GHz and up to 16 GHz with effect to electromagnetic compatibility.....	62
Annex A Excerpt from CISPR Report No. 31 Values of mains decoupling factor in the range 0,1 MHz to 200 MHz		65
Annex B (informative) Conversion of H-field limits below 30 MHz for measurement distances		70
Bibliography.....		82

Figure 1a	– Standard form for statistics on interference complaints recommended for radio services with analogue modulation and fixed or stationary radio reception	10
Figure 1b	– Standard form for statistics on interference complaints recommended for radio services with analogue modulation and mobile or portable radio reception	11
Figure 1c	– Standard form for statistics on interference complaints recommended for radio services with digital modulation and fixed or stationary radio reception	12
Figure 1d	– Standard form for statistics on interference complaints recommended for radio services with digital modulation and mobile or portable radio reception	13
Figure 1	– Standard forms for statistics on interference complaints.....	13
Figure 2	– Model for remote coupling situation derived disturbance field strength e_{ir} at receiving distance r	25
Figure 3	– Model for close coupling situations.....	27
Figure 4	– Example of conversion factors – field strength / common-mode voltage (in dB) – at feed point, found in practice	36
Figure 5	– Example of conversion factors – field strength generated by differential-mode voltage – at feed point, found in practice	37
Figure 6	– Example of conversion factors – field strength generated by differential-mode voltage – outside buildings and electrical substations, found in practice	38
Figure 7	– Example of conversion factors – field strength generated by differential-mode voltage – inside buildings, found in practice	39
Figure 8	– horizontal plane radiation pattern on a small purely magnetic antenna	47
Figure 9	– typical source of magnetic field disturbance	49
Figure 10	– Model for magnetic field limit at measuring equipment	52
Figure A.1	– Mains decoupling coefficient as measured by various authors	67
Figure A.2	– Median and minimum values of mains decoupling factor for the range 0,1 MHz to 200 MHz	68
Figure A.3	– Typical distributions of deviations from median value of decoupling factor as indicated in Figure A.2	68
Figure A.4	– Measurement of the mains decoupling factor	69
Figure B.1	– Commercial tool model for H-field conversion	70
Figure B.2	– Commercial tool model for the application of image theory.....	71
Figure B.3	– Photos of OATS measurement setup	72
Figure B.4	– Comparative simulation result with ground plane and with image theory	72

Figure B.5 – Comparison between the simulated conversion factors and the measurement results	73
Figure B.6 – Conversion factor C_{3_min}	74
Figure B.7 – Conversion factor C_{10_min}	75
Figure B.8 – Conversion factor C_{10-3_min}	77
Figure B.9 – Recommended conversion factor CF_{30m} to 3m	79
Figure B.10 – Recommended conversion factor CF_{30m} to 10m	80
Figure B.11 – Recommended conversion factor CF_{10m} to 3m	81

Table 1 – Classification of sources of radio frequency interference and other causes of complaint.....	14
--	----

Table 2 – Guidance survey of RFI measuring methods	21
--	----

Table 3 – Tabulation of the method of determining limits for equipment in the frequency range 0,150 MHz to 960 MHz.....	41
---	----

Table 4 – Calculation of permissible limits for disturbances at about 1 800 MHz from existing CISPR limits in the frequency range of 900 MHz	62
--	----

Table 5 – List of radio services, typical parameters, and influence factors	63
---	----

Table B.1 – Conversion factor C_{3_min}	74
--	----

Table B.2 – Conversion factor C_{10_min}	76
---	----

Table B.3 – Conversion factor C_{10-3_min}	78
---	----

Table B.4 – Recommended conversion factor CF_{30m} to 3m	79
--	----

Table B.5 – Recommended conversion factor CF_{30m} to 10m	80
---	----

Table B.6 – Recommended conversion factor CF_{10m} to 3m	81
--	----

INTERNATIONAL ELECTROTECHNICAL COMMISSION
INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

**SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY
MEASURING APPARATUS AND METHODS –**

**Part 4-4: Uncertainties, statistics and limit modelling –
Statistics of complaints and a model for the calculation of limits
for the protection of radio services**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of CISPR 16-4-4 bears the edition number 2.1. It consists of the second edition (2007-070) [documents CISPR/H/147/DTR and CISPR/H/153/RVC] and its amendment 1 (2017-06) [documents CIS/H/313/DTR and CIS/H/319/RVC]. The technical content is identical to the base edition and its amendment.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

This second edition of CISPR 16-4-4, which is a technical report, has been prepared by CISPR subcommittee H: Limits for the protection of radio services.

This second edition of CISPR 16-4-4 contains two thoroughly updated Clauses 4 and 5, compared with its first edition. It also contains, in its new Annex A, values of the classical CISPR mains decoupling factor which were determined by measurements in real LV AC mains grids in the 1960s. It is deemed that these mains decoupling factors are still valid and representative also for modern and well maintained LV AC mains grids around the world.

The information in Clause 4 – Statistics of complaints and sources of interference – was accomplished by the history and evolution of the CISPR statistics on complaints about radio frequency interference (RFI) and by background information on evolution in radio-based communication technologies. Furthermore, the forms for collation of actual RFI cases were detailed and structured in a way allowing for more qualified assessment and evaluation of compiled annual data in regard to the interference situation, as e.g. fixed or mobile radio reception, or analogue or digital modulation of the interfered with radio service or application concerned.

The information in Clause 5 – A model for the calculation of limits – was accomplished in several ways. The model itself was accomplished in respect of the remote coupling situation as well as the close coupling one. Further supplements of this model were incorporated regarding certain aspects of the coupling path via induction and wave propagation (radiation) of classical telecommunication networks. Furthermore, the calculation model on statistics and probability underwent revision and was brought in line with a more modern mathematical approach. Eventually the present model was extended for a possible determination of CISPR limits in the frequency range above 1 GHz.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY MEASURING APPARATUS AND METHODS –

Part 4-4: Uncertainties, statistics and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services

1 Scope

This part of CISPR 16 contains a recommendation on how to deal with statistics of radio interference complaints. Furthermore it describes the calculation of limits for disturbance field strength and voltage for the measurement on a test site based on models for the distribution of disturbances by radiated and conducted coupling, respectively.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(161), *International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility*

CISPR 11, *Industrial, scientific and medical (ISM) radio-frequency equipment – Electromagnetic disturbance characteristics – Limits and methods of measurement*

CISPR 16-4-3, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-3: Uncertainties, statistics and limit modelling – Statistical considerations in the determination of EMC compliance of mass-produced products*

FINAL VERSION



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

Specification for radio disturbance and immunity measuring apparatus and methods –

Part 4-4: Uncertainties, statistics and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services



CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Statistics of complaints and sources of interference	8
4.1 Introduction and history	8
4.2 Relationship between radio frequency interference and complaints	8
4.2.1 Radio frequency interference to a fixed radio receiver	8
4.2.2 Radio frequency interference to a mobile radio receiver	8
4.2.3 Consequences of the move from analogue to digital radio systems.....	8
4.3 Towards the loss of a precious indicator: interference complaints.....	9
4.4 CISPR recommendations for collation of statistical data on interference complaints and classification of interference sources	9
4.5 Forms for statistics of interference complaints	10
5 A model for the calculation of limits	15
5.1 Introduction	15
5.1.1 Generation of EM disturbances.....	15
5.1.2 Immunity from EM disturbances.....	15
5.1.3 Planning a radio service	15
5.2 Probability of interference.....	16
5.2.1 Derivation of probability of interference	16
5.3 Circumstances of interferences	17
5.3.1 Close coupling and remote coupling	18
5.3.2 Measuring methods	19
5.3.3 Disturbance signal waveforms and associated spectra	21
5.3.4 Characteristics of interfered radio services	22
5.3.5 Operational aspects.....	23
5.3.6 Criteria for the determination of limits	24
5.4 A mathematical basis for the calculation of CISPR limits	28
5.4.1 Generation of EM disturbances (source of disturbance).....	28
5.4.2 Immunity from EM disturbances (victim receiver).....	29
5.5 Application of the mathematical basis.....	29
5.5.1 Radiation coupling.....	29
5.5.2 Wire-line coupling.....	31
5.6 Another suitable method for equipment in the frequency range 150 kHz to 1 GHz.....	39
5.6.1 Introduction	39
5.6.2 Derivation of limits.....	39
5.6.3 Application of limits	44
5.6.4 Overview of proposals for determination of disturbance limits for a given type of equipment.....	44
5.6.5 Rationale for determination of CISPR limits in the frequency range below 30 MHz.....	45
5.6.6 Model for limits for the magnetic component of the disturbance field strength for the protection of radio reception in the range below 30 MHz.....	51

5.7	Rational for determination of CISPR limits in the frequency range above 1 GHz.....	54
5.7.1	Introduction	54
5.7.2	Consideration and estimated values of μ_{P1} to μ_{P7}	55
5.7.3	Equivalent EMC environment below and above 1 GHz.....	61
5.7.4	Overview on parameters of radio communication services operating in the frequency range above 1 GHz and up to 16 GHz with effect to electromagnetic compatibility.....	62
Annex A Excerpt from CISPR Report No. 31 Values of mains decoupling factor in the range 0,1 MHz to 200 MHz		65
Annex B (informative) Conversion of H-field limits below 30 MHz for measurement distances		70
Bibliography.....		82

Figure 1a	– Standard form for statistics on interference complaints recommended for radio services with analogue modulation and fixed or stationary radio reception	10
Figure 1b	– Standard form for statistics on interference complaints recommended for radio services with analogue modulation and mobile or portable radio reception	11
Figure 1c	– Standard form for statistics on interference complaints recommended for radio services with digital modulation and fixed or stationary radio reception	12
Figure 1d	– Standard form for statistics on interference complaints recommended for radio services with digital modulation and mobile or portable radio reception	13
Figure 1	– Standard forms for statistics on interference complaints.....	13
Figure 2	– Model for remote coupling situation derived disturbance field strength e_{ir} at receiving distance r	25
Figure 3	– Model for close coupling situations.....	27
Figure 4	– Example of conversion factors – field strength / common-mode voltage (in dB) – at feed point, found in practice	36
Figure 5	– Example of conversion factors – field strength generated by differential-mode voltage – at feed point, found in practice	37
Figure 6	– Example of conversion factors – field strength generated by differential-mode voltage – outside buildings and electrical substations, found in practice	38
Figure 7	– Example of conversion factors – field strength generated by differential-mode voltage – inside buildings, found in practice	39
Figure 8	– horizontal plane radiation pattern on a small purely magnetic antenna	47
Figure 9	– typical source of magnetic field disturbance	49
Figure 10	– Model for magnetic field limit at measuring equipment	52
Figure A.1	– Mains decoupling coefficient as measured by various authors	67
Figure A.2	– Median and minimum values of mains decoupling factor for the range 0,1 MHz to 200 MHz	68
Figure A.3	– Typical distributions of deviations from median value of decoupling factor as indicated in Figure A.2	68
Figure A.4	– Measurement of the mains decoupling factor	69
Figure B.1	– Commercial tool model for H-field conversion	70
Figure B.2	– Commercial tool model for the application of image theory.....	71
Figure B.3	– Photos of OATS measurement setup	72
Figure B.4	– Comparative simulation result with ground plane and with image theory	72

Figure B.5 – Comparison between the simulated conversion factors and the measurement results	73
Figure B.6 – Conversion factor C_{3_min}	74
Figure B.7 – Conversion factor C_{10_min}	75
Figure B.8 – Conversion factor C_{10-3_min}	77
Figure B.9 – Recommended conversion factor CF_{30m} to 3m	79
Figure B.10 – Recommended conversion factor CF_{30m} to 10m	80
Figure B.11 – Recommended conversion factor CF_{10m} to 3m	81
Table 1 – Classification of sources of radio frequency interference and other causes of complaint.....	14
Table 2 – Guidance survey of RFI measuring methods	21
Table 3 – Tabulation of the method of determining limits for equipment in the frequency range 0,150 MHz to 960 MHz.....	41
Table 4 – Calculation of permissible limits for disturbances at about 1 800 MHz from existing CISPR limits in the frequency range of 900 MHz.....	62
Table 5 – List of radio services, typical parameters, and influence factors	63
Table B.1 – Conversion factor C_{3_min}	74
Table B.2 – Conversion factor C_{10_min}	76
Table B.3 – Conversion factor C_{10-3_min}	78
Table B.4 – Recommended conversion factor CF_{30m} to 3m	79
Table B.5 – Recommended conversion factor CF_{30m} to 10m	80
Table B.6 – Recommended conversion factor CF_{10m} to 3m	81

INTERNATIONAL ELECTROTECHNICAL COMMISSION
INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

**SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY
MEASURING APPARATUS AND METHODS –**

**Part 4-4: Uncertainties, statistics and limit modelling –
Statistics of complaints and a model for the calculation of limits
for the protection of radio services**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of CISPR 16-4-4 bears the edition number 2.1. It consists of the second edition (2007-070) [documents CISPR/H/147/DTR and CISPR/H/153/RVC] and its amendment 1 (2017-06) [documents CIS/H/313/DTR and CIS/H/319/RVC]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

This second edition of CISPR 16-4-4, which is a technical report, has been prepared by CISPR subcommittee H: Limits for the protection of radio services.

This second edition of CISPR 16-4-4 contains two thoroughly updated Clauses 4 and 5, compared with its first edition. It also contains, in its new Annex A, values of the classical CISPR mains decoupling factor which were determined by measurements in real LV AC mains grids in the 1960s. It is deemed that these mains decoupling factors are still valid and representative also for modern and well maintained LV AC mains grids around the world.

The information in Clause 4 – Statistics of complaints and sources of interference – was accomplished by the history and evolution of the CISPR statistics on complaints about radio frequency interference (RFI) and by background information on evolution in radio-based communication technologies. Furthermore, the forms for collation of actual RFI cases were detailed and structured in a way allowing for more qualified assessment and evaluation of compiled annual data in regard to the interference situation, as e.g. fixed or mobile radio reception, or analogue or digital modulation of the interfered with radio service or application concerned.

The information in Clause 5 – A model for the calculation of limits – was accomplished in several ways. The model itself was accomplished in respect of the remote coupling situation as well as the close coupling one. Further supplements of this model were incorporated regarding certain aspects of the coupling path via induction and wave propagation (radiation) of classical telecommunication networks. Furthermore, the calculation model on statistics and probability underwent revision and was brought in line with a more modern mathematical approach. Eventually the present model was extended for a possible determination of CISPR limits in the frequency range above 1 GHz.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY MEASURING APPARATUS AND METHODS –

Part 4-4: Uncertainties, statistics and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services

1 Scope

This part of CISPR 16 contains a recommendation on how to deal with statistics of radio interference complaints. Furthermore it describes the calculation of limits for disturbance field strength and voltage for the measurement on a test site based on models for the distribution of disturbances by radiated and conducted coupling, respectively.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(161), *International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility*

CISPR 11, *Industrial, scientific and medical (ISM) radio-frequency equipment – Electromagnetic disturbance characteristics – Limits and methods of measurement*

CISPR 16-4-3, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-3: Uncertainties, statistics and limit modelling – Statistical considerations in the determination of EMC compliance of mass-produced products*