

INTERNATIONAL STANDARD

IEC 60079-15

Second edition
2001-02

Electrical apparatus for explosive gas atmospheres –

Part 15: Type of protection "n"

Matériel électrique pour atmosphères explosives gazeuses –

*Partie 15:
Mode de protection «n»*

© IEC 2001 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, rue de Varembé Geneva, Switzerland
Telefax: +41 22 919 0300 e-mail: inmail@iec.ch IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **XB**

For price, see current catalogue

CONTENTS

	Page
FOREWORD.....	7
Clause	
1 Scope.....	8
2 Normative references.....	8
3 Definitions.....	10
4 General.....	17
4.1 Potential ignition sources.....	17
4.2 Apparatus grouping.....	17
4.3 Temperatures.....	17
4.3.1 Maximum surface temperature.....	17
4.3.2 Ambient temperatures.....	17
4.3.3 Surface temperature and ignition temperature.....	17
4.4 Electrical apparatus.....	17
4.5 Ex components.....	18
4.6 Other requirements.....	18
5 Construction.....	18
5.1 Degree of protection.....	18
5.2 Mechanical strength.....	19
5.3 Guards for light transmitting parts.....	19
5.4 Circulating currents.....	19
5.5 Non-metallic enclosures, non-metallic parts of enclosures.....	19
6 Connection facilities and wiring.....	20
6.1 General.....	20
6.2 Connection for external conductors.....	20
7 Clearances, creepage distances and separations.....	23
8 Electric strength.....	30
8.1 Insulation from earth or frame.....	30
8.2 Insulation between conductive parts.....	30
9 Supplementary requirements for non-sparking rotating machines.....	31
9.1 General.....	31
9.2 Degree of protection.....	31
9.2.1 Machine enclosure.....	31
9.2.2 Terminal boxes.....	31
9.2.3 Conduit stopping boxes, cable sealing and dividing boxes.....	31
9.3 Connection facilities for external conductors.....	31
9.4 Neutral point connections.....	31
9.5 Radial air gap.....	32
9.6 Ventilation systems.....	32
9.6.1 General.....	32
9.6.2 Ventilation openings for external fans.....	33
9.6.3 Construction and mounting of the ventilation system.....	33
9.6.4 Clearances for the ventilation system.....	33
9.6.5 Materials for fans and fanhoods.....	33

Clause	Page
9.7 Bearing seals and shaft seals	33
9.7.1 Non-rubbing seals and labyrinths	33
9.7.2 Rubbing seals	33
9.8 Rotor cages	34
9.8.1 Rotor cages built from bars connected to end rings	34
9.8.2 Cast rotor cages	34
9.9 Surface temperature limitation	34
9.9.1 Prevention of thermal ignition	34
9.9.2 Operation with a frequency convertor or a non-sinusoidal supply	35
10 Supplementary requirements for non-sparking fuses and fuse assemblies	35
11 Supplementary requirements for non-sparking luminaires	36
11.1 General	36
11.2 Construction	36
11.2.1 General	36
11.2.2 Enclosure of lamp	36
11.2.3 Mounting arrangement	36
11.2.4 Lampholders	36
11.2.5 Auxiliaries	37
11.2.6 Reflectors	38
11.2.7 Creepage distances and clearances	38
11.2.8 Terminals	39
11.2.9 External and internal wiring	40
11.2.10 Endurance tests and thermal tests	40
11.2.11 Resistance to dust and moisture	41
11.2.12 Insulation resistance and electric strength	41
11.3 Other apparatus containing light sources	41
12 Supplementary requirements for non-sparking instruments and low power apparatus	42
13 Supplementary requirements for non-sparking current transformers	42
14 Supplementary requirements for non-sparking plugs and sockets	42
15 Supplementary requirements for non-sparking cells and batteries	43
15.1 Categorization of cells and batteries	43
15.2 General requirements for cells and batteries of types 1 and 2	44
15.3 Charging of type 1 cells and batteries	45
15.4 Charging of type 2 cells and batteries	45
15.5 Requirements for type 3 secondary batteries	46
15.5.1 Types of permissible batteries	46
15.5.2 Battery containers	46
15.5.3 Cells	47
15.5.4 Connections	47
15.6 Verification and tests	47
15.6.1 Insulation resistance	47
15.6.2 Shock test	48
16 Other electrical apparatus	48

Clause	Page
17 General supplementary requirements for apparatus producing arcs, sparks or hot surfaces.....	48
18 Supplementary requirements for enclosed-break devices and non-incendive components producing arcs, sparks or hot surfaces	48
18.1 Type testing.....	48
18.2 Ratings.....	49
18.3 Construction of enclosed-break devices	49
19 Supplementary requirements for hermetically sealed devices producing arcs, sparks or hot surfaces	49
20 Supplementary requirements for sealed devices or encapsulated devices producing arcs, sparks or hot surfaces.....	49
20.1 Sealed devices or encapsulated devices other than for luminaires.....	49
20.2 Encapsulated devices for luminaires	50
20.3 Sealed devices for luminaires	50
21 Supplementary requirements for energy-limited apparatus and circuits producing arcs, sparks or hot surfaces	51
21.1 General	51
21.2 Associated energy-limited apparatus.....	51
21.3 Energy-limited apparatus	51
21.4 Self protected energy-limited apparatus	51
21.5 Separation of conducting parts.....	51
21.6 Plugs and sockets	51
21.7 Protection against polarity reversal	52
21.8 Requirements for components on which energy limitation depends.....	52
21.8.1 Ratings of components	52
21.8.2 Fuses	52
21.8.3 Shunt safety components.....	52
22 Supplementary requirements for restricted-breathing enclosures protecting apparatus producing arcs, sparks or hot surfaces.....	52
23 Supplementary requirements for n-pressurization protecting apparatus producing arcs, sparks or hot surfaces	53
23.1 Forms of n-pressurization	53
23.2 Requirements for n-pressurization enclosures.....	54
23.2.1 Degree of protection of enclosure	54
23.2.2 Doors and covers.....	54
23.2.3 Mechanical strength.....	54
23.2.4 Apertures, partitions and internal components	54
23.2.5 Spark and particle barriers.....	54
23.3 Temperature limits.....	54
23.4 Safety provisions and safety devices (except for static pressurization).....	54
23.5 Safety provisions and safety devices for static pressurization	54
23.6 Supply of protective gas.....	54
24 General information on verification and tests.....	54
25 Specification documentation	55
26 Type tests.....	55
26.1 General	55
26.2 Test configuration.....	55

Clause	Page
26.3 Tests for enclosures	55
26.3.1 Order of tests	55
26.3.2 Thermal endurance tests	56
26.3.3 Mechanical strength tests	56
26.3.4 Tests for degree of protection (IP code) by enclosures	57
26.4 Test for cable entry clamping method.....	58
26.5 Test for enclosed-break devices and non-incendive components.....	58
26.5.1 Preparation of enclosed-break device samples.....	58
26.5.2 Preparation of non-incendive component samples.....	58
26.5.3 Test conditions for enclosed-break devices and non-incendive components.....	58
26.6 Tests for sealed devices and encapsulated devices	59
26.6.1 Apparatus.....	59
26.6.2 Procedure.....	59
26.6.3 Test for encapsulated devices for luminaires	60
26.6.4 Test for sealed devices for luminaires	60
26.7 Assessment and test of energy-limited apparatus and circuits	61
26.8 Tests for restricted-breathing enclosures	61
26.8.1 Apparatus with provision for routine checking of restricted-breathing properties	61
26.8.2 Apparatus without provision for routine checking of restricted-breathing properties	61
26.8.3 Apparatus where the nominal volume of the enclosure changes due to pressure	61
26.9 Test for apparatus with n-pressurization.....	61
26.9.1 Maximum overpressure test	61
26.9.2 Leakage test.....	61
26.9.3 Purging test for leakage compensation and filling procedure for static pressurization	61
26.9.4 Verification of minimum overpressure	61
26.9.5 Verification of the ability of the n-pressurization enclosure to limit internal pressure	62
26.10 Test for screw lampholders	62
26.11 Test for starter holders for luminaires.....	62
26.12 Tests for ballasts in circuits with ignitors.....	63
26.12.1 Number of samples	63
26.12.2 Conditioning prior to high-voltage impulse test.....	63
26.12.3 High-voltage impulse test.....	64
26.13 Tests for electronic starters for tubular fluorescent lamps and for ignitors for high pressure sodium or metal halide lamps	66
26.13.1 General.....	66
26.13.2 Humidity test.....	66
26.13.3 Voltage test.....	66
26.13.4 Cut-out device test.....	67
26.13.5 Life test	67
26.14 Test for wiring of luminaires subject to high-voltage impulses from ignitors	68
26.15 Shock test for batteries	68
26.16 Insulation resistance test for batteries	68

Clause	Page
27 Routine verifications and tests	69
27.1 General	69
27.2 Specific routine tests	69
28 Marking	69
29 Documentation	72
30 Manufacturer's responsibility	73
Bibliography	74
Figure 1 – Parts of a secondary cell.....	16
Figure 2 – Illustration of entry points and branching points.....	23
Figure 3 – Examples for determining clearances and creepage distances	30
Figure 4a – Example of acceptable spring leaf screwless terminal	40
Figure 4b – Example of non-acceptable spring leaf screwless terminal	40
Figure 5 – High-voltage impulse test circuit	65
Figure 6 – Full lightning impulse	66
Table 1 – Minimum cross-sectional area of protective conductors	21
Table 2 – Minimum creepage distances, clearances and separations.....	25
Table 3 – Tracking resistance of insulating materials	26
Table 4 – Separation in compound-filled cable sealing boxes.....	26
Table 5 – Assumed working voltage of neutral points.....	32
Table 6 – Creepage distances and clearances at peak values of pulse voltages greater than 1,5 kV	39
Table 7 – Types and use of cells and batteries	43
Table 8 – Insertion torque	62
Table 9 – Minimum removal torque.....	62
Table 10 – Electric strength test voltage	64

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL APPARATUS FOR EXPLOSIVE GAS ATMOSPHERES –**Part 15: Type of protection "n"**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-15 has been prepared by IEC technical committee 31: Electrical apparatus for explosive atmospheres.

This second edition cancels and replaces the first edition which was issued as a technical report in 1987. It constitutes a technical revision and now has the status of an International Standard.

The text of this standard is based on the following documents:

FDIS	Report on voting
31/346/FDIS	31/353/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

ELECTRICAL APPARATUS FOR EXPLOSIVE GAS ATMOSPHERES –

Part 15: Type of protection "n"

1 Scope

This part of IEC 60079 specifies requirements for the construction, testing and marking for Group II electrical apparatus with type of protection "n" intended for use in explosive gas atmospheres.

This standard is applicable to non-sparking electrical apparatus and also to electrical apparatus with parts or circuits producing arcs or sparks or having hot surfaces which, if not protected in one of the ways specified in this standard, could be capable of igniting a surrounding explosive gas atmosphere.

A non-incendive component is limited in use to the particular circuit for which it has been shown to be non-ignition capable and, therefore, cannot be separately assessed as complying with this standard.

Compliance with this standard does not imply any removal of, or lowering of, the requirements of any other standard with which the electrical apparatus complies.

This standard supplements, and may enhance, the requirements for apparatus for normal industrial applications.

NOTE This standard makes several specific references to IEC 60079-0. It is not intended that apparatus with type of protection "n" should comply with IEC 60079-0 in its entirety, or that the level of protection achieved by compliance with this standard should be equal to the level of protection achieved by compliance with IEC 60079-0 and any of the types of protection listed therein.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 60079. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 60079 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid standards.

IEC 60034 (all parts), *Rotating electrical machines*

IEC 60034-1:1996, *Rotating electrical machines – Part 1: Rating and performance*¹

IEC 60034-5, *Rotating electrical machines – Part 5: Classification of degrees of protection provided by enclosures of rotating electrical machines (IP code)*

IEC 60050-411, *International Electrotechnical Vocabulary – Chapter 411: Rotating machinery*

¹ A consolidated edition 10.2 exists (1999) that includes IEC 60034-1 (1996), its amendment 1 (1997) and its amendment 2 (1999).

IEC 60050(426), *International Electrotechnical Vocabulary – Chapter 426: Electrical apparatus for explosive atmospheres*

IEC 60050(486), *International Electrotechnical Vocabulary – Chapter 486: Secondary cells and batteries*

IEC 60060 (all parts), *High-voltage test techniques*

IEC 60061 (all parts), *Lamp caps and holders together with gauges for the control of interchangeability and safety*

IEC 60068-2-27:1987, *Environmental testing – Part 2: Tests – Test Ea and guidance: Shock*

IEC 60079-0:1998, *Electrical apparatus for explosive gas atmospheres – Part 0: General requirements*²

IEC 60079-2, *Electrical apparatus for explosive gas atmospheres – Part 2: Electrical apparatus, type of protection "p"*³

IEC 60079-11, *Electrical apparatus for explosive gas atmospheres – Part 11: Intrinsic safety "i"*

IEC 60081, *Double-capped fluorescent lamps – Performance specifications*

IEC 60112, *Method for determining the comparative and the proof tracking indices of solid insulating materials under moist conditions*

IEC 60155, *Glow-starters for fluorescent lamps*

IEC 60216-1:1990, *Guide for the determination of thermal endurance properties of electrical insulating materials – Part 1: General guidelines for ageing procedures and evaluation of test results*⁴

IEC 60216-2, *Guide for the determination of thermal endurance properties of electrical insulating materials – Part 2: Choice of test criteria*

IEC 60238:1998, *Edison screw lampholders*⁵

IEC 60269-3, *Low-voltage fuses – Part 3: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household and similar applications)*

IEC 60400, *Lampholders for tubular fluorescent lamps and starter holders*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60598-1:1996, *Luminaires – Part 1: General requirements and tests*

IEC 60598-2 (all parts), *Luminaires – Part 2: Particular requirements*

IEC 60662:1992, *High-pressure sodium vapour lamps*

² A consolidated edition 3.1 exists (2000) that includes IEC 60079-0 (1998) and its amendment 1 (2000).

³ Fourth edition in preparation.

⁴ Fifth edition in preparation.

⁵ A consolidated edition 7.1 exists (2000) that includes IEC 60238 (1998) and its amendment 1 (1999).

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests* ⁶

IEC 60920, *Ballasts for tubular fluorescent lamps – General and safety requirements*

IEC 60922, *Auxiliaries for lamps – Ballasts for discharge lamps (excluding tubular fluorescent lamps) – General and safety requirements*

IEC 60924, *D.C. supplied electronic ballasts for tubular fluorescent lamps – General and safety requirements*

IEC 60926, 1995, *Auxiliaries for lamps – Starting devices (other than glow starters) – General and safety requirements* ⁷

IEC 60927, 1996, *Auxiliaries for lamps – Starting devices (other than glow starters) – Performance requirements* ⁸

IEC 60928: 1995, *Auxiliaries for lamps – A.C. supplied electronic ballasts for tubular fluorescent lamps – General and safety requirements* ⁹

IEC 60998-2-4, 1991, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-4: Particular requirements for twist-on connecting devices*

IEC 61048, *Capacitors for use in tubular fluorescent and other discharge lamp circuits – General and safety requirements* ¹⁰

IEC 61049, *Capacitors for use in tubular fluorescent and other discharge lamp circuits – Performance requirements*

IEC 61184, *Bayonet lampholders*

⁶ A consolidated edition 1.1 exists (2000) that includes IEC 60664 (1992) and its amendment 1 (2000).

⁷ A consolidated edition 2.1 exists (2000) that includes IEC 60926 (1995) and its amendment 1 (1999).

⁸ A consolidated edition 2.1 exists (2000) that includes IEC 60927 (1996) and its amendment 1 (1999).

⁹ A consolidated edition 2.1 exists (1999) that includes IEC 60928 (1995) and its amendment 1 (1999).

¹⁰ A consolidated edition 1.2 exists (1999) that includes IEC 61048 (1991), its amendment 1 (1995) and its amendment 2 (1999).