



INTERNATIONAL STANDARD

**Fixed resistors for use in electronic equipment –
Part 2-10: Blank detail specification: Low-power film resistors with leads for
through-hole assembly on circuit boards (THT), for general electronic
equipment, classification level G**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.040.10

ISBN 978-2-8322-6465-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
0 Introduction to the template provided by this blank detail specification.....	7
0.1 Scope of this blank detail specification.....	7
0.2 Function of this blank detail specification	7
0.3 Identification of the detail specification and the resistor	8
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	11
4 Characteristics and ratings	11
4.1 General.....	11
4.2 Dimensions	11
4.3 Ratings	14
4.4 Resistance range and tolerance on resistance	15
5 Tests and test severities	16
5.1 General.....	16
5.2 Resistance.....	16
5.3 Temperature coefficient of resistance	17
5.4 Temperature rise	17
5.5 Endurance at the rated temperature 70 °C	17
5.6 Endurance at a maximum temperature: UCT	17
5.7 Short-term overload	17
5.8 Electrostatic discharge (ESD) test.....	18
5.9 Visual examination.....	18
5.10 Gauging of dimensions	18
5.11 Detail dimensions	18
5.12 Robustness of terminations.....	19
5.13 Vibration	19
5.14 Rapid change of temperature	19
5.15 Climatic sequence.....	19
5.16 Damp heat, steady state	19
5.17 Solderability, with lead-free solder	20
5.18 Solderability, with SnPb solder.....	20
5.19 Resistance to soldering heat.....	20
5.20 Solvent resistance	21
5.21 Insulation resistance	21
5.22 Voltage proof	21
5.23 Flammability	21
6 Performance requirements.....	21
6.1 General.....	21
6.2 Limits for change of resistance at tests	22
6.3 Temperature coefficient of resistance	22
6.4 Temperature rise	23
6.5 Visual examination.....	23
6.5.1 General visual criteria.....	23
6.5.2 Visual criteria after tests	24
6.5.3 Visual criteria for packaging.....	24

6.6	Solderability	24
6.7	Insulation resistance	24
6.8	Flammability	25
7	Marking, packaging and ordering information	25
7.1	Marking of the component	25
7.2	Packaging	25
7.3	Marking of the packaging	25
7.4	Ordering information	25
8	Additional information	26
8.1	General	26
8.2	Storage and transportation	26
8.3	Substrate for assembly	26
8.4	Soldering process	26
8.5	Use of cleaning agents or solvents	26
8.6	Coating or potting after assembly	27
9	Quality assessment procedures	27
9.1	General	27
9.1.1	100 % test	27
9.1.2	Certificate of conformity (CoC)	27
9.1.3	Certified test records of released lots	28
9.2	Qualification approval	28
9.3	Maintenance of a qualification approval	28
9.3.1	Quality conformance inspection	28
9.3.2	Non-conforming specimen	28
Annex A (normative)	Symbols and abbreviated terms	37
A.1	Symbols	37
A.2	Abbreviated terms	39
Annex B (normative)	Reference for visual examination	40
Annex C (normative)	Zero Ohm resistors (jumpers)	41
C.1	General	41
C.2	Characteristics and ratings	41
C.3	Tests and test severities	42
C.4	Performance requirements	42
C.5	Marking, packaging and ordering information	42
C.6	Additional information	42
C.7	Quality assessment procedures	42
C.7.1	Test schedule for qualification approval	42
C.7.2	Test schedule for quality conformance inspection	43
Annex X (informative)	Cross-references to the prior revision of this specification	44
Bibliography	45
Figure 1	– Outline and dimensions	12
Figure 2	– Lead eccentricity of the wire terminations	13
Figure 3	– Length of excessive coating on the wire terminations	13
Figure 4	– Derating curve	15
Table 1	– Styles and dimensions	12

Table 2 – Climatic categories	14
Table 3 – Ratings.....	14
Table 4 – Temperature coefficients, tolerances and resistance ranges for climatic category ... / ... /	16
Table 5 – Short-term overload duration	18
Table 6 – ESD test voltages.....	18
Table 7 – Additional cycles of the damp heat, cyclic test.....	19
Table 8 – Damp heat, steady state test duration	20
Table 9 – Limits for change of resistance at tests	22
Table 10 – Permitted change of resistance due to the variation of temperature	23
Table 11 – Test schedule for the qualification approval.....	29
Table 12 – Test schedule for quality conformance inspection.....	33
Table C.1 – Climatic category	41
Table C.2 – Ratings for 0 Ω resistors	41
Table X.1 – Cross-references to clauses of the prior edition	44

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED RESISTORS FOR USE IN ELECTRONIC EQUIPMENT –**Part 2-10: Blank detail specification: Low-power film resistors with leads for through-hole assembly on circuit boards (THT), for general electronic equipment, classification level G**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60115-2-10 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This first edition cancels and replaces IEC 60115-2-1:1982. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) it employs the product classification based on application requirements as defined in the generic specification IEC 60115-1:2020;
- b) it permits the specification of additional dimensional requirements concerning the eccentricity of termination wires and the coating extending onto wires;
- c) it provides for a tabulated presentation of resistance ranges in relationship to the temperature coefficient and the tolerance;

- d) it supports solderability testing for both traditional lead-bearing soldering and up-to-date lead-free soldering, as required;
- e) it introduces a test for the specimens' robustness to electrostatic discharge;
- f) it introduces a test for the specimens' resistance to solvents;
- g) it introduces a test for the flammability of the specimens;
- h) it employs consistent stability requirements grouped in stability classes;
- i) it supports the provision of detailed visual acceptance criteria;
- j) it includes the requirement for a visual examination of the primary and proximity packaging;
- k) it provides the correlated test schedules for a qualification approval and for subsequent quality conformance inspections side by side;
- l) it employs quality assessment procedures which meet the requirements of a zero-defect approach, which evades the use of historic AQL levels and the permission of non-conforming specimens in test groups;
- m) it provides for the inclusion of specific visual acceptance criteria, to be applied in addition to those given in Annex B of the sectional specification IEC 60115-2:2023;
- n) it provides for the optional coverage of 0 Ω resistors (jumpers) within the scope of the drafted detail specification;
- o) furthermore, it employs a new document structure, for which a transition guidance is provided in Annex X.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2944/CDV	40/3002/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60115 series, published under the general title *Fixed resistors for use in electronic equipment*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

0 Introduction to the template provided by this blank detail specification

COMMENT This introduction is not intended to be copied into the drafted detail specification. Therefore, it is positioned in front of the conventional document structure and clause numbering range. It nevertheless contains normative requirements to the drafted detail specification.

0.1 Scope of this blank detail specification

This part of IEC 60115-2 is applicable to the drafting of detail specifications for low-power film resistors with leads, classified to level G, based on the definition of the product classification levels in IEC 60115-1:2020, 3.4.

Another part of IEC 60115-2 provides a separate blank detail specification for the drafting of detail specifications for low-power film resistors with leads, classified to level P and to level R.

Yet other parts of IEC 60115-2 may be issued to provide blank detail specifications for the drafting of detail specifications for low-power film resistors with leads, of other technologies or of other classification levels.

0.2 Function of this blank detail specification

A blank detail specification is a supplementary document to the sectional specification and contains requirements for style, layout and minimum contents of detail specifications. Detail specifications not complying with these requirements shall not be accepted as being in accordance with IEC specifications nor shall they be described as such.

Detail specifications complying with the requirements of this blank detail specification are a legitimate basis for the quality assessment of leaded fixed low-power film resistors under an adequate quality assessment system, e.g. the IEC Quality Assessment System for Electronic Components (IECQ System), whereas the plain blank detail specification is not a suitable basis.

The detail specification should contain a table of contents prior the first page of the actual specification.

In the preparation of the detail specification, the content of IEC 60115-2:2023, 8.2 shall be taken into account. The detail specification should be written by using the preferred values given in IEC 60115-2.

Units, graphical symbols and letter symbols shall, whenever possible, be taken from those specified in the following standards:

- IEC 60027-1, *Letter symbols to be used in electrical technology – Part 1: General*
- IEC 60617, *Graphical symbols for diagrams*
- IEC 80000 (all parts), *Quantities and units*
- ISO 80000 (all parts), *Quantities and units*

This blank detail specification uses for its purpose two different kinds of notes:

- NOTE For notes which give additional information intended to assist the understanding or use of the resulting document and therefore shall be copied as NOTE into the drafted detail specification. As outlined in the ISO/IEC directives, these notes shall not contain any requirement, instruction, recommendation or permission.
- COMMENT For editorial notes which are intended to aid and direct the specification writer and therefore shall not be copied into the drafted detail specification. In order to accomplish their function, editorial notes require the use of instructions, recommendations and permissions addressed to the writer of the detail specification.

0.3 Identification of the detail specification and the resistor

The first page of the detail specification should have a layout starting with a title block as recommended on the following page.

The numbers in square brackets are editorial references, which are not intended to be copied into the drafted detail specification, and which correspond to the following information on the contents which shall be inserted in the indicated fields.

- [1] The name of the standardisation organisation under whose authority the detail specification is published and, if applicable, the organization from whom the detail specification is available.
- [2] The number allocated to the detail specification by the IEC or by the responsible standardisation organisation, together with the date of issue and issue number, as applicable. Further reference details required by the responsible standardisation organisation or quality assessment system may be given here, including an established mark of conformity, as applicable.
- [3] The number and issue date and number, as applicable, of the relevant generic specification, sectional specification and blank detail specification, where the referenced issues shall be the most recent issues of the respective specifications.
- [4] The title of the detail specification, providing a short description of the type of resistors.
This entry should support the discrimination between similar specifications and should be suitable for an entry in a register of approvals or in a catalogue of standards. It may duplicate information given in fields [6] and [7] and in the textual scope in Clause 1.
- [5] An outline drawing or illustration of the products. This entry should aid the easy recognition of the specified resistors and, if possible, support the discrimination between similar specifications. It may duplicate information given in Figure 1.
- [6] Information on the typical construction of the resistors (where applicable), information of the specified resistors being insulated or non-insulated (see IEC 60115-1:2020, 3.1.7), and information on compatibility with a specific soldering process (if applicable, see 8.4). This entry may duplicate information given in the textual scope in Clause 1.
- [7] The classification level of the resistors covered by this detail specification, the level of quality assessment (Assessment level EZ), and the general level of stability requirements at performance tests (Stability class).
This information may duplicate information given in the textual scope in Clause 1.
- [8] Optional field for table notes.
- [9] Statement(s) about the availability of information on components qualified to this detail specification, if applied within a full quality assessment system.

Example for the use within the IECQ system:

Information about components qualified to this detail specification is available in the approvals section of the website <http://www.iecq.org>.

Specification available from:	IEC 60115-2-10xx:20yy
[1]	[2]
Electronic components of assessed quality in accordance with:	
Generic specification:	IEC 60115-1:2020 [3]
Sectional specification:	IEC 60115-2:2023
Blank detail specification:	IEC 60115-2-10:2023
FIXED RESISTORS FOR USE IN ELECTRONIC EQUIPMENT –	
Part 2-10xx: Detail specification –	
Low-power film resistors with leads for through-hole assembly on circuit boards (THT), for general electronic equipment, classification level G,	
	[4]
[5]	Technology ... [6]
	Insulated / Non-insulated
	Product classification level G
	Assessment level EZ [7]
	Stability classes ...
	[8]

COMMENT The remainder of this page is intentionally left empty in order to start Clause 1 on top of the next page.

Information about components qualified to this detail specification is available
[9]

FIXED RESISTORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 2-10: Blank detail specification: Low-power film resistors with leads for through-hole assembly on circuit boards (THT), for general electronic equipment, classification level G

1 Scope

COMMENT The text of this clause may repeat information already given in some fields of the above title block. Essential information on the special type of components covered by the drafted detail specification may be added, preferably at the place marked with "...".

This detail specification specifies the characteristics and ratings of low-power film resistors with leads for use in electronic equipment, which are typically assembled in through-hole technology (THT) on circuit boards.

...

The resistors covered herein are classified to level G, as defined in IEC 60115-1:2020, 3.4 for general electronic equipment, typically operated under benign or moderate environmental conditions, where the major requirement is function. Examples for level G include consumer products and telecommunication user terminals.

This detail specification is based upon the blank detail specification IEC 60115-2-10:2023.

This detail specification establishes test schedules and performance requirements permitting the quality assessment of the resistors covered herein according to the quality assessment procedures specified by IEC 60115-1:2020, Annex Q.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60115-1:2020, *Fixed resistors for use in electronic equipment – Part 1: Generic specification*

IEC 60115-2:2023, *Fixed resistors for use in electronic equipment – Part 2: Sectional specification – Low-power film resistors with leads for through-hole assembly on circuit boards (THT)*

IEC 60115-2-10:2023, *Fixed resistors for use in electronic equipment – Part 2-10: Blank detail specification – Low-power film resistors with leads for through-hole assembly on circuit boards (THT), for general electronic equipment, classification level G*

IEC 60286-1, *Packaging of components for automatic handling – Part 1: Tape packaging of components with axial leads on continuous tapes*

IEC 60294, *Measurement of the dimensions of a cylindrical component with axial terminations*

IEC 60301, *Preferred diameters of wire terminations of capacitors and resistors*

IEC 61760-1, *Surface mounting technology – Part 1: Standard method for the specification of surface mounting components (SMDs)*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

...

COMMENT 1 The above list of normative references provides an example and needs to be adapted to the actual requirements of the drafted detail specification, indicated by the space marked with "...", which however does not preclude from sorting in proper numerical order.

COMMENT 2 According to the ISO/IEC directives, dated references are required when reference is made to a specific part of the referenced standard and generally should be applied only in such cases.

COMMENT 3 It is recommended to update any dated references to the most recent revision of the referenced standard when drafting a detail specification. This involves updating of the dated normative references within the text of the drafted detail specification.