



Edition 4.0 2024-02 REDLINE VERSION

# INTERNATIONAL STANDARD



Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 1: General requirements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.060.20

ISBN 978-2-8322-8368-4

Warning! Make sure that you obtained this publication from an authorized distributor.

# CONTENTS

FC	OREWORD	4
IN	NTRODUCTION	6
1	General	
1	Scope	7
2	Normative references	7
3		
-	2.1 Definitions relating to insulating and sheathing materials	
	2.2 Definitions relating to the tests	
	2.2.1 Type tests (symbol <i>T</i> )	
	2.2.2 Sample tests (symbol S)	
4		
	4.1 Indication of origin and cable identification	
	4.1.1 General	
	4.1.2 Continuity of marks	10
	4.2 Durability	
	4.3 Legibility	
5	Core identification	11
	5.1 General	11
	5.2 Core identification by colours	11
	5.2.1 General requirements	11
	5.2.2 Colour scheme	
	5.2.3 Colour combination green-and-yellow	
	5.3 Core identification by numbers	
	5.3.1 General requirements	
	5.3.2 Preferred arrangement of marking	
	5.3.3 Durability	
6		
	6.1 Conductors	
	6.1.1 Material	
	6.1.2 Construction	
	6.1.3 Check on construction	
	6.1.4 Electrical resistance	
	6.2 Insulation 6.2.1 Material	
	<ul><li>6.2.1 Material</li><li>6.2.2 Application to the conductor</li></ul>	
	6.2.3 Thickness	
	6.2.4 Mechanical properties before and after ageing	
	6.3 Filler	
	6.3.1 Material	•
	6.3.2 Application	
	6.4 Extruded inner covering	
	6.4.1 Material	
	6.4.2 Application	
	6.4.3 Thickness	
	6.5 Sheath	
	6.5.1 Material	

6.5.2	Application	17		
6.5.3 Thickness				
6.5.4	Mechanical properties before and after ageing	17		
6.6 Tes	sts on completed cables	20		
6.6.1	Electrical properties			
6.6.2	Overall dimensions	21		
6.6.3	Mechanical strength of flexible cables	21		
6.6.4	Flame retardance	22		
7 Guidance on the use of cables				
Annex A (normative) Code designations23				
Bibliography24				
Figure 1 – Arr	angement of marking by numbers	12		
	quirements for the non-electrical tests for polyvinyl chloride (PVC)	14		
Table 2 – Rec	uirements for the non-electrical test for polyvinyl chloride (PVC) shea	ths18		

			r test for polyving		Sileatiis10
Table 3 -	<ul> <li>Requirements for</li> </ul>	electrical tests fo	r PVC insulated	cables	20

- 4 -

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V –

### Part 1: General requirements

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60227-1:2017. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60227-1 has been prepared by IEC technical committee 20: Electric cables. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the reference to tests according to IEC 60227-2 has been withdrawn and replaced with a reference to IEC 63294;
- b) normative references have been updated.

The text of this International Standard is based on the following documents:

Draft	Report on voting	
20/2145/FDIS	20/2153/RVD	

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60227 series, published under the general title *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

### INTRODUCTION

The IEC 60227 series, published under the general title *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V,* consists of the following parts:

IEC 60227-1: General requirements;

IEC 60227-2: Test methods (withdrawn and replaced by IEC 63294);

IEC 60227-3: Non-sheathed cables for fixed wiring;

IEC 60227-4: Sheathed cables for fixed wiring;

IEC 60227-5: Flexible cables (cords);

IEC 60227-6: Lift cables and cables for flexible connections;

IEC 60227-7: Flexible cables screened and unscreened with two or more conductors and of rated voltages up to and including 300/500 V.

This part of IEC 60227, when used in conjunction with each of the other parts of the IEC 60227 series, forms the complete standard for the type of cable specified in the specific part.

## POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V –

## Part 1: General requirements

### 1 General

#### 1 Scope

This part of IEC 60227 applies to rigid and flexible cables with insulation, and sheath if any, based on polyvinyl chloride, of rated voltages  $U_0/U$  up to and including 450/750 V used in power installations of nominal voltage not exceeding 450/750 V AC.

NOTE For some types of flexible cables the term "cord" is used.

The particular types of cables are specified in IEC 60227-3, IEC 60227-4, IEC 60227-5, IEC 60227-6 and IEC 60227-7. The code designations of these types of cables are provided in this document.

The test methods specified in this document, IEC 60227-3, IEC 60227-4, IEC 60227-5, IEC 60227-6 and IEC 60227-7 are given in <u>IEC 60227-2</u> IEC 63294, IEC 60332-1-2 and in the relevant parts of the IEC 60811 series.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60173, Colours of the cores of flexible cables and cords

IEC 60227-2, Polyvinyl chloride insulated cables of rated voltage up to and including 450/750 V – Part 2: Test methods

IEC 60227-3, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 3: Non-sheathed cables for fixed wiring

IEC 60227-4, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 4: Sheathed cables for fixed wiring

IEC 60227-5, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 5: Flexible cables (cords)

IEC 60227-6, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 6: Lift cables and cables for flexible connections

IEC 60227-7, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V - Part 7: Flexible cables screened and unscreened with two or more conductors and of rated voltages up to and including 300/500 V

IEC 60228, Conductors of insulated cables

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame

IEC 60811-1-1, Common test methods for insulating and sheathing materials of electric cables and optical cables — Part 1: Methods for general application — Measuring of thickness and overall dimensions — Tests for determining the mechanical properties

IEC 60811-1-2, Common test methods for insulating and sheathing materials of electric cables – Part 1: Methods for general application – Section Two: Thermal ageing methods

IEC 60811-1-4, Common test methods for insulating and sheathing materials of electric cables – Part 1: Methods for general application – Section Four: Tests at low temperature

IEC 60811-3-1, Common test methods for insulating and sheathing materials of electric cables – Part 3: Methods specific to PVC compounds – Section One: Pressure test at high temperature – Tests for resistance to cracking

IEC 60811-3-2, Common test methods for insulating and sheathing materials of electric cables – Part 3: Methods specific to PVC compounds – Section Two: Loss of mass test – Thermal stability tests

IEC 60811-401:2012, Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven IEC 60811-401:2012/AMD1:2017

IEC 60811-404, Electric and optical fibre cables – Test methods for non-metallic materials – Part 404: Miscellaneous tests – Mineral oil immersion tests for sheaths

IEC 60811-405, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 405: Miscellaneous tests – Thermal stability test for PVC insulations and PVC sheaths* 

IEC 60811-409, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 409: Miscellaneous tests – Loss of mass test for thermoplastic insulations and sheaths* 

IEC 60811-501, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds* 

IEC 60811-504, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 504: Mechanical tests – Bending tests at low temperature for insulation and sheaths* 

IEC 60811-505, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 505: Mechanical tests – Elongation at low temperature for insulations and sheaths* 

IEC 60811-506, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 506: Mechanical tests – Impact test at low temperature for insulations and sheaths* 

IEC 60811-508, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 508: Mechanical tests – Pressure test at high temperature for insulation and sheaths* 

IEC 60811-509, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 509: Mechanical tests – Test for resistance of insulations and sheaths to cracking (heat shock test)* 

IEC 62440, *Electric cables with a rated voltage not exceeding 450/750 V – Guide to use for cables with a rated voltage not exceeding 450/750V^4* 

IEC 63294:2021, Test methods for electric cables with rated voltages up to and including 450/750 V

<sup>&</sup>lt;sup>1</sup>—In preparation.





Edition 4.0 2024-02

# INTERNATIONAL STANDARD

Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 1: General requirements



# CONTENTS

FC	FOREWORD4				
IN	INTRODUCTION				
1	Scop	e	.7		
2	Norm	ative references	.7		
3	Term	s and definitions	.8		
4		ing			
•	4.1	Indication of origin and cable identification			
	4.1.1	-			
	4.1.2				
	4.2	Durability			
	4.3	Legibility			
5		identification			
	5.1	General	10		
	5.2	Core identification by colours			
	5.2.1	·			
	5.2.2	·			
	5.2.3	Colour combination green-and-yellow	10		
	5.3	Core identification by numbers	11		
	5.3.1	General requirements	11		
	5.3.2	Preferred arrangement of marking	11		
	5.3.3	Durability	11		
6	Gene	ral requirements for the construction of cables	11		
	6.1	Conductors	11		
	6.1.1	Material	11		
	6.1.2	Construction	12		
	6.1.3	Check on construction	12		
	6.1.4				
	6.2	Insulation			
	6.2.1	Material			
	6.2.2	Application to the conductor	12		
	6.2.3				
	6.2.4				
	6.3	Filler			
	6.3.1	Material			
	6.3.2				
	6.4	Extruded inner covering			
	6.4.1	Material			
	6.4.2				
	6.4.3 6.5	Thickness			
	6.5.1				
	6.5.1	Material Application			
	6.5.2				
	6.5.4				
	6.6	Tests on completed cables			
	6.6.1	Electrical properties			
	0.0.1				

	6.6.2	Overall dimensions	20
	6.6.3	Mechanical strength of flexible cables	
	6.6.4	Flame retardance	21
7	Guidance	on the use of cables	21
Annex A (normative) Code designations			
Bibliography			23
Figu	re 1 – Arra	angement of marking by numbers	11
		uirements for the non-electrical tests for polyvinyl chloride (PVC)	13
Tabl	e 2 – Reqi	uirements for the non-electrical test for polyvinyl chloride (PVC) sheaths	17
Table 3 – Requirements for electrical tests for PVC insulated cables			

– 4 –

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V –

### Part 1: General requirements

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60227-1 has been prepared by IEC technical committee 20: Electric cables. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the reference to tests according to IEC 60227-2 has been withdrawn and replaced with a reference to IEC 63294;
- b) normative references have been updated.

The text of this International Standard is based on the following documents:

Draft	Report on voting	
20/2145/FDIS	20/2153/RVD	

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60227 series, published under the general title *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

### INTRODUCTION

The IEC 60227 series, published under the general title *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V,* consists of the following parts:

- IEC 60227-1: General requirements;
- IEC 60227-2: Test methods (withdrawn and replaced by IEC 63294);
- IEC 60227-3: Non-sheathed cables for fixed wiring;
- IEC 60227-4: Sheathed cables for fixed wiring;
- IEC 60227-5: Flexible cables (cords);

IEC 60227-6: Lift cables and cables for flexible connections;

IEC 60227-7: Flexible cables screened and unscreened with two or more conductors and of rated voltages up to and including 300/500 V.

This part of IEC 60227, when used in conjunction with each of the other parts of the IEC 60227 series, forms the complete standard for the type of cable specified in the specific part.

## POLYVINYL CHLORIDE INSULATED CABLES OF RATED VOLTAGES UP TO AND INCLUDING 450/750 V –

### Part 1: General requirements

### 1 Scope

This part of IEC 60227 applies to rigid and flexible cables with insulation, and sheath if any, based on polyvinyl chloride, of rated voltages  $U_0/U$  up to and including 450/750 V used in power installations of nominal voltage not exceeding 450/750 V AC.

NOTE For some types of flexible cables the term "cord" is used.

The particular types of cables are specified in IEC 60227-3, IEC 60227-4, IEC 60227-5, IEC 60227-6 and IEC 60227-7. The code designations of these types of cables are provided in this document.

The test methods specified in this document, IEC 60227-3, IEC 60227-4, IEC 60227-5, IEC 60227-6 and IEC 60227-7 are given in IEC 63294, IEC 60332-1-2 and in the relevant parts of the IEC 60811 series.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60227-3, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 3: Non-sheathed cables for fixed wiring

IEC 60227-4, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 4: Sheathed cables for fixed wiring

IEC 60227-5, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 5: Flexible cables (cords)

IEC 60227-6, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 6: Lift cables and cables for flexible connections

IEC 60227-7, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 7: Flexible cables screened and unscreened with two or more conductors and of rated voltages up to and including 300/500 V

IEC 60228, Conductors of insulated cables

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame

IEC 60811-401:2012, Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven IEC 60811-401:2012/AMD1:2017

IEC 60811-404, Electric and optical fibre cables – Test methods for non-metallic materials – Part 404: Miscellaneous tests – Mineral oil immersion tests for sheaths

IEC 60811-405, Electric and optical fibre cables – Test methods for non-metallic materials – Part 405: Miscellaneous tests – Thermal stability test for PVC insulations and PVC sheaths

IEC 60811-409, Electric and optical fibre cables – Test methods for non-metallic materials – Part 409: Miscellaneous tests – Loss of mass test for thermoplastic insulations and sheaths

IEC 60811-501, Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds

IEC 60811-504, Electric and optical fibre cables – Test methods for non-metallic materials – Part 504: Mechanical tests – Bending tests at low temperature for insulation and sheaths

IEC 60811-505, Electric and optical fibre cables – Test methods for non-metallic materials – Part 505: Mechanical tests – Elongation at low temperature for insulations and sheaths

IEC 60811-506, Electric and optical fibre cables – Test methods for non-metallic materials – Part 506: Mechanical tests – Impact test at low temperature for insulations and sheaths

IEC 60811-508, Electric and optical fibre cables – Test methods for non-metallic materials – Part 508: Mechanical tests – Pressure test at high temperature for insulation and sheaths

IEC 60811-509, Electric and optical fibre cables – Test methods for non-metallic materials – Part 509: Mechanical tests – Test for resistance of insulations and sheaths to cracking (heat shock test)

IEC 62440, Electric cables with a rated voltage not exceeding 450/750 V – Guide to use

IEC 63294:2021, Test methods for electric cables with rated voltages up to and including 450/750 V