



IEC 60268-7

Edition 3.1 2020-09
CONSOLIDATED VERSION

INTERNATIONAL STANDARD



**Sound system equipment –
Part 7: Headphones and earphones**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.50

ISBN 978-2-8322-8891-7

Warning! Make sure that you obtained this publication from an authorized distributor.

REDLINE VERSION



Sound system equipment – Part 7: Headphones and earphones

CONTENTS

FOREWORD	5
INTRODUCTION to Amendment 1	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 Classification, designation and coding	11
5 Marking of terminals, controls and polarity	15
6 User instructions	15
7 Conditions for specifications and measurements	16
7.1 Rated conditions	16
7.2 Standard conditions for measurement	17
7.3 Couplers and ear simulators	17
7.4 Measurement conditions for simulated programme signal	17
7.5 Loudness comparison conditions	18
7.5.1 General	18
7.5.2 Free-field comparison conditions	18
7.5.3 Diffuse-field comparison conditions	19
7.6 Ear canal sound pressure level measurement conditions	19
8 Characteristics to be specified and their methods of measurement	19
8.1 Power supply	19
8.2 Electrical impedance	19
8.2.1 Rated impedance	19
8.2.2 Impedance/frequency characteristic	20
8.2.3 Rated source impedance	20
8.3 Input voltage	20
8.3.1 Rated source e.m.f.	20
8.3.2 Limiting values of input voltage	20
8.3.3 Characteristic voltage	21
8.3.4 Simulated programme signal characteristic voltage	22
8.3.5 Simulated programme signal characteristic voltage corrected by A-weighting characteristics and free-field response compensation	22
8.3.6 Protective devices	23
8.4 Input power	23
8.5 Sound pressure (level)	24
8.5.1 General	24
8.5.2 Characteristics to be specified	24
8.5.3 Method of measurement	24
8.6 Frequency response	25
8.6.1 General	25
8.6.2 Coupler or ear simulator (including HATS) frequency response	25
8.6.3 Free-field comparison frequency response	26
8.6.4 Diffuse-field comparison frequency response	27
8.6.5 Free-field and diffuse-field ear canal sound pressure level frequency responses	27
8.6.6 Rated frequency range	29
8.6.7 Free-field compensated frequency response	29

8.6.8	Diffuse-field compensated frequency response	30
8.7	Amplitude non-linearity	31
8.7.1	General	31
8.7.2	Harmonic distortion	31
8.7.3	Modulation distortion	32
8.7.4	Difference-frequency distortion	32
8.8	Rated climatic conditions	33
8.9	External electric and/or magnetic field	33
8.9.1	Characteristics to be specified	33
8.9.2	Method of measurement	33
8.10	Unwanted sound radiation	34
8.10.1	Characteristic to be specified	34
8.10.2	Method of measurement	34
8.11	Sound attenuation	34
8.11.1	Characteristic to be specified	34
8.11.2	Method of measurement	34
8.12	Crosstalk attenuation for multi-channel headphones	34
8.12.1	Characteristic to be specified	34
8.12.2	Method of measurement	34
8.13	Application force	34
8.13.1	Characteristic to be specified	35
8.13.2	Method of measurement	35
8.14	Physical characteristics, cables and connectors	35
8.14.1	Characteristics to be specified	35
9	Classification of characteristics	36
Annex A (normative) Pinna simulators for measurements of headphones and earphones		37
Annex B (normative) Specification and conditions of use of a microphone for use inside the ear canal		46
Annex C (informative) Practical details of free-field comparison conditions		47
Annex D (informative) Practical details of diffuse-field comparison conditions		48
Annex E (informative) Practical details of the subjective comparison and ear canal sound pressure level conditions		49
Bibliography		50
Figure 1 – Diagrammatic horizontal sections showing types of earphones and their spatial relationships with the pinna and/or canal entrance		13
Figure 2 – Diagrams showing the four possible construction: acoustically open or closed, and closed- or open-back		15
Figure 3 – Illustrated measurement diagram by simulated programme signal		18
Figure 4 – Example of a setup for the measurement of free-field/ diffuse-field compensated frequency response		31
Figure A.1 – Shape of the recommended pinna simulator		38
Figure A.2 – Coordinate for the recommended pinna simulator		39
Figure A.3 – Cross-sectional shapes and dimensions of the recommended pinna simulator, horizontal section		42
Figure A.4 – Cross-sectional shapes and dimensions of the recommended pinna simulator, vertical section		45

Table 1 – Classification of characteristics	36
---	----

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOUND SYSTEM EQUIPMENT –

Part 7: Headphones and earphones

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60268-7 edition 3.1 contains the third edition (2010-01) [documents 100/1621/FDIS and 100/1641/RVD] and its corrigendum (2012-11), and its amendment 1 (2020-09) [documents 100/3316/CDV and 100/1641/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 60268-7 has been prepared by IEC technical committee TC 100: Audio, video and multimedia systems and equipment.

This third edition constitutes a technical revision. This edition contains the following changes:

- clause/subclause renumbering in accordance with ISO/IEC Directives, Part 2;
- addition of a measurement system using HATS;
- addition of details on pinna simulators for high measurement reproducibility, see Annex A.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 60268 series, published under the general title *Sound system equipment*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

<p>IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.</p>

INTRODUCTION to Amendment 1

This Amendment 1 contains the following significant technical changes with respect to IEC 60268-7:2010:

- evaluation of free-field compensated frequency response has been added;
- evaluation of diffuse-field compensated frequency response has been added;
- the Bibliography has been updated;
- some normative references have been updated;
- the term "HATS" and its definition has been added.

SOUND SYSTEM EQUIPMENT –

Part 7: Headphones and earphones

1 Scope

This part of IEC 60268, is applicable to headphones, headsets, earphones and earsets, intended to be used on, or in, the human ear. It also applies to equipment, such as pre-amplifiers, passive networks and power supplies which form an integral part of the headphone system.

It does not deal with:

- a) safety, for which reference should be made to ~~IEC 60065~~ IEC 62368-1 or another appropriate standard;
- b) the characteristics of microphones of headsets, for which reference should be made to IEC 60268-4;
- c) earphones and other devices for hearing aids, for which reference should be made to IEC 60118-0;
- d) headphones for audiometry;
- e) headphones and other devices which form part of an active ear-defender system, although some of its provisions may be applicable.

This standard specifies the characteristics which should be included by the manufacturer in specifications, and relevant methods of measurement. It includes a classification of the different types of earphone, mainly characterized by the way in which the transducer is coupled acoustically to the ear, and a classification code which may also be used for marking.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60050(801):1994, *International Electrotechnical Vocabulary – Chapter 801: Acoustics and electroacoustics*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60086-1, *Primary batteries – Part 1: General*

IEC Guide 106, *Guide for specifying environmental conditions for equipment performance rating*

IEC 60263, *Scales and sizes for plotting frequency characteristics and polar diagrams*

IEC 60268-1, *Sound system equipment – Part 1: General*

IEC 60268-2, *Sound system equipment – Part 2: Explanation of general terms and calculation methods*

IEC 60268-11, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*

IEC 60268-12, *Sound system equipment – Part 12: Application of connectors for broadcast and similar use*

IEC 60711, *Occluded-ear simulator for the measurement of earphones coupled to the ear by ear inserts*¹

IEC TR 60959, *Provisional head and torso simulator for acoustic measurements on air conduction hearing aids*²

IEC TS 60318-7, *Electroacoustics – Simulators of human head and ear – Part 7: Head and torso simulator for the measurement of air-conduction hearing aids*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

ISO 3741, *Acoustics – Determination of sound power levels of noise sources using sound pressure – Precision methods for reverberation rooms*

ISO 4869-1, *Acoustics – Hearing protectors – Part 1: Subjective method for the measurement of sound attenuation*

ISO 4869-3, *Acoustics – Hearing protectors – Part 3: Measurement of insertion loss of ear-muff type protectors using an acoustic test fixture*

ISO 7619-1, *Rubber, vulcanized and thermoplastic – Determination of indentation hardness – Part 1: Durometer method (Shore hardness)*

¹ This publication will be replaced by future IEC 60318-4 (to be published).

² This publication is planned to be replaced by future IEC 60318-7 (under consideration).

FINAL VERSION

Sound system equipment – Part 7: Headphones and earphones



CONTENTS

FOREWORD	5
INTRODUCTION to Amendment 1	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 Classification, designation and coding	11
5 Marking of terminals, controls and polarity	15
6 User instructions	15
7 Conditions for specifications and measurements	16
7.1 Rated conditions	16
7.2 Standard conditions for measurement	17
7.3 Couplers and ear simulators	17
7.4 Measurement conditions for simulated programme signal	17
7.5 Loudness comparison conditions	18
7.5.1 General	18
7.5.2 Free-field comparison conditions	18
7.5.3 Diffuse-field comparison conditions	19
7.6 Ear canal sound pressure level measurement conditions	19
8 Characteristics to be specified and their methods of measurement	19
8.1 Power supply	19
8.2 Electrical impedance	19
8.2.1 Rated impedance	19
8.2.2 Impedance/frequency characteristic	20
8.2.3 Rated source impedance	20
8.3 Input voltage	20
8.3.1 Rated source e.m.f.	20
8.3.2 Limiting values of input voltage	20
8.3.3 Characteristic voltage	21
8.3.4 Simulated programme signal characteristic voltage	22
8.3.5 Simulated programme signal characteristic voltage corrected by A-weighting characteristics and free-field response compensation	22
8.3.6 Protective devices	23
8.4 Input power	23
8.5 Sound pressure (level)	24
8.5.1 General	24
8.5.2 Characteristics to be specified	24
8.5.3 Method of measurement	24
8.6 Frequency response	25
8.6.1 General	25
8.6.2 Coupler or ear simulator (including HATS) frequency response	25
8.6.3 Free-field comparison frequency response	26
8.6.4 Diffuse-field comparison frequency response	27
8.6.5 Free-field and diffuse-field ear canal sound pressure level frequency responses	27
8.6.6 Rated frequency range	29
8.6.7 Free-field compensated frequency response	29

8.6.8	Diffuse-field compensated frequency response	30
8.7	Amplitude non-linearity	31
8.7.1	General	31
8.7.2	Harmonic distortion	31
8.7.3	Modulation distortion	32
8.7.4	Difference-frequency distortion	32
8.8	Rated climatic conditions	33
8.9	External electric and/or magnetic field	33
8.9.1	Characteristics to be specified	33
8.9.2	Method of measurement	33
8.10	Unwanted sound radiation	34
8.10.1	Characteristic to be specified	34
8.10.2	Method of measurement	34
8.11	Sound attenuation	34
8.11.1	Characteristic to be specified	34
8.11.2	Method of measurement	34
8.12	Crosstalk attenuation for multi-channel headphones	34
8.12.1	Characteristic to be specified	34
8.12.2	Method of measurement	34
8.13	Application force	34
8.13.1	Characteristic to be specified	35
8.13.2	Method of measurement	35
8.14	Physical characteristics, cables and connectors	35
8.14.1	Characteristics to be specified	35
9	Classification of characteristics	36
Annex A (normative) Pinna simulators for measurements of headphones and earphones		37
Annex B (normative) Specification and conditions of use of a microphone for use inside the ear canal		46
Annex C (informative) Practical details of free-field comparison conditions		47
Annex D (informative) Practical details of diffuse-field comparison conditions		48
Annex E (informative) Practical details of the subjective comparison and ear canal sound pressure level conditions		49
Bibliography		50
Figure 1 – Diagrammatic horizontal sections showing types of earphones and their spatial relationships with the pinna and/or canal entrance		13
Figure 2 – Diagrams showing the four possible construction: acoustically open or closed, and closed- or open-back		15
Figure 3 – Illustrated measurement diagram by simulated programme signal		18
Figure 4 – Example of a setup for the measurement of free-field/ diffuse-field compensated frequency response		31
Figure A.1 – Shape of the recommended pinna simulator		38
Figure A.2 – Coordinate for the recommended pinna simulator		39
Figure A.3 – Cross-sectional shapes and dimensions of the recommended pinna simulator, horizontal section		42
Figure A.4 – Cross-sectional shapes and dimensions of the recommended pinna simulator, vertical section		45

Table 1 – Classification of characteristics	36
---	----

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOUND SYSTEM EQUIPMENT –

Part 7: Headphones and earphones

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60268-7 edition 3.1 contains the third edition (2010-01) [documents 100/1621/FDIS and 100/1641/RVD] and its corrigendum (2012-11), and its amendment 1 (2020-09) [documents 100/3316/CDV and 100/1641/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 60268-7 has been prepared by IEC technical committee TC 100: Audio, video and multimedia systems and equipment.

This third edition constitutes a technical revision. This edition contains the following changes:

- clause/subclause renumbering in accordance with ISO/IEC Directives, Part 2;
- addition of a measurement system using HATS;
- addition of details on pinna simulators for high measurement reproducibility, see Annex A.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 60268 series, published under the general title *Sound system equipment*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION to Amendment 1

This Amendment 1 contains the following significant technical changes with respect to IEC 60268-7:2010:

- evaluation of free-field compensated frequency response has been added;
- evaluation of diffuse-field compensated frequency response has been added;
- the Bibliography has been updated;
- some normative references have been updated;
- the term "HATS" and its definition has been added.

SOUND SYSTEM EQUIPMENT –

Part 7: Headphones and earphones

1 Scope

This part of IEC 60268, is applicable to headphones, headsets, earphones and earsets, intended to be used on, or in, the human ear. It also applies to equipment, such as pre-amplifiers, passive networks and power supplies which form an integral part of the headphone system.

It does not deal with:

- a) safety, for which reference should be made to IEC 62368-1 or another appropriate standard;
- b) the characteristics of microphones of headsets, for which reference should be made to IEC 60268-4;
- c) earphones and other devices for hearing aids, for which reference should be made to IEC 60118-0;
- d) headphones for audiometry;
- e) headphones and other devices which form part of an active ear-defender system, although some of its provisions may be applicable.

This standard specifies the characteristics which should be included by the manufacturer in specifications, and relevant methods of measurement. It includes a classification of the different types of earphone, mainly characterized by the way in which the transducer is coupled acoustically to the ear, and a classification code which may also be used for marking.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60050(801):1994, *International Electrotechnical Vocabulary – Chapter 801: Acoustics and electroacoustics*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60086-1, *Primary batteries – Part 1: General*

IEC Guide 106, *Guide for specifying environmental conditions for equipment performance rating*

IEC 60263, *Scales and sizes for plotting frequency characteristics and polar diagrams*

IEC 60268-1, *Sound system equipment – Part 1: General*

IEC 60268-2, *Sound system equipment – Part 2: Explanation of general terms and calculation methods*

IEC 60268-11, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*

IEC 60268-12, *Sound system equipment – Part 12: Application of connectors for broadcast and similar use*

IEC 60711, *Occluded-ear simulator for the measurement of earphones coupled to the ear by ear inserts*¹

IEC TR 60959, *Provisional head and torso simulator for acoustic measurements on air conduction hearing aids*²

IEC TS 60318-7, *Electroacoustics – Simulators of human head and ear – Part 7: Head and torso simulator for the measurement of air-conduction hearing aids*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

ISO 3741, *Acoustics – Determination of sound power levels of noise sources using sound pressure – Precision methods for reverberation rooms*

ISO 4869-1, *Acoustics – Hearing protectors – Part 1: Subjective method for the measurement of sound attenuation*

ISO 4869-3, *Acoustics – Hearing protectors – Part 3: Measurement of insertion loss of ear-muff type protectors using an acoustic test fixture*

ISO 7619-1, *Rubber, vulcanized and thermoplastic – Determination of indentation hardness – Part 1: Durometer method (Shore hardness)*

¹ This publication will be replaced by future IEC 60318-4 (to be published).

² This publication is planned to be replaced by future IEC 60318-7 (under consideration).