



Edition 3.0 2018-04 REDLINE VERSION

INTERNATIONAL STANDARD



Packaging of components for automatic handling – Part 5: Matrix trays

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.020 ISBN 978-2-8322-5661-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	JKEWU	KU	ວ
1	Scop	e	7
2	•	ative references	
3		s, definitions and abbreviated terms	
	3.1	Terms and definitions	
	3.2	Abbreviated terms	
4		rial	
-	4.1	Electrostatic dissipative requirements	
	4.2	Effect of properties	
	4.3	Recycling and rigidity	
5		anical stability	
	5.1	Loaded tray	
	5.2	Empty tray	
	5.3	Outer edges	
6	Tray	design, dimensions and other physical properties	
	6.1	Tray design	
	6.1.1	Number of pockets	
	6.1.2	·	
	6.1.3	Design rules for pocket density	9
	6.2	Overall tray dimensions	10
	6.3	Cell dimensions	10
	6.4	Tray vacuum pick-up sites	11
	6.4.1	Size	11
	6.4.2		
	6.4.3		
	6.5	Detail features	
	6.6	Weight	
	6.7	Movement of components	
_	6.8	Dimensional information	
7	Polar	ity and orientation of components in the tray	
	7.1	Pin one	
_	7.2	Loading	
8	•	stacking	
	8.1	Bundling	
	8.2	Top protection	
	8.3	Partial filling	
	8.4 8.5	Protrusion of components	
	8.6	Stack-up Damaging of components	
	8.7	Warpage	
9		ng components	
10		ing	
_		informative) List of existing matrix trays with wide anticipated use in the	10
		informative) List of existing matrix trays with wide anticipated use in the industries	17
	A.1	Matrix trays (for different packages)	

A.1.1 Dimensional information	
A.1.2 Variation sheets	
A.2 Matrix trays for PGA packages	
A.2.1 Dimensional information	26
A.2.2 Variation sheet PGA (pin grid array package)	29
Annex B (normative) Measurement methodology of the tray dimensions	30
B.1 General	
B.2 Definition of the dimensions	30
B.2.1 Outline dimensions	
B.2.2 Tray thickness (A)	
B.2.3 Dimensions of the stacking feature	
B.2.4 Warpage	
B.3 Measuring instrument B.4 Measurement conditions	
B.5 Measurement methodology	
B.5.1 Outline dimensions	
B.5.2 Tray thickness (A)	
B.5.3 Dimensions of the stacking feature	
B.5.4 Warpage	34
Annex C (normative) Matrix trays – General considerations for design (design value)	35
C.1 Lateral movement of leaded devices	35
C.2 Lateral movement of un-leaded devices	35
C.3 Lead protection	36
Figure 1 – Sample of leaded packages	
Figure 2 – Sample of grid array packages	
Figure 3 – Tray main view	13
Figure 4 – Tray stacking details	14
Figure 5 – Tray tolerances	14
Figure A.1 – Thin tray	18
Figure A.2 – Thick matrix	27
Figure B.1 – Cross-sections of the outline dimensions	31
Figure B.2 – Tray thickness	31
Figure B.3 – Examples of tray warpage	32
Figure B.4 – Top view of a tray showing the measurement locations for the outline	
dimensions	33
Figure B.5 – Measurement locations for tray thickness	33
Figure B.6 – Holding position in calliper jaws for measurement	33
Figure B.7 – Correction of a lift of the tray at the measurement point	33
Figure B.8 – Measurement locations for the stackable design	34
Figure B.9 – Measurement points for warpage	
Figure C.1 – Lateral movement of leaded devices A to I	
Figure C.2 – Lateral movement of un-leaded devices check points A to C	
Figure C.3 – Lateral movement of un-leaded devices check points A to C	
Figure C.4 – Lead protection gap	
TIYUTE O.T = LEAU PIOLEGUIOTI YAP	30

Table 1 – P and W dimension	9
Table 2 – Height dimensions	. 10
Table 3 – Notes related to Figures 3 and 4	.15
Table A.1 – Variations	.20
Table A.2 – Notes related to Figures A.1 and A.2	.28
Table A.3 – PGA variations	29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING -

Part 5: Matrix trays

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60286-5 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This third edition cancels and replaces the second edition published in 2003 and Amendment 1:2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The generic rules for the design of matrix trays are given in this document. Newly developed trays which follow these rules will not be listed individually. Only those trays which conform to the design rules set forth herein are classified as "standard trays" and are thus preferred for use.
- b) An update of the matrix trays, which do not conform to the design rules set forth herein, are considered as "non-standard trays" and are not preferred for use, is listed in Annex A.

The text of this International Standard is based on the following documents:

CDV	Report on voting
40/2556/CDV	40/2597/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60286 series, published under the general title *Packaging of components for automatic handling*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING -

Part 5: Matrix trays

1 Scope

This part of IEC 60286 describes the common dimensions, tolerances and characteristics of the tray. It includes only those dimensions that are essential for the handling of the trays for the stated purpose and for placing or removing components from the trays.

Matrix trays are designed to facilitate the transport and handling of electronic components during their testing, baking, transport/storage, and final mounting by automatic placement equipment.

The generic rules for their design are given in this document. Newly developed trays that follow these rules will not be listed individually. Only those trays that conform to the design rules set forth herein are classified as "standard trays" and are thus preferred for use.

NOTE Matrix trays listed in Annex A that do not conform to the design rules set forth herein shall be considered as "non-standard trays" and are not preferred for use.

2 Normative references

There are no normative references in this document.



Edition 3.0 2018-04

INTERNATIONAL STANDARD

Packaging of components for automatic handling – Part 5: Matrix trays



CONTENTS

FC	REWO	RD	5
1	Scop	e	7
2	Norm	native references	7
3	Term	s, definitions and abbreviated terms	7
	3.1	Terms and definitions	7
	3.2	Abbreviated terms	
4	Mate	rial	8
	4.1	Electrostatic dissipative requirements	8
	4.2	Effect of properties	
	4.3	Recycling and rigidity	
5		nanical stability	
	5.1	Loaded tray	
	5.2	Empty tray	
	5.3	Outer edges	
6		design, dimensions and other physical properties	
•	6.1	Tray design	
	6.1.1	,	
	6.1.2	·	
	6.1.3	•	
	6.2	Overall tray dimensions	
	6.3	Cell dimensions	
	6.4	Tray vacuum pick-up sites	
	6.4.1		
	6.4.2		
	6.4.3		
	6.5	Detail features	
	6.6	Weight	12
	6.7	Movement of components	12
	6.8	Dimensional information	12
7	Polar	rity and orientation of components in the tray	15
	7.1	Pin one	15
	7.2	Loading	15
8	Tray	stacking	15
	8.1	Bundling	15
	8.2	Top protection	
	8.3	Partial filling	
	8.4	Protrusion of components	
	8.5	Stack-up	16
	8.6	Damaging of components	
	8.7	Warpage	
9	Missi	ing components	16
10	Mark	ing	16
Ar	nex A (informative) List of existing matrix trays with wide anticipated use in the industries	
	A.1	Matrix trays (for different packages)	

A.2	Matrix trays for PGA packages	25
A.2.1	Dimensional information	25
A.2.2	Variation sheet PGA (pin grid array package)	28
Annex B (normative) Measurement methodology of the tray dimensions	29
B.1	General	29
B.2	Definition of the dimensions	29
B.2.1	-	
B.2.2	,	
B.2.3	3	
B.2.4	1 0	
B.3	Measuring instrument	
B.4	Measurement conditions	
B.5	Measurement methodology	
B.5.1 B.5.2		
В.5.2 В.5.3		
B.5.4		
	normative) Matrix trays – General considerations for design (design value)	
C.1	Lateral movement of leaded devices	
C.2	Lateral movement of un-leaded devices	
C.3	Lead protection	
0.0		
Figure 1 -	- Sample of leaded packages	11
	- Sample of grid array packages	
-	- Tray main view	
	- Tray stacking details	
•	- Tray tolerances	
•	1 – Thin tray	
•	2 – Thick matrix	
Ū	1 – Cross-sections of the outline dimensions	
J	2 – Tray thickness	
· ·	•	
-	3 – Examples of tray warpage	31
	4 – Top view of a tray showing the measurement locations for the outline	32
	5 – Measurement locations for tray thickness	
Figure B.6	5 – Holding position in calliper jaws for measurement	32
	7 – Correction of a lift of the tray at the measurement point	
•	3 – Measurement locations for the stackable design	
•	9 – Measurement points for warpage	
•	1 – Lateral movement of leaded devices A to I	
	2 – Lateral movement of un-leaded devices check points A to C	
_	3 – Lateral movement of un-leaded devices check points D to F	
•	4 – Lead protection gap	
Table 1 –	P and W dimension	a
	Height dimensions	
	Holght annonations	10

Table 3 – Notes related to Figures 3 and 4	15
Table A.1 – Variations	19
Table A.2 – Notes related to Figures A.1 and A.2	27
Table A.3 – PGA variations	28

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING -

Part 5: Matrix trays

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60286-5 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This third edition cancels and replaces the second edition published in 2003 and Amendment 1:2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The generic rules for the design of matrix trays are given in this document. Newly developed trays which follow these rules will not be listed individually. Only those trays which conform to the design rules set forth herein are classified as "standard trays" and are thus preferred for use.
- b) An update of the matrix trays, which do not conform to the design rules set forth herein, are considered as "non-standard trays" and are not preferred for use, is listed in Annex A.

The text of this International Standard is based on the following documents:

CDV	Report on voting
40/2556/CDV	40/2597/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60286 series, published under the general title *Packaging of components for automatic handling*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING -

Part 5: Matrix trays

1 Scope

This part of IEC 60286 describes the common dimensions, tolerances and characteristics of the tray. It includes only those dimensions that are essential for the handling of the trays for the stated purpose and for placing or removing components from the trays.

Matrix trays are designed to facilitate the transport and handling of electronic components during their testing, baking, transport/storage, and final mounting by automatic placement equipment.

The generic rules for their design are given in this document. Newly developed trays that follow these rules will not be listed individually. Only those trays that conform to the design rules set forth herein are classified as "standard trays" and are thus preferred for use.

NOTE Matrix trays listed in Annex A that do not conform to the design rules set forth herein shall be considered as "non-standard trays" and are not preferred for use.

2 Normative references

There are no normative references in this document.