



IEC 60317-0-4

Edition 4.0 2020-04  
REDLINE VERSION

# INTERNATIONAL STANDARD



---

**Specifications for particular types of winding wires –  
Part 0-4: General requirements – Glass-fibre wound, resin or varnish  
impregnated, bare or enamelled rectangular copper wire**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 29.060.10

ISBN 978-2-8322-8265-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	2
1 Scope .....	7
2 Normative references .....	7
3 Terms, definitions, general notes <del>on tests</del> and appearance .....	7
3.1 Terms and definitions .....	7
3.2 General notes .....	8
3.2.1 Methods of test .....	8
3.2.2 Winding wire .....	9
3.3 Appearance .....	9
4 Dimensions .....	9
4.1 Conductor dimensions .....	9
4.2 Tolerance on conductor dimensions .....	11
4.3 Rounding of corners .....	11
4.4 Increase in dimensions due to the insulation .....	11
4.5 Overall dimensions .....	13
4.5.1 Nominal overall dimensions .....	13
4.5.2 Minimum overall dimensions .....	13
4.5.3 Maximum overall dimensions .....	13
5 Electrical resistance .....	13
6 Elongation .....	13
7 Springiness .....	13
8 Flexibility and adherence .....	14
8.1 Mandrel winding test .....	14
8.2 Adherence test .....	14
8.2.1 Glass-fibre covered bare wires .....	14
8.2.2 Glass-fibre covered enamelled wires .....	14
9 Heat shock .....	14
10 Cut-through .....	14
11 Resistance to abrasion .....	14
12 Resistance to solvents .....	14
13 Breakdown voltage .....	14
14 Continuity of insulation .....	15
15 Temperature index .....	15
16 Resistance to refrigerants .....	15
17 Solderability .....	15
18 Heat or solvent bonding .....	15
19 Dielectric dissipation factor .....	15
20 Resistance to transformer oil .....	15
21 Loss of mass .....	15
23 Pin hole test .....	16
30 Packaging .....	16

Annex A (informative) Nominal cross-sectional areas for preferred and intermediate sizes ..... 17

Bibliography ..... 24

  

Table 1 – Nominal cross-sectional areas of preferred sizes ..... 10

Table 2 – Conductor tolerances ..... 11

Table 3 – Corner radii ..... 11

Table 4 – Increase in dimensions ..... 12

Table 5 – Elongation ..... 13

Table 6 – Mandrel winding ..... 14

Table 7 – Breakdown voltage ..... 15

Table A.1 – Nominal cross-sectional areas ..... 17

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

#### Part 0-4: General requirements – Glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.**

International Standard IEC 60317-0-4 has been prepared by IEC technical committee 55: Winding wires.

This fourth edition cancels and replaces the third edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of dimensional requirements for grade 1 enamelled wire in Table 4;
- b) addition of dielectric breakdown requirements for grade 1 enamelled wire in Table 7.
- c) addition of requirement for the adherence test in 8.2.1 and 8.2.2.

The text of this publication is based on the following documents:

FDIS	Report on voting
55/1835A/FDIS	55/1852/RVD

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be read in conjunction with the IEC 60851 series. The clause numbers used in this standard are identical with the respective test numbers of the IEC 60851 series.

In the case of inconsistencies between IEC 60851 and this standard, the latter prevails.

The numbering of clauses in this standard is not continuous from Clauses 21 through 30 in order to reserve space for possible future wire requirements prior to those for wire packaging.

A list of all parts in the IEC 60317 series, published under the general title *Specifications for particular types of winding wires*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This part of IEC 60317 belongs to a series of standards which deals with insulated wires used for windings in electrical equipment. It is composed of the following series:

- 1) *Winding wires – Test methods* (IEC 60851 series);
- 2) *Specifications for particular types of winding wires* (IEC 60317 series);
- 3) *Packaging of winding wires* (IEC 60264 series).

## **SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –**

### **Part 0-4: General requirements – Glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire**

#### **1 Scope**

This part of IEC 60317 specifies general requirements of glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire.

The range of nominal conductor dimensions is given in 4.1 and the relevant specification sheet.

#### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60851 (all parts), *Winding wires – Test methods*

ISO 3, *Preferred numbers – Series of preferred numbers*

EN 1977, *Copper and copper alloys – Copper drawing stock (wire rod)*

ISO 1190-1, *Copper and copper alloys – Code of designation – Part 1: Designation of materials for code of designation*

ASTM B49, *Standard Specification for Copper Rod for Electrical Purposes*

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Specifications for particular types of winding wires –  
Part 0-4: General requirements – Glass-fibre wound, resin or varnish  
impregnated, bare or enamelled rectangular copper wire**

**Spécifications pour types particuliers de fils de bobinage –  
Partie 0-4: Exigences générales – Fil de section rectangulaire en cuivre nu  
ou émaillé, guipé de fibres de verre imprégnées de vernis ou de résine**



## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms, definitions, general notes and appearance .....	7
3.1 Terms and definitions .....	7
3.2 General notes .....	8
3.2.1 Methods of test .....	8
3.2.2 Winding wire .....	9
3.3 Appearance .....	9
4 Dimensions .....	9
4.1 Conductor dimensions .....	9
4.2 Tolerance on conductor dimensions .....	11
4.3 Rounding of corners .....	11
4.4 Increase in dimensions due to the insulation .....	11
4.5 Overall dimensions .....	13
4.5.1 Nominal overall dimensions .....	13
4.5.2 Minimum overall dimensions .....	13
4.5.3 Maximum overall dimensions .....	13
5 Electrical resistance .....	13
6 Elongation .....	13
7 Springiness .....	13
8 Flexibility and adherence .....	14
8.1 Mandrel winding test .....	14
8.2 Adherence test .....	14
8.2.1 Glass-fibre covered bare wires .....	14
8.2.2 Glass-fibre covered enamelled wires .....	14
9 Heat shock .....	14
10 Cut-through .....	14
11 Resistance to abrasion .....	14
12 Resistance to solvents .....	14
13 Breakdown voltage .....	14
14 Continuity of insulation .....	15
15 Temperature index .....	15
16 Resistance to refrigerants .....	15
17 Solderability .....	15
18 Heat or solvent bonding .....	15
19 Dielectric dissipation factor .....	15
20 Resistance to transformer oil .....	15
21 Loss of mass .....	15
23 Pin hole test .....	16
30 Packaging .....	16

Annex A (informative) Nominal cross-sectional areas for preferred and intermediate sizes ..... 17

Bibliography ..... 24

  

Table 1 – Nominal cross-sectional areas of preferred sizes ..... 10

Table 2 – Conductor tolerances ..... 11

Table 3 – Corner radii ..... 11

Table 4 – Increase in dimensions ..... 12

Table 5 – Elongation ..... 13

Table 6 – Mandrel winding ..... 14

Table 7 – Breakdown voltage ..... 15

Table A.1 – Nominal cross-sectional areas ..... 17

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## **SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –**

### **Part 0-4: General requirements – Glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60317-0-4 has been prepared by IEC technical committee 55: Winding wires.

This fourth edition cancels and replaces the third edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of dimensional requirements for grade 1 enamelled wire in Table 4;
- b) addition of dielectric breakdown requirements for grade 1 enamelled wire in Table 7.
- c) addition of requirement for the adherence test in 8.2.1 and 8.2.2.

The text of this publication is based on the following documents:

FDIS	Report on voting
55/1835A/FDIS	55/1852/RVD

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be read in conjunction with the IEC 60851 series. The clause numbers used in this standard are identical with the respective test numbers of the IEC 60851 series.

In the case of inconsistencies between IEC 60851 and this standard, the latter prevails.

The numbering of clauses in this standard is not continuous from Clauses 21 through 30 in order to reserve space for possible future wire requirements prior to those for wire packaging.

A list of all parts in the IEC 60317 series, published under the general title *Specifications for particular types of winding wires*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

This part of IEC 60317 belongs to a series of standards which deals with insulated wires used for windings in electrical equipment. It is composed of the following series:

- 1) *Winding wires – Test methods* (IEC 60851 series);
- 2) *Specifications for particular types of winding wires* (IEC 60317 series);
- 3) *Packaging of winding wires* (IEC 60264 series).

## **SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –**

### **Part 0-4: General requirements – Glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire**

#### **1 Scope**

This part of IEC 60317 specifies general requirements of glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire.

The range of nominal conductor dimensions is given in 4.1 and the relevant specification sheet.

#### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60851 (all parts), *Winding wires – Test methods*

ISO 3, *Preferred numbers – Series of preferred numbers*

EN 1977, *Copper and copper alloys – Copper drawing stock (wire rod)*

ISO 1190-1, *Copper and copper alloys – Code of designation – Part 1: Designation of materials for code of designation*

ASTM B49, *Standard Specification for Copper Rod for Electrical Purposes*

## SOMMAIRE

AVANT-PROPOS .....	28
INTRODUCTION .....	30
1 Domaine d'application .....	31
2 Références normatives .....	31
3 Termes, définitions, notes générales et aspect.....	31
3.1 Termes et définitions .....	31
3.2 Notes générales .....	33
3.2.1 Méthodes d'essai.....	33
3.2.2 Fil de bobinage.....	33
3.3 Aspect.....	33
4 Dimensions.....	33
4.1 Dimensions du conducteur .....	33
4.2 Tolérance sur les dimensions du conducteur.....	36
4.3 Arrondi des angles.....	36
4.4 Accroissement des dimensions dû à l'isolant.....	36
4.5 Dimensions extérieures .....	38
4.5.1 Dimensions extérieures nominales .....	38
4.5.2 Dimensions extérieures minimales .....	38
4.5.3 Dimensions extérieures maximales .....	38
5 Résistance électrique .....	38
6 Allongement.....	38
7 Effet de ressort .....	38
8 Souplesse et adhérence.....	39
8.1 Essai d'enroulement sur mandrin .....	39
8.2 Essai d'adhérence .....	39
8.2.1 Conducteurs nus sous enveloppe en fibre de verre .....	39
8.2.2 Fils émaillés sous enveloppe en fibre de verre .....	39
9 Choc thermique .....	39
10 Thermoplasticité .....	39
11 Résistance à l'abrasion .....	39
12 Résistance aux solvants.....	39
13 Tension de claquage .....	39
14 Continuité de l'isolant .....	40
15 Indice de température .....	40
16 Résistance aux réfrigérants.....	40
17 Brasabilité.....	40
18 Adhérence par chaleur ou par solvant .....	40
19 Facteur de dissipation diélectrique.....	40
20 Résistance à l'huile de transformateur.....	40
21 Perte de masse .....	40
23 Détection des microfissures en immersion .....	41

30	Conditionnement .....	41
	Annexe A (informative) Sections nominales des dimensions préférentielles et intermédiaires .....	42
	Bibliographie .....	49
	Tableau 1 – Sections nominales des dimensions préférentielles .....	35
	Tableau 2 – Tolérances relatives au conducteur .....	36
	Tableau 3 – Rayons d'arrondi .....	36
	Tableau 4 – Accroissement des dimensions .....	37
	Tableau 5 – Allongement .....	38
	Tableau 6 – Enroulement sur mandrin .....	39
	Tableau 7 – Tension de claquage .....	40
	Tableau A.1 – Sections nominales .....	42



## COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

---

### SPÉCIFICATIONS POUR TYPES PARTICULIERS DE FILS DE BOBINAGE –

#### **Partie 0-4: Exigences générales – Fil de section rectangulaire en cuivre nu ou émaillé, guipé de fibres de verre imprégnées de vernis ou de résine**

#### AVANT-PROPOS

- 1) La Commission Electrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. A cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de l'IEC peuvent faire l'objet de droits de brevet. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets et de ne pas avoir signalé leur existence.

La Norme internationale IEC 60317-0-4 a été établie par le comité d'études 55 de l'IEC: Fils de bobinage.

Cette quatrième édition annule et remplace la troisième édition parue en 2015. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) ajout des exigences dimensionnelles pour le fil émaillé de grade 1 dans le Tableau 4;

- b) ajout des exigences de claquage diélectrique pour le fil émaillé de grade 1 dans le Tableau 7;
- c) ajout des exigences pour l'essai d'adhérence en 8.2.1 et en 8.2.2.

Le texte de cette publication est issu des documents suivants:

FDIS	Rapport de vote
55/1835A/FDIS	55/1852/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à l'approbation de ce document.

Cette publication a été rédigée selon les Directives ISO/IEC, Partie 2.

La présente norme doit être lue conjointement avec la série IEC 60851. Les numéros d'articles utilisés dans la présente norme sont identiques aux numéros des essais correspondants de la série IEC 60851.

En cas de divergences entre l'IEC 60851 et la présente norme, cette dernière prévaut.

La numérotation des articles dans la présente norme n'est pas continue entre les Articles 21 et 30 afin de permettre l'introduction éventuelle d'exigences futures concernant les fils avant celles concernant le conditionnement des fils.

Une liste de toutes les parties de la série IEC 60317, publiées sous le titre général *Spécifications pour types particuliers de fils de bobinage*, peut être consultée sur le site web de l'IEC.

Le comité a décidé que le contenu de ce document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous "<http://webstore.iec.ch>" dans les données relatives à la publication recherchée. A cette date, le document sera

- reconduit,
- supprimé,
- remplacé par une édition révisée, ou
- amendé.

## INTRODUCTION

La présente partie de l'IEC 60317 fait partie d'une série de normes traitant des fils isolés utilisés pour les enroulements à l'intérieur des appareils électriques. Elle comprend les séries suivantes:

- 1) *Fils de bobinage – Méthodes d'essai* (série IEC 60851);
- 2) *Spécifications pour types particuliers de fils de bobinage* (série IEC 60317);
- 3) *Conditionnement des fils de bobinage* (série IEC 60264).

## SPÉCIFICATIONS POUR TYPES PARTICULIERS DE FILS DE BOBINAGE –

### Partie 0-4: Exigences générales – Fil de section rectangulaire en cuivre nu ou émaillé, guipé de fibres de verre imprégnées de vernis ou de résine

#### 1 Domaine d'application

La présente partie de l'IEC 60317 spécifie les exigences générales relatives aux fils de section rectangulaire en cuivre nus ou émaillés, guipés de fibres de verre imprégnées de vernis ou de résine.

La gamme des dimensions nominales des conducteurs est indiquée en 4.1 et dans la feuille de spécifications correspondante.

#### 2 Références normatives

Les documents suivants cités dans le texte constituent, pour tout ou partie de leur contenu, des exigences du présent document. Pour les références datées, seule l'édition citée s'applique. Pour les références non datées, la dernière édition du document de référence s'applique (y compris les éventuels amendements).

IEC 60851 (toutes les parties), *Fils de bobinage – Méthodes d'essai*

ISO 3, *Nombres normaux – Séries de nombres normaux*

EN 1977, *Cuivre et alliages de cuivre – Fil machine en cuivre*

ISO 1190-1, *Cuivre et alliages de cuivre – Code de désignation – Partie 1: Désignation des matériaux*

ASTM B49, *Standard Specification for Copper Rod for Electrical Purposes* (disponible en anglais seulement)