



IEC 60335-2-24

Edition 9.0 2025-03  
EXTENDED VERSION

# INTERNATIONAL STANDARD

This full version of IEC 60335-2-24:2025 includes the content of the references made to IEC 60335-1:2020

---

**Household and similar electrical appliances – Safety –  
Part 2-24: Particular requirements for refrigerating appliances, ice-cream  
appliances and ice-makers**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 97.040.30

ISBN 978-2-8327-0333-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**IEC 60335-1**  
Edition 6.0 2020-09

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –**

**Part 1: General requirements**

**INTERPRETATION SHEET 1**

This interpretation sheet has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this Interpretation Sheet is based on the following documents:

Draft	Report on voting
61/5999/DISH	61/6009/RVDISH

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

---

**INTRODUCTION**

Edition 6 of IEC 60335-1:2020 defines and introduces requirements for a detachable power supply part of an appliance. In the document, 24.2 prohibits the use of a power supply in a flexible cord.

**QUESTION:**

Does Subclause 24.2 prohibit the use of a detachable power supply part?

**ANSWER**

No, a "detachable power supply part" is a defined term and is not captured by the term "power supply" as used in Subclause 24.2.

NOTE A detachable power supply part is captured by the defined term when the output of the power supply part is detachable from the class III construction part of the appliance at:

- the power supply part, or
- the class III construction part of the appliance.

However, the supply cord (if any) does not have to be detachable from the detachable power supply part.

## CONTENTS

FOREWORD .....	6
INTRODUCTION to IEC 60335-1:2020 .....	9
INTRODUCTION to IEC 60335-2-24:2025 .....	10
1 Scope .....	12
2 Normative references .....	13
3 Terms and definitions .....	19
4 General requirement .....	32
5 General conditions for the tests .....	32
6 Classification .....	38
7 Marking and instructions .....	39
8 Protection against access to live parts .....	51
9 Starting of motor-operated appliances .....	54
10 Power input and current .....	54
11 Heating .....	56
12 Charging of metal-ion batteries .....	63
13 Leakage current and electric strength at operating temperature .....	65
14 Transient overvoltages .....	68
15 Moisture resistance .....	68
16 Leakage current and electric strength .....	73
17 Overload protection of transformers and associated circuits .....	75
18 Endurance .....	75
19 Abnormal operation .....	75
20 Stability and mechanical hazards .....	88
21 Mechanical strength .....	91
22 Construction .....	94
23 Internal wiring .....	117
24 Components .....	120
25 Supply connection and external flexible cords .....	126
26 Terminals for external conductors .....	134
27 Provision for earthing .....	137
28 Screws and connections .....	139
29 Clearances, creepage distances and solid insulation .....	141
30 Resistance to heat and fire .....	150
31 Resistance to rusting .....	154
32 Radiation, toxicity and similar hazards .....	154
Annex A (informative) Routine tests .....	170
Annex B (normative) Battery-operated appliances, separable batteries and detachable batteries for battery-operated appliances .....	173
Annex C (normative) Ageing test on motors .....	194
Annex D (normative) Thermal motor protectors .....	196
Annex E (normative) Needle-flame test .....	197
Annex F (normative) Capacitors .....	198

Annex G (normative) Safety isolating transformers .....	200
Annex H (normative) Switches .....	201
Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance .....	203
Annex J (normative) Coated printed circuit boards .....	205
Annex K (informative) Overvoltage categories .....	206
Annex L (informative) Guidance for the measurement of clearances and creepage distances .....	207
Annex M (informative) Pollution degree .....	210
Annex N (normative) Proof tracking test.....	211
Annex O (informative) Selection and sequence of the tests of Clause 30 .....	212
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates .....	217
Annex Q (informative) Sequence of tests for the evaluation of electronic circuits .....	219
Annex R (normative) Software evaluation .....	222
Annex S (informative) Guidance for the application of this standard on measurement of power input and current based on the requirements of 10.1 and 10.2 concerning the representative period .....	236
Annex T (normative) UV-C radiation effect on non-metallic materials .....	237
Annex U (normative) Appliances intended for remote communication through public networks .....	240
Annex AA (normative) Locked-rotor test of fan motors .....	244
Annex BB (informative) Method for accumulation of frost .....	246
Annex CC (normative) Non-sparking "n" electrical apparatus and test conditions for "dc" devices .....	249
Annex DD (informative) Void.....	250
Annex EE (normative) Test for material encasing and in contact with thermal insulation .....	251
Annex FF (normative) Appliances intended to be used on boats for leisure purposes and on board ships .....	253
Bibliography.....	255
Index of defined terms .....	258
 Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction .....	155
Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction .....	156
Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction .....	157
Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction .....	158
Figure 5 – Small part .....	159
Figure 6 – Example of an electronic circuit with low-power points .....	159
Figure 7 – Test finger nail .....	160
Figure 8 – Flexing test apparatus.....	161
Figure 9 – Constructions of cord anchorages .....	162

Figure 10 – An example of parts of an earthing terminal .....	163
Figure 11 – Examples of clearances .....	164
Figure 12 – Example of the placement of the cylinder .....	165
Figure 13 – Small parts cylinder.....	166
Figure 14 – Example of a specified operating region of a lithium-ion cell during charging .....	167
Figure 101 – Apparatus for spillage test.....	168
Figure 102 – Scratching tool tip details .....	169
Figure B.1 – Examples of battery-operated appliance constructions and application of normative Annex B (1 of 2) .....	191
Figure B.2 – Examples of correct polarity connection marking representing three batteries .....	193
Figure I.1 – Simulation of faults .....	204
Figure L.1 – Sequence for the determination of clearances .....	207
Figure L.2 – Sequence for the determination of creepage distances .....	208
Figure L.3 – Measurement of clearances .....	209
Figure O.1 – Tests for resistance to heat .....	212
Figure O.2 – Selection and sequence of tests for resistance to fire in hand-held appliances .....	213
Figure O.3 – Selection and sequence of tests for resistance to fire in attended appliances .....	213
Figure O.4 – Selection and sequence of tests for resistance to fire in unattended appliances .....	214
Figure O.5 – Some applications of the term "within a distance of 3 mm" .....	216
Figure Q.1 – Flowchart outlining the sequence of tests for the evaluation of electronic circuits (1 of 2).....	220
Figure S.1 – Flowchart giving guidance on measurement of power input and current concerning the representative period .....	236
Figure AA.1 – Supply circuit for locked-rotor test of a single-phase fan motor .....	245
Figure BB.1 – Diagram of apparatus for water evaporation and for accumulation of frost .....	247
Figure BB.2 – Apparatus for water evaporation and for accumulation of frost.....	248
Figure EE.1 – Arrangement of the test specimen and burner .....	252
 Table 1 – Power input deviation .....	54
Table 2 – Current deviation.....	55
Table 101 – Maximum temperatures for motor-compressors .....	59
Table 3 – Maximum normal temperature rises.....	59
Table 4 – Voltage for electric strength test.....	67
Table 5 – Characteristics of high-voltage sources .....	67
Table 6 – Impulse test voltage .....	68
Table 7 – Test voltages.....	74
Table 8 – Maximum winding temperature .....	78
Table 9 – Maximum abnormal temperature rise.....	83
Table 102 – Refrigerant flammability parameters .....	114
Table 10 – Dimensions of cables and conduits.....	127

Table 11 – Minimum cross-sectional area of conductors .....	129
Table 12 – Pull force and torque .....	131
Table 13 – Nominal cross-sectional area of conductors .....	136
Table 14 – Torque for testing screws and nuts .....	140
Table 15 – Rated impulse voltage .....	142
Table 16 – Minimum clearances .....	142
Table 17 – Minimum creepage distances for basic insulation .....	146
Table 18 – Minimum creepage distances for functional insulation .....	148
Table 19 – Minimum thickness for accessible parts of reinforced insulation consisting of a single layer .....	149
Table A.1 – Test voltages .....	171
Table B.1 – Artificial source characteristics .....	175
Table B.2 – Total area of openings for metal-ion cells .....	183
Table B.3 – Volume of air injected at 2 070 kPa .....	183
Table C.1 – Test conditions .....	194
Table R.1 – General fault/error conditions .....	224
Table R.2 – Specific fault/error conditions .....	226
Table R.3 – Semi-formal methods .....	232
Table R.4 – Software architecture specification .....	232
Table R.5 – Module design specification .....	233
Table R.6 – Design and coding standards .....	234
Table R.7 – Software safety validation .....	234
Table T.1 – Minimum property retention limits after UV-C exposure .....	238
Table T.2 – Minimum electric strength for internal wiring after UV-C exposure .....	239
Table U.1 – Examples of acceptable measures against unauthorised access and transmission fault/error modes .....	242

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

#### Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 60335-2-24:2025 EXV includes the content of IEC 60335-2-24:2025, and the references made to IEC 60335-1:2020.

The specific content of IEC 60335-2-24:2025 is displayed on a blue background.

IEC 60335-2-24 has been prepared by subcommittee 61C: Safety of refrigeration appliances for household and commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This ninth edition cancels and replaces the eighth edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) aligns the text with IEC 60335-1:2020;
- b) new probe 19 has been introduced (8.1.1, 8.1.3, 20.2);
- c) new exception for components inside the thermal insulation has been introduced (22.117);
- d) new requirement for mobile refrigerating appliances, appliances to be used in leisure accommodation vehicles like motor caravans, boats for leisure purposes and appliances to be used on board ships has been introduced (Clause 1, 3.5.107, 3.5.108, 7.1, 7.6, 7.12, 7.14, 19.103, 21.101, 24.3, Annex FF);
- e) text in 3.1.9.101, 3.1.9.102, 3.1.9.103 and 3.1.9.104 has been cancelled and the text copied in 5.104;
- f) new requirement for the evaluation of non-dangerous moving parts has been introduced (20.2);
- g) new abnormal test has been introduced (19.106);
- h) reference to flammable refrigerant has been deleted (22.7);
- i) new subclauses have been added (22.40, 22.49, 22.51);
- j) requirement for the evaluation of motor-compressor has been updated (24.1);
- k) Annex DD has been cancelled and the text copied to Annex A;
- l) design pressure has been changed in maximum allowable pressure (3.8.101).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61C/929/FDIS	61C/931/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts of the IEC 60335 series, under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for refrigerating appliances, ice-cream appliances and ice-makers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations can need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 22.101: E12 and E17 lamp holders are checked as specified for E14 and B15 lamp holders. E26 lamp holder is checked as specified for E27 and B22 lamp holders (Japan).
- 22.110: For unsealed glass tube heaters, the temperature requirements are different (Japan).
- 22.117: Only the first two dashed items in the first paragraph of the requirement are allowed (Australia and New Zealand).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION to IEC 60335-1:2020

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website –

[www.iec.ch/tc61/supportingdocuments](http://www.iec.ch/tc61/supportingdocuments)

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If the functions of an appliance are covered by different parts 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

Throughout this publication, when "part 2" is mentioned, it refers to the relevant part of IEC 60335.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

**NOTE 1** This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

**NOTE 2** Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

Individual countries may wish to consider the application of this standard, as far as is reasonable, to appliances not mentioned in a part 2, and to appliances designed on new principles. In this case, consideration should be given to defining normal operation, specifying the classification of the appliance according to Clause 6 and specifying whether the appliance is operated attended or unattended. Consideration should also be given to particular categories of likely users and to related specific risks such as access to live parts, hot surfaces or hazardous moving parts.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of this standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with this standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

## INTRODUCTION to IEC 60335-2-24:2025

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 and SC 61C supporting documents on the IEC websites.

<https://www.iec.ch/tc61/supportingdocuments>

<https://www.iec.ch/sc61c/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules can differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;

- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers

#### 1 Scope

This part of IEC 60335 deals with the safety of the following appliances, their **rated voltage** being not more than 250 V for single-phase appliances, 480 V for other appliances and 24 V DC for appliances when **battery-operated**:

- **refrigerating appliances** for household and similar use;
- **ice-makers** incorporating a motor-compressor and **ice-makers** intended to be incorporated in frozen food storage compartments intended for household use;
- **refrigerating appliances** and **ice-makers** for applications similar to household use such as for camping, in **leisure accommodation vehicles**, on boats for leisure purposes and on board ships;
- **mobile refrigerating appliances**.

These appliances can be operated from the mains, from a **separable battery** or operated either from the mains or from a **separable battery** or from other sources of energy (gas, liquid and solid fuel).

This standard deals also with **refrigerating appliances** intended for the use on boats for leisure purposes and on board ships, for which the normative Annex FF is applicable.

This standard also deals with the safety of **ice-cream appliances** intended for household use, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

It also deals with **compression-type appliances** for household and similar use, which use **flammable refrigerants**.

This standard does not cover features of the construction and operation of those **refrigerating appliances** which are dealt with in other IEC standards.

**Refrigerating appliances** not intended for normal household use but which nevertheless can be a source of danger to the public, such as

- **refrigerating appliances** used in staff kitchen areas in shops, offices and other working environments,
- **refrigerating appliances** used in farm houses and by clients in hotels, motels and other residential type environments,
- **refrigerating appliances** used in bed and breakfast type environments, and
- **refrigerating appliances** used in catering and similar non-retail applications

are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

– persons whose

- physical, sensory or mental capabilities or
- lack of experience and knowledge

prevents them from using the appliance safely without supervision or instruction.

Attention is drawn to the fact that

- for appliances intended to be used in vehicles, **leisure accommodation vehicles**, boats for leisure purposes, on board ships or aircraft, additional requirements can be necessary;
- in many countries, additional requirements are specified by national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities;
- for appliances that are operated additional from other sources of energy (gas, liquid and solid fuel), additional requirements can be necessary.

This standard does not apply to

- appliances intended for outdoor use, except for **mobile refrigerating appliances**;
- appliances designed exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- appliances incorporating a **battery** intended as a power supply for the refrigerating function;
- appliances assembled on site by the installer;
- appliances with remote motor-compressors;
- motor-compressors (IEC 60335-2-34);
- commercial dispensing appliances and vending appliances (IEC 60335-2-75);
- commercial refrigerating appliances and ice-makers with an incorporated or remote refrigerant unit or motor-compressor (IEC 60335-2-89);
- professional ice-cream makers (IEC 60335-2-118).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps*

IEC 60065:2014, *Audio, video and similar electronic apparatus – Safety requirements*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-31, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-11:2021, *Environmental testing – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-52:2017, *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 60079 (all parts), *Explosive atmospheres*

IEC 60079-1:2014, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-7:2015, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC 60079-15:2017, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC TR 60083, *Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC*

IEC 60085:2007, *Electrical insulation – Thermal evaluation and designation*

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60112:2003/AMD1:2009<sup>1</sup>

IEC 60127 (all parts), *Miniature fuses*

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60227-5:2011, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 5: Flexible cables (cords)*

IEC 60238, *Edison screw lampholders*

IEC 60245 (all parts), *Rubber insulated cables – Rated voltages up to and including 450/750 V*

IEC 60252-1:2010, *AC motor capacitors – Part 1: General – Performance, testing and rating – Safety requirements – Guidance for installation and operation*

IEC 60252-1:2010/AMD1:2013<sup>2</sup>

IEC 60309-2, *Plugs, socket-outlets and couplers for industrial purposes – Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories*

IEC 60320 (all parts), *Appliance couplers for household and similar general purposes*

1 There exists a consolidated edition 4.1:2009 that includes edition 4 and its Amendment 1.

2 There exists a consolidated edition 2.1:2013 that includes edition 2 and its Amendment 1.

IEC 60320-1, *Appliance couplers for household and similar general purposes – Part 1: General requirements*

IEC 60320-2-3, *Appliance couplers for household and similar general purposes – Part 2-3: Appliance couplers with a degree of protection higher than IPX0*

IEC 60320-3, *Appliance couplers for household and similar general purposes – Part 3: Standard sheets and gauges*

IEC 60335-2-34:2024, *Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors*

IEC 60384-14:2013, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification – Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60384-14:2013/AMD1:2016<sup>3</sup>

IEC 60417, *Graphical symbols for use on equipment*

IEC 60445:2017, *Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013<sup>4</sup>

IEC 60598-1:2020, *Luminaires – Part 1: General requirements and tests*

IEC 60603-11, *Connectors for frequencies below 3 MHz for use with printed boards – Part 11: Detail specification for concentric connectors (dimensions for free connectors and fixed connectors)*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60664-3:2016, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60664-4:2005, *Insulation coordination for equipment within low-voltage systems – Part 4: Consideration of high-frequency voltage stress*

IEC 60691, *Thermal-links – Requirements and application guide*

IEC 60695-2-11:2014, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-2-12, *Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials*

IEC 60695-2-13, *Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials*

---

<sup>3</sup> There exists a consolidated edition 4.1:2016 that includes edition 4 and its Amendment 1.

<sup>4</sup> There exists a consolidated edition 2.2:2013 that includes edition 2 and its Amendment 1 and Amendment 2.

IEC 60695-10-2, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test*

IEC 60695-11-3:2012, *Fire hazard testing – Part 11-3: Test flames – 500 W flames – Apparatus and confirmational test methods*

IEC 60695-11-5:2016, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60695-11-20:2015, *Fire hazard testing – Part 11-20: Test flames – 500 W flame test method*

IEC 60730 (all parts), *Automatic electrical controls*

IEC 60730-1:2013, *Automatic electrical controls – Part 1: General requirements*  
IEC 60730-1:2013/AMD1:2015<sup>5</sup>

IEC 60730-2-6:2015, *Automatic electrical controls – Particular requirements for automatic electrical pressure sensing controls including mechanical requirements*  
IEC 60730-2-6:2015/AMD1:2019<sup>6</sup>

IEC 60730-2-8:2018, *Automatic electrical controls – Part 2-8: Particular requirements for electrically operated water valves, including mechanical requirements*

IEC 60730-2-9:2015, *Automatic electrical controls – Part 2-9: Particular requirements for temperature sensing controls*  
IEC 60730-2-9:2015/AMD1:2018<sup>7</sup>

IEC 60730-2-10, *Automatic electrical controls for household and similar use – Part 2-10: Particular requirements for motor-starting relays*

IEC 60738-1, *Thermistors – Directly heated positive temperature coefficient – Part 1: Generic specification*

IEC 60799, *Electrical accessories – Cord sets and interconnection cord sets*

IEC 60851-4:2016, *Winding wires – Test methods – Part 4: Chemical properties*

IEC 60906-1, *IEC system of plugs and socket-outlets for household and similar purposes – Part 1: Plugs and socket-outlets 16 A 250 V a.c.*

IEC 60934, *Circuit-breakers for equipment (CBE)*

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

---

5 There exists a consolidated edition 5.1:2015 that includes edition 5 and its Amendment 1.

6 A consolidated version of this document exists, comprising IEC 60730-2-6:2015 and IEC 60730-2-6:2015/AMD1:2019.

7 There exists a consolidated edition 4.1:2018 that includes edition 4 and its Amendment 1.

IEC 60999-1:1999, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm<sup>2</sup> up to 35 mm<sup>2</sup> (included)*

IEC 61000-4-2, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-11:2020, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61000-4-13:2002, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests*

IEC 61000-4-13:2002/AMD1:2009

IEC 61000-4-13:2002/AMD2:2015<sup>8</sup>

IEC 61000-4-34:2005, *Electromagnetic compatibility (EMC) – Part 4-34: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase*

IEC 61000-4-34:2005/AMD1:2009<sup>9</sup>

IEC 61032:1997, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 61058-1:2016, *Switches for appliances – Part 1: General requirements*

IEC 61058-1-1:2016, *Switches for appliances – Part 1-1: Requirements for mechanical switches*

IEC 61058-1-2:2016, *Switches for appliances – Part 1-2: Requirements for electronic switches*

IEC 61180, *High-voltage test techniques for low-voltage equipment – Definitions, test and procedure requirements, test equipment*

IEC 61210, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

IEC 61558-1:2017, *Safety of transformers, reactors, power supply units and combinations thereof – Part 1: General requirements and tests*

---

<sup>8</sup> There exists a consolidated edition 1.2:2015 that includes edition 1 and its Amendment 1 and Amendment 2.

<sup>9</sup> There exists a consolidated edition 1.1:2009 that includes edition 1 and its Amendment 1.

IEC 61558-2-6:2009, *Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers*

IEC 61558-2-16:2009, *Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units*  
IEC 61558-2-16:2009/AMD1:2013<sup>10</sup>

IEC 61770, *Electric appliances connected to the water mains – Avoidance of backsiphonage and failure of hose-sets*

IEC 62133-1:2017, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications – Part 1: Nickel systems*

IEC 62133-2:2017, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications – Part 2: Lithium systems*

IEC 62151, *Safety of equipment electrically connected to a telecommunication network*

IEC 62471:2006, *Photobiological safety of lamps and lamp systems*

IEC 62477-1, *Safety requirements for power electronic converter systems and equipment – Part 1: General*

IEC 62821 (all parts), *Electric cables – Halogen-free, low smoke, thermoplastic insulated and sheathed cables of rated voltages up to and including 450/750 V*

ISO 178, *Plastics – Determination of flexural properties*

ISO 179-1, *Plastics – Determination of Charpy impact properties – Part 1: Non-instrumented impact test*

ISO 180, *Plastics – Determination of Izod impact strength*

ISO 209, *Aluminium and aluminium alloys – Chemical composition*

ISO 527 (all parts), *Plastics – Determination of tensile properties*

ISO 817, *Refrigerants – Designation and safety classification*

ISO 1463, *Metallic and oxide coatings – Measurement of coating thickness – Microscopical method*

ISO 2178, *Non-magnetic coatings on magnetic substrates – Measurement of coating thickness – Magnetic method*

ISO 2768-1, *General tolerances – Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

---

<sup>10</sup> There exists a consolidated edition 1.1:2013 that includes edition 1 and its Amendment 1.

ISO 4126-2:2018, *Safety devices for protection against excessive pressure – Part 2: Bursting disc safety devices*

ISO 4892-1:2016, *Plastics – Methods of exposure to laboratory light sources – Part 1: General guidance*

ISO 4892-2: 2013, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

ISO 7000, *Graphical symbols for use on equipment – Registered symbols*

ISO 7010:2019, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 8256, *Plastics – Determination of tensile-impact strength*

ISO 9772, *Cellular plastics – Determination of horizontal burning characteristics of small specimens subjected to a small flame*

ISO 9773, *Plastics – Determination of burning behaviour of thin flexible vertical specimens in contact with a small-flame ignition source*

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Household and similar electrical appliances – Safety –  
Part 2-24: Particular requirements for refrigerating appliances, ice-cream  
appliances and ice-makers**

**Appareils électroménagers et analogues – Sécurité –  
Partie 2-24: Exigences particulières pour les appareils de réfrigération, les  
sorbetières et les fabriques de glace**



## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	7
1 Scope .....	8
2 Normative references .....	9
3 Terms and definitions .....	11
4 General requirement .....	13
5 General conditions for the tests .....	13
6 Classification .....	16
7 Marking and instructions .....	16
8 Protection against access to live parts .....	21
9 Starting of motor-operated appliances .....	21
10 Power input and current .....	21
11 Heating .....	22
12 Charging of metal-ion batteries .....	25
13 Leakage current and electric strength at operating temperature .....	25
14 Transient overvoltages .....	26
15 Moisture resistance .....	26
16 Leakage current and electric strength .....	28
17 Overload protection of transformers and associated circuits .....	28
18 Endurance .....	28
19 Abnormal operation .....	28
20 Stability and mechanical hazards .....	31
21 Mechanical strength .....	34
22 Construction .....	35
23 Internal wiring .....	47
24 Components .....	47
25 Supply connection and external flexible cords .....	50
26 Terminals for external conductors .....	51
27 Provision for earthing .....	51
28 Screws and connections .....	51
29 Clearances, creepage distances and solid insulation .....	51
30 Resistance to heat and fire .....	52
31 Resistance to rusting .....	52
32 Radiation, toxicity and similar hazards .....	52
Annexes .....	55
Annex A (informative) Routine tests .....	56
Annex C (normative) Ageing test on motors .....	57
Annex D (normative) Thermal motor protectors .....	58
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates .....	59
Annex AA (normative) Locked-rotor test of fan motors .....	60
Annex BB (informative) Method for accumulation of frost .....	62

Annex CC (normative) Non-sparking "n" electrical apparatus and test conditions for "dc" devices .....	65
Annex DD (informative) Void .....	66
Annex EE (normative) Test for material encasing and in contact with thermal insulation .....	67
Annex FF (normative) Appliances intended to be used on boats for leisure purposes and on board ships .....	69
Bibliography .....	71
Figure 101 – Apparatus for spillage test .....	53
Figure 102 – Scratching tool tip details .....	54
Figure AA.1 – Supply circuit for locked-rotor test of a single-phase fan motor .....	61
Figure BB.1 – Diagram of apparatus for water evaporation and for accumulation of frost .....	63
Figure BB.2 – Apparatus for water evaporation and for accumulation of frost .....	64
Figure EE.1 – Arrangement of the test specimen and burner .....	68
Table 101 – Maximum temperatures for motor-compressors .....	24
Table 102 – Refrigerant flammability parameters .....	44

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60335-2-24 has been prepared by subcommittee 61C: Safety of refrigeration appliances for household and commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This ninth edition cancels and replaces the eighth edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) aligns the text with IEC 60335-1:2020;
- b) new probe 19 has been introduced (8.1.1, 8.1.3, 20.2);

- c) new exception for components inside the thermal insulation has been introduced (22.117);
- d) new requirement for mobile refrigerating appliances, appliances to be used in leisure accommodation vehicles like motor caravans, boats for leisure purposes and appliances to be used on board ships has been introduced (Clause 1, 3.5.107, 3.5.108, 7.1, 7.6, 7.12, 7.14, 19.103, 21.101, 24.3, Annex FF);
- e) text in 3.1.9.101, 3.1.9.102, 3.1.9.103 and 3.1.9.104 has been cancelled and the text copied in 5.104;
- f) new requirement for the evaluation of non-dangerous moving parts has been introduced (20.2);
- g) new abnormal test has been introduced (19.106);
- h) reference to flammable refrigerant has been deleted (22.7);
- i) new subclauses have been added (22.40, 22.49, 22.51);
- j) requirement for the evaluation of motor-compressor has been updated (24.1);
- k) Annex DD has been cancelled and the text copied to Annex A;
- l) design pressure has been changed in maximum allowable pressure (3.8.101).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61C/929/FDIS	61C/931/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts of the IEC 60335 series, under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for refrigerating appliances, ice-cream appliances and ice-makers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations can need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 22.101: E12 and E17 lamp holders are checked as specified for E14 and B15 lamp holders. E26 lamp holder is checked as specified for E27 and B22 lamp holders (Japan).
- 22.110: For unsealed glass tube heaters, the temperature requirements are different (Japan).
- 22.117: Only the first two dashed items in the first paragraph of the requirement are allowed (Australia and New Zealand).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 and SC 61C supporting documents on the IEC websites.

<https://www.iec.ch/tc61/supportingdocuments>

<https://www.iec.ch/sc61c/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules can differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers

#### 1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of the following appliances, their **rated voltage** being not more than 250 V for single-phase appliances, 480 V for other appliances and 24 V DC for appliances when **battery-operated**:

- **refrigerating appliances** for household and similar use;
- **ice-makers** incorporating a motor-compressor and **ice-makers** intended to be incorporated in frozen food storage compartments intended for household use;
- **refrigerating appliances** and **ice-makers** for applications similar to household use such as for camping, in **leisure accommodation vehicles**, on boats for leisure purposes and on board ships;
- **mobile refrigerating appliances**.

These appliances can be operated from the mains, from a **separable battery** or operated either from the mains or from a **separable battery** or from other sources of energy (gas, liquid and solid fuel).

This standard deals also with **refrigerating appliances** intended for the use on boats for leisure purposes and on board ships, for which the normative Annex FF is applicable.

This standard also deals with the safety of **ice-cream appliances** intended for household use, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

It also deals with **compression-type appliances** for household and similar use, which use **flammable refrigerants**.

This standard does not cover features of the construction and operation of those **refrigerating appliances** which are dealt with in other IEC standards.

**Refrigerating appliances** not intended for normal household use but which nevertheless can be a source of danger to the public, such as

- **refrigerating appliances** used in staff kitchen areas in shops, offices and other working environments,
- **refrigerating appliances** used in farm houses and by clients in hotels, motels and other residential type environments,
- **refrigerating appliances** used in bed and breakfast type environments, and
- **refrigerating appliances** used in catering and similar non-retail applications

are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons whose
  - physical, sensory or mental capabilities or
  - lack of experience and knowledge

prevents them from using the appliance safely without supervision or instruction.

Attention is drawn to the fact that

- for appliances intended to be used in vehicles, **leisure accommodation vehicles**, boats for leisure purposes, on board ships or aircraft, additional requirements can be necessary;
- in many countries, additional requirements are specified by national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities;
- for appliances that are operated additional from other sources of energy (gas, liquid and solid fuel), additional requirements can be necessary.

This standard does not apply to

- appliances intended for outdoor use, except for **mobile refrigerating appliances**;
- appliances designed exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- appliances incorporating a **battery** intended as a power supply for the refrigerating function;
- appliances assembled on site by the installer;
- appliances with remote motor-compressors;
- motor-compressors (IEC 60335-2-34);
- commercial dispensing appliances and vending appliances (IEC 60335-2-75);
- commercial refrigerating appliances and ice-makers with an incorporated or remote refrigerant unit or motor-compressor (IEC 60335-2-89);
- professional ice-cream makers (IEC 60335-2-118).

## 2 Normative references

This clause of Part 1 is applicable except as follows.

*Addition:*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-11:2021, *Environmental testing – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-52:2017, *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 60079 (all parts), *Explosive atmospheres*

IEC 60079-1:2014, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-7:2015, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC 60079-15:2017, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60252-1:2010, *AC motor capacitors – Part 1: General – Performance, testing and rating – Safety requirements – Guidance for installation and operation*  
IEC 60252-1:2010/AMD1:2013

IEC 60335-2-34:2024, *Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors*

IEC 60695-11-3:2012, *Fire hazard testing – Part 11-3: Test flames – 500 W flames – Apparatus and confirmational test methods*

IEC 60695-11-20:2015, *Fire hazard testing – Part 11-20: Test flames – 500 W flame test method*

IEC 60730-2-6:2015, *Automatic electrical controls – Particular requirements for automatic electrical pressure sensing controls including mechanical requirements*  
IEC 60730-2-6:2015/AMD1:2019<sup>1</sup>

IEC 60730 (all parts), *Automatic electrical controls*

IEC 60851-4:2016, *Winding wires – Test methods – Part 4: Chemical properties*

ISO 209, *Aluminium and aluminium alloys – Chemical composition*

ISO 817, *Refrigerants – Designation and safety classification*

ISO 4126-2:2018, *Safety devices for protection against excessive pressure – Part 2: Bursting disc safety devices*

ISO 7010:2019, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

*Modification:*

Replace

IEC 60598-1:2014, *Luminaires – Part 1: General requirements and tests*  
IEC 60598-1:2014/AMD1:2017

with

IEC 60598-1:2020, *Luminaires – Part 1: General requirements and tests*

---

<sup>1</sup> A consolidated version of this document exists, comprising IEC 60730-2-6:2015 and IEC 60730-2-6:2015/AMD1:2019.

## SOMMAIRE

AVANT-PROPOS .....	74
INTRODUCTION .....	77
1 Domaine d'application .....	79
2 Références normatives .....	80
3 Termes et définitions .....	82
4 Exigences générales .....	84
5 Conditions générales d'essais .....	85
6 Classification .....	87
7 Marquage et instructions .....	87
8 Protection contre l'accès aux parties actives.....	92
9 Démarrage des appareils à moteur .....	92
10 Puissance et courant .....	93
11 Échauffements.....	94
12 Charge des batteries à ions métalliques .....	97
13 Courant de fuite et rigidité diélectrique à la température de régime .....	97
14 Surtensions transitoires .....	97
15 Résistance à l'humidité.....	97
16 Courant de fuite et rigidité diélectrique .....	99
17 Protection contre la surcharge des transformateurs et des circuits associés .....	100
18 Endurance .....	100
19 Fonctionnement anormal .....	100
20 Stabilité et dangers mécaniques .....	104
21 Résistance mécanique.....	106
22 Construction .....	107
23 Conducteurs internes.....	120
24 Composants .....	120
25 Raccordement au réseau et câbles souples extérieurs .....	123
26 Bornes pour conducteurs externes .....	124
27 Dispositions en vue de la mise à la terre .....	125
28 Vis et connexions .....	125
29 Lignes de fuite, distances dans l'air et isolation solide .....	125
30 Résistance à la chaleur et au feu.....	125
31 Protection contre la rouille .....	126
32 Rayonnement, toxicité et dangers analogues.....	126
Annexes .....	129
Annexe A (informative) Essais individuels de série .....	130
Annexe C (normative) Essai de vieillissement des moteurs.....	131
Annexe D (normative) Protecteurs thermiques des moteurs .....	132
Annexe P (informative) Lignes directrices pour l'application de la présente norme aux appareils utilisés en climat tropical .....	133
Annexe AA (normative) Essai à rotor bloqué des moteurs de ventilateurs .....	134
Annexe BB (informative) Méthode pour la formation de givre .....	136

Annexe CC (normative) Matériel électrique "n" non producteur d'étincelles et conditions d'essai des dispositifs "dc" .....	139
Annexe DD (informative) Vacant .....	140
Annexe EE (normative) Essai des matériaux enveloppant l'isolation thermique et en contact avec celle-ci .....	141
Annexe FF (normative) Appareils destinés à être utilisés dans des bateaux de plaisance et à bord de navires .....	143
Bibliographie.....	145
Figure 101 – Appareillage pour l'essai de débordement .....	127
Figure 102 – Détails de la pointe de l'outil à rayer.....	128
Figure AA.1 – Circuit d'alimentation pour l'essai à rotor bloqué d'un moteur de ventilateur monophasé .....	135
Figure BB.1 – Schéma du dispositif pour évaporation de l'eau et formation de givre .....	137
Figure BB.2 – Dispositif pour évaporation de l'eau et formation de givre .....	138
Figure EE.1 – Disposition de l'éprouvette et du brûleur .....	142
Tableau 101 – Températures maximales pour les motocompresseurs .....	95
Tableau 102 – Paramètres d'inflammabilité des fluides frigorigènes.....	117

## COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

### APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

#### Partie 2-24: Exigences particulières pour les appareils de réfrigération, les sorbetières et les fabriques de glace

#### AVANT-PROPOS

- 1) La Commission Électrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. À cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'IEC attire l'attention sur le fait que la mise en application du présent document peut entraîner l'utilisation d'un ou de plusieurs brevets. L'IEC ne prend pas position quant à la preuve, à la validité et à l'applicabilité de tout droit de brevet revendiqué à cet égard. À la date de publication du présent document, l'IEC n'avait pas reçu notification qu'un ou plusieurs brevets pouvaient être nécessaires à sa mise en application. Toutefois, il y a lieu d'avertir les responsables de la mise en application du présent document que des informations plus récentes sont susceptibles de figurer dans la base de données de brevets, disponible à l'adresse <https://patents.iec.ch>. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets.

L'IEC 60335-2-24 a été établie par le sous-comité 61C: Sécurité des appareils de réfrigération à usage domestique et commercial, du comité d'études 61 de l'IEC: Sécurité des appareils électrodomestiques et analogues. Il s'agit d'une Norme internationale.

Cette neuvième édition annule et remplace la huitième édition parue en 2020. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) le texte a été aligné sur l'IEC 60335-1:2020;
- b) le nouveau calibre d'essai 19 a été introduit (8.1.1, 8.1.3, 20.2);
- c) une nouvelle exception a été introduite pour les composants à l'intérieur de l'isolation thermique (22.117);
- d) une nouvelle exigence relative aux appareils de réfrigération portables, aux appareils destinés à être utilisés dans des véhicules habitables de loisir comme les camping-cars, les bateaux de plaisance, et les appareils destinés à être utilisés à bord de navires a été introduite (Article 1, 3.5.107, 3.5.108, 7.1, 7.6, 7.12, 7.14, 19.103, 21.101, 24.3, Annexe FF);
- e) le texte des 3.1.9.101, 3.1.9.102, 3.1.9.103 et 3.1.9.104 a été supprimé et copié au 5.104;
- f) une nouvelle exigence relative à l'évaluation des parties mobiles non dangereuses a été introduite (20.2);
- g) un nouvel essai de fonctionnement anormal a été introduit (19.106);
- h) la référence au fluide frigorigène inflammable a été supprimée (22.7);
- i) de nouveaux paragraphes ont été ajoutés (22.40, 22.49, 22.51);
- j) l'exigence relative à l'évaluation des motocompresseurs a été mise à jour (24.1);
- k) l'Annexe DD a été supprimée et le texte correspondant copié à l'Annexe A;
- l) la pression de calcul a été remplacée par la pression maximale admissible (3.8.101).

Le texte de cette Norme internationale est issu des documents suivants:

Projet	Rapport de vote
61C/929/FDIS	61C/931/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à son approbation.

La langue employée pour l'élaboration de cette Norme internationale est l'anglais.

Ce document a été rédigé selon les Directives ISO/IEC, Partie 2, il a été développé selon les Directives ISO/IEC, Partie 1 et les Directives ISO/IEC, Supplément IEC, disponibles sous [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). Les principaux types de documents développés par l'IEC sont décrits plus en détail sous [www.iec.ch/publications](http://www.iec.ch/publications).

Une liste de toutes les parties de la série IEC 60335, publiées sous le titre général *Appareils électrodomestiques et analogues – Sécurité*, se trouve sur le site web de l'IEC.

La présente partie 2 doit être utilisée conjointement avec la dernière édition de l'IEC 60335-1 et ses amendements sauf si cette édition l'exclut. Dans ce cas, la dernière édition qui n'exclut pas la présente partie 2 est utilisée. Elle a été établie sur la base de la sixième édition (2020) de cette norme.

NOTE 1 L'expression "la Partie 1" utilisée dans la présente norme fait référence à l'IEC 60335-1.

La présente partie 2 complète ou modifie les articles correspondants de l'IEC 60335-1, de façon à transformer cette publication en norme IEC: Exigences de sécurité pour les appareils de réfrigération, les sorbetières et les fabriques de glace.

Lorsqu'un paragraphe particulier de la Partie 1 n'est pas mentionné dans cette partie 2, ce paragraphe s'applique pour autant que cela soit raisonnable. Lorsque la présente norme mentionne "addition", "modification" ou "remplacement", le texte correspondant de la Partie 1 doit être adapté en conséquence.

NOTE 2 Le système de numérotation suivant est utilisé:

- les paragraphes, tableaux et figures qui s'ajoutent à ceux de la Partie 1 sont numérotés à partir de 101;
- à l'exception de celles qui sont dans un nouveau paragraphe ou de celles qui concernent des notes de la Partie 1, les notes sont numérotées à partir de 101, y compris celles des articles ou paragraphes qui sont remplacés;
- les annexes qui sont ajoutées sont désignées AA, BB, etc.

NOTE 3 Les caractères d'imprimerie suivants sont utilisés:

- exigences: caractères romains;
- *modalités d'essais: caractères italiques*;
- notes: petits caractères romains.

Les termes en **gras** dans le texte sont définis à l'Article 3. Lorsqu'une définition concerne un adjectif, l'adjectif et le nom associé figurent également en gras.

NOTE 4 L'attention des Comités nationaux est attirée sur le fait que les fabricants d'appareils et les organismes d'essai peuvent avoir besoin d'une période transitoire après la publication d'une nouvelle publication IEC, ou d'une publication amendée ou révisée, pour fabriquer des produits conformes aux nouvelles exigences et pour adapter leurs équipements aux nouveaux essais ou aux essais révisés.

Le comité recommande que le contenu de cette publication soit entériné au niveau national au plus tôt 12 mois et au plus tard 36 mois après la date de publication.

Les différences suivantes existent dans les pays indiqués ci-après.

- 22.101: Les douilles E12 et E17 sont vérifiées comme cela est spécifié pour les douilles E14 et B15. La douille E26 est vérifiée comme cela est spécifié pour les douilles E27 et B22 (Japon).
- 22.110: Pour les éléments chauffants compris dans des tubes en verre non fermés, les exigences de température sont différentes (Japon).
- 22.117: Seuls les deux premiers tirets du premier alinéa de l'exigence sont admis (Australie et Nouvelle-Zélande).

Le comité a décidé que le contenu de ce document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous [webstore.iec.ch](http://webstore.iec.ch) dans les données relatives au document recherché. À cette date, le document sera

- reconduit,
- supprimé, ou
- révisé.

## INTRODUCTION

Il a été admis par hypothèse, en établissant la présente Norme internationale, que l'exécution de ses dispositions était confiée à des personnes expérimentées et ayant une qualification appropriée.

Les documents de recommandations concernant l'application des exigences de sécurité pour les appareils peuvent être consultés dans les documents de support du CE 61 et du SC 61C, accessibles sur les sites web de l'IEC.

<https://www.iec.ch/tc61/supportingdocuments>

<https://www.iec.ch/sc61c/supportingdocuments>

Cette information est donnée à l'intention des utilisateurs de la présente Norme internationale et ne constitue nullement un remplacement du texte normatif de la présente norme.

La présente norme reconnaît le niveau de protection internationalement accepté contre les dangers électriques, mécaniques, thermiques, liés au feu et au rayonnement des appareils, lorsqu'ils fonctionnent comme en usage normal en tenant compte des instructions du fabricant. Elle couvre également les situations anormales auxquelles on peut s'attendre dans la pratique et prend en considération les phénomènes électromagnétiques qui peuvent affecter le fonctionnement en toute sécurité des appareils.

La présente norme tient compte autant que possible des exigences de l'IEC 60364, de façon à rester compatible avec les règles d'installation quand l'appareil est raccordé au réseau d'alimentation. Cependant, des règles d'installation nationales peuvent être différentes.

Si un appareil compris dans le domaine d'application de la présente norme comporte également des fonctions qui sont couvertes par une autre partie 2 de l'IEC 60335, la partie 2 correspondante est appliquée à chaque fonction séparément, dans la limite du raisonnable. Si cela s'applique, l'influence d'une fonction sur les autres fonctions est prise en compte.

Lorsqu'une partie 2 ne comporte pas d'exigences complémentaires pour couvrir les dangers traités dans la Partie 1, la Partie 1 s'applique.

NOTE 1 Cela signifie que les comités d'études responsables pour les parties 2 ont déterminé qu'il n'était pas nécessaire de spécifier des exigences particulières pour l'appareil en question en plus des exigences générales.

La présente norme est une norme de famille de produits traitant de la sécurité d'appareils et a préséance sur les normes horizontales et génériques couvrant le même sujet.

NOTE 2 Les publications horizontales, les publications fondamentales de sécurité et les publications groupées de sécurité couvrant un danger ne s'appliquent pas, parce qu'elles ont été prises en considération lorsque les exigences générales et particulières ont été étudiées pour la série de normes IEC 60335.

NOTE 3 Les normes traitant des aspects non relatifs à la sécurité des appareils électrodomestiques sont:

- les normes IEC publiées par le comité d'études 59 concernant les méthodes de mesure de l'aptitude à la fonction;
- les normes CISPR 11 et CISPR 14-1, ainsi que les normes applicables de la série IEC 61000-3 concernant les émissions électromagnétiques;
- la norme CISPR 14-2 concernant l'immunité électromagnétique;
- les normes IEC publiées par le comité d'études 111 concernant l'environnement.

Un appareil conforme au texte de la présente norme ne sera pas nécessairement jugé conforme aux principes de sécurité de la norme si, lorsqu'il est examiné et soumis aux essais, il apparaît qu'il présente d'autres caractéristiques qui compromettent le niveau de sécurité visé par ces exigences.

Un appareil utilisant des matériaux ou présentant des modes de construction différents de ceux décrits dans les exigences de la présente norme peut être examiné et soumis aux essais en fonction de l'objectif poursuivi par ces exigences et, s'il est jugé pratiquement équivalent, il peut être estimé conforme aux principes de sécurité de la norme.

## APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

### **Partie 2-24: Exigences particulières pour les appareils de réfrigération, les sorbetières et les fabriques de glace**

#### **1 Domaine d'application**

L'article de la Partie 1 est remplacé par l'article ci-après.

La présente partie de l'IEC 60335 traite de la sécurité des appareils suivants, leur **tension assignée** n'étant pas supérieure à 250 V pour les appareils monophasés, à 480 V pour les autres appareils et à 24 V en courant continu pour les appareils **alimentés par batteries**:

- **appareils de réfrigération** pour usages domestiques et analogues;
- **fabriques de glace** comportant un motocompresseur et **fabriques de glace** conçues pour être incorporées dans des compartiments de stockage des denrées congelées à usage domestique;
- **appareils de réfrigération** et **fabriques de glace** pour applications analogues à l'usage domestique, par exemple pour le camping, dans des **véhicules habitables de loisir**, dans des bateaux de plaisance et à bord de navires;
- **appareils de réfrigération portables**.

Ces appareils peuvent être alimentés par secteur, par **batterie séparable**, ou être alimentés à la fois par secteur ou **batterie séparable**, ou par d'autres sources d'énergie (combustibles gazeux, liquides et solides).

La présente norme couvre également les **appareils de réfrigération** destinés à être utilisés dans des bateaux de plaisance et à bord de navires, pour lesquels l'Annexe FF normative s'applique.

La présente norme traite également de la sécurité des **sorbetières** à usage domestique, leur **tension assignée** n'étant pas supérieure à 250 V pour les appareils monophasés et à 480 V pour les autres appareils.

Elle traite également des **appareils à compression** pour usage domestique et analogue, qui utilisent des **fluides frigorigènes inflammables**.

La présente norme ne traite pas des caractéristiques de construction et de fonctionnement d'**appareils de réfrigération** qui font l'objet d'autres normes IEC.

Les **appareils de réfrigération** qui ne sont pas destinés à des usages domestiques normaux, mais qui peuvent néanmoins constituer une source de danger pour le public, tels que:

- les **appareils de réfrigération** utilisés dans les coins cuisines réservés au personnel des magasins, bureaux et autres environnements professionnels;
- les **appareils de réfrigération** utilisés dans les fermes et par les clients des hôtels, motels et autres environnements à caractère résidentiel;
- les **appareils de réfrigération** utilisés dans les environnements de type chambres d'hôtes; et
- les **appareils de réfrigération** utilisés en restauration et autres applications similaires hormis la vente au détail

sont compris dans le domaine d'application de la présente norme.

Dans la mesure du possible, la présente norme traite des dangers ordinaires présentés par les appareils, encourus par tous les individus à l'intérieur et autour de l'habitation. Cependant, elle ne tient en général pas compte:

- des personnes dont
  - les capacités physiques, sensorielles ou mentales; ou
  - le manque d'expérience et de connaissance

les empêchent d'utiliser l'appareil en toute sécurité sans surveillance ou instruction.

L'attention est attirée sur le fait que

- pour les appareils destinés à être utilisés dans des véhicules, des **véhicules habitables de loisir**, des bateaux de plaisance, ou à bord de navires ou d'avions, des exigences supplémentaires peuvent être nécessaires;
- dans de nombreux pays, des exigences supplémentaires sont spécifiées par les organismes nationaux de la santé, par les organismes nationaux responsables de la protection des travailleurs, par les organismes nationaux responsables de l'alimentation en eau et par des organismes similaires;
- pour les appareils qui sont alimentés en outre par d'autres sources d'énergie (combustibles gazeux, liquides et solides), des exigences supplémentaires peuvent être nécessaires.

La présente norme ne s'applique pas:

- aux appareils destinés à être utilisés à l'extérieur, à l'exception des **appareils de réfrigération portables**;
- aux appareils conçus exclusivement pour des usages industriels;
- aux appareils destinés à être utilisés dans des locaux présentant des conditions particulières, telles que la présence d'une atmosphère corrosive ou explosive (poussière, vapeur ou gaz);
- aux appareils équipés d'une **batterie** prévue comme source d'alimentation de la fonction de réfrigération;
- aux appareils assemblés sur le site par l'installateur;
- aux appareils avec motocompresseurs à distance;
- aux motocompresseurs (IEC 60335-2-34);
- aux distributeurs commerciaux avec ou sans moyen de paiement (IEC 60335-2-75);
- aux appareils de réfrigération et fabriques de glace à usage commercial avec une unité de fluide frigorigène ou un motocompresseur incorporés ou à distance (IEC 60335-2-89);
- aux fabriques de crème glacée à usage professionnel (IEC 60335-2-118).

## 2 Références normatives

L'article de la Partie 1 s'applique, avec l'exception suivante.

*Addition:*

IEC 60068-2-6:2007, *Essais d'environnement – Partie 2-6: Essais – Essai Fc: Vibrations (sinusoïdales)*

IEC 60068-2-11:2021, *Essais d'environnement – Partie 2-11: Essais – Essai kA: Brouillard salin*

IEC 60068-2-27:2008, *Essais d'environnement – Partie 2-27: Essais – Essai Ea et guide: Chocs*

IEC 60068-2-52:2017, *Essais d'environnement – Partie 2-52: Essais – Essai Kb: Brouillard salin, essai cyclique (solution de chlorure de sodium)*

IEC 60079 (toutes les parties), *Atmosphères explosives*

IEC 60079-1:2014, *Atmosphères explosives – Partie 1: Protection du matériel par enveloppes antidiéflagrantes "d"*

IEC 60079-7:2015, *Atmosphères explosives – Partie 7: Protection du matériel par sécurité augmentée "e"*

IEC 60079-15:2017, *Atmosphères explosives – Partie 15: Protection du matériel par mode de protection "n"*

IEC 60252-1:2010, *Condensateurs des moteurs à courant alternatif – Partie 1: Généralités – Caractéristiques fonctionnelles, essais et valeurs assignées – Règles de sécurité – Lignes directrices pour l'installation et l'utilisation*  
IEC 60252-1:2010/AMD1:2013

IEC 60335-2-34:2024, *Appareils électrodomestiques et analogues – Sécurité – Partie 2-34: Exigences particulières pour les motocompresseurs*

IEC 60695-11-3:2012, *Essais relatifs aux risques du feu – Partie 11-3: Flammes d'essai – Flamme de 500 W – Appareillage et méthodes d'essai de vérification*

IEC 60695-11-20:2015, *Essais relatifs aux risques du feu – Partie 11-20: Flammes d'essai – Méthode d'essai à la flamme de 500 W*

IEC 60730-2-6:2015, *Dispositifs de commande électrique automatiques – Exigences particulières pour les dispositifs de commande électrique automatiques sensibles à la pression y compris les exigences mécaniques*  
IEC 60730-2-6:2015/AMD1:2019<sup>1</sup>

IEC 60730 (toutes les parties), *Dispositifs de commande électrique automatiques*

IEC 60851-4:2016, *Fils de bobinage – Méthodes d'essai – Partie 4: Propriétés chimiques*

ISO 209, *Aluminium et alliages d'aluminium – Composition chimique*

ISO 817, *Fluides frigorigènes – Désignation et classification de sécurité*

ISO 4126-2:2018, *Dispositifs de sécurité pour protection contre les pressions excessives – Partie 2: Dispositifs de sûreté à disque de rupture*

ISO 7010:2019, *Symboles graphiques – Couleurs de sécurité et signaux de sécurité – Signaux de sécurité enregistrés*

<sup>1</sup> Il existe une version consolidée de ce document, qui comprend l'IEC 60730-2-6:2015 et l'IEC 60730-2-6:2015/AMD1:2019.

*Modification:*

Remplacer

IEC 60598-1:2014, *Luminaires – Partie 1: Exigences générales et essais*  
IEC 60598-1:2014/AMD1:2017

par

IEC 60598-1:2020, *Luminaires – Partie 1: Exigences générales et essais*