



Edition 2.0 2020-12 REDLINE VERSION

INTERNATIONAL STANDARD



Solderless connections -

Part 7: Spring clamp connections – General requirements, test methods and practical guidance

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.220.10 ISBN 978-2-8322-9214-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	OREWO	PRD	5
IN	TRODU	JCTION	7
1	Scop	e -and-object	8
2	Norm	native references	8
3	Term	ns and definitions	9
4	Requ	uirements	12
	4.1	Workmanship	12
	4.2	Tools	
5	Pre-r	equisites for basic test schedule	12
	5.1	Spring clamp terminations	12
	5.1.1	Materials	12
	5.1.2	Surface finishes	13
	5.1.3	Design features	13
	5.1.4	Dimensions	13
	5.2	Wires	13
	5.2.1	General	13
	5.2.2	Materials	13
	5.2.3	Dimensions	13
	5.2.4	Surface finishes	13
	5.2.5	Wire insulation	13
	5.3	Spring clamp connections	
6	Test	S Testing	14
U		1 osting	
Ü	6.1	General	14
J	6.1	General	14
Ü	6.1	General	14
Ü	6.1 6.2 6.3	General Test methods and test requirements Standard conditions for testing Preconditioning	14
O	6.1 6.2 6.3 6.4	General	14 14 14
7	6.1 6.2 6.3 6.4 6.5	General. Test methods and test requirements Standard conditions for testing. Preconditioning. Recovery Mounting of specimen	14 14 14 14
	6.1 6.2 6.3 6.4 6.5 Tests	General	14
	6.1 6.2 6.3 6.4 6.5 Tests	General. Test methods and test requirements Standard conditions for testing. Preconditioning. Recovery. Mounting of specimen. General examination.	14 14 14 14 15
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2	General. Test methods and test requirements Standard conditions for testing. Preconditioning. Recovery. Mounting of specimen. General examination. Mechanical tests.	14 14 14 15 15
	6.1 6.2 6.3 6.4 6.5 Tests 7.1	General. Test methods and test requirements Standard conditions for testing. Preconditioning. Recovery. Mounting of specimen. General examination. Mechanical tests. Tensile strength.	14 14 14 15 15
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1	General. Test methods and test requirements Standard conditions for testing. Preconditioning. Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection	14 14 14 15 15 15
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1	General. Test methods and test requirements Standard conditions for testing. Preconditioning. Recovery. Mounting of specimen. General examination. Mechanical tests. Tensile strength. Wire deflection. Vibration.	14 14 14 15 15 15
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1 7.2.2 7.2.3	General Test methods and test requirements Standard conditions for testing Preconditioning Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection Vibration	14141415151515
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4	General Test methods and test requirements Standard conditions for testing Preconditioning Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection Vibration Repeated connections and disconnections Electrical tests	14141515151515
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.3	General Test methods and test requirements Standard conditions for testing Preconditioning Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection Vibration Repeated connections and disconnections Electrical tests Contact resistance	1414141515151515
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.3 7.3.1	General Test methods and test requirements Standard conditions for testing. Preconditioning. Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection. Vibration Repeated connections and disconnections Electrical tests Contact resistance	14141415151516162021
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.3 7.3.1	General Test methods and test requirements Standard conditions for testing Preconditioning Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection Vibration Repeated connections and disconnections Electrical tests Contact resistance Electrical load and temperature Climatic tests	14141415151515122021
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.3 7.3.1 7.3.2 7.4	General Test methods and test requirements Standard conditions for testing Preconditioning Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection Vibration Repeated connections and disconnections Electrical tests Contact resistance Electrical load and temperature Climatic tests General	14141415151616202121
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2.1 7.2.2 7.2.3 7.2.4 7.3.1 7.3.2 7.4.1	General	141415151515151220212121
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.3 7.3.1 7.3.2 7.4 7.4.1	General Test methods and test requirements Standard conditions for testing Preconditioning Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection Vibration Repeated connections and disconnections Electrical tests Contact resistance Electrical load and temperature Climatic tests General Rapid change of temperature Climatic sequence	14141415151516122021212123
	6.1 6.2 6.3 6.4 6.5 Tests 7.1 7.2.1 7.2.2 7.2.3 7.2.4 7.3.1 7.3.2 7.4.1 7.4.2 7.4.3 7.4.4	General Test methods and test requirements Standard conditions for testing Preconditioning Recovery Mounting of specimen General examination Mechanical tests Tensile strength Wire deflection Vibration Repeated connections and disconnections Electrical tests Contact resistance Electrical load and temperature Climatic tests General Rapid change of temperature Climatic sequence	

8.2	Basic test schedule	24
8.2.1	General	24
8.2.2		24
8.2.3	Testing of spring clamp connections with spring clamp terminations with and without a specified wire range	24
8.3	Full test schedule	25
8.3.1	General	25
8.3.2	Initial examination	25
8.3.3		0.5
0.4	range	
8.4 Anney A (informative) Practical guidance	
	Current-carrying capacity	
A.1 A.2	Tool information	
A.3	Termination information	
A.3.1		
A.3.2		
A.3.3	· ·	
A.3.4		
A.4	Wire information	33
A.4.1	General	33
A.4.2	Materials	34
A.4.3	Surface finishes	34
A.4.4		
A.5	Connection information	
Bibliograp	hy	36
Figure 1 -	- Examples of spring clamp connections	11
Figure 2 -	- Example of a spring clamp terminal	12
Figure 3 -	- Information for the wire deflection test	19
Figure 4 -	- Test arrangement, vibration	20
•	- Test arrangement, current method	
•	- Basic test schedule (see 8.2)	
_	- Full test schedule (see 8.3)	
•	1 – Correctly stripped wire	
-	2 – Examples of stripping faults	
rigure A.z	2 – Examples of stripping faults	30
Table 1 –	Values of tensile strength	16
Table 2 –	Values of force for wire deflection test	18
Table 3 -	Vibration, test severities	20
Table 4 –	Rated current of the wires, initial and final contact resistance	22
Table 5 –	Number of specimens required	24
	Test group P1	
	Test group P2	
	Test group A	
Table 9 –	Test group B	26

1	IFC 60352-7:2020 RLV © IFC:202	•
- 4 —	1FU 60357-77070 RTV (0) 1FU 707	Ί

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOLDERLESS CONNECTIONS -

Part 7: Spring clamp connections – General requirements, test methods and practical guidance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60352-7 has been prepared by subcommittee SC 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This second edition cancels and replaces the first edition of IEC 60352-7, published in 2002. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) correction of the two flow charts in Figure 6 and Figure 7,
- b) split the content into more clauses for better separation between full test schedule and basic test schedule,
- c) relocating the content of former Clause 6 Practical guidance into an informative Annex A, as now common in the IEC 60352 series for solderless connections,
- d) clarification on conductor types with reference to classes defined in IEC 60228.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2823/CDV	48B/2851/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

This document was drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60352 series, published under the general title *Solderless* connections, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 60352 covers spring clamp connections and includes requirements, tests and practical guidance information.

Two test schedules are provided.

- a) The basic test schedule applies to spring clamp connections which conform to all requirements of Clause 5. These requirements are derived from experience with successful applications of such spring clamp connections.
- b) The full test schedule applies to spring clamp connections which do not fully conform to all requirements of Clause 5, for example which are manufactured using materials or finishes not included in Clause 5.

This approach permits cost and time effective performance verification using a limited basic test schedule for established spring clamp connections and an expanded full test schedule for spring clamp connections requiring more extensive performance validation.

The values given in this document are minimum values, which are harmonized with other IEC documents. Other standards may specify other values.

SOLDERLESS CONNECTIONS -

Part 7: Spring clamp connections – General requirements, test methods and practical guidance

1 Scope and object

This part of IEC 60352 is applicable to spring clamp connections made with stripped wire without further preparation:

- solid conductors of 0,32 mm to 3,7 mm nominal diameter (0,08 mm² to 10 mm² cross-section), or
- stranded conductors of 0,08 mm² to 10 mm² cross-section, or
- flexible conductors of 0.08 mm² to 10 mm² cross-section.

according to IEC 60228 or IEC 60189-3 for use in telecommunication electrical and electronic equipment and in electronic devices employing similar techniques components.

Information on materials and data from industrial experience is included in addition to the test procedures to provide electrically stable connections under prescribed environmental conditions.

The object of this document is to determine the suitability of spring clamp connections under specified mechanical, electrical and atmospheric conditions.

NOTE IEC Guide 109 advocates the need to minimize the impact of a product on the natural environment throughout the product life cycle. It is understood that some of the materials permitted in this document—may can have a negative environmental impact. As technological advances lead to acceptable alternatives for these materials, they will be eliminated from this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(581):1978, International Electrotechnical Vocabulary (IEV) — Chapter 581: Electromechanical components for electronic equipment Amendment 1 (1998)

IEC 60068-1:19882013, Environmental testing – Part 1: General and guidance Amendment 1 (1992)

IEC 60189-3:19882007, Low-frequency cables and wires with PVC insulation and PVC sheath – Part 3: Equipment wires with solid or stranded conductor wires, PVC insulated, in singles, pairs and triples

IEC 60228:19782004, Conductors of insulated cables Amendment 1 (1993)

IEC 60512 (all parts), Connectors for electronic equipment - Tests and measurements

IEC 60512-1-100, Connectors for electronic equipment Tests and measurements Part 1-100: General - Applicable publications

IEC 60512-1, Connectors for electrical and electronic equipment – Tests and measurements – Part 1: Generic specification

IEC 60512-1-1, Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination

IEC 60512-1-2, Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass

IEC 60512-2-1, Connectors for electronic equipment – Tests and measurements – Part 2-1: Electrical continuity and contact resistance tests – Test 2a: Contact resistance – Millivolt level method

IEC 60512-2-2, Connectors for electronic equipment – Tests and measurements – Part 2-2: Electrical continuity and contact resistance tests – Test 2b: Contact resistance – Specified test current method

IEC 60512-2-5, Connectors for electronic equipment – Tests and measurements – Part 2-5: Electrical continuity and contact resistance tests – Test 2e: Contact disturbance

IEC 60512-6-4, Connectors for electronic equipment – Tests and measurements – Part 6-4: Dynamic stress tests – Test 6d: Vibration (sinusoidal)

IEC 60512-9-2, Connectors for electronic equipment – Tests and measurements – Part 9-2: Endurance tests – Test 9b: Electrical load and temperature

IEC 60512-11-1, Connectors for electrical and electronic equipment – Tests and measurements – Part 11-1: Climatic tests – Test 11a – Climatic sequence

IEC 60512-11-4, Connectors for electronic equipment – Tests and measurements – Part 11-4: Climatic tests – Test 11d: Rapid change of temperature

IEC 60512-11-7, Connectors for electronic equipment – Tests and measurements – Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test

IEC 60512-16-20, Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 16: Mechanical tests on contacts and terminations – Section 20: Test 16t: Mechanical strength (wired termination of solderless connections)

IEC 60884-1:1994, Plug and socket-outlets for household and similar purposes - Part 1: General requirements



Edition 2.0 2020-12

INTERNATIONAL STANDARD

Solderless connections -

Part 7: Spring clamp connections – General requirements, test methods and practical guidance



CONTENTS

FC	DREWO	RD	4
IN	TRODU	CTION	6
1	Scop	e	7
2	Norm	ative references	7
3	Term	s and definitions	8
4		irements	
•	4.1	Workmanship	
	4.2	Tools	
5		equisites for basic test schedule	
	5.1	Spring clamp terminations	
	5.1.1	Materials	
	5.1.2		
	5.1.3		
	5.1.4	•	
	5.2	Wires	. 11
	5.2.1	General	.11
	5.2.2	Materials	. 11
	5.2.3	Dimensions	. 11
	5.2.4	Surface finishes	. 11
	5.2.5	Wire insulation	.12
	5.3	Spring clamp connections	
6	Testi	ng	.12
	6.1	General	.12
	6.2	Standard conditions for testing	.12
	6.3	Preconditioning	
	6.4	Recovery	
	6.5	Mounting of specimen	
7	Tests	5	
	7.1	General examination	
	7.2	Mechanical tests	
	7.2.1	Tensile strength	
	7.2.2		
	7.2.3		
	7.2.4	•	
	7.3	Electrical tests	
	7.3.1 7.3.2	Contact resistance	
	7.3.2	Electrical load and temperature	
	7.4 7.4.1	General	
	7.4.1		
	7.4.2	•	
	7.4.4	·	
8		schedules	
•	8.1	General	
	8.2	Basic test schedule	

8.2.1 General	21
8.2.2 Initial examination	21
8.2.3 Testing of spring clamp connections with spring clamp terminations with and without a specified wire range	21
8.3 Full test schedule	22
8.3.1 General	22
8.3.2 Initial examination	22
8.3.3 Testing of spring clamp connections with and without a specified wire range	22
8.4 Flow charts	23
Annex A (informative) Practical guidance	26
A.1 Current-carrying capacity	26
A.2 Tool information	26
A.3 Termination information	
A.3.1 General	
A.3.2 Design features	
A.3.3 Materials	
A.3.4 Surface finishes	
A.4.4 Wire information	
A.4.1 General	
A.4.2 Materials	
A.4.4 Stripping information	
A.5 Connection information	
Bibliography	
Figure 1 – Examples of spring clamp connections	
Figure 2 – Example of a spring clamp terminal	10
Figure 3 – Information for the wire deflection test	16
Figure 4 – Test arrangement, vibration	17
Figure 5 – Test arrangement, current method	18
Figure 6 – Basic test schedule (see 8.2)	24
Figure 7 – Full test schedule (see 8.3)	25
Figure A.1 – Correctly stripped wire	28
Figure A.2 – Examples of stripping faults	
Table 1 – Values of tensile strength	
Table 2 – Value of force for wire deflection test	
Table 3 – Vibration, test severities	17
Table 4 – Rated current of the wires, initial and final contact resistance	19
Table 5 – Number of specimens required	21
Table 6 – Test group P1	21
Table 7 – Test group P2	22
Table 8 – Test group A	
Table 9 – Test group B	
Table 10 – Test group C	
Table 11 – Test group D	
TANIO II TOUL MICAD D	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOLDERLESS CONNECTIONS -

Part 7: Spring clamp connections – General requirements, test methods and practical guidance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60352-7 has been prepared by subcommittee SC 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This second edition cancels and replaces the first edition of IEC 60352-7, published in 2002. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) correction of the two flow charts in Figure 6 and Figure 7,
- b) split the content into more clauses for better separation between full test schedule and basic test schedule,
- c) relocating the content of former Clause 6 Practical guidance into an informative Annex A, as now common in the IEC 60352 series for solderless connections,

d) clarification on conductor types with reference to classes defined in IEC 60228.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2823/CDV	48B/2851/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

This document was drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60352 series, published under the general title *Solderless* connections, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 60352 covers spring clamp connections and includes requirements, tests and practical guidance information.

Two test schedules are provided.

- a) The basic test schedule applies to spring clamp connections which conform to all requirements of Clause 5. These requirements are derived from experience with successful applications of such spring clamp connections.
- b) The full test schedule applies to spring clamp connections which do not fully conform to all requirements of Clause 5, for example which are manufactured using materials or finishes not included in Clause 5.

This approach permits cost and time effective performance verification using a limited basic test schedule for established spring clamp connections and an expanded full test schedule for spring clamp connections requiring more extensive performance validation.

The values given in this document are minimum values, which are harmonized with other IEC documents. Other standards may specify other values.

SOLDERLESS CONNECTIONS -

Part 7: Spring clamp connections – General requirements, test methods and practical guidance

1 Scope

This part of IEC 60352 is applicable to spring clamp connections made with stripped wire without further preparation:

- solid conductors of 0,32 mm to 3,7 mm nominal diameter (0,08 mm² to 10 mm² cross-section), or
- stranded conductors of 0,08 mm² to 10 mm² cross-section, or
- flexible conductors of 0,08 mm² to 10 mm² cross-section,

according to IEC 60228 or IEC 60189-3 for use in electrical and electronic equipment and components.

Information on materials and data from industrial experience is included in addition to the test procedures to provide electrically stable connections under prescribed environmental conditions.

The object of this document is to determine the suitability of spring clamp connections under specified mechanical, electrical and atmospheric conditions.

NOTE IEC Guide 109 advocates the need to minimize the impact of a product on the natural environment throughout the product life cycle. It is understood that some of the materials permitted in this document can have a negative environmental impact. As technological advances lead to acceptable alternatives for these materials, they will be eliminated from this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, Environmental testing – Part 1: General and guidance

IEC 60189-3:2007, Low-frequency cables and wires with PVC insulation and PVC sheath – Part 3: Equipment wires with solid or stranded conductor wires, PVC insulated, in singles, pairs and triples

IEC 60228:2004, Conductors of insulated cables

IEC 60512-1, Connectors for electrical and electronic equipment – Tests and measurements – Part 1: Generic specification

IEC 60512-1-1, Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination

IEC 60512-1-2, Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass

IEC 60512-2-1, Connectors for electronic equipment – Tests and measurements – Part 2-1: Electrical continuity and contact resistance tests – Test 2a: Contact resistance – Millivolt level method

IEC 60512-2-2, Connectors for electronic equipment – Tests and measurements – Part 2-2: Electrical continuity and contact resistance tests – Test 2b: Contact resistance – Specified test current method

IEC 60512-2-5, Connectors for electronic equipment – Tests and measurements – Part 2-5: Electrical continuity and contact resistance tests – Test 2e: Contact disturbance

IEC 60512-6-4, Connectors for electronic equipment – Tests and measurements – Part 6-4: Dynamic stress tests – Test 6d: Vibration (sinusoidal)

IEC 60512-9-2, Connectors for electronic equipment – Tests and measurements – Part 9-2: Endurance tests – Test 9b: Electrical load and temperature

IEC 60512-11-1, Connectors for electrical and electronic equipment – Tests and measurements – Part 11-1: Climatic tests – Test 11a – Climatic sequence

IEC 60512-11-4, Connectors for electronic equipment – Tests and measurements – Part 11-4: Climatic tests – Test 11d: Rapid change of temperature

IEC 60512-11-7, Connectors for electronic equipment – Tests and measurements – Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test

IEC 60512-16-20, Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 16: Mechanical tests on contacts and terminations – Section 20: Test 16t: Mechanical strength (wired termination of solderless connections)