



IEC 60384-20

Edition 4.0 2023-02
REDLINE VERSION

INTERNATIONAL STANDARD



**Fixed capacitors for use in electronic equipment –
Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film
dielectric surface mount DC capacitors**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.060.10

ISBN 978-2-8322-6447-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 General.....	8
1 Scope.....	8
1.2 Object.....	8
2 Normative references	8
3 Terms and definitions	9
4 Preferred ratings and characteristics	9
4.1 Preferred characteristics climatic categories	9
4.2 Preferred values of ratings.....	10
4.2.1 Nominal capacitance (C_N)	10
4.2.2 Tolerance on nominal capacitance.....	10
4.2.3 Rated voltage (U_R).....	10
4.2.4 Category voltage (U_C).....	10
4.2.5 Rated temperature.....	11
5 Test and measurement procedures.....	11
5.1 General.....	11
5.2 Mounting.....	11
5.2.1 Initial inspections.....	11
5.2.2 Mounting method.....	11
5.2.3 Final Inspections after mounting.....	11
5.3 Visual examination and check of dimensions	11
5.3.1 General	11
5.3.2 Visual examination and check of dimensions	11
5.3.3 Requirements	11
5.4 Electrical tests	12
5.4.1 Voltage proof.....	12
5.4.2 Capacitance	13
5.4.3 Tangent of loss angle ($\tan \delta$)	13
5.4.4 Insulation resistance.....	14
5.5 Shear test.....	15
5.5.1 General	15
5.5.2 Final inspections.....	15
5.6 Substrate bending test.....	15
5.6.1 General	15
5.6.2 Initial inspections.....	15
5.6.3 Final inspections and requirements.....	15
5.7 Resistance to soldering heat.....	15
5.7.1 General	15
5.7.2 Initial inspections.....	16
5.7.3 Test conditions	16
5.7.4 Recovery	16
5.7.5 Final inspections and requirements.....	16
5.8 Solderability.....	16
5.8.1 General	16
5.8.2 Test conditions	16
5.8.3 Final inspections and requirements.....	16

5.9	Rapid change of temperature	17
5.9.1	General	17
5.9.2	Initial inspections	17
5.9.3	Test conditions	17
5.9.4	Final inspections and requirements	17
5.10	Climatic sequence	17
5.10.1	General	17
5.10.2	Initial inspections	17
5.10.3	Dry heat	17
5.10.4	Damp heat, cyclic, test Db, first cycle	17
5.10.5	Cold	17
5.10.6	Damp heat, cyclic, test Db, remaining cycles	18
5.10.7	Recovery	18
5.10.8	Final inspections and requirements	18
5.11	Damp heat, steady state	18
5.11.1	General	18
5.11.2	Initial inspections	18
5.11.3	Test conditions	18
5.11.4	Recovery	18
5.11.5	Final inspections and requirements	18
5.12	Endurance	19
5.12.1	General	19
5.12.2	Initial inspections	19
5.12.3	Test conditions	19
5.12.4	Final inspections and requirements	19
5.13	Charge and discharge	20
5.13.1	General	20
5.13.2	Initial inspections	20
5.13.3	Test conditions	20
5.13.4	Recovery	20
5.13.5	Final inspections and requirements	20
5.14	Component solvent resistance (if required)	20
5.14.1	General	20
5.14.2	Final inspections and requirements	20
5.15	Solvent resistance of marking (if required)	20
5.15.1	General	20
5.15.2	Final inspections and requirements	20
6	Marking	21
6.1	General	21
6.2	Information for marking	21
6.3	Marking on capacitors	21
6.4	Marking on packaging	21
7	Information to be given in a detail specification	21
7.1	General	21
7.2	Outline drawing and dimensions	21
7.3	Mounting	22
7.4	Ratings and characteristics	22
7.4.1	General	22
7.4.2	Nominal capacitance range	22

7.4.3	Particular characteristics	22
7.4.4	Soldering	22
7.5	Marking.....	22
8	Quality assessment procedures	23
8.1	Primary stage of manufacture	23
8.2	Structurally similar components	23
8.3	Certified test records of released lots.....	23
8.4	Qualification approval procedures.....	23
8.4.1	General	23
8.4.2	Qualification approval on the basis of the fixed sample size procedure	23
Annex A (normative) Quality conformance inspection.....		37
A.1	Formation of inspection lots	37
A.1.1	Groups A and B inspection	37
A.1.2	Group C inspection	37
A.2	Test schedule	37
A.3	Delayed delivery	37
A.4	Assessment levels	37
Annex X (informative) Cross-references to the previous edition of this document.....		45
Bibliography.....		46
Table 1 – Percentage limit of the rated voltage at AC voltage frequency		10
Table 2 – Category voltages for upper category temperature 125 °C.....		10
Table 3 – Category voltages for upper category temperature 155 °C.....		11
Table 4 – Test voltages.....		12
Table 5 –Tangent of loss angle limits		13
Table 6 – Requirements regarding insulation resistance		14
Table 7 – Correction factor dependent on test temperature		15
Table 8 – Endurance test conditions for Grade 1, 2 and Grade 3 capacitors		19
Table 9 – Test and sampling plan for qualification approval Assessment level EZ.....		25
Table 10 – Test schedule for qualification approval.....		27
Table A.1 – Lot-by-lot inspection.....		38
Table A.2 – Periodic tests inspection		40
Table X.1 – Cross-references		45

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –**Part 20: Sectional specification –
Fixed metallized polyphenylene sulfide film
dielectric surface mount DC capacitors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60384-20:2015. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60384-20 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) revision of all parts of the document based on the ISO/IEC Directives, Part 2:2021, and harmonization with other similar kinds of documents;
- b) the document structure has been organized to follow new sectional specification structure decided in TC 40;
- c) revised tables and Clause 5 so as to prevent duplications and contradictions;
- d) in Clause 5.2 (Mounting), the Subclauses 5.2.1, 5.2.2 and 5.2.3 have been added;
- e) in Subclause 5.5 (Shear test), the Subclauses 5.5.1 and 5.5.2 have been added;
- f) in Subclause 5.14 (Component solvent resistance), the Subclauses 5.14.1 and 5.14.2 have been added. In Table 8 and Table A.2, test 5.14 has been moved before 5.7.5 (Final inspections and requirements) in Group 1A and in Subgroup C1;
- g) in Subclause 5.15 (Solvent resistance of marking), the Subclauses 5.15.1 and 5.15.2 have been added;
- h) tangent of loss angle measurement has been added to resistance to soldering heat test;
- i) lot-by-lot and periodical inspection tables, including requirements, have been moved to Annex A;
- j) revised Inspection Level (IL) of A1 subgroup.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2982/FDIS	40/3018/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

The list of all parts of the IEC 60384 series, under the general title *Fixed capacitors for use in electronic equipment*, can be found on the IEC web site.

This document was drafted in accordance with ISO/IEC Directives, Part 2:2021, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film dielectric surface mount DC capacitors

~~1~~ **General**

1 Scope

This part of IEC 60384 is applicable to fixed surface mount capacitors for direct current, with metallized electrodes and polyphenylene sulfide dielectric for use in electronic equipment. These capacitors have metallized connecting pads or soldering strips and are intended to be mounted directly onto printed boards or onto substrates for hybrid circuits. These capacitors ~~may~~ can have "self-healing properties" depending on conditions of use. They are primarily intended for applications where the AC component is small with respect to the rated voltage.

~~These capacitors are divided to 3 grades. Performance grade 1 for long life, performance grade 2 for general purpose and performance grade 3 for miniature type.~~

~~Capacitors for radio interference suppression are not included, but are covered by IEC 60384-14.~~

~~Capacitors used for motor or fluorescent lamp are outside the scope of this standard.~~

~~1.2~~ **Object**

~~The object of this standard is to prescribe~~ This part of IEC 60384 specifies preferred ratings and characteristics and selects from IEC 60384-1:2021 the appropriate quality assessment procedures, tests and measuring methods, and gives general performance requirements for this type of capacitor. Test severities and requirements ~~prescribed~~ specified in detail specifications referring to this ~~standard shall be~~ sectional specification are of an equal or higher performance level; lower performance levels are not permitted.

Capacitors for electromagnetic interference suppression are not included but are covered by IEC 60384-14.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062:~~2004~~, *Marking codes for resistors and capacitors*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60384-1:~~2008~~2021, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

ISO 3, *Preferred numbers – Series of preferred numbers*

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fixed capacitors for use in electronic equipment –
Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film
dielectric surface mount DC capacitors**

**Condensateurs fixes utilisés dans les équipements électroniques –
Partie 20: Spécification intermédiaire – Condensateurs fixes pour montage en
surface pour courant continu à diélectrique en film de sulfure de polyphénylène
métallisé**

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Preferred ratings and characteristics	8
4.1 Preferred climatic categories.....	8
4.2 Preferred values of ratings.....	8
4.2.1 Nominal capacitance (C_N)	8
4.2.2 Tolerance on nominal capacitance.....	9
4.2.3 Rated voltage (U_R).....	9
4.2.4 Category voltage (U_C).....	9
4.2.5 Rated temperature.....	9
5 Test and measurement procedures.....	10
5.1 General.....	10
5.2 Mounting.....	10
5.2.1 Initial inspections.....	10
5.2.2 Mounting method.....	10
5.2.3 Final Inspections after mounting	10
5.3 Visual examination and check of dimensions	10
5.3.1 General	10
5.3.2 Visual examination and check of dimensions	10
5.3.3 Requirements	10
5.4 Electrical tests	10
5.4.1 Voltage proof.....	10
5.4.2 Capacitance	11
5.4.3 Tangent of loss angle ($\tan \delta$)	11
5.4.4 Insulation resistance.....	12
5.5 Shear test	13
5.5.1 General	13
5.5.2 Final inspections.....	13
5.6 Substrate bending test	14
5.6.1 General	14
5.6.2 Initial inspections.....	14
5.6.3 Final inspections and requirements.....	14
5.7 Resistance to soldering heat.....	14
5.7.1 General	14
5.7.2 Initial inspections.....	14
5.7.3 Test conditions	14
5.7.4 Recovery	14
5.7.5 Final inspections and requirements.....	14
5.8 Solderability.....	14
5.8.1 General	14
5.8.2 Test conditions	15
5.8.3 Final inspections and requirements.....	15
5.9 Rapid change of temperature.....	15
5.9.1 General	15

5.9.2	Initial inspections.....	15
5.9.3	Test conditions	15
5.9.4	Final inspections and requirements.....	15
5.10	Climatic sequence.....	15
5.10.1	General	15
5.10.2	Initial inspections.....	15
5.10.3	Dry heat	15
5.10.4	Damp heat, cyclic, test Db, first cycle	16
5.10.5	Cold.....	16
5.10.6	Damp heat, cyclic, test Db, remaining cycles	16
5.10.7	Recovery	16
5.10.8	Final inspections and requirements.....	16
5.11	Damp heat, steady state	16
5.11.1	General	16
5.11.2	Initial inspections.....	16
5.11.3	Test conditions	16
5.11.4	Recovery	16
5.11.5	Final inspections and requirements.....	16
5.12	Endurance	17
5.12.1	General	17
5.12.2	Initial inspections.....	17
5.12.3	Test conditions	17
5.12.4	Final inspections and requirements.....	17
5.13	Charge and discharge	17
5.13.1	General	17
5.13.2	Initial inspections.....	17
5.13.3	Test conditions	18
5.13.4	Recovery	18
5.13.5	Final inspections and requirements.....	18
5.14	Component solvent resistance (if required)	18
5.14.1	General	18
5.14.2	Final inspections and requirements.....	18
5.15	Solvent resistance of marking (if required)	18
5.15.1	General	18
5.15.2	Final inspections and requirements.....	18
6	Marking	18
6.1	General.....	18
6.2	Information for marking	18
6.3	Marking on capacitors	19
6.4	Marking on packaging	19
7	Information to be given in a detail specification.....	19
7.1	General.....	19
7.2	Outline drawing and dimensions	19
7.3	Mounting.....	20
7.4	Ratings and characteristics	20
7.4.1	General	20
7.4.2	Nominal capacitance range.....	20
7.4.3	Particular characteristics	20
7.4.4	Soldering	20

7.5	Marking.....	20
8	Quality assessment procedures	20
8.1	Primary stage of manufacture	20
8.2	Structurally similar components	20
8.3	Certified test records of released lots.....	20
8.4	Qualification approval procedures.....	21
8.4.1	General	21
8.4.2	Qualification approval on the basis of the fixed sample size procedure	21
Annex A (normative) Quality conformance inspection.....		28
A.1	Formation of inspection lots	28
A.1.1	Groups A and B inspection	28
A.1.2	Group C inspection	28
A.2	Test schedule	28
A.3	Delayed delivery	28
A.4	Assessment levels	28
Annex X (informative) Cross-references to the previous edition of this document.....		35
Bibliography.....		36
Table 1 – Percentage limit of the rated voltage at AC voltage frequency		9
Table 2 – Category voltages for upper category temperature 125 °C.....		9
Table 3 – Category voltages for upper category temperature 155 °C.....		9
Table 4 – Test voltages.....		11
Table 5 –Tangent of loss angle limits		12
Table 6 – Requirements regarding insulation resistance		13
Table 7 – Correction factor dependent on temperature.....		13
Table 8 – Endurance test conditions for Grade 1, 2 and Grade 3 capacitors		17
Table 9 – Test and sampling plan for qualification approval Assessment level EZ.....		22
Table 10 – Test schedule for qualification approval.....		23
Table A.1 – Lot-by-lot inspection.....		29
Table A.2 – Periodic inspection.....		30
Table X.1 – Cross-references		35

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –**Part 20: Sectional specification –
Fixed metallized polyphenylene sulfide film
dielectric surface mount DC capacitors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60384-20 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) revision of all parts of the document based on the ISO/IEC Directives, Part 2:2021, and harmonization with other similar kinds of documents;
- b) the document structure has been organized to follow new sectional specification structure decided in TC 40;
- c) revised tables and Clause 5 so as to prevent duplications and contradictions;
- d) in Clause 5.2 (Mounting), the Subclauses 5.2.1, 5.2.2 and 5.2.3 have been added;

- e) in Subclause 5.5 (Shear test), the Subclauses 5.5.1 and 5.5.2 have been added;
- f) in Subclause 5.14 (Component solvent resistance), the Subclauses 5.14.1 and 5.14.2 have been added. In Table 8 and Table A.2, test 5.14 has been moved before 5.7.5 (Final inspections and requirements) in Group 1A and in Subgroup C1;
- g) in Subclause 5.15 (Solvent resistance of marking), the Subclauses 5.15.1 and 5.15.2 have been added;
- h) tangent of loss angle measurement has been added to resistance to soldering heat test;
- i) lot-by-lot and periodical inspection tables, including requirements, have been moved to Annex A;
- j) revised Inspection Level (IL) of A1 subgroup.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2982/FDIS	40/3018/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

The list of all parts of the IEC 60384 series, under the general title *Fixed capacitors for use in electronic equipment*, can be found on the IEC web site.

This document was drafted in accordance with ISO/IEC Directives, Part 2:2021, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film dielectric surface mount DC capacitors

1 Scope

This part of IEC 60384 is applicable to fixed surface mount capacitors for direct current, with metallized electrodes and polyphenylene sulfide dielectric for use in electronic equipment. These capacitors have metallized connecting pads or soldering strips and are intended to be mounted directly onto printed boards or onto substrates for hybrid circuits. These capacitors can have "self-healing properties" depending on conditions of use. They are primarily intended for applications where the AC component is small with respect to the rated voltage.

This part of IEC 60384 specifies preferred ratings and characteristics and selects from IEC 60384-1:2021 the appropriate quality assessment procedures, tests and measuring methods, and gives general performance requirements for this type of capacitor. Test severities and requirements specified in detail specifications referring to this sectional specification are of an equal or higher performance level; lower performance levels are not permitted.

Capacitors for electromagnetic interference suppression are not included but are covered by IEC 60384-14.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60384-1:2021, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

ISO 3, *Preferred numbers – Series of preferred numbers*

SOMMAIRE

AVANT-PROPOS	41
1 Domaine d'application	43
2 Références normatives	43
3 Termes et définitions	44
4 Valeurs assignées et caractéristiques préférentielles	44
4.1 Catégories climatiques préférentielles	44
4.2 Valeurs assignées préférentielles	45
4.2.1 Capacité nominale (C_N)	45
4.2.2 Tolérance sur la capacité nominale	45
4.2.3 Tension assignée (U_R)	45
4.2.4 Tension de catégorie (U_C)	45
4.2.5 Température assignée	46
5 Procédures d'essai et de mesure	46
5.1 Généralités	46
5.2 Montage	46
5.2.1 Contrôles initiaux	46
5.2.2 Méthode de montage	46
5.2.3 Contrôles finaux après le montage	46
5.3 Examen visuel et contrôle des dimensions	46
5.3.1 Généralités	46
5.3.2 Examen visuel et contrôle des dimensions	46
5.3.3 Exigences	47
5.4 Essais électriques	47
5.4.1 Tension de tenue	47
5.4.2 Capacité	47
5.4.3 Tangente de l'angle de perte ($\tan \delta$)	48
5.4.4 Résistance d'isolement	48
5.5 Essai de cisaillement	50
5.5.1 Généralités	50
5.5.2 Contrôles finaux	50
5.6 Essai de pliage du substrat	50
5.6.1 Généralités	50
5.6.2 Contrôles initiaux	50
5.6.3 Contrôles finaux et exigences	50
5.7 Résistance à la chaleur de brasage	50
5.7.1 Généralités	50
5.7.2 Contrôles initiaux	50
5.7.3 Conditions d'essai	51
5.7.4 Rétablissement	51
5.7.5 Contrôles finaux et exigences	51
5.8 Brasabilité	51
5.8.1 Généralités	51
5.8.2 Conditions d'essai	51
5.8.3 Contrôles finaux et exigences	51
5.9 Variations rapides de température	51
5.9.1 Généralités	51

5.9.2	Contrôles initiaux.....	52
5.9.3	Conditions d'essai	52
5.9.4	Contrôles finaux et exigences.....	52
5.10	Séquence climatique.....	52
5.10.1	Généralités.....	52
5.10.2	Contrôles initiaux.....	52
5.10.3	Chaleur sèche	52
5.10.4	Chaleur humide, cyclique, essai Db, premier cycle	52
5.10.5	Froid.....	52
5.10.6	Chaleur humide, cyclique, essai Db, cycles restants	52
5.10.7	Rétablissement.....	52
5.10.8	Contrôles finaux et exigences.....	53
5.11	Chaleur humide, essai continu	53
5.11.1	Généralités.....	53
5.11.2	Contrôles initiaux.....	53
5.11.3	Conditions d'essai	53
5.11.4	Rétablissement.....	53
5.11.5	Contrôles finaux et exigences.....	53
5.12	Endurance	53
5.12.1	Généralités.....	53
5.12.2	Contrôles initiaux.....	53
5.12.3	Conditions d'essai	53
5.12.4	Contrôles finaux et exigences.....	54
5.13	Charge et décharge	54
5.13.1	Généralités.....	54
5.13.2	Contrôles initiaux.....	54
5.13.3	Conditions d'essai	54
5.13.4	Rétablissement.....	54
5.13.5	Contrôles finaux et exigences.....	55
5.14	Résistance du composant aux solvants (si cela est exigé)	55
5.14.1	Généralités.....	55
5.14.2	Contrôles finaux et exigences.....	55
5.15	Résistance au solvant du marquage (si cela est exigé)	55
5.15.1	Généralités.....	55
5.15.2	Contrôles finaux et exigences.....	55
6	Marquage.....	55
6.1	Généralités	55
6.2	Informations relatives au marquage	55
6.3	Marquage des condensateurs	55
6.4	Marquage de l'emballage	56
7	Informations devant figurer dans la spécification particulière	56
7.1	Généralités	56
7.2	Dessin d'encombrement et dimensions	56
7.3	Montage.....	56
7.4	Valeurs assignées et caractéristiques	56
7.4.1	Généralités.....	56
7.4.2	Plage de capacités nominales	57
7.4.3	Caractéristiques particulières	57
7.4.4	Brasure.....	57

7.5	Marquage	57
8	Procédures d'assurance de la qualité	57
8.1	Étape initiale de fabrication.....	57
8.2	Composants de structure semblable	57
8.3	Rapports certifiés d'essais des lots acceptés	57
8.4	Procédures d'homologation.....	57
8.4.1	Généralités	57
8.4.2	Homologation basée sur la procédure avec un effectif d'échantillons fixe	58
Annexe A (normative) Contrôle de conformité de la qualité		67
A.1	Formation des lots de contrôle	67
A.1.1	Contrôle des Groupes A et B	67
A.1.2	Contrôle du Groupe C.....	67
A.2	Programme d'essais	67
A.3	Livraison différée	67
A.4	Niveaux d'assurance.....	67
Annexe X (informative) Correspondances des références par rapport à l'édition précédente du présent document		75
Bibliographie.....		76

Tableau 1 – Pourcentage limite de la tension assignée à une fréquence de tension alternative.....	45
Tableau 2 – Tensions de catégorie pour la température de catégorie supérieure 125 °C.....	45
Tableau 3 – Tensions de catégorie pour la température de catégorie supérieure 155 °C.....	46
Tableau 4 – Tensions d'essai.....	47
Tableau 5 – Limites de la tangente de l'angle de perte	48
Tableau 6 – Exigences relatives à la résistance d'isolement	49
Tableau 7 – Facteur de correction en fonction de la température	50
Tableau 8 – Conditions d'essai d'endurance pour les condensateurs de Classe 1, de Classe 2 et de Classe 3	54
Tableau 9 – Essais et plans d'échantillonnage pour homologation Niveau d'assurance EZ ...	59
Tableau 10 – Programme d'essai pour homologation	60
Tableau A.1 – Contrôle lot par lot	68
Tableau A.2 – Contrôle périodique.....	69
Tableau X.1 – Références croisées.....	75

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

**CONDENSATEURS FIXES UTILISÉS DANS
LES ÉQUIPEMENTS ÉLECTRONIQUES –****Partie 20: Spécification intermédiaire –
Condensateurs fixes pour montage en surface pour courant continu
à diélectrique en film de sulfure de polyphénylène métallisé**

AVANT-PROPOS

- 1) La Commission Électrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. À cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments du présent document de l'IEC peuvent faire l'objet de droits de brevets. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets.

L'IEC 60384-20 a été établie par le comité d'études 40 de l'IEC: Condensateurs et résistances pour équipements électroniques. Il s'agit d'une Norme internationale.

Cette quatrième édition annule et remplace la troisième édition parue en 2015. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) révision de toutes les parties du document en s'appuyant sur les Directives ISO/IEC, Partie 2:2021, et harmonisation avec d'autres types de documents similaires;
- b) la structure du document a été organisée pour suivre la nouvelle structure de spécification intermédiaire décidée au sein du CE 40;
- c) révision des tableaux et de l'Article 5 pour éviter les duplications et les contradictions;
- d) dans l'Article 5.2 (Montage), les paragraphes 5.2.1, 5.2.2 et 5.2.3 ont été ajoutés;
- e) dans le paragraphe 5.5 (Essai de cisaillement), les paragraphes 5.5.1 et 5.5.2 ont été ajoutés;
- f) dans le paragraphe 5.14 (Résistance du composant aux solvants), les paragraphes 5.14.1 et 5.14.2 ont été ajoutés; dans le Tableau 8 et le Tableau A.2, l'essai 5.14 a été déplacé avant 5.7.5 (Contrôles finaux et exigences) dans le Groupe 1A et dans le Sous-groupe C1;
- g) dans le paragraphe 5.15 (Résistance au solvant du marquage), les paragraphes 5.15.1 et 5.15.2 ont été ajoutés;
- h) ajout du mesurage de la tangente de l'angle de perte à l'essai de résistance à la chaleur du brasage;
- i) les tableaux de contrôle lot par lot et périodique qui comprennent des exigences ont été déplacés à l'Annexe A;
- j) révision du Niveau de contrôle (IL) du Sous-groupe A1.

Le texte de cette Norme internationale est issu des documents suivants:

Projet	Rapport de vote
40/2982/FDIS	40/3018/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à son approbation.

La langue employée pour l'élaboration de cette Norme internationale est l'anglais.

Une liste de toutes les parties de la série IEC 60384, publiées sous le titre général *Condensateurs fixes utilisés dans les équipements électroniques*, se trouve sur le site web de l'IEC.

Ce document a été rédigé selon les Directives ISO/IEC, Partie 2:2021 et a été développé selon les Directives ISO/IEC, Partie 1 et les Directives ISO/IEC, Supplément IEC, disponibles sous www.iec.ch/members_experts/refdocs. Les principaux types de documents développés par l'IEC sont décrits plus en détail sous www.iec.ch/publications.

Le comité a décidé que le contenu de ce document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous webstore.iec.ch dans les données relatives au document recherché. À cette date, le document sera

- reconduit,
- supprimé,
- remplacé par une édition révisée, ou
- amendé.

CONDENSATEURS FIXES UTILISÉS DANS LES ÉQUIPEMENTS ÉLECTRONIQUES –

Partie 20: Spécification intermédiaire – Condensateurs fixes pour montage en surface pour courant continu à diélectrique en film de sulfure de polyphénylène métallisé

1 Domaine d'application

La présente partie de l'IEC 60384 est applicable aux condensateurs fixes pour montage en surface pour courant continu à électrodes métallisées et à diélectrique en sulfure de polyphénylène destinés aux équipements électroniques. Ces condensateurs sont équipés de contacts de connexion métallisés ou de bandes de brasure et sont destinés à être montés directement sur des cartes imprimées ou des substrats pour circuits hybrides. Ces condensateurs peuvent avoir des propriétés "autocicatrisantes" en fonction des conditions d'utilisation. Ils sont principalement destinés à des applications dans lesquelles la composante alternative est faible par rapport à la tension assignée.

La présente partie de l'IEC 60384 spécifie les valeurs assignées et caractéristiques préférentielles, sélectionne, en se référant à l'IEC 60384-1:2021, les procédures d'assurance de la qualité appropriées, les essais et les méthodes de mesure et donne les exigences de performances générales pour ce type de condensateur. Les sévérités et les exigences des essais spécifiées dans les spécifications particulières se référant à la présente spécification intermédiaire ont un niveau de performance supérieur ou égal. Les niveaux de performance inférieurs ne sont pas autorisés.

Les condensateurs d'antiparasitage ne sont pas inclus mais ils sont couverts par l'IEC 60384-14.

2 Références normatives

Les documents suivants sont cités dans le texte de sorte qu'ils constituent, pour tout ou partie de leur contenu, des exigences du présent document. Pour les références datées, seule l'édition citée s'applique. Pour les références non datées, la dernière édition du document de référence s'applique (y compris les éventuels amendements).

IEC 60062, *Codes de marquage des résistances et des condensateurs*

IEC 60063, *Séries de valeurs normales pour résistances et condensateurs*

IEC 60068-1:2013, *Essais d'environnement – Partie 1: Généralités et lignes directrices*

IEC 60384-1:2021, *Condensateurs fixes utilisés dans les équipements électroniques – Partie 1: Spécification générique*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages* (disponible en anglais seulement)

ISO 3, *Nombres normaux – Séries de nombres normaux*