



Edition 2.0 2020-04 REDLINE VERSION

INTERNATIONAL STANDARD



Terms and nomenclature for cores made of magnetically soft ferrites – Part 1: Terms used for physical irregularities and reference of dimensions

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.100.10 ISBN 978-2-8322-8218-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWO	DRD	5
1 Scor	oe	7
2 Norr	native references	7
3 Tern	ns and definitions	7
4 Phys	sical irregularities	7
4.1	General overview	7
4.2	General terms for physical irregularities	8
4.3	Surface irregularities	9
4.3.	- 1 5	
4.3.2	3 ()	
4.3.3	B Edge irregularities	11
4.3.4	9	
4.3.5	•	
4.3.6	3	
4.4	Interior irregularities	
4.5	Shape irregularities (deformations)	
4.5.	3	
4.5.2	1 3 , 3	
4.5.3	3 3	
4.5.4	1 3	
	irregularities	
	erence of dimensions	
5.1	General specifications	
5.2	Dimension descriptions	
5.3	Core illustrations	
	(informative) Location related terms	
A.1	General	
A.2	Surfaces	
A.3	Shape	
A.4	Specific parts location qualifiers	29
Figure 1	– Surface chip	9
Figure 2	– Edge chip	9
Figure 3	- Corner chip	9
Figure 4	– Pull-out	10
Figure 5	– Pores	10
Figure 6	– Hump	11
_	– Attached particle	
Ū	– Ragged edge	
_	– Flash	
•	– гіаsіі) – Single-surface narrow crack	
-		
	l – Single-surface broad crack	
•	2 – Edge narrow crack	
Eiguro 12	R - Edge broad crack	12

Figure 14 – Inner channel crack	13
Figure 15 – Lamination	13
Figure 16 – Crazing	14
Figure 17 – Difference in colour tones	14
Figure 18 – Discoloration	14
Figure 19 – Stain	15
Figure 20 – Crystallite	15
Figure 21 – Roughness	15
Figure 22 – Short-ground surface	16
Figure 23 – Scratch	16
Figure 24 – Convexity	17
Figure 25 – Concavity	18
Figure 26 – Warping	18
Figure 27 – Deflection-out	18
Figure 28 – Deflection-in	19
Figure 29 – Transverse deflection	19
Figure 30 – Undulation	19
Figure 31 – Non-parallelism	19
Figure 32 – Non-perpendicularity	20
Figure 33 – Non-coplanarity	20
Figure 34 – Non-circularity	20
Figure 35 – Ovality	21
Figure 36 – Non-concentricity of co-planar circles	21
Figure 37 – Non-concentricity of circles lying on two planes	21
Figure 38 – Steplike ground surface	22
Figure 39 – Uneven grinding slant	22
Figure 40 – Un-matching	22
Figure 41 – Profile deformation	23
Figure 42 – Ring-cores	24
Figure 43 – E-core	24
Figure 44 – ETD- or EER-core	25
Figure 45 – EC-core	25
Figure 46 – Planar E-core	25
Figure 47 – Planar EL-core	25
Figure 48 – Planar ER-core	25
Figure 49 – Plate-core mating planar cores	25
Figure 50 – EFD-core	26
Figure 51 – Drum-core	26
Figure 52 – EP-core	26
Figure 53 – PQ-core	26
Figure 54 – Pot-core and half pot-core for inductive proximity switches	26
Figure 55 – PM-core	26
Figure 56 – RM-core	27

Figure 57 – U-core	27
Figure 58 – UR-core	
Figure 59 – Balun-core	27
Figure 60 – Multi hole bead	27
Figure A.1 – E-core	33
Figure A.2 – RM-core	33
Table 1 – Ring-core dimension designations	23
Table 2 – Other ferrite shape dimension designations	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TERMS AND NOMENCLATURE FOR CORES MADE OF MAGNETICALLY SOFT FERRITES –

Part 1: Terms used for physical irregularities and reference of dimensions

FORFWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60401-1 has been prepared by IEC technical committee 51: Magnetic components, ferrite and magnetic powder materials.

This second edition cancels and replaces the first edition of IEC 60401-1 published in 2002 and the second edition of IEC 60401-2 published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous editions of IEC 60401-1 and IEC 60401-2:

- a) added the surface irregularity term "pores" in 4.3.1.6;
- b) added the surface irregularity term "scratch" in 4.3.6.3;
- c) removed the surface irregularity term "crater" in 4.1.5 of IEC 60401-1: 2002;
- d) removed the bulk irregularity terms "superpores" in 5.1, "inclusions" in 5.2, "internal stratification" in 5.3 and "internal crack" in 5.4 of IEC 60401-1: 2002:
- e) removed the contents related to "yoke ring cores" in 7.1.3 and 7.4 of IEC 60401-1:2002;
- f) replaced the surface irregularity term "stratification" with "lamination" in 4.3.4.7;
- g) replaced the location related terms "upper surface of back" with "bottom surface" and "lower surface of back" with "back surface" in Figure A.1;
- h) changed Clause 7 of IEC 60401-1:2002 into Annex A.

The text of this International Standard is based on the following documents:

CDV	Report on voting
51/1313/CDV	51/1332/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60401 series, published under the general title *Terms and nomenclature for cores made of magnetically soft ferrites* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

TERMS AND NOMENCLATURE FOR CORES MADE OF MAGNETICALLY SOFT FERRITES –

Part 1: Terms used for physical irregularities and reference of dimensions

1 Scope

This part of IEC 60401 provides a nomenclature of the most frequent surface, bulk and shape irregularities relevant to cores made of soft ferrites (magnetic oxides). Most irregularities are graphically exemplified as visual aids. A general recommendation is also given in Annex A for a consistent scheme for specifying the exact location of the irregularity, combining a general name for the location with more detailed qualifiers of the specified location. This document can also be useful as a terminology reference when preparing technical documentation, irregularity inspection specifications, etc.

This document also presents a method for defining the designation nomenclature for the major physical attributes of soft ferrite core shapes. The purpose of this document is to facilitate uniform usage of dimensional characters by manufacturers, specifiers, and users when describing core dimensions on drawings, in tables, and on catalogue specification sheets.

2 Normative references

There are no normative references in this document.





Edition 2.0 2020-04

INTERNATIONAL STANDARD

Terms and nomenclature for cores made of magnetically soft ferrites – Part 1: Terms used for physical irregularities and reference of dimensions



CONTENTS

FC	REWO	RD	5
1	Scop	e	7
2	Norm	native references	7
3	Term	s and definitions	7
4	Phys	ical irregularities	7
	4.1	General overview	
	4.2	General terms for physical irregularities	
	4.3	Surface irregularities	
	4.3.1	Chip irregularities	8
	4.3.2	Protruding (convex) irregularities	10
	4.3.3	Edge irregularities	11
	4.3.4	Crack irregularities	11
	4.3.5	3	
	4.3.6	9 9	
	4.4	Interior irregularities	
	4.5	Shape irregularities (deformations)	
	4.5.1	3	
	4.5.2	, , ,	
	4.5.3	5	
5	4.5.4	Other shape irregularitiesrence of dimensions	
5			
	5.1	General specifications.	
	5.2 5.3	Dimension descriptions	
Δn		(informative) Location related terms	
Λ	A.1	General	
	A.1 A.2	Surfaces	
	A.3	Shape	
	A.4	Specific parts location qualifiers	
	71.1	opeome parte resulten quannere	
Fic	nure 1 -	- Surface chip	g
		- Edge chip	
		- Corner chip	
		·	
•		- Pull-out	
		- Pores	
		- Hump	
Fiç	gure 7 -	- Attached particle	10
Fiç	gure 8 -	- Ragged edge	11
Fiç	gure 9 -	- Flash	11
Fiç	gure 10	- Single-surface narrow crack	11
Fig	gure 11	- Single-surface broad crack	12
		– Edge narrow crack	
		- Edge broad crack	
		- Inner channel crack	
	, w. U I T		

Figure 15 – Lamination	13
Figure 16 – Crazing	13
Figure 17 – Difference in colour tones	14
Figure 18 – Discoloration	14
Figure 19 – Stain	14
Figure 20 – Crystallite	14
Figure 21 – Roughness	15
Figure 22 – Short-ground surface	15
Figure 23 – Scratch	15
Figure 24 – Convexity	16
Figure 25 – Concavity	16
Figure 26 – Warping	16
Figure 27 – Deflection-out	17
Figure 28 – Deflection-in	17
Figure 29 – Transverse deflection	17
Figure 30 – Undulation	18
Figure 31 – Non-parallelism	18
Figure 32 – Non-perpendicularity	18
Figure 33 – Non-coplanarity	18
Figure 34 – Non-circularity	19
Figure 35 – Ovality	19
Figure 36 – Non-concentricity of co-planar circles	19
Figure 37 – Non-concentricity of circles lying on two planes	20
Figure 38 – Steplike ground surface	20
Figure 39 – Uneven grinding slant	20
Figure 40 – Un-matching	21
Figure 41 – Profile deformation	21
Figure 42 – Ring-cores	22
Figure 43 – E-core	22
Figure 44 – ETD- or EER-core	23
Figure 45 – EC-core	23
Figure 46 – Planar E-core	23
Figure 47 – Planar EL-core	23
Figure 48 – Planar ER-core	23
Figure 49 – Plate-core mating planar cores	23
Figure 50 – EFD-core	24
Figure 51 – Drum-core	24
Figure 52 – EP-core	24
Figure 53 – PQ-core	24
Figure 54 – Pot-core and half pot-core for inductive proximity switches	24
Figure 55 – PM-core	24
Figure 56 – RM-core	25
Figure 57 II core	25

Figure 58 – UR-core	25
Figure 59 – Balun-core	25
Figure 60 – Multi hole bead	25
Figure A.1 – E-core	28
Figure A.2 – RM-core	
Table 1 – Ring-core dimension designations	21
Table 2 – Other ferrite shape dimension designations	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TERMS AND NOMENCLATURE FOR CORES MADE OF MAGNETICALLY SOFT FERRITES –

Part 1: Terms used for physical irregularities and reference of dimensions

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60401-1 has been prepared by IEC technical committee 51: Magnetic components, ferrite and magnetic powder materials.

This second edition cancels and replaces the first edition of IEC 60401-1 published in 2002 and the second edition of IEC 60401-2 published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous editions of IEC 60401-1 and IEC 60401-2:

- a) added the surface irregularity term "pores" in 4.3.1.6;
- b) added the surface irregularity term "scratch" in 4.3.6.3;
- c) removed the surface irregularity term "crater" in 4.1.5 of IEC 60401-1: 2002;

- d) removed the bulk irregularity terms "superpores" in 5.1, "inclusions" in 5.2, "internal stratification" in 5.3 and "internal crack" in 5.4 of IEC 60401-1: 2002;
- e) removed the contents related to "yoke ring cores" in 7.1.3 and 7.4 of IEC 60401-1:2002;
- f) replaced the surface irregularity term "stratification" with "lamination" in 4.3.4.7;
- g) replaced the location related terms "upper surface of back" with "bottom surface" and "lower surface of back" with "back surface" in Figure A.1;
- h) changed Clause 7 of IEC 60401-1:2002 into Annex A.

The text of this International Standard is based on the following documents:

CDV	Report on voting
51/1313/CDV	51/1332/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60401 series, published under the general title *Terms and nomenclature for cores made of magnetically soft ferrites* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

TERMS AND NOMENCLATURE FOR CORES MADE OF MAGNETICALLY SOFT FERRITES –

Part 1: Terms used for physical irregularities and reference of dimensions

1 Scope

This part of IEC 60401 provides a nomenclature of the most frequent surface, bulk and shape irregularities relevant to cores made of soft ferrites (magnetic oxides). Most irregularities are graphically exemplified as visual aids. A general recommendation is also given in Annex A for a consistent scheme for specifying the exact location of the irregularity, combining a general name for the location with more detailed qualifiers of the specified location. This document can also be useful as a terminology reference when preparing technical documentation, irregularity inspection specifications, etc.

This document also presents a method for defining the designation nomenclature for the major physical attributes of soft ferrite core shapes. The purpose of this document is to facilitate uniform usage of dimensional characters by manufacturers, specifiers, and users when describing core dimensions on drawings, in tables, and on catalogue specification sheets.

2 Normative references

There are no normative references in this document.