



IEC 60519-4

Edition 5.1 2026-02

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

**Safety in installations for electroheating and electromagnetic processing -
Part 4: Particular requirements for arc furnace installations**

CONTENTS

FOREWORD	5
INTRODUCTION	8
1 Scope	9
2 Normative references	9
3 Terms, definitions and abbreviated terms	10
3.1 General concepts	10
3.2 Equipment and state of equipment	10
3.3 Parts and accessories	12
3.4 Safety related concepts	12
3.5 Abbreviated terms	13
4 Classification and subdivision of equipment and installations	13
4.1 Classification by processing frequency	13
4.2 Classification by voltage	13
4.3 Subdivision of installation and equipment	13
4.4 Classification of hazards and risks	13
5 Risk assessment	13
6 General provisions	14
6.1 Basic considerations	14
6.2 Significant hazards	14
6.3 Physical environment and operating conditions for the installation as such and electrical equipment outside the processing equipment	14
6.4 Physical environment and operating conditions for electrical equipment caused by operation of the processing equipment	14
6.5 Power supply	15
6.6 Access	16
6.7 Ergonomic aspects	16
6.8 Transport and storage	16
6.9 Provisions for handling	17
6.10 Consumables and replaceable parts	17
7 Protection against hazards from electric shock	17
7.1 General	17
7.2 Fundamental rule of protection	17
7.3 General provisions	17
7.4 Basic protection	18
7.5 Provisions for protection in electric single fault condition	18
7.6 Protective equipotential bonding	18
7.7 Additional provisions for fault protection for frequencies above 200 Hz	19
7.8 Currents in protective conductors	19
7.9 Touch current and touch voltage	19
7.10 Conductors and insulations at high temperature	19
7.11 Non-electric faults	20
8 Protection against hazards from electric or magnetic fields	20
8.1 General	20
8.2 Magnetic fields	20
8.3 Magnetic fields below 1 Hz	20
8.4 Local electric fields	20

8.5	Requirements related to barriers and screens	20
8.6	Requirements related to objects worn, carried or held by persons	20
9	Protection against hazards from radiation	20
9.1	General.....	20
9.2	Installation or equipment generating ionizing radiation	20
9.3	Ultraviolet radiation	20
9.4	Visible and infrared radiation	21
9.5	Laser sources	21
10	Protection against hazards from thermal influences	21
10.1	General.....	21
10.2	Surface temperature limits for protection against burn	21
10.3	Hazards caused by working conditions.....	21
10.4	Temperature resistance of components	21
10.5	Cooling	22
10.6	Over-temperature protection	22
11	Protection against hazards from fire	22
12	Protection against hazards from fluids	22
13	Specific requirements for components and subassemblies	22
13.1	General.....	22
13.2	Electrical equipment and conductors.....	23
13.3	Connection to the electrical supply network and internal connections.....	23
13.4	Isolation and switching.....	23
13.5	Sensors and actuators safeguarding moving parts	25
13.6	Motors	25
13.7	Non electric-heating means.....	26
13.8	Lighting.....	26
13.9	Structural parts and stability	26
13.10	Doors, windows and other openings.....	26
13.11	Transformers, inductors, capacitors	26
13.12	Handheld applicators	26
13.13	Vacuum systems.....	26
13.14	Protective and reactive gas generator	26
14	Control of the installation or equipment.....	26
14.1	General.....	26
14.2	Operator control unit	27
14.3	Emergency stop	27
14.4	Control systems and their safety functions	27
14.5	Controlgear.....	27
14.6	Protective devices.....	27
14.7	Over-temperature protection devices and systems	27
14.8	Overpressure safety device.....	28
15	Protection against mechanical hazards	28
16	Protection against hazards resulting from use	28
16.1	Particular hazards in processing of food, feed, cosmetics and similar intended for human or animal consumption	28
16.2	Combination equipment	28
17	EMC	28
17.1	Radio frequency interference	28

17.2	Immunity	28
18	Verification and testing	28
18.1	General.....	28
18.2	Performing measurements and tests	30
18.3	Verification of requirements from references	31
18.4	Examination of drawings or calculations.....	31
18.5	Visual inspection.....	31
18.6	Measurements	31
18.6.1	Environment and operating conditions inside the processing equipment	31
18.6.2	Impedance of protective bonding	31
18.6.3	Insulation resistance measurement.....	31
18.6.4	Measurement of electric or magnetic fields	33
18.6.5	Touch current measurement	33
18.6.6	Measurement of ionising radiation	33
18.6.7	Measurement of non-coherent optical irradiation.....	33
18.6.8	Measurement of coherent optical radiation	33
18.6.9	Surface temperature measurement.....	33
18.6.10	Temperature of structural components subject to heat.....	33
18.7	Functional tests	33
18.7.1	Protection by automatic disconnection of supply	33
18.7.2	Voltage test	33
18.7.3	Dielectric test	34
18.7.4	Accessibility of live parts	34
18.8	Numerical calculations and modelling	34
19	Information for use	34
19.1	General requirements	34
19.2	Location and nature of the information for use	34
19.3	Signalling and warning devices	34
19.4	Markings, pictograms, written warnings.....	34
19.5	Instruction handbook.....	34
Annex A (normative)	Lists of significant hazards	36
Annex B (normative)	Limits to touch currents	37
Annex C (normative)	Non coherent optical radiation – Limits and risk classes	38
Annex D (normative)	Electric and magnetic fields	39
Annex E (normative)	Surface temperature limits	40
Annex F (normative)	EH, EMP and fire	41
Annex G (normative)	Marking and warning.....	42
Annex H (normative)	Guidelines on using this document.....	43
Annex I (informative)	Connection with ISO 13577 (all parts)	44
Annex J (informative)	Requirements specific to the EU and associated countries	45
Annex AA (normative)	Systems to assure improved safety for personnel working in the vicinity of electrodes and other live parts of secondary circuit	46
Annex BB (normative)	Limits to touch currents.....	52
Bibliography	53

Figure AA.1 – AC furnace supply according to design arrangements "a"	48
Figure AA.2 – AC furnace supply according to design arrangements "b"	48
Figure AA.3 – AC furnace supply according to design arrangements "c"	49
Figure AA.4 – DC furnace supply according to design arrangements "d"	50
Figure AA.5 – DC furnace supply according to design arrangements "e"	50
Figure AA.6 – Six electrode AC furnace supply with current converter according to design arrangements "f"	51
Table 1 – Methods for the verification of requirements	29
Table 101 – Test voltages of the Insulation measurement	32
Table 102 – Installation progress of EAF and LF	32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Safety in installations for electroheating and electromagnetic processing - Part 4: Particular requirements for arc furnace installations

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60519-4 edition 5.1 contains the fifth edition (2021-12) [documents 27/1141/FDIS and 27/1143/RVD] and its amendment 1 (2026-02) [documents 27/1209/CDV and 27/1225/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

IEC 60519-4 has been prepared by IEC technical committee 27: Industrial electroheating and electromagnetic processing. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the structure has been redrafted according to IEC 60519-1:2020;
- b) the scope and object have been redrafted;
- c) the terms and definitions, normative references and bibliography have been updated and completed;
- d) the requirements have been redrafted according to IEC 60519-1:2020;
- e) all provisions have been redrafted and the text is more concise with respect to submerged arc furnace installations;
- f) the annexes have been restructured, with respect to details concerning high voltage designs and non-electrical issues, however to be aware of in those installations;
- g) the aspect of noise has been removed from the scope;
- h) the EMC requirements have been clarified;
- i) risk classification of hazards have been based on emission;
- j) the boundaries to ISO 13577 (all parts) and ISO 13578 have been clarified.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
27/1141/FDIS	27/1143/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60519 series, published under the general title *Safety in installations for electroheating and electromagnetic processing*, can be found on the IEC website.

The clauses of this standard supplement or modify the corresponding clauses of IEC 60519-1:2020 (*General Requirements* hereinafter called "Part 1").

This part of IEC 60519 is to be read in conjunction with Part 1. It supplements or modifies the corresponding clauses of Part 1. Where the text indicates an "addition" to or a "replacement" of the relevant provision of Part 1, these changes are made to the relevant text of Part 1. Where no change is necessary, the words "This clause of Part 1 is applicable" are used. When a particular subclause of Part 1 is not mentioned in this part, that subclause applies as far as is reasonable.

Additional specific provisions to those in Part 1, given as individual clauses or subclauses, are numbered starting from 101.

NOTE The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

In this standard, the following print types are used:

- requirements and definitions: in roman type;
- NOTES: in smaller roman type;
- terms used throughout this standard which have been defined in Clause 3: in bold type.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This fifth edition of IEC 60519-4 is a product safety publication and is intended to:

- include all types of installations or equipment that are in the scope of IEC TC 27/MT 21 dealing with **arc furnace** installations;
- give requirements on electrical safety, **touch currents**, electric fields, magnetic fields and radiation;
- give means for verification of the requirements;
- make extensive use of the standards developed by IEC committees with horizontal or group safety functions and of relevant ISO standards, most of them being developed by ISO TC 244;
- include all material, references and requirements suitable for risk assessment and list of significant hazards.

This document addresses mainly **manufacturers** making made-to-order equipment on a single project base. The **manufacturer** is well aware that it is his responsibility to make equipment safe through adequate risk reduction and it is the responsibility of the **user** to assess **exposure** of the **operator** in line with applicable health and safety regulations. Looking at projects providing single pieces of equipment or single installations, this clear division of responsibilities tends to blur, caused by inter alia:

- development of the process (**normal operation**) through the **manufacturer** and **user**,
- shared definition of working procedures for the **operator** by the **manufacturer** and **user**,
- the scope of delivery often including all protective means,
- individual sales contracts where **users** require an assessment of **exposure** through the **manufacturer**.

Thus, this document provides information on electrical hazards and limits where relevant, despite being well aware that this is exceeding the scope of a product standard.

Annexes I and J provide orientation with respect to the application of ISO 13577-1 in combination with this document.

The rated voltage of an **arc furnace** Installation can be in the range of low voltage or high voltage; details are given in 4.2.

This document presumes that the installation or equipment is operated and maintained only by personnel consisting of **skilled** or **instructed persons**.

This document is intended for verifying whether the **arc furnace** installation meets the safety requirements of this document through design, site acceptance tests, routine tests or inspection.

1 Scope

This clause of Part 1 is replaced by the following.

Replacement:

This part of IEC 60519 provides particular safety requirements for arc furnace installations. This document deals with the significant hazards, hazardous situations or hazardous events relevant to industrial **arc furnace** installations, as listed in Annex A, for **normal operation** and for **single fault condition** as well as under conditions of reasonably foreseeable misuse.

This document specifies the requirements intended to be met by the **manufacturer** to ensure the safety of persons and property during the complete life cycle of the equipment from design through commissioning, operation, maintenance, inspection, to decommissioning, as well as in the event of foreseeable **single fault condition** that can occur in the equipment.

The rated voltage of **arc furnace** installation can be in the range of low voltage or high voltage, details are given in 4.2.

This standard is applicable to **arc furnace** installations such as:

- a) furnaces for direct arc heating, forming arcs between the electrode and metal such as the electric **arc furnace** using alternating current (**EAF AC**) or direct current (**EAF DC**), and the ladle furnace (**LF**);
- b) furnaces for arc-resistance heating forming arcs between the electrode and the charge material or heating the charge material by the Joule effect, such as the **submerged arc-resistance** furnace using alternating current (**SAF AC**), or direct current (**SAF DC**).

NOTE 1 In some documents, the terms "smelter" or "electrical reduction furnace" are used.

Furnace installation for unattended operation is not covered by this document.

This document does not provide requirements for type testing.

NOTE 2 Industrial equipment covered by this document is typically produced as a single unit or a very small number of units; such unit usually has a very high value and can cause severe harm at disintegration.

This document does not address data security and hazards arising from neglect of security.

With respect to noise of electrical an **arc furnace**, ISO 13578:2017, 6.1.23 applies.

EAF DC and **SAF DC** are classified as zero frequency (0 Hz) equipment types. **EAF AC**, **SAF AC** and **LF** are classified as mains frequency (50 Hz or 60 Hz) equipment types. Furnaces being operated at frequencies outside of the above-mentioned equipment types are not covered by this document.

2 Normative references

This clause of Part 1 is applicable except as follows.

Replacement:

IEC 61936-1:2021, *Power installations exceeding 1 kV AC and 1,5 kV DC - Part 1: AC*

Additions:

Bibliography

The Bibliography of Part 1 is applicable with the following additions:

Additions:

IEC 60050-841:2004, *International Electrotechnical Vocabulary – Part 841: Industrial electroheat*

IEC 60076 (all parts), *Power transformers*

IEC 60146-1 (all parts), *Semiconductor converters – General requirements and line commutated converters*

IEC 60676:2011, *Industrial electroheating equipment – Test methods for direct arc furnaces*

IEC 60683:2011, *Industrial electroheating equipment – Test methods for submerged-arc furnaces*

IEC 60871, *Shunt capacitors for a.c. power systems having a rated voltage above 1 000 V*

IEC 61378 (all parts), *Converter transformers*

IEC 62477-2, *Safety requirements for power electronic converter systems and equipment – Part 2: Power electronic converters from 1 000 V AC or 1 500 V DC up to 36 kV AC or 54 kV DC*

EN 14677:2008, *Safety of machinery: Secondary Steelmaking-Machinery and equipment for treatment of liquid steel*

EN 14681:2007, *Safety of machinery: Safety requirements for machinery and equipment for production of steel by electric arc furnaces*
