



Edition 3.0 2025-12

INTERNATIONAL STANDARD

EXTENDED VERSION

This full version of IEC 60598-2-1:2025 includes the content of the references made to IEC 60598-1:2024

Luminaires -

Part 2-1: Particular requirements - Fixed general purpose luminaires

CONTENTS

F	DREWO	RD	11
IN	TRODU	ICTION	13
1	Scop	e	14
2	Norm	native references	14
3	Term	is and definitions	17
4 General requirements			
•	4.1	General	
	4.1	General test requirements and verification	
	4.3	Components of luminaires	
	4.4	Information for luminaire design in light sources and controlgear standards	
	4.101	General	
	4.102	Sequence of clauses	
5		sification of luminaires	
Ū	5.1	General	
	5.2	Classification according to the type of protection against electric shock	
	5.3	Classification according to the degree of protection against ingress of dust, solid objects and moisture	
	5.4	Classification according to the material of the mounting surface for which the luminaire is designed	
	5.5	Classification according to the circumstances of use	
6		ing	
U			
	6.1	General Marking on hypringing	
	6.2 6.3	Marking on luminaires Information to be marked on luminaires	
	6.4	Additional information	
	6.5	Test of marking	
7		struction	
′			
	7.1	General	
	7.2	Replaceable components	
	7.3	Lampholders	
	7.4 7.5	Starterholders	
	7.5 7.6	Terminal blocks	
	7.7	Terminals and supply connections	
	7.8	Switches	
	7.9	Insulating linings and sleeves	
	7.10	Double and reinforced insulation	
	7.11	Electrical connections and current-carrying parts	
	7.12	Screws, connections (mechanical) and glands	
	7.12	Mechanical strength	
	7.14	Suspensions, fixings and means of adjustment	
	7.15	Flammable materials	
	7.16	Luminaires for mounting on normally flammable surfaces	
	7.17	Drain holes	
	7.18	Resistance to corrosion	
	7.19	Ignitors	

	7.20	Rough service luminaires	85
	7.21	Protective shield	87
	7.22	Attachments to lamps	88
	7.23	Semi-luminaires	88
	7.24	Photobiological hazards	88
	7.24.	.1 Actinic UV hazards for skin and eye (200 nm to 400 nm)	88
	7.24.	.2 UV-A hazard for the eye lens (315 nm to 400 nm)	89
	7.24.	3	
	7.24.	(,	
	7.24.	, (,	
	7.24.	(
	7.25	Mechanical hazard	91
	7.26	Short-circuit protection	
	7.27	Terminal blocks with integrated screwless protective earthing contacts	
	7.28	Fixing of thermal sensing controls	
	7.29	Luminaires with non-replaceable light sources	93
	7.30	Luminaires with non-user replaceable light sources and non-user	00
	7.31	serviceable components	
	7.31 7.31.		
	7.31. 7.31.		
	7.31. 7.31.		
	7.31. 7.31.		
	7.31.		90
	7.51.	providing SELV output(s)	96
	7.32	Overvoltage protective devices external to controlgear	
	7.32.	.1 General	96
	7.32.	.2 Surge protective devices (SPDs)	97
	7.32.	.3 Surge protective components (SPCs)	97
	7.33	Luminaire powered via information technology communication cabling	99
	7.34	Electromagnetic fields (EMF)	99
	7.35	Protection against moving fan blades	100
	7.36	Track-mounted luminaires	100
8	Exter	rnal and internal wiring	100
	8.1	General	100
	8.2	Supply connection and other external wiring	100
	8.3	Internal wiring	109
	8.4	Test to determine the suitability of conductors having a reduced cross-	
		sectional area	
9	Provi	ision for earthing	112
	9.1	General	112
	9.2	Provision for earthing	
10	Prote	ection against electric shock	115
	10.1	General	115
	10.2	Protection against electric shock	115
11	Resis	stance to dust, solid objects and moisture	119
	11.1	General	119
	11.2	General conditions and tests for IP classification	119
	11 2	1 General	110

	11.2.	2	Tests for first characteristics IP numerals 2, 3 and 4	121
	11.2.	3	Tests for first characteristic IP numeral 5 and 6	121
	11.2.	4	Drip-proof luminaires – Tests for second characteristic IP numeral 1	122
	11.2.	5	Drip-proof luminaires – Tests for second characteristic IP numeral 2	123
	11.2.	6	Rain-proof luminaires – Tests for second characteristic IP numeral 3	123
	11.2.	7	Splash-proof luminaires – Tests for second characteristic IP numeral 4	124
	11.2.	8	Jet-proof luminaires – Tests for second characteristic IP numeral 5	124
	11.2.	9	Powerful jet-proof luminaires – Tests for second characteristic IP	
			numeral 6	
	11.2.		Watertight luminaires – Tests for second characteristic IP numeral 7	125
	11.2.	11	Pressure watertight luminaires – Tests for second characteristic IP	400
	44.0	40	numeral 8	126
	11.2.	12	High pressure and temperature water jet-proof luminaires – Tests for second characteristic IP numeral 9 (80 °C)	126
	11.2.	13	High pressure and cold water jet-proof luminaires – Tests for second	120
		. •	characteristic IP numeral 9 (15 °C)	126
	11.3	Hun	nidity test	126
12			resistance and electric strength, touch current and protective conductor	
	curre	nt		127
	12.1	Gen	neral	127
	12.2	Insu	ılation resistance and electric strength	127
	12.2.	1	General	127
	12.2.	2	Test – Insulation resistance	128
	12.2.	3	Test – Electric strength	129
	12.3	Tou	ch current, protective conductor current and electric burn	131
13	Cree	page	distances and clearances	132
	13.1	Gen	neral	132
	13.2	Req	uirements	133
	13.2.	1	General	133
	13.2.	2	Creepage distances	134
	13.2.	3	Clearances	135
14	Endu	ranc	e test and thermal test	137
	14.1	Gen	neral	137
	14.2	Sele	ection of lamps and controlgear	137
	14.3	End	urance test	138
	14.3.	1	General	138
	14.3.	2	Test	138
	14.3.	3	Compliance	139
	14.4	The	rmal test (normal operation)	139
	14.4.	1	General	139
	14.4.	2	Test	140
	14.4.		Compliance	
	14.5		rmal test (abnormal operation)	
	14.5.		General	
	14.5.		Test	
	14.5.		Compliance	
	14.6		rmal test (failed windings in controlgear)	
	14.6.		General	
	14.6.	2	Test for luminaires without thermal cut-outs	149

14.6.3 Test for luminaires with temperature sensing controls	150
14.7 Thermal test in regard to fault conditions in controlgear or electronic devices incorporated in thermoplastic luminaires	151
14.7.1 General	151
14.7.2 Test for luminaires without temperature sensing controls	151
14.7.3 Test for luminaires with temperature sensing controls internal or external to the controlgear or transformer	
15 Resistance to heat, fire and tracking	155
15.1 General	
15.2 Resistance to heat	
15.3 Resistance to flame and ignition	
15.4 Resistance to tracking	
16 Screw terminals	
16.1 General	
16.2 General requirements and basic principles	
16.3 Mechanical requirements and tests	
17 Screwless terminals and electrical connections	
17.1 General	
17.1 General requirements	
17.3 General instructions for tests	
17.3.1 Preparation of samples	
17.3.2 Test conductors	
17.3.3 Multi-conductor terminals	
17.3.4 Multi-way terminals	
17.3.5 Test quantities	
17.3.5 Test quantities	
17.4.1 Mechanical tests	
17.4.1 Mechanical tests	
17.4.2 Electrical tests	
17.5.1 Conductors	
17.5.2 Mechanical tests	
17.5.3 Electrical tests	
Annex A (normative) Test to establish whether a conductive part can cause an electric	177
shock	179
A.1 General	179
A.2 Touch voltage limits	179
A.3 Touch current limits	179
A.4 Compliance	179
Annex B (normative) Test lamps	180
B.1 General	180
B.2 Filament lamps within the scope of IEC 60432-1 and IEC 60432-2	180
B.2.1 Principal modes of heat transfer and lamps used for testing	180
B.2.2 Filament test lamps	181
B.3 Halogen lamps within the scope of IEC 60432-3	182
B.4 Tubular fluorescent and other discharge lamps	182
B.5 LED modules within the scope of IEC 62031	182
Annex C (normative) Abnormal circuit conditions	183
Annex D (normative) Thermal testing	186

D.1	Draught-proof enclosure	186
D.2	Mounting surface	186
D.3	Alternative test procedure for adjustment of measured temperatures for luminaire t _a rating(s)	187
D.3.	<u> </u>	
D.3. D.3.		101
D.3.	sensing controls and where the rated ambient temperature \dot{t}_{a} as	
	marked on the luminaire is higher than the ambient temperature in the draught-proof enclosure	187
	(normative) Determination of winding temperature rises by the increase-in- e method	188
	(normative) Test for resistance to stress corrosion of copper and copper	189
F.1	Test cabinet	189
F.2	Test solution	189
F.3	Test piece	189
F.4	Test procedure	
Annex G	(normative) Measurement of touch current and protective conductor current .	
G.1	General	191
G.2	Test conditions	
G.3	Test procedures	
G.4	Test measurements	
G.5	Test sequence	
	(informative) Explanation of IP numbers for degrees of protection	
	informative) Temperature measurements	
I.1	Temperature measurements of the luminaire	
1.1	Temperature measurement of the insulation parts of lampholders	
	(informative) Guidelines for good practice in luminaire design	
J.1	General	
J. 1 J.2	Plastics in luminaires	
-		
J.3 J.4	Rust resistance	
	Chamically carrening atmospheres	
J.5	Chemically corrosive atmospheres	
J.6	Reflector design	
J.7	Components in different kinds of luminaires	203
J.8	Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps	203
J.9	Resistance against the effects of vibration	
J.10	Flammability of components	
J.11	Permanent magnets	
	(normative) Determination of creepage distances and clearances	
Annex L	(informative) Explanation of marking for luminaires that are not suitable for	
_	on normally flammable surfaces and covering with insulation materials	
L.1	General	
L.2	Protection against flame	
L.3	Protection against heat	
L.3.		
L.3.2	Spacing	208

L.3.3	Temperature measurements of mounting surface under abnormal or failed ballast conditions	208
L.4	Thermal protectors	
L.5	Deletion of the F mark requirements	
	(normative) Absorption requirements for the protective shield to be fitted to	∠ ۱ ۱
	s designed for metal halide lamps which emit a high level of UV radiation	212
M.1	General	212
M.2	Procedure A	
M.3	Procedure B	
	(informative) Conformity testing during manufacture	
N.1	General	
N.2	Testing	
	(normative) Schedule of amended subclauses containing more serious or quirements which call for products to be retested	
Annex P (normative) Requirements for the identification of a family or range of	
	s for type testing	217
P.1	General	217
P.2	Range or family of luminaires	217
	(informative) Additional requirements for luminaires where a higher degree of y (overvoltage category III) may be requested	218
Q.1	General	218
Q.2	Requirements for overvoltage category III	
	(normative) Additional test requirements for terminal blocks with integrated protective earthing contact for direct connection to the luminaire housing or	
	f the body	220
R.1	Additional requirements to 9.2.1	220
R.1.1	Requirements for mechanical strength	220
R.1.2	Past for terminal fixing	220
R.1.3	B Test for supporting plate	220
R.2	Additional requirements to 9.2.3	220
Annex S (normative) Alternative thermal test for thermoplastic luminaires	222
S.1	General	222
S.2	Thermal test in regard to fault conditions in controlgear or electronic devices without temperature sensing controls in thermoplastic luminaires for	000
Annov T (fluorescent lamps ≤ 70 Wnormative) Requirements for insulation between live parts of circuits and	222
accessible	e conductive parts	224
	(informative) Information regarding power sourcing equipment powering uminaires via information technology communication cabling	226
U.1	General	226
U.2	Insulation of the mains supply	226
U.3	Electrical limits of a PSE	226
Annex V (informative) Cross-references to the previous edition of IEC 60598-1	228
Annex W	(normative) Battery/EDLC-operated luminaires	231
W.1	General	231
W.2	General test requirements and verification	231
W.3	Marking	233
W.3.	1 General	233
W.3.	2 Luminaires with replaceable battery	233

W.3.3	Coin and button batteries	233
W.3.4	Other standardized batteries (e.g. AAA or AA)	234
W.3.5	Luminaires with non-standardized replaceable rechargeable battery	235
W.3.6	Luminaires with non-user replaceable battery/EDLC	235
W.3.7	Luminaires with non-replaceable battery/EDLC	236
W.3.8	Luminaires supplied by external dedicated power supply units	236
W.3.9	Rechargeable luminaires other than ordinary	236
W.3.10	Conditions for charging	
	struction	
W.4.1	General	
W.4.2	Small batteries (coins, button and other non-standardized batteries)	237
W.4.3	Battery compartment fasteners for small batteries and other standardized batteries (e.g. AAA or AA)	238
W.4.4	Battery/EDLC chargers incorporated in luminaires	
W.4.5	Short-circuit protection	
W.4.6	Electrical parameters of the batteries operation	239
W.4.7	Protection against overpressure for Li-ion batteries used in luminaires	240
W.4.8	Protection against the consequence of failure of cells or EDLCs	240
W.5 Pro	ection against electric shock	241
W.6 End	urance test and thermal test	241
W.6.1	Endurance test	241
W.6.2	Thermal test (normal operation)	241
W.6.3	Thermal test (abnormal operation)	242
W.6.4	Lithium-ion charging systems – Fault conditions	
	formative) Schedule of amended subclauses containing more serious or	
•	ments which call for products to be retested	
Bibliography		246
•	ample of "looping-in" (feed through)	
Figure 2 – Exa	amples of "through wiring"	28
	imple of electro-mechanical contact system with plug or socket	
Figure 4 – AC	supply	47
Figure 5 – DC	supply	47
Figure 6 – DC	and AC supply	47
Figure 7 – Cla	ss II	48
_	ss III	
· ·	ninaire not suitable for direct mounting on normally flammable surfaces	
•	gh-pressure sodium lamps that require an external ignitor (to the lamp)	
· ·	gh-pressure sodium lamps having an internal starting device	
-		
	arning against the use of cool-beam lamps	
•	ınctional earthing	
_	otective earthing	
=	nimum distance from lighted objects (metres)	52
E:		
Figure 16 – Ro	ough service	

Figure 18 – Replace any cracked protective shield	53
Figure 19 – Test circuit for safety during insertion	53
Figure 20 – Self-shielded lamp	53
Figure 21 – Luminaires with internal fuses	54
Figure 22 – Do not stare at the operating light source	54
Figure 23 – Caution, risk of electric shock	55
Figure 24 – Use of heat resistant supply cables, interconnecting cables or external wiring	56
Figure 25 – Pictogram for non-replaceable light source	58
Figure 26 – Pictogram for non-user replaceable light source	59
Figure 27 – Pictogram for replaceable light source	59
Figure 28 – Pictogram for non-replaceable controlgear	60
Figure 29 – Pictogram for non-user replaceable controlgear	61
Figure 30 – Pictogram for replaceable controlgear	61
Figure 31 – Terminal block arrangement for installation test for luminaires with connecting leads (tails)	65
Figure 32 – Examples of self-tapping, thread-cutting and thread-forming screws	71
Figure 33 – Illustration of the requirements of 7.15.1	82
Figure 34 – Apparatus for ball impact tests	86
Figure 35 – Test chain	92
Figure 36 – Example of permitted degree of soldering	107
Figure 37 – Circuit for checking electrical contact between socket-outlet and plug	108
Figure 38 – Test to determine the suitability of conductors having a reduced cross-sectional area	112
Figure 39 – Example of a thread-forming screw used in a groove of a metallic material	113
Figure 40 – Apparatus for proving protection against dust	122
Figure 41 – Apparatus for testing protection against rain and splashing	123
Figure 42 – Nozzle for spray test	125
Figure 43 – Illustration of creepage and clearance measurements at a supply terminal	134
Figure 44 – Test circuit for luminaires incorporating fluorescent lamp ≤ 70 W	152
Figure 45 – Ball-pressure apparatus	155
Figure 46 – Pillar terminals	158
Figure 47 – Screw terminals and stud terminals	160
Figure 48 – Saddle terminals	161
Figure 49 – Lug terminals	162
Figure 50 – Mantle terminals	163
Figure 51 – Construction of electrical connections	169
Figure 52 – Examples of spring-type screwless terminals	170
Figure 53 – Further examples of screwless terminals	171
Figure C.1 – Circuit for testing rectifying effect (some capacitive starterless ballasts only)	184
Figure C.2 – Circuit for testing rectifying effect (ballasts for single pin lamps)	184
Figure C.3 – Circuit for testing rectifying effect of some high-pressure sodium and	185

Figure G.1 – Test configuration: single-phase equipment on star TN or TT system	193
Figure G.2 – Measuring network, touch current weighted for perception or reaction	194
Figure G.3 – Measuring network, touch current weighted for let-go (for portable class I luminaires)	194
Figure G.4 – Measuring network, weighted for high frequency	194
Figure I.1 – Placing of thermocouples on a typical lampholder	199
Figure L.1 – Relation between winding temperature and mounting surface temperature	209
Figure L.2 – Ignition temperatures of wood as a function of time	210
Figure R.1 – Arrangement for voltage drop test	221
Figure T.1 – Declaration of $LV_{\mbox{supply}}$ and $U_{\mbox{out}}$ and the insulation barriers between the light source and accessible parts	224
Table 1 – Marking	46
Table 2 – IP numbers for degree of protection against ingress of dust, solid objects and moisture	49
Table 3 – Identification of extra-low-voltage DC leads and terminations	
Table 4 – Overview of required Y capacitors	
Table 5 – Torque tests on screws	73
Table 6 – Torque tests on cable glands	75
Table 7 – Impact energy and spring compression	76
Table 8 – Test on semi-luminaires	80
Table 9 – Test on adjusting devices	81
Table 10 – Nominal discharge current (used in the combination wave test)	98
Table 11 – Supply cord	102
Table 12 – Wiring dimension	103
Table 13 – Tests for cord anchorage	106
Table 14 – Solid-object-proof luminaire test	121
Table 15 – Minimum insulation resistance	128
Table 16 – Electric strength	130
Table 17 – Limits of touch current or protective conductor current and electric burn	132
Table 18 – Minimum creepage distances for AC sinusoidal voltages up to 30 kHz (to be used in conjunction with Annex K)	135
Table 19 – Minimum clearances for working voltages (to be used in conjunction with Annex K)	136
Table 20 – Minimum distances for ignition pulse voltages or equivalent transformed peak voltage $U_{\mathbf{p}}$	137
Table 21 – Maximum temperatures under the test conditions of 14.4.3, for principal parts	143
Table 22 – Maximum temperatures under the test conditions of 14.4.3, for common materials used in luminaires	144
Table 23 – Maximum temperatures under the test conditions of 14.5.2	147
Table 24 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for controlgear	148
Table 25 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for controlgear marked "D6"	149

Table 26 – Temperature overshoot time limitation	151
Table 27 – Nominal cross-sectional areas of conductors according to terminal sizes	164
Table 28 – Nominal cross-sectional areas of conductors according to maximum current	165
Table 29 – Composition of conductors	166
Table 30 – Torque to be applied to screws and nuts	167
Table 31 – Pull to be applied to conductor	168
Table 32 – Conductor rating	176
Table 33 – Conductor pull force	176
Table F.1 – pH value of the test solution	189
Table G.1 – Position of switches e, n and p for the measurements of the different classes of luminaires	193
Table H.1 – Degrees of protection indicated by the first characteristic numeral	195
Table H.2 – Degrees of protection indicated by the second characteristic numeral	196
Table J.1 – Damaging influences	200
Table K.1 – Determination of creepage distances and clearances (see Table 18, Table 19 and Table 20)	206
Table L.1 – Guidance on when to use the symbol and its explanation on the luminaire or in the manufacturer's instructions provided with the luminaire	207
Table L.2 – Thermal protection operation	211
Table N.1 – Minimum values for electrical tests	215
Table Q.1 – Minimum clearance distances for AC sinusoidal working voltages overvoltage category III	218
Table Q.2 – Overview of required Y capacitors	219
Table Q.3 – Nominal discharge current (used in the combination wave test)	219
Table T.1 – Insulation requirements between live parts and accessible conductive parts	225
Table U.1 – Limits for the electrical parameters of a PSE	226
Table U.2 – Electrical parameters for communication cables or connectors	227
Table V.1 – Cross-references	228
Table W.1 – Artificial source characteristics	232
Table W.2 – Total area of openings for Li-ion cells	240
Table W.3 – Volume of air injected at 2 070 kPa	240

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Luminaires Part 2-1: Particular requirements Fixed general purpose luminaires

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 60598-2-1:2025 EXV includes the content of IEC 60598-2-1:2025, and the references made to IEC 60598-1:2024.

The specific content of IEC 60598-2-1:2025 is displayed on a blue background.

IEC 60598-2-1 has been prepared by subcommittee 34D: Luminaires, of IEC technical committee 34: Lighting. It is an International Standard.

This third edition cancels and replaces the second edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) The clause numbers and structure have been aligned with those of IEC 60598-1.

The text of this International Standard is based on the following documents:

Draft	Report on voting
34D/1743/CDV	34D/1762/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document is to be used in conjunction with the latest edition of IEC 60598-1 and its amendment(s).

It was established on the basis of the tenth edition (2024) of that standard.

NOTE When "Part 1" is mentioned in this document, it refers to IEC 60598-1.

Where this document states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

Subclauses additional to those in Part 1 are numbered starting from 101; supplementary annexes are entitled AAA, AAB, etc.

A list of all parts in the IEC 60598 series, published under the general title *Luminaires* can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

In general, this document covers safety requirements for luminaires. The object of this document is to provide a set of requirements and tests which are considered to be generally applicable to most types of luminaires and which can be called up as required by the detail specifications of the IEC 60598-2 series. This document is thus not regarded as a specification in itself for any type of luminaire, and its provisions apply only to particular types of luminaires to the extent determined by the appropriate part of the IEC 60598-2 series.

Each part of the IEC 60598-2 series details the requirements for a particular type of luminaire or group of luminaires. These parts of the IEC 60598-2 series are published separately for ease of revision and additional documents will be added as and when a need for them is recognized.

The IEC 60598-2 series comprises the following parts:

IEC 60598-2-1:	Fixed general purpose luminaires
IEC 60598-2-2:	Recessed luminaires and recessed air-handling luminaires
IEC 60598-2-3:	Luminaires for road and street lighting
IEC 60598-2-4:	Portable general purpose luminaires
IEC 60598-2-5:	Floodlights
IEC 60598-2-6:	Luminaires with built-in transformer for filament lamps (withdrawn)
IEC 60598-2-7:	Portable luminaires for garden use (withdrawn)
IEC 60598-2-8:	Handlamps
IEC 60598-2-9:	Photo and film luminaires (non-professional) (withdrawn)
IEC 60598-2-10:	Portable luminaires for children
IEC 60598-2-11:	Aquarium luminaires
IEC 60598-2-12:	Mains socket-outlet mounted nightlights
IEC 60598-2-13	Ground recessed luminaires
IEC 60598-2-14:	Luminaires for cold cathode tubular discharge lamps (neon tubes) and similar equipment
IEC 60598-2-15:	Not used at present
IEC 60598-2-16:	Not used at present
IEC 60598-2-17:	Luminaires for stage lighting, television and film studios (outdoor and indoor)
IEC 60598-2-18:	Luminaires for swimming pools and similar applications
IEC 60598-2-19	Air-handling luminaires (safety requirements) (withdrawn)
IEC 60598-2-20:	Lighting chains
IEC 60598-2-21:	Rope lights
IEC 60598-2-22	Luminaires for emergency lighting
IEC 60598-2-23:	Extra-low-voltage lighting systems for filament lamps
IEC 60598-2-24:	Luminaires with limited surface temperatures
IEC 60598-2-25:	Luminaires for use in clinical areas of hospitals and health care buildings

1 Scope

This part of IEC 60598 specifies requirements for fixed general purpose luminaires for use with electric light sources on supply voltages not exceeding 1 000 V.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60061-2, Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 2: Lampholders, available at http://std.iec.ch/iec60061

IEC 60061-3, Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges, available at http://std.iec.ch/iec60061

IEC 60068-2-6, Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)

IEC 60068-2-14:2023, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60068-2-31:2008, Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens

IEC 60068-2-75, Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests

IEC TR 60083, Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC

IEC 60085, Electrical insulation – Thermal evaluation and designation

IEC 60112:2020, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60155, Glow-starters for fluorescent lamps

IEC 60227 (all parts), Polyvinyl chloride insulated cables of rated voltages up to and including $450/750\ V$

IEC 60238:2016, Edison screw lampholders

IEC 60245 (all parts), Rubber insulated cables – Rated voltages up to and including 450/750 V

IEC 60320 (all parts), Appliance couplers for household and similar general purposes

IEC 60335-1:2020, Household and similar electrical appliances – Safety – Part 1: General requirements

IEC 60360, Standard method of measurement of lamp cap temperature rise

IEC 60384-14, Fixed capacitors for use in electronic equipment – Part 14: Sectional specification – Fixed capacitors for electromagnetic interference suppression and connection to the supply mains

IEC 60417, *Graphical symbols for use on equipment*, available at http://www.graphical-symbols.info/equipment

IEC 60432-1:1999, Incandescent lamps – Safety specifications – Part 1: Tungsten filament lamps for domestic and similar general lighting purposes

IEC 60432-1:1999/AMD1:2005 IEC 60432-1:1999/AMD2:2011

IEC 60432-2:1999, Incandescent lamps – Safety specifications – Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes

IEC 60432-2:1999/AMD1:2005 IEC 60432-2:1999/AMD2:2012

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60570:2003, Electrical supply track systems for luminaires

IEC 60570:2003/AMD1:2017 IEC 60570:2003/AMD2:2019

IEC 60598-1:2024, Luminaires - Part 1: General requirements and tests

IEC 60598-2 (all parts), Luminaires – Part 2: Particular requirements

IEC 60598-2-4:2017, Luminaires – Part 2-4: Particular requirements – Portable general purpose luminaires

IEC 60603 (all parts), Connectors for frequencies below 3 MHz for use with printed boards

IEC 60662, High-pressure sodium vapour lamps – Performance specifications

IEC 60664-4:2005, Insulation coordination for equipment within low-voltage systems – Part 4: Consideration of high-frequency voltage stress

IEC 60669-1, Switches for household and similar fixed-electrical installations – Part 1: General requirements

IEC 60669-2-1, Switches for household and similar fixed electrical installations – Part 2-1: Particular requirements – Electronic control devices

IEC 60684 (all parts), Flexible insulating sleeving

IEC 60695-2-11, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)

IEC 60695-11-5, Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance

IEC 60990, Methods of measurement of touch current and protective conductor current

IEC 60998-2-1, Connecting devices for low-voltage circuits for household and similar purposes – Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units

IEC 60998-2-2, Connecting devices for low-voltage circuits for household and similar purposes – Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units

IEC 61032:1997, Protection of persons and equipment by enclosures – Probes for verification

IEC 61051-2:2021, Varistors for use in electronic equipment – Part 2: Sectional specification for surge suppression varistors

IEC 61058-1:2016, Switches for appliances – Part 1: General requirements

IEC 61058-1-1, Switches for appliances – Part 1-1: Requirements for mechanical switches

IEC 61058-1-2, Switches for appliances – Part 1-2: Requirements for electronic switches

IEC 61058-2-1, Switches for appliances – Part 2-1: Particular requirements for cord switches

IEC 61167, Metal halide lamps – Performance specification

IEC 61249 (all parts), Materials for printed boards and other interconnecting structures

IEC 61347 (all parts), Lamp controlgear

IEC 61347-1:2015, Lamp controlgear – Part 1: General and safety requirements IEC 61347-1:2015/AMD1:2017

IEC 61535:2023, Installation couplers intended for permanent connection in fixed installations

IEC 61558 (all parts), Safety of transformers, reactors, power supply units and combinations thereof

IEC 61558-1:2017, Safety of transformers, reactors, power supply units and combinations thereof – Part 1: General requirements and tests

IEC 61643-11, Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods

IEC 61643-331:2020, Components for low-voltage surge protection – Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

IEC 61984:2008, Connectors - Safety requirements and tests

IEC 62133-2, Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications – Part 2: Lithium systems

IEC 62368-1:2018, Audio/video, information and communication technology equipment – Part 1: Safety requirements

IEC 62391-1, Fixed electric double-layer capacitors for use in electric and electronic equipment – Part 1: Generic specification

IEC 62391-2, Fixed electric double-layer capacitors for use in electronic equipment – Part 2: Sectional specification – Electric double layer capacitors for power application

IEC 62471-7:2023, Photobiological safety of lamps and lamp systems – Part 7: Light sources and luminaires primarily emitting visible radiation

IEC 62493:2015, Assessment of lighting equipment related to human exposure to electromagnetic fields
IEC 62493:2015/AMD1:2022

IEC 62680 (all parts), Universal serial bus interfaces for data and power

IEC TR 62778:2014¹, Application of IEC 62471 for the assessment of blue light hazard to light sources and luminaires

ISO 3864-1, Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings

ISO 7000, *Graphical symbols for use on equipment – Registered symbols*, available at https://www.graphical-symbols.info/equipment

ISO 8124-1:2022, Safety of toys – Part 1: Safety aspects related to mechanical and physical properties

¹ Withdrawn.

Bibliography

IEC 60050-151, International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices, available at https://www.electropedia.org

IEC 60050-195, International Electrotechnical Vocabulary (IEV) – Part 195: Earthing and protection against electric shock, available at https://www.electropedia.org

IEC 60050-482, International Electrotechnical Vocabulary (IEV) – Part 482: Primary and secondary cells and batteries, available at https://www.electropedia.org

IEC 60050-845, International Electrotechnical Vocabulary (IEV) – Part 845: Lighting, available at https://www.electropedia.org

IEC 60061 (all parts), Lamp caps and holders together with gauges for the control of interchangeability and safety, available at http://std.iec.ch/iec60061

IEC 60068-2-2:2007, Environmental testing – Part 2-2: Tests – Test B: Dry heat

IEC 60079 (all parts), Explosive atmospheres

IEC 60081, Double-capped fluorescent lamps – Performance specifications

IEC 60086-1, Primary batteries – Part 1: General

IEC 60086-2, Primary batteries – Part 2: Physical and electrical specifications

IEC 60216 (all parts), Electrical insulating materials – Thermal endurance properties

IEC 60228, Conductors of insulated cables

IEC 60269 (all parts), Low-voltage fuses

IEC 60357, Tungsten halogen lamps (non-vehicle) – Performance specifications

IEC 60364 (all parts), Low-voltage electrical installations

IEC 60364-4-41, Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock

IEC 60364-4-443 ⁶, Electrical installations of buildings – Part 4: Protection for safety – Chapter 44: Protection against overvoltages – Section 443: Protection against overvoltages of atmospheric origin or due to switching

IEC 60364-5-51, Electrical installations of buildings – Part 5-51: Selection and erection of electrical equipment – Common rules

IEC 60364-5-54:2011, Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors

⁶ Withdrawn.

IEC 60364-7-701, Low-voltage electrical installations – Part 7-701: Requirements for special installations or locations – Locations containing a bath or shower

IEC 60364-7-702, Low-voltage electrical installations – Part 7-702: Requirements for special installations or locations – Swimming pools and fountains

IEC 60400, Lampholders for tubular fluorescent lamps and starterholders

IEC 60432-3, Incandescent lamps – Safety specifications – Part 3: Tungsten halogen lamps (non-vehicle)

IEC 60449, Voltage bands for electrical installations of buildings7

IEC 60598-2-2, Luminaires – Part 2-2: Particular requirements – Recessed luminaires and recessed air-handling luminaires

IEC 60598-2-3, Luminaires – Part 2-3: Particular requirements – Luminaires for road and street lighting

IEC 60598-2-5, Luminaires – Part 2-5: Particular requirements – Floodlights

IEC 60664 (all parts), Insulation coordination for equipment within low-voltage systems

IEC 60664-1:2020, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

IEC 60664-3, Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution

IEC 60682, Standard method of measuring the pinch temperature of quartz-tungsten-halogen lamps

IEC 60695 (all parts), Fire hazard testing

IEC TS 60695-1-14, Fire hazard testing – Part 1-14: Guidance on the different levels of power and energy related to the probability of ignition and fire in low voltage electrotechnical products

IEC 60695-2 (all parts), Fire hazard testing – Part 2: Glowing/hot-wire based test methods

IEC 60838 (all parts), Miscellaneous lampholders

IEC 60901, Single-capped fluorescent lamps – Performance specifications

IEC 60921, Ballasts for tubular fluorescent lamps - Performance requirements

IEC 60923, Auxiliaries for lamps – Ballasts for discharge lamps (excluding tubular fluorescent lamps) – Performance requirements

IEC 60929, AC and/or DC-supplied electronic control gear for tubular fluorescent lamps – Performance requirements

⁷ Withdrawn.

IEC 60950-1:20058, Information technology equipment – Safety – Part 1: General requirements

IEC 61140:2016, Protection against electric shock – Common aspects for installation and equipment

IEC 61156 (all parts), Multicore and symmetrical pair/quad cables for digital communications

IEC 61184, Bayonet lampholders

IEC 61195, Double-capped fluorescent lamps – Safety specifications

IEC 61199:2011, Single-capped fluorescent lamps – Safety specifications

IEC 61199:2011/AMD1:2012

IEC 61199:2011/AMD2:2014

IEC 61210, Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements

IEC 61558-2-5, Safety of transformers, reactors, power supply units and combinations thereof – Part 2-5: Particular requirements and test for transformer for shavers, power supply units for shavers and shaver supply units

IEC 61995 (all parts), Devices for the connection of luminaires for household and similar purposes

IEC 62031, LED modules for general lighting – Safety specifications

IEC 62035, Discharge lamps (excluding fluorescent lamps) – Safety specifications

IEC 62133-1, Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications – Part 1: Nickel systems

IEC 62368 (all parts), Audio/video, information and communication technology equipment

IEC 62368-3:2017, Audio/video, information and communication technology equipment – Part 3: Safety aspects for DC power transfer through communication cables and ports

IEC 62471:2006, Photobiological safety of lamps and lamp systems

IEC TR 62471-2:2009⁹, Photobiological safety of lamps and lamp systems – Part 2: Guidance on manufacturing requirements relating to non-laser optical radiation safety

IEC 62504:2014, General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions

IEC 62722 (all parts), Luminaire performance

IEC TR 63139, Explanation of the mathematical addition of working voltages, insulation between circuits and use of PELV in TC 34 standards

⁸ Withdrawn.

⁹ Withdrawn.

ISO/IEC 11801 (all parts), Information technology – Generic cabling for customer premises

ISO 48-4:2018, Rubber, vulcanized or thermoplastic – Determination of hardness – Part 4: Indentation hardness by durometer method (Shore hardness)

ISO 4046-4:2016, Paper, board, pulp and related terms – Vocabulary – Part 4: Paper and board grades and converted products

ISO 16893, Wood-based panels – Particleboard

ANSI C136 Series, American National Standards for Roadway and Area Lighting Equipment

AS 3771, Road lighting luminaires with integral control gear

IEEE 802.3, IEEE Standard for Ethernet

KOUWENHOVEN, W.B., HOOKER, D.R. and LOTZ, E.L. *Electric Shock Effects of Frequency*. 1936