



Edition 5.0 2023-02 REDLINE VERSION

INTERNATIONAL STANDARD



Cable networks for television signals, sound signals and interactive services – Part 11: Safety

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.060.40

ISBN 978-2-8322-6530-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREW	'ORD	6
INTRODUCTION		
1 Sco	ope	10
2 No	mative references	
3 Ter	ms, definitions, symbols and abbreviated terms	11
3.1	Terms and definitions	12
3.2	Symbols	20
3.3	Abbreviated terms	21
4 Fur	ndamental requirements	22
4.1	General	22
4.2	Mechanical requirements	22
4.2		
4.2	11 5	
4.2	- 1	
	Laser radiation	
4.3	Radiation	
4.4	Electromagnetic radiation	
4.5 4.6	Thermal protection Safety in case of fire and fire reaction	
	salety in case of the and the reaction	
	uipotential bonding and earthing	
0 ⊑qi 6.1	General requirements	
6.2	Equipotential bonding mechanisms	
6.3	Equipotential bonding in meshed systems	
6.3		
6.3		
6.3		
6.3		
6.3		
7 Ma	ins-supplied equipment	
8 Re	mote power feeding in cable networks	
8.1	Remote power feeding	
8.1		
8.1	-	
8.1	.3 Current-carrying capacity and dielectric strength of the components	40
8.2	Remote powering from subscriber premises	41
9 Seg ele	gregation distances and protection against indirect contact and proximity to ctric power distribution systems	41
9.1	General	41
9.2	Overhead lines	
9.2	.1 Overhead lines up to 1 000 V	42
9.2	.2 Overhead lines above 1 000 V	42
9.3	House installations up to 1 000 V	
10 Sys	stem outlets and transfer points	42
10.1	General	42
10.2	System outlet	43

10.2.	1 Types of system outlets	43
10.2.	2 Fully isolated system outlet	43
10.2.	3 Semi-isolated system outlet	43
10.2.	4 Non-isolated system outlet with protective element	43
10.2.	5 Non-isolated system outlet without protective element	44
10.2.	6 Fully-isolated system outlet provided by means of a FTTH system	44
10.3	Transfer point	46
	ection against atmospheric overvoltages and elimination of potential	
	ences	
11.1	General	
11.2	Protection of the antenna system	
11.2.		
11.2.		
11.2.	5 1 11	
	Earthing and bonding of the antenna system	
11.3.		
11.3.	5	
11.3.	5	
11.4	Overvoltage protection	
12 Mech	nanical stability	73
12.1	General requirements	73
12.2	Bending moment	
12.3	Wind-pressure values	
12.4	Mast construction	75
12.5	Data to be published	
Annex A (informativenormative) Earth loop impedance	77
A.1	General	77
A.2	Earthing for fault conditions	77
A.3	Earthing to protect against hazardous touch voltage	78
A.4	Temporary safety measures	79
Annex B (informative) Use of shield wires to protect installations with coaxial cables	80
B.1	General	80
B.2	Soil quality determines shield-wiring necessity	80
B.3	Protective measures against direct lightning strikes on underground cables	80
Annex C ((informative) Differences in some countries	
C.1	Subclause 6.1	83
C.1.1		
C.1.2		
C.2	Subclause 6.2	
C.2.1	France	83
C.2.2	2 Norway	83
C.2.3	-	
C.3	Subclause 6.3 – Norway	83
C.3.1		
C.3.2		
C.3.3		
C.3.4		
C.4	Subclause 8.1.1 – Japan	

- 4 - IEC 60728-11:2023 RLV © IEC 2023

C.5	Subclause 9.1 – France	93
C.6	Subclause 9.2 – Japan	93
C.7	Subclause 10.1	93
C.7.	1 Sweden	93
C.7.	2 UK	93
C.8	Subclause 10.2 – Japan	93
C.9	Subclause 11.1 – Japan	93
C.10	Subclause 11.2	94
C.10	0.1 Germany	94
C.10).2 Japan	94
C.11	Subclause 11.3.2 – Japan	
C.12	Subclause 11.3.3 – Japan	96
C.13	Subclause 12.2 – Japan	97
C.14	Subclause 12.3 – Finland	
Bibliogra	phy	

Figure 1 – Example of equipotential bonding and earthing of a metal enclosure inside a non-conductive cabinet for outdoor-use	26
Figure 2 – Example of equipotential bonding of a building installation	27
Figure 3 – Example of equipotential bonding and indirect earthing of a metal enclosure inside a non-conductive cabinet for outdoor-use	28
Figure 4 – Example of equipotential bonding and earthing of a building installation (underground connection)	30
Figure 5 – Example of equipotential bonding and earthing of a building installation (above ground connection)	32
Figure 6 – Example of equipotential bonding with a galvanic isolated cable entering a building (underground connection)	34
Figure 7 – Example of maintaining equipotential bonding whilst a unit is removed	37
Figure 8 – MDU building installed with FTTH technology	46
Figure 9 – Areas of antenna-mounting in or on buildings, where earthing is not mandatory	48
Figure 10 – Flow chart for selection of the appropriate method for protecting the antenna system against atmospheric overvoltages	51
Figure 11 – Example of equipotential bonded headends and antennas in a protected volume of the building LPS	53
Figure 12 – Example of equipotential bonded headends and antennas in a protected volume of the building LPS an external horizontally isolated ATS	55
Figure 13 – Example of equipotential bonded headends and antennas in a protected volume of an external vertically isolated ATS	57
Figure 14 – Example of equipotential bonded antennas (not installed in a protected volume) and headend with direct connection to building LPS	59
Figure 15 – Example of equipotential bonded headend and earthed antennas (building without LPS)	63
Figure 16 – Example of bonding for antennas and headend (building without LPS and lightning risk lower than or equal to the tolerable risk)	65
Figure 17 – Example of protecting an antenna system (not installed in a protected volume) by additional bonding conductors ($R > R_T$)	69
Figure 18 – Examples of earthing mechanisms (minimum dimensions)	72
Figure 19 – Example of an overvoltage protective device for single dwelling unit	73

Figure 20 – Example of bending moment of an antenna mast	74
Figure A.1 – Systematic of earth loop resistance	78
Figure B.1 – Principle of single shield wire	82
Figure B.2 – Principle of two shield wires	82
Figure C.1 – IT power distribution system in Norway	84
Figure C.2 – Example of installations located farther than 20 m away from a transforming station	85
Figure C.3 – Example of installations located closer than 20 m from a transforming station	86
Figure C.4 – Example of cabinets for cable network with locally fed equipment and mains placed less than 2 m apart	87
Figure C.5 – Example of cabinets for cable network with remotely fed equipment and mains placed less than 2 m apart	88
Figure C.6 – Example of cabinets for cable network with locally fed equipment and mains placed more than 2 m apart	89
Figure C.7 – Example of cabinets for cable network with remotely fed equipment and mains placed more than 2 m apart	90
Figure C.8 – Example of an installation placing the amplifier in front of the galvanic isolator	91
Figure C.9 – Example of protection using a voltage depending device on network installations on poles	92
Figure C.10 – Example of the installation of a safety terminal in Japan	94
Figure C.11 – Examples of installation of a lightning protection system in Japan	96

Table 1 – Maximum allowed operation voltages and maximum recommended currents	
for coaxial cables in the EN 50117 series	.41
Table 2 – Solutions for protection of antenna systems against atmospheric overvoltage	.49
Table B.1 – Conductivity of different types of soil	. 80
Table B.2 – Protection factors (K_p) of protection measures against direct lightning	
strokes for buried cables	. 81

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 11: Safety

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60728-11:2016. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60728-11 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) Replacement of references to IEC 60065 and IEC 60950-1 with references to IEC 62368-1.
- b) Addition of subclauses 4.4 to 4.6.
- c) Revised definition of class I equipment, class II equipment, main earthing terminal, see 3.1.6, 3.1.8 and 3.1.31.
- d) Addition of definitions for harm, hazard, ordinary person, instructed person, skilled person, see 3.1.22, 3.1.23, 3.1.39, 3.1.40 and 3.1.41.
- e) Additional requirement to provide details on the equipment installed, see 4.1.
- f) Additional mechanical, design and construction requirements, see 4.2.2.
- g) Changes to the accessible part requirements, see 4.2.3.
- h) The current carrying capacity and dielectric strength of components is now obligatory, see 8.1.3.
- i) The assessment of the risk of lightning strike is now obligatory, see Figure 10.
- j) Extension of remote feeding voltage on subscriber feeder, see Table 1.

The text of this standard is based on the following documents:

Draft	Report on voting
100/3866/FDIS	100/3882/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Standards and other deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes for instance:

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution networks and systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 11: Safety

1 Scope

This part of IEC 60728 deals with the safety requirements applicable to fixed sited systems and equipment. As far as applicable, it is also valid for mobile and temporarily installed systems, for example, caravans.

Additional requirements may be applied, for example, referring to:

- electrical installations of buildings and overhead lines,
- other telecommunication services distribution systems,
- water distribution systems,
- gas distribution systems,
- lightning systems.

This document is intended to provide requirements specifically for the safety of the system, personnel working on it, subscribers and subscriber equipment. It deals only with safety aspects and is not intended to define a standard for the protection of the equipment used in the system.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60065:2014, Audio, video and similar electronic apparatus – Safety requirements

IEC 60364-1:2005, Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions

IEC 60364-4-44:2007, Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances IEC 60364-4-44:2007/AMD1:2015 IEC 60364-4-44:2007/AMD2:2018

IEC 60364-5-52:2009, Low-voltage electrical installations – Part 5-52: Selection and erection of electrical equipment – Wiring systems

IEC 60364-5-54:2011, Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors IEC 60364-5-54:2011/AMD1:2021

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)* IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013 IEC 60728-11:2023 RLV © IEC 2023 - 11 -

IEC 60728-2, Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment

IEC 60825-1, Safety of laser products - Part 1: Equipment classification and requirements

IEC 60825-2, Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)

IEC 60950-1:2005, Information technology equipment - Safety - Part 1: General requirements

IEC 60990:2016, Methods of measurement of touch current and protective conductor current

IEC 61140:2001, Protection against electric shock – Common aspects for installation and equipment IEC 61140:2001/AMD1:2004

IEC 62305 (all parts), Protection against lightning

IEC 62305-2:2010, Protection against lightning – Part 2: Risk management

IEC 62305-3:2010, Protection against lightning – Part 3: Physical damage to structures and life hazard

IEC 62305-4:2010, Protection against lightning – Part 4: Electrical and electronic systems within structures

IEC 62368-1:2018, Audio/video, information and communication technology equipment – Part 1: Safety requirements

IEC 62561-1:2017, Lightning protection system components (LPSC) – Part 1: Requirements for connection components

IEC 62561-2, Lightning protection system components (LPSC) – Part 2: Requirements for conductors and earth electrodes

ISO 3864-1:2011, Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs in workplaces and public areas

ISO 7010, Graphical symbols – Safety colours and safety signs – Registered safety signs

ISO/IEC 30129:2015, Information technology – Telecommunications bonding networks for buildings and other structures ISO/IEC 30129:2015/AMD1:2019

EN 50117 (all parts), Coaxial cables

EN 50164-1, Lightning Protection Components (LPC) – Part 1: Requirements for connection components

EN 50164-2, Lightning Protection Components (LPC) – Part 2: Requirements for conductors and earth electrodes

EN 50174-2, Information technology – Cabling installation – Part 2: Installation planning and practices inside buildings

EN 50310, Application of equipotential bonding and earthing in buildings with information technology equipment

EN 50575:2014, Power, control and communication cables – Cables for general applications in construction works subject to reaction to fire requirements




IEC 60728-11:2023-02(en)



Edition 5.0 2023-02

INTERNATIONAL STANDARD

Cable networks for television signals, sound signals and interactive services – Part 11: Safety



CONTENTS

FC	DREWO	PRD	6
IN	INTRODUCTION		
1	Scop	e	9
2	Norm	native references	9
3	Term	ns, definitions, symbols and abbreviated terms	10
	3.1	Terms and definitions	10
	3.2	Symbols	18
	3.3	Abbreviated terms	18
4	Fund	lamental requirements	19
	4.1	General	19
	4.2	Mechanical requirements	20
	4.2.1	General	20
	4.2.2	Equipment design and construction	20
	4.2.3	Accessible parts	20
	4.3	Radiation	20
	4.4	Electromagnetic radiation	20
	4.5	Thermal protection	20
	4.6	Safety in case of fire and fire reaction	20
5	Prote	ection against environmental influences	21
6	Equi	potential bonding and earthing	21
	6.1	General requirements	21
	6.2	Equipotential bonding mechanisms	21
	6.3	Equipotential bonding in meshed systems	32
	6.3.1	References to other standards	32
	6.3.2	General on AC mains	32
	6.3.3	AC power distribution and connection of the protective conductor	32
	6.3.4	Dangers and malfunction	32
	6.3.5	Measures	33
7	Main	s-supplied equipment	33
8	Rem	ote power feeding in cable networks	34
	8.1	Remote power feeding	34
	8.1.1	Maximum allowed voltages	34
	8.1.2	General requirements for equipment	34
	8.1.3	Current-carrying capacity and dielectric strength of the components	34
	8.2	Remote powering from subscriber premises	35
9		egation distances and protection against indirect contact to electric power bution systems	
	9.1	General	
	9.2	Overhead lines	
	9.2.1		
	9.2.1		
	9.3	House installations up to 1 000 V	
10		em outlets and transfer points	
	10.1	General	
	10.1	System outlet	
	10.2	-	
	10.2.		

10.2	2 Fully isolated system outlet	37
10.2		
10.2	4 Non-isolated system outlet with protective element	37
10.2	5 Non-isolated system outlet without protective element	37
10.2	6 Fully-isolated system outlet provided by means of a FTTH system	37
10.3	Transfer point	39
	ection against atmospheric overvoltages and elimination of potential	
	rences	
11.1	General	
11.2	Protection of the antenna system	
11.2		
11.2		
11.2	5 1 11	
	Earthing and bonding of the antenna system	
11.3		
11.3	5	
11.3	,	
11.4	Overvoltage protection	
	nanical stability	
12.1	General requirements	
12.2	Bending moment	
12.3	Wind-pressure values	
12.4	Mast construction	
12.5	Data to be published	
	(normative) Earth loop impedance	
A.1	General	
A.2	Earthing for fault conditions	
A.3	Earthing to protect against hazardous touch voltage	
A.4	Temporary safety measures	
	(informative) Use of shield wires to protect installations with coaxial cables	
	General	
B.2	Soil quality determines shield-wiring necessity	
B.3	Protective measures against direct lightning strikes on underground cables	
	(informative) Differences in some countries	
C.1	Subclause 6.1	
C.1.1		
C.1.2		
C.2	Subclause 6.2	
C.2.		
C.2.2	5	
C.2.3	•	
C.3	Subclause 6.3 – Norway	
C.3.		
C.3.2		
C.3.3		
C.3.4	5 1 1	
C.4	Subclause 8.1.1 – Japan	
C.5	Subclause 9.1 – France	

C.6 Subclause 9.2 – Japan	79
C.7 Subclause 10.1	79
C.7.1 Sweden	79
C.7.2 UK	79
C.8 Subclause 10.2 – Japan	79
C.9 Subclause 11.1 – Japan	79
C.10 Subclause 11.2	80
C.10.1 Germany	
C.10.2 Japan	80
C.11 Subclause 11.3.2 – Japan	81
C.12 Subclause 11.3.3 – Japan	
C.13 Subclause 12.2 – Japan	82
C.14 Subclause 12.3 – Finland	82
Bibliography	83

Figure 1 – Example of equipotential bonding and earthing of a metal enclosure inside a non-conductive cabinet for outdoor-use	23
Figure 2 – Example of equipotential bonding of a building installation	-
Figure 3 – Example of equipotential bonding and indirect earthing of a metal enclosure inside a non-conductive cabinet for outdoor-use	
Figure 4 – Example of equipotential bonding and earthing of a building installation (underground connection)	27
Figure 5 – Example of equipotential bonding and earthing of a building installation (above ground connection)	28
Figure 6 – Example of equipotential bonding with a galvanic isolated cable entering a building (underground connection)	29
Figure 7 – Example of maintaining equipotential bonding whilst a unit is removed	31
Figure 8 – MDU building installed with FTTH technology	39
Figure 9 – Areas of antenna-mounting in or on buildings, where earthing is not mandatory	41
Figure 10 – Flow chart for selection of the appropriate method for protecting the antenna system against atmospheric overvoltages	44
Figure 11 – Example of equipotential bonded headends and antennas in a protected volume of the building LPS	45
Figure 12 – Example of equipotential bonded headends and antennas in a protected volume of an external horizontally isolated ATS	46
Figure 13 – Example of equipotential bonded headends and antennas in a protected volume of an external vertically isolated ATS	47
Figure 14 – Example of equipotential bonded antennas (not installed in a protected volume) and headend with direct connection to building LPS	48
Figure 15 – Example of equipotential bonded headend and earthed antennas (building without LPS)	51
Figure 16 – Example of bonding for antennas and headend (building without LPS and lightning risk lower than or equal to the tolerable risk)	52
Figure 17 – Example of protecting an antenna system (not installed in a protected volume) by additional bonding conductors $(R > R_T)$	55
Figure 18 – Examples of earthing mechanisms	58
Figure 19 – Example of an overvoltage protective device for single dwelling unit	59
Figure 20 – Example of bending moment of an antenna mast	61

Figure A.1 – Systematic of earth loop resistance	65
Figure B.1 – Principle of single shield wire	68
Figure B.2 – Principle of two shield wires	69
Figure C.1 – IT power distribution system in Norway	71
Figure C.2 – Example of installations located farther than 20 m away from a transforming station	72
Figure C.3 – Example of installations located closer than 20 m from a transforming station	72
Figure C.4 – Example of cabinets for cable network with locally fed equipment and mains placed less than 2 m apart	73
Figure C.5 – Example of cabinets for cable network with remotely fed equipment and mains placed less than 2 m apart	74
Figure C.6 – Example of cabinets for cable network with locally fed equipment and mains placed more than 2 m apart	75
Figure C.7 – Example of cabinets for cable network with remotely fed equipment and mains placed more than 2 m apart	76
Figure C.8 – Example of an installation placing the amplifier in front of the galvanic isolator	77
Figure C.9 – Example of protection using a voltage depending device on network installations on poles	78
Figure C.10 – Example of the installation of a safety terminal in Japan	80
Figure C.11 – Examples of installation of a lightning protection system in Japan	81
Table 1 – Maximum allowed operation voltages and maximum recommended currents for coaxial cables	34
Table 2 – Solutions for protection of antenna systems against atmospheric overvoltage	42
Table B.1 – Conductivity of different types of soil	67
Table B.2 – Protection factors (K_p) of protection measures against direct lightning	
strokes for buried cables	68

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 11: Safety

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60728-11 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) Replacement of references to IEC 60065 and IEC 60950-1 with references to IEC 62368-1.
- b) Addition of subclauses 4.4 to 4.6.
- c) Revised definition of class I equipment, class II equipment, main earthing terminal, see 3.1.6, 3.1.8 and 3.1.31.
- d) Addition of definitions for harm, hazard, ordinary person, instructed person, skilled person, see 3.1.22, 3.1.23, 3.1.39, 3.1.40 and 3.1.41.

- e) Additional requirement to provide details on the equipment installed, see 4.1.
- f) Additional mechanical, design and construction requirements, see 4.2.2.
- g) Changes to the accessible part requirements, see 4.2.3.
- h) The current carrying capacity and dielectric strength of components is now obligatory, see 8.1.3.
- i) The assessment of the risk of lightning strike is now obligatory, see Figure 10.
- j) Extension of remote feeding voltage on subscriber feeder, see Table 1.

The text of this standard is based on the following documents:

Draft	Report on voting
100/3866/FDIS	100/3882/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Standards and other deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes for instance:

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution networks and systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 11: Safety

1 Scope

This part of IEC 60728 deals with the safety requirements applicable to fixed sited systems and equipment. As far as applicable, it is also valid for mobile and temporarily installed systems, for example, caravans.

Additional requirements may be applied, for example, referring to:

- electrical installations of buildings and overhead lines,
- other telecommunication services distribution systems,
- water distribution systems,
- gas distribution systems,
- lightning systems.

This document is intended to provide requirements specifically for the safety of the system, personnel working on it, subscribers and subscriber equipment. It deals only with safety aspects and is not intended to define a standard for the protection of the equipment used in the system.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60364-1:2005, Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions

IEC 60364-4-44:2007, Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances IEC 60364-4-44:2007/AMD1:2015 IEC 60364-4-44:2007/AMD2:2018

IEC 60364-5-52:2009, Low-voltage electrical installations – Part 5-52: Selection and erection of electrical equipment – Wiring systems

IEC 60364-5-54:2011, Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors IEC 60364-5-54:2011/AMD1:2021

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)* IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60990:2016, Methods of measurement of touch current and protective conductor current

IEC 62305-2:2010, Protection against lightning – Part 2: Risk management

IEC 62305-3:2010, Protection against lightning – Part 3: Physical damage to structures and life hazard

IEC 62368-1:2018, Audio/video, information and communication technology equipment – Part 1: Safety requirements

IEC 62561-1:2017, Lightning protection system components (LPSC) – Part 1: Requirements for connection components

IEC 62561-2, Lightning protection system components (LPSC) – Part 2: Requirements for conductors and earth electrodes

ISO 7010, Graphical symbols – Safety colours and safety signs – Registered safety signs

ISO/IEC 30129:2015, Information technology – Telecommunications bonding networks for buildings and other structures ISO/IEC 30129:2015/AMD1:2019

EN 50575:2014, Power, control and communication cables – Cables for general applications in construction works subject to reaction to fire requirements