

Edition 1.0 2023-03

INTERNATIONAL STANDARD



Semiconductor devices -

Part 18-4: Semiconductor bio sensors – Evaluation method of noise characteristics of lens-free CMOS photonic array sensors

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.080.99 ISBN 978-2-8322-6643-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Measurement setup	7
4.1 General	
4.2 Measurement system	
5 Measurement	7
5.1 General	7
5.2 Spatial noise	8
5.2.1 DFPN: Dark fixed pattern noise (without illumination)	8
5.2.2 PRNU: Photo response non uniformity (with illumination)	
5.3 Temporal noise	
5.3.1 RRN: Random read noise	
6 Test report	
Annex A (informative) Test report	13
Bibliography	14
Figure 1 – Measurement workflow	7
Figure 2 – n trial data of frame capture	8
Figure 3 – Dark frame subtracted data	9
Figure 4 – Two frame subtracted data	11
Table A.1 – Test environment specifications of CMOS photonic array sensor .	13

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SEMICONDUCTOR DEVICES -

Part 18-4: Semiconductor bio sensors – Evaluation method of noise characteristics of lens-free CMOS photonic array sensors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60747-18-4 has been prepared by subcommittee 47E: Discrete semiconductor devices, of IEC technical committee 47: Semiconductor devices. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
47E/778/CDV	47E/790/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60747 series, published under the general title *Semiconductor devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 60747-18 series on semiconductor bio sensors is composed of the following parts:

- IEC 60747-18-1 defines the test method and data analysis for calibration of lens-free CMOS photonic array sensors;
- IEC 60747-18-2 [1] ¹ defines the evaluation process of lens-free CMOS photonic array sensor package modules;
- IEC 60747-18-3 [2] defines the fluid flow characteristics of lens-free CMOS photonic array sensor package modules with fluidic system;
- IEC 60747-18-4 defines the evaluation method of noise characteristics of lens-free CMOS photonic array sensors;
- IEC 60747-18-5 [3] defines the evaluation method for light responsivity characteristics of lens-free CMOS photonic array sensor package modules by incident angle of light.

The IEC 60747-18 series [4] includes subjects such as noise analysis, long-term reliability tests, test methods for lens-free CMOS photonic array sensor package modules under patchable environments, test methods under implantable environments, etc.

Numbers in square brackets refer to the Bibliography.

SEMICONDUCTOR DEVICES -

Part 18-4: Semiconductor bio sensors – Evaluation method of noise characteristics of lens-free CMOS photonic array sensors

1 Scope

This part of IEC 60747 specifies the evaluation method for noise characteristics of lens-free CMOS photonic array sensors. This document includes the measurement setup, test procedure, test items, evaluation method, and test report for noise characteristics of lens-free CMOS photonic array sensors.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60747-18-1:2019, Semiconductor devices – Part 18-1: Semiconductor bio sensors – Test method and data analysis for calibration of lens-free CMOS photonic array sensors