

INTERNATIONAL STANDARD

REDLINE VERSION

**Optical fibres -
Part 2-60: Product specifications - Sectional specification for class C single-
mode interconnection fibres**

CONTENTS

FOREWORD	3
1 Scope	1
2 Normative references	6
3 Terms, definitions, symbols, and abbreviated terms	7
3.1 Terms and definitions	7
3.2 Symbols and abbreviated terms	7
4 Specifications	7
4.1 General	7
4.2 Dimensional requirements	8
4.3 Mechanical requirements	9
4.4 Transmission requirements	9
4.5 Environmental requirements	10
4.5.1 General	10
4.5.2 Transmission requirements	11
4.5.3 Mechanical requirements	11
Annex A (normative) Family specification for C1 single-mode fibres	13
A.1 Introduction General	13
A.2 Dimensional requirements	13
A.3 Mechanical requirements	13
A.4 Transmission requirements	14
A.5 Environmental requirements	14
A.5.1 General	14
A.5.2 Transmission requirements	14
A.5.3 Mechanical requirements – Coating strip force	15
Annex B (normative) Family specification for C2 single-mode fibres	16
B.1 Introduction General	16
B.2 Dimensional requirements	16
B.3 Mechanical requirements	16
B.4 Transmission requirements	17
B.5 Environmental requirements	17
B.5.1 General	17
B.5.2 Transmission requirements	17
B.5.3 Mechanical requirements – Coating strip force	17
Annex C (normative) Family specification for C3 single-mode fibres	18
C.1 Introduction General	18
C.2 Dimensional requirements	18
C.3 Mechanical requirements	18
C.4 Transmission requirements	19
C.5 Environmental requirements	19
C.5.1 General	19
C.5.2 Transmission requirements	19
C.5.3 Mechanical requirements – Coating strip force	19
Annex D (normative) Family specification for C4 single-mode fibres	20
D.1 Introduction General	20
D.2 Dimensional requirements	20
D.3 Mechanical requirements	20

D.4	Transmission requirements	21
D.5	Environmental requirements	21
D.5.1	General	21
D.5.2	Transmission requirements	21
D.5.3	Mechanical requirements – Coating strip force	21
Bibliography		22
Table 1 – List of families and main differences		8
Table 2 – Dimensional attributes and measurement methods		8
Table 3 – Requirements common to class C fibres		9
Table 4 – Mechanical attributes and measurement methods		9
Table 5 – Mechanical requirements common to class C fibres		9
Table 6 – Transmission attributes and measurement methods		10
Table 7 – Transmission requirements common to class C fibres		10
Table 8 – Transmission attributes required in family specifications		10
Table 9 – Environmental attributes and test methods		10
Table 10 – Environment-dependent mechanical or transmission attributes and test methods		11
Table 11 – Tensile strength requirements common to class C fibres		11
Table 12 – Stress corrosion susceptibility requirements common to class C fibres		12
Table A.1 – Dimensional requirements for C1 fibres		13
Table A.2 – Mechanical requirements for C1 fibres		14
Table A.3 – Transmission requirements for C1 fibres		14
Table A.4 – Environment-dependent transmission requirements for C1 fibres		15
Table A.5 – Environment-dependent mechanical requirements for C1 fibres		15
Table B.1 – Dimensional requirements for C2 fibres		16
Table B.2 – Mechanical requirements for C2 fibres		16
Table B.3 – Transmission requirements for C2 fibres		17
Table B.4 – Environment-dependent transmission requirements for C2 fibres		17
Table B.5 – Environment-dependent mechanical requirements for C2 fibres		17
Table C.1 – Dimensional requirements for C3 fibres		18
Table C.2 – Mechanical requirements for C3 fibres		18
Table C.3 – Transmission requirements for C3 fibres		19
Table C.4 – Environment-dependent transmission requirements for C3 fibres		19
Table C.5 – Environment-dependent mechanical requirements for C3 fibres		19
Table D.1 – Dimensional requirements for C4 fibres		20
Table D.2 – Mechanical requirements for C4 fibres		20
Table D.3 – Transmission requirements for C4 fibres		21
Table D.4 – Environment-dependent transmission requirements for C4 fibres		21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Optical fibres -
Part 2-60: Product specifications - Sectional specification
for class C single-mode interconnection fibres**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60793-2-60:2008. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60793-2-60 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics. It is an International Standard.

This second edition cancels and replaces the first edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) replacement of "intraconnection" with "interconnection" and addition of the definition of "interconnection fibres";
- b) modification of the nominal MFD limit of C1 fibres;
- c) addition of "Primary coating diameter-coloured" limits for class C fibres and change of "Primary coating diameter-uncoloured" limits for class C₈₀ fibres;
- d) change of coating strip force limits for class C1, class C2, and class C3 fibres;
- e) replacement of "Fibre cut-off wavelength" with "Cable cut-off wavelength" and revision of "Note b" in Table 6;
- f) replacement of "Fibre cut-off wavelength" with "Cable cut-off wavelength" and deletion of the "Note" in Table 8;
- g) addition of 200 µm coating diameter requirements for C1₁₂₅ fibres and change of coating diameters limits for C1₈₀ fibres in Table A.1;
- h) addition of 200 µm coating diameter requirements for C1₁₂₅ fibres and change of coating strip force limits in Table A.2 and in Table A.5;
- i) replacement of "Fibre cut-off wavelength" with "Cable cut-off wavelength", modification of the "Cable cut-off wavelength" limit and addition of a new "Note" in Table A.3;
- j) addition of a transmission requirements at 1 625 nm and deletion of 1 310 nm for C1 fibres in Table A.4;
- k) modification of "Fibre cut-off wavelength" limits of C3 fibres in Table C.3;
- l) replacement of "Fibre cut-off wavelength" with "Cable cut-off wavelength" for C4 fibres in Table D.3.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86A/2599/FDIS	86A/2617/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60793 series, published under the general title *Optical fibres* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 60793 is applicable to optical fibre types C1, C2, C3, and C4, as described in Table 1. These fibres are used for the ~~intraconnections~~ interconnections within or between optical components ~~or photonic systems or subsystems~~ and are optimized to support dense optical connectivity. ~~While the fibres are sold in lengths on the scale of kilometres, they are normally cut into short lengths for use in these intraconnections.~~ While the fibres ~~could~~ can be overcoated or buffered for the purpose of making protected pigtails, they ~~may~~ can be used without overcoating. They ~~may~~ can, however, be colour coded.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-1-20, *Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry*

IEC 60793-1-21, *Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry*

IEC 60793-1-22, *Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement*

IEC 60793-1-30, *Optical fibres - Part 1-30: Measurement methods and test procedures - Fibre proof test*

IEC 60793-1-31, *Optical fibres - Part 1-31: Measurement methods and test procedures - Tensile strength*

IEC 60793-1-32, *Optical fibres - Part 1-32: Measurement methods and test procedures - Coating strippability*

IEC 60793-1-33, *Optical fibres - Part 1-33: Measurement methods and test procedures - Stress corrosion susceptibility*

IEC 60793-1-40, *Optical fibres - Part 1-40: ~~Attenuation measurement methods and test procedures~~ Attenuation*

IEC 60793-1-44, *Optical fibres - Part 1-44: Measurement methods and test procedures - Cut-off wavelength*

IEC 60793-1-45, *Optical fibres - Part 1-45: Measurement methods and test procedures - Mode field diameter*

IEC 60793-1-46, *Optical fibres - Part 1-46: Measurement methods and test procedures – Monitoring of changes in ~~optical transmittance~~ attenuation*

IEC 60793-1-47, *Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss*

IEC 60793-1-50, *Optical fibres - Part 1-50: Measurement methods and test procedures - Damp heat (steady state) tests*

IEC 60793-1-51, *Optical fibres - Part 1-51: Measurement methods and test procedures - Dry heat (steady state) tests*

IEC 60793-1-52, *Optical fibres - Part 1-52: Measurement methods and test procedures - Change of temperature tests*

IEC 60793-2, *Optical fibres - Part 2: Product specifications - General*

~~IEC/TR 61931, Fibre optic Terminology~~

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Optical fibres -

Part 2-60: Product specifications - Sectional specification for class C single-mode interconnection fibres

Fibres optiques -

Partie 2-60: Spécifications de produits - Spécification intermédiaire pour les fibres d'interconnexion unimodales de classe C

CONTENTS

FOREWORD	3
1 Scope	5
2 Normative references	5
3 Terms, definitions, symbols, and abbreviated terms	6
3.1 Terms and definitions	6
3.2 Symbols and abbreviated terms	6
4 Specifications	6
4.1 General	6
4.2 Dimensional requirements	7
4.3 Mechanical requirements	8
4.4 Transmission requirements	8
4.5 Environmental requirements	9
4.5.1 General	9
4.5.2 Transmission requirements	10
4.5.3 Mechanical requirements	10
Annex A (normative) Family specification for C1 single-mode fibres	12
A.1 General	12
A.2 Dimensional requirements	12
A.3 Mechanical requirements	12
A.4 Transmission requirements	13
A.5 Environmental requirements	13
A.5.1 General	13
A.5.2 Transmission requirements	13
A.5.3 Mechanical requirements – Coating strip force	14
Annex B (normative) Family specification for C2 single-mode fibres	15
B.1 General	15
B.2 Dimensional requirements	15
B.3 Mechanical requirements	15
B.4 Transmission requirements	15
B.5 Environmental requirements	16
B.5.1 General	16
B.5.2 Transmission requirements	16
B.5.3 Mechanical requirements – Coating strip force	16
Annex C (normative) Family specification for C3 single-mode fibres	17
C.1 General	17
C.2 Dimensional requirements	17
C.3 Mechanical requirements	17
C.4 Transmission requirements	18
C.5 Environmental requirements	18
C.5.1 General	18
C.5.2 Transmission requirements	18
C.5.3 Mechanical requirements – Coating strip force	18
Annex D (normative) Family specification for C4 single-mode fibres	19
D.1 General	19
D.2 Dimensional requirements	19
D.3 Mechanical requirements	19

D.4	Transmission requirements	20
D.5	Environmental requirements	20
D.5.1	General	20
D.5.2	Transmission requirements	20
D.5.3	Mechanical requirements – Coating strip force	20
Bibliography		21
Table 1 – List of families and main differences		7
Table 2 – Dimensional attributes and measurement methods		7
Table 3 – Requirements common to class C fibres		8
Table 4 – Mechanical attributes and measurement methods		8
Table 5 – Mechanical requirements common to class C fibres		8
Table 6 – Transmission attributes and measurement methods		9
Table 7 – Transmission requirements common to class C fibres		9
Table 8 – Transmission attributes required in family specifications		9
Table 9 – Environmental attributes and test methods		9
Table 10 – Environment-dependent mechanical or transmission attributes and test methods		10
Table 11 – Tensile strength requirements common to class C fibres		10
Table 12 – Stress corrosion susceptibility requirements common to class C fibres		11
Table A.1 – Dimensional requirements for C1 fibres		12
Table A.2 – Mechanical requirements for C1 fibres		12
Table A.3 – Transmission requirements for C1 fibres		13
Table A.4 – Environment-dependent transmission requirements for C1 fibres		13
Table A.5 – Environment-dependent mechanical requirements for C1 fibres		14
Table B.1 – Dimensional requirements for C2 fibres		15
Table B.2 – Mechanical requirements for C2 fibres		15
Table B.3 – Transmission requirements for C2 fibres		16
Table B.4 – Environment-dependent transmission requirements for C2 fibres		16
Table B.5 – Environment-dependent mechanical requirements for C2 fibres		16
Table C.1 – Dimensional requirements for C3 fibres		17
Table C.2 – Mechanical requirements for C3 fibres		17
Table C.3 – Transmission requirements for C3 fibres		18
Table C.4 – Environment-dependent transmission requirements for C3 fibres		18
Table C.5 – Environment-dependent mechanical requirements for C3 fibres		18
Table D.1 – Dimensional requirements for C4 fibres		19
Table D.2 – Mechanical requirements for C4 fibres		19
Table D.3 – Transmission requirements for C4 fibres		20
Table D.4 – Environment-dependent transmission requirements for C4 fibres		20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Optical fibres -
Part 2-60: Product specifications - Sectional specification
for class C single-mode interconnection fibres**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60793-2-60 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics. It is an International Standard.

This second edition cancels and replaces the first edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) replacement of "intraconnection" with "interconnection" and addition of the definition of "interconnection fibres";
- b) modification of the nominal MFD limit of C1 fibres;
- c) addition of "Primary coating diameter-coloured" limits for class C fibres and change of "Primary coating diameter-uncoloured" limits for class C₈₀ fibres;

- d) change of coating strip force limits for class C1, class C2, and class C3 fibres;
- e) replacement of "Fibre cut-off wavelength" with "Cable cut-off wavelength" and revision of "Note b" in Table 6;
- f) replacement of "Fibre cut-off wavelength" with "Cable cut-off wavelength" and deletion of the "Note" in Table 8;
- g) addition of 200 µm coating diameter requirements for C1_125 fibres and change of coating diameters limits for C1_80 fibres in Table A.1;
- h) addition of 200 µm coating diameter requirements for C1_125 fibres and change of coating strip force limits in Table A.2 and in Table A.5;
- i) replacement of "Fibre cut-off wavelength" with "Cable cut-off wavelength", modification of the "Cable cut-off wavelength" limit and addition of a new "Note" in Table A.3;
- j) addition of a transmission requirements at 1 625 nm and deletion of 1 310 nm for C1 fibres in Table A.4;
- k) modification of "Fibre cut-off wavelength" limits of C3 fibres in Table C.3;
- l) replacement of "Fibre cut-off wavelength" with "Cable cut-off wavelength" for C4 fibres in Table D.3.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86A/2599/FDIS	86A/2617/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60793 series, published under the general title *Optical fibres* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 60793 is applicable to optical fibre types C1, C2, C3, and C4, as described in Table 1. These fibres are used for the interconnections within or between optical components systems and are optimized to support dense optical connectivity. While the fibres can be overcoated or buffered for the purpose of making protected pigtails, they can be used without overcoating. They can, however, be colour coded.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-1-20, *Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry*

IEC 60793-1-21, *Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry*

IEC 60793-1-22, *Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement*

IEC 60793-1-30, *Optical fibres - Part 1-30: Measurement methods and test procedures - Fibre proof test*

IEC 60793-1-31, *Optical fibres - Part 1-31: Measurement methods and test procedures - Tensile strength*

IEC 60793-1-32, *Optical fibres - Part 1-32: Measurement methods and test procedures - Coating strippability*

IEC 60793-1-33, *Optical fibres - Part 1-33: Measurement methods and test procedures - Stress corrosion susceptibility*

IEC 60793-1-40, *Optical fibres - Part 1-40: Attenuation measurement methods*

IEC 60793-1-44, *Optical fibres - Part 1-44: Measurement methods and test procedures - Cut-off wavelength*

IEC 60793-1-45, *Optical fibres - Part 1-45: Measurement methods and test procedures - Mode field diameter*

IEC 60793-1-46, *Optical fibres - Part 1-46: Measurement methods and test procedures – Monitoring of changes in attenuation*

IEC 60793-1-47, *Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss*

IEC 60793-1-50, *Optical fibres - Part 1-50: Measurement methods and test procedures - Damp heat (steady state) tests*

IEC 60793-1-51, *Optical fibres - Part 1-51: Measurement methods and test procedures - Dry heat (steady state) tests*

IEC 60793-1-52, *Optical fibres - Part 1-52: Measurement methods and test procedures - Change of temperature tests*

IEC 60793-2, *Optical fibres - Part 2: Product specifications - General*

SOMMAIRE

AVANT-PROPOS	4
1 Domaine d'application	6
2 Références normatives	6
3 Termes, définitions, symboles et abréviations	7
3.1 Termes et définitions	7
3.2 Symboles et abréviations	7
4 Spécifications	7
4.1 Généralités	7
4.2 Exigences dimensionnelles	8
4.3 Exigences mécaniques	9
4.4 Exigences de transmission	10
4.5 Exigences d'environnement	10
4.5.1 Généralités	10
4.5.2 Exigences de transmission	11
4.5.3 Exigences mécaniques	11
Annexe A (normative) Spécification de famille pour les fibres unimodales de type C1	13
A.1 Généralités	13
A.2 Exigences dimensionnelles	13
A.3 Exigences mécaniques	13
A.4 Exigences de transmission	14
A.5 Exigences d'environnement	14
A.5.1 Généralités	14
A.5.2 Exigences de transmission	14
A.5.3 Exigences mécaniques – Force de dénudage	15
Annexe B (normative) Spécification de famille pour les fibres unimodales de type C2	16
B.1 Généralités	16
B.2 Exigences dimensionnelles	16
B.3 Exigences mécaniques	16
B.4 Exigences de transmission	17
B.5 Exigences d'environnement	17
B.5.1 Généralités	17
B.5.2 Exigences de transmission	17
B.5.3 Exigences mécaniques – Force de dénudage	17
Annexe C (normative) Spécification de famille pour les fibres unimodales de type C3	18
C.1 Généralités	18
C.2 Exigences dimensionnelles	18
C.3 Exigences mécaniques	18
C.4 Exigences de transmission	19
C.5 Exigences d'environnement	19
C.5.1 Généralités	19
C.5.2 Exigences de transmission	19
C.5.3 Exigences mécaniques – Force de dénudage	20
Annexe D (normative) Spécification de famille pour les fibres unimodales de type C4	21
D.1 Généralités	21
D.2 Exigences dimensionnelles	21
D.3 Exigences mécaniques	22

D.4	Exigences de transmission	22
D.5	Exigences d'environnement	22
D.5.1	Généralités	22
D.5.2	Exigences de transmission	23
D.5.3	Exigences mécaniques – Force de dénudage	23
	Bibliographie.....	24
Tableau 1	– Liste des familles et principales différences	8
Tableau 2	– Attributs dimensionnels et méthodes de mesure	8
Tableau 3	– Exigences communes aux fibres de classe C	9
Tableau 4	– Attributs mécaniques et méthodes de mesure.....	9
Tableau 5	– Exigences mécaniques communes aux fibres de classe C.....	9
Tableau 6	– Attributs de transmission et méthodes de mesure	10
Tableau 7	– Exigences de transmission communes aux fibres de classe C	10
Tableau 8	– Attributs de transmission exigés dans les spécifications de famille	10
Tableau 9	– Attributs d'environnement et méthodes d'essai	11
Tableau 10	– Attributs mécaniques ou de transmission dépendant de l'environnement et méthodes d'essai	11
Tableau 11	– Exigences relatives à la résistance à la traction communes aux fibres de classe C.....	11
Tableau 12	– – Exigences de résistance à la corrosion sous contrainte communes aux fibres de classe C	12
Tableau A.1	– Exigences dimensionnelles pour les fibres de type C1	13
Tableau A.2	– Exigences mécaniques pour les fibres de type C1	14
Tableau A.3	– Exigences de transmission pour les fibres de type C1	14
Tableau A.4	– Exigences de transmission dépendant de l'environnement pour les fibres de type C1	15
Tableau A.5	– Exigences mécaniques dépendant de l'environnement pour les fibres de type C1	15
Tableau B.1	– Exigences dimensionnelles pour les fibres de type C2	16
Tableau B.2	– Exigences mécaniques pour les fibres de type C2.....	16
Tableau B.3	– Exigences de transmission pour les fibres de type C2	17
Tableau B.4	– Exigences de transmission dépendant de l'environnement pour les fibres de type C2	17
Tableau B.5	– Exigences mécaniques dépendant de l'environnement pour les fibres de type C2.....	17
Tableau C.1	– Exigences dimensionnelles pour les fibres de type C3	18
Tableau C.2	– Exigences mécaniques pour les fibres de type C3.....	18
Tableau C.3	– Exigences de transmission pour les fibres de type C3.....	19
Tableau C.4	– Exigences de transmission dépendant de l'environnement pour les fibres de type C3	19
Tableau C.5	– Exigences mécaniques dépendant de l'environnement pour les fibres de type C3.....	20
Tableau D.1	– Exigences dimensionnelles pour les fibres de type C4	21
Tableau D.2	– Exigences mécaniques pour les fibres de type C4.....	22
Tableau D.3	– Exigences de transmission pour les fibres de type C4.....	22

Tableau D.4 – Exigences de transmission dépendant de l’environnement pour les fibres de type C4	23
--	----