



IEC 60826

Edition 4.0 2017-02  
REDLINE VERSION

# INTERNATIONAL STANDARD



---

~~Design criteria of~~ Overhead transmission lines – Design criteria

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 29.240.20

ISBN 978-2-8322-3960-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

|                                                                                            |    |
|--------------------------------------------------------------------------------------------|----|
| FOREWORD .....                                                                             | 7  |
| 1 Scope .....                                                                              | 9  |
| 2 Normative references .....                                                               | 9  |
| 3 Terms, definitions, symbols and abbreviations .....                                      | 9  |
| 3.1 Terms and definitions .....                                                            | 9  |
| 3.2 Symbols and abbreviations .....                                                        | 12 |
| 4 General .....                                                                            | 15 |
| 4.1 Objective .....                                                                        | 15 |
| 4.2 System design .....                                                                    | 15 |
| 4.3 System reliability .....                                                               | 16 |
| 5 General design criteria .....                                                            | 16 |
| 5.1 Methodology .....                                                                      | 16 |
| 5.1.1 General .....                                                                        | 16 |
| 5.1.2 Reliability requirements .....                                                       | 17 |
| 5.1.3 Security requirements .....                                                          | 20 |
| 5.1.4 Safety requirements .....                                                            | 20 |
| 5.2 Climatic Load-strength requirements .....                                              | 20 |
| 5.2.1 Limit Climatic loads .....                                                           | 20 |
| 5.2.2 Design requirements for the system .....                                             | 21 |
| 5.2.3 Design-equation formula for each component .....                                     | 21 |
| 6 Loadings .....                                                                           | 22 |
| 6.1 Description .....                                                                      | 22 |
| 6.2 Climatic loads, wind and associated temperatures .....                                 | 23 |
| 6.2.1 General .....                                                                        | 23 |
| 6.2.2 Field of application .....                                                           | 23 |
| 6.2.3 Terrain roughness .....                                                              | 23 |
| 6.2.4 Reference wind speed $V_R$ .....                                                     | 24 |
| 6.2.5 Assessment of meteorological measurements .....                                      | 25 |
| 6.2.6 Determination from gradient wind velocities .....                                    | 26 |
| 6.2.7 Combination of wind speed and temperatures .....                                     | 26 |
| 6.2.8 Number of supports subjected in wind action, effect of length of line .....          | 27 |
| 6.2.9 Unit action of the wind speed on any line component or element .....                 | 27 |
| 6.2.10 Evaluation of wind loads on line components and elements .....                      | 28 |
| 6.3 Climatic loads, ice without wind .....                                                 | 36 |
| 6.3.1 Description .....                                                                    | 36 |
| 6.3.2 Ice data .....                                                                       | 36 |
| 6.3.3 Evaluation of yearly maximum ice load by means of meteorological data analysis ..... | 37 |
| 6.3.4 Reference limit ice load .....                                                       | 37 |
| 6.3.5 Temperature during icing .....                                                       | 39 |
| 6.3.6 Loads on support .....                                                               | 39 |
| 6.4 Climatic loads, combined wind and ice loadings .....                                   | 41 |
| 6.4.1 General .....                                                                        | 41 |
| 6.4.2 Combined probabilities – Principle proposed .....                                    | 41 |
| 6.4.3 Determination of ice load .....                                                      | 42 |
| 6.4.4 Determination of coincident temperature .....                                        | 42 |

|                                  |                                                                                                               |               |
|----------------------------------|---------------------------------------------------------------------------------------------------------------|---------------|
| 6.4.5                            | Determination of wind speed associated with icing conditions .....                                            | 42            |
| 6.4.6                            | Drag coefficients of ice-covered conductors .....                                                             | 43            |
| 6.4.7                            | Determination of loads on supports .....                                                                      | 44            |
| 6.5                              | Loads for construction and maintenance (safety loads) .....                                                   | 45            |
| 6.5.1                            | General .....                                                                                                 | 45            |
| 6.5.2                            | Erection of supports .....                                                                                    | 45            |
| 6.5.3                            | Construction stringing and sagging .....                                                                      | 46            |
| 6.5.4                            | Maintenance loads .....                                                                                       | 46            |
| 6.6                              | Loads for failure containment (security requirements) .....                                                   | 47            |
| 6.6.1                            | General .....                                                                                                 | 47            |
| 6.6.2                            | Security requirements .....                                                                                   | 47            |
| 6.6.3                            | Security related loads – Torsional, longitudinal and additional security measures .....                       | 47            |
| 7                                | Strength of components and limit states .....                                                                 | 49            |
| 7.1                              | General .....                                                                                                 | 49            |
| 7.2                              | General <del>equations</del> <b>formulas</b> for the strength of components .....                             | 49            |
| 7.2.1                            | <b>General</b> .....                                                                                          | 49            |
| 7.2.2                            | Values of strength factor $\phi_N$ .....                                                                      | 50            |
| 7.2.3                            | General basis for strength coordination .....                                                                 | 51            |
| 7.2.4                            | Strength factor $\phi_S$ related to the coordination of strength .....                                        | 52            |
| 7.2.5                            | Methods for calculating strength coordination factors $\phi_S$ .....                                          | 52            |
| 7.3                              | Data related to the calculation of components .....                                                           | 53            |
| 7.3.1                            | Limit states for line components .....                                                                        | 53            |
| 7.3.2                            | Strength data of line components .....                                                                        | 56            |
| 7.3.3                            | Support design strength .....                                                                                 | 57            |
| 7.3.4                            | Foundation design strength .....                                                                              | 58            |
| 7.3.5                            | Conductor and ground wire design criteria .....                                                               | 58            |
| 7.3.6                            | Insulator string design criteria .....                                                                        | 58            |
| Annex A (informative)            | Technical information– <b>Strength of line components</b> .....                                               | 60            |
| A.1                              | Calculation of characteristic strength .....                                                                  | 78            |
| Annex B (informative)            | <b>Formulas of curves and figures</b> .....                                                                   | 87            |
| B.1                              | <b>General</b> .....                                                                                          | 87            |
| B.2                              | Formula for $G_C$ – Figure 4 .....                                                                            | 87            |
| B.3                              | Formula for $G_L$ – Figure 5 .....                                                                            | 87            |
| B.4                              | Formula for $G_t$ – Figure 6 .....                                                                            | 87            |
| B.5                              | Formula for $C_{xt}$ – Figure 8 (flat-sided members) .....                                                    | 87            |
| B.6                              | Formula for $C_{xt}$ – Figure 9 (round-sided members) .....                                                   | 88            |
| B.7                              | Formulas for $C_{xtc}$ – Figure 10 .....                                                                      | 88            |
| <del>Annex C (informative)</del> | <del>Statistical distribution and their application in probabilistic design of transmission lines</del> ..... | <del>89</del> |
| Annex C (informative)            | <b>Atmospheric icing</b> .....                                                                                | 89            |
| C.1                              | General .....                                                                                                 | 89            |
| C.2                              | Precipitation icing .....                                                                                     | 89            |
| C.2.1                            | Freezing rain .....                                                                                           | 89            |
| C.2.2                            | Wet snow .....                                                                                                | 89            |
| C.3                              | <b>Dry ice</b> .....                                                                                          | 90            |
| C.4                              | In-cloud icing .....                                                                                          | 90            |
| C.5                              | Physical properties of ice .....                                                                              | 91            |
| C.6                              | Meteorological parameters controlling ice accretion .....                                                     | 91            |

|                       |                                                                                                                                       |     |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----|
| C.7                   | Terrain influences .....                                                                                                              | 92  |
| C.7.1                 | In-cloud icing .....                                                                                                                  | 92  |
| C.7.2                 | Precipitation icing .....                                                                                                             | 92  |
| C.8                   | Guidelines for the implementation of an ice observation program .....                                                                 | 92  |
| C.9                   | Ice data .....                                                                                                                        | 94  |
| C.9.1                 | Influence of height and conductor diameter.....                                                                                       | 94  |
| C.9.2                 | The effect of icing on structures.....                                                                                                | 95  |
| C.10                  | Combined wind and ice loadings .....                                                                                                  | 95  |
| C.10.1                | Combined probabilities .....                                                                                                          | 95  |
| C.10.2                | Drag coefficients of ice-covered conductors.....                                                                                      | 96  |
| Annex D (informative) | Application of statistical distribution functions to load and strength of overhead lines.....                                         | 97  |
| Annex E (informative) | Effect of span variation on load-strength relationship – Calculation of span use factor.....                                          | 105 |
| E.1                   | General.....                                                                                                                          | 105 |
| E.2                   | Effect of use factor on load reduction and its calculation .....                                                                      | 106 |
| Annex F (normative)   | Conductor tension limits .....                                                                                                        | 124 |
| F.1                   | General.....                                                                                                                          | 124 |
| F.2                   | Limits for lines with short spans .....                                                                                               | 125 |
| F.3                   | Recommended conductor limit tensions .....                                                                                            | 125 |
| F.3.1                 | Initial tension limit.....                                                                                                            | 125 |
| F.3.2                 | Maximum final tension limit.....                                                                                                      | 126 |
| F.4                   | Benefits from reducing conductor tensions.....                                                                                        | 126 |
| Annex G (informative) | Methods of calculation for wind speed up effects due to local topography.....                                                         | 127 |
| G.1                   | Application .....                                                                                                                     | 127 |
| G.2                   | Notes on application .....                                                                                                            | 128 |
| Bibliography          | .....                                                                                                                                 | 130 |
| Figure 1              | – Diagram of a transmission line .....                                                                                                | 16  |
| Figure 2              | – Transmission line design methodology .....                                                                                          | 17  |
| Figure 3              | – Relationship between meteorological wind velocities at a height of 10 m depending on terrain category and on averaging period ..... | 26  |
| Figure 4              | – Combined wind factor $G_C$ for conductors for various terrain categories and heights above ground .....                             | 29  |
| Figure 5              | – Span factor $G_L$ .....                                                                                                             | 30  |
| Figure 6              | – Combined wind factor $G_t$ applicable to supports and insulator strings.....                                                        | 31  |
| Figure 7              | – Definition of the angle of incidence of wind .....                                                                                  | 33  |
| Figure 8              | – Drag coefficient $C_{xt}$ for lattice supports made of flat sided members .....                                                     | 33  |
| Figure 9              | – Drag coefficient $C_{xt}$ for lattice supports made of rounded members.....                                                         | 34  |
| Figure 10             | – Drag coefficient $C_{xtc}$ of cylindrical elements having a large diameter .....                                                    | 35  |
| Figure 11             | – Factor $K_d$ related to the conductor diameter.....                                                                                 | 38  |
| Figure 12             | – Factor $K_h$ related to the conductor height.....                                                                                   | 39  |
| Figure 13             | – Typical support types .....                                                                                                         | 40  |
| Figure 14             | – Equivalent cylindrical shape of ice deposit .....                                                                                   | 44  |
| Figure 15             | – Simulated longitudinal conductor load (case of a single circuit support).....                                                       | 48  |
| Figure 16             | – Diagram of limit states of line components .....                                                                                    | 49  |

|                                                                                                                                                                               |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <del>Figure A.1 – Relations between load and strength .....</del>                                                                                                             | <del>.....</del> |
| <del>Figure A.2 – Relations between loads and strengths .....</del>                                                                                                           | <del>.....</del> |
| <del>Figure A.3 – Failure probability <math>P_f = (1 - P_s)</math> for various distributions of <math>Q</math> and <math>R</math>, for <math>T = 50</math> years .....</del>  | <del>.....</del> |
| <del>Figure A.4 – Failure probability <math>P_f = (1 - P_s)</math> for various distributions of <math>Q</math> and <math>R</math>, for <math>T = 150</math> years .....</del> | <del>.....</del> |
| <del>Figure A.5 – Failure probability <math>P_f = (1 - P_s)</math> for various distributions of <math>Q</math> and <math>R</math>, for <math>T = 500</math> years .....</del> | <del>.....</del> |
| <del>Figure A.6 – Coordination of strength by using different exclusion limits .....</del>                                                                                    | <del>.....</del> |
| <del>Figure A.8 – Wind action on conductors and resultant wind load on support .....</del>                                                                                    | <del>.....</del> |
| <del>Figure B.1 – Fitting of Gumbel distribution with wind data histogram .....</del>                                                                                         | <del>.....</del> |
| <del>Figure B.2 – Fitting of Gumbel distribution with yearly minimum temperature histogram .....</del>                                                                        | <del>.....</del> |
| <del>Figure B.3 – Fitting of Gamma distribution with ice load histogram .....</del>                                                                                           | <del>.....</del> |
| <del>Figure B.4 – Fitting data from in-cloud icing with Gumbel distribution .....</del>                                                                                       | <del>.....</del> |
| <del>Figure B.5 – Fitting of Weibull distribution with strength data of lattice supports .....</del>                                                                          | <del>.....</del> |
| <del>Figure C.1 – Probability density function of standardized normal distribution .....</del>                                                                                | <del>.....</del> |
| <del>Figure C.2 – Probability density function of standardized log-normal distribution .....</del>                                                                            | <del>.....</del> |
| <del>Figure C.3 – Probability density function of standardized Gumbel distribution .....</del>                                                                                | <del>.....</del> |
| <del>Figure C.4 – Probability density function of standardized Weibull distribution for parameter <math>p_3 = 0,5; 1,0</math> and <math>2,0</math> .....</del>                | <del>.....</del> |
| <del>Figure C.5 – Probability density function of standardized Gamma distribution for parameter <math>p_3 = 0,5; 1,0</math> and <math>2,0</math> .....</del>                  | <del>.....</del> |
| <del>Figure C.6 – Probability density function of standardized beta distribution for parameters <math>r = 5,0; t = 5,5; 6,0</math> and <math>7,0</math> .....</del>           | <del>.....</del> |
| Figure C.1 – Type of accreted in-cloud icing as a function of wind speed and temperature .....                                                                                | 91               |
| Figure C.2 – Strategy flow chart for utilizing meteorological data, icing models and field measurements of ice loads .....                                                    | 93               |
| Figure G.1 – Diagram of typical topographical cross-section .....                                                                                                             | 128              |
| Table 1 – Reliability levels for transmission lines .....                                                                                                                     | 18               |
| Table 2 – Default $\gamma_T$ factors for adjustment of climatic loads in relation to return period $T$ versus 50 years .....                                                  | 21               |
| Table 3 – Design requirements for the system .....                                                                                                                            | 21               |
| Table 4 – Classification of terrain categories .....                                                                                                                          | 24               |
| Table 5 – Factors describing wind action depending on terrain category .....                                                                                                  | 25               |
| Table 6 – Correction factor $\tau$ of dynamic reference wind pressure $q_0$ due to altitude and temperatures .....                                                            | 28               |
| Table 7 – Drag coefficient of polygonal pole sections .....                                                                                                                   | 35               |
| Table 8 – Drag coefficient of structures having a triangular section .....                                                                                                    | 36               |
| Table 9 – Statistical parameters of ice loads .....                                                                                                                           | 38               |
| Table 10 – Non-uniform ice loading conditions .....                                                                                                                           | 41               |
| Table 11 – Return period of combined ice and wind load .....                                                                                                                  | 42               |
| Table 12 – Drag coefficients of ice-covered conductors .....                                                                                                                  | 43               |
| Table 13 – Additional security measures .....                                                                                                                                 | 49               |

|                                                                                                                                                                                                                                                            |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Table 14 – Number of supports subjected to maximum load intensity during any single occurrence of a climatic event.....                                                                                                                                    | 50             |
| Table 15 – Strength factor $\phi_N$ related to the number $N$ of components or elements subjected to the critical load intensity.....                                                                                                                      | 51             |
| Table 16 – Values of $\phi_{S2}$ .....                                                                                                                                                                                                                     | 52             |
| Table 17 – Typical strength coordination of line components .....                                                                                                                                                                                          | 52             |
| Table 18 – Damage and failure limits of supports .....                                                                                                                                                                                                     | 54             |
| Table 19 – Damage and failure limits of foundations .....                                                                                                                                                                                                  | 55             |
| Table 20 – Damage and failure limits of conductors and ground wires .....                                                                                                                                                                                  | 55             |
| Table 21 – Damage and failure limit of interface components.....                                                                                                                                                                                           | 56             |
| Table 22 – Default values for strength coefficients of variation ( $COV$ ).....                                                                                                                                                                            | 57             |
| Table 23 – $u$ factors for log-normal distribution function for $e = 10\%$ .....                                                                                                                                                                           | 57             |
| Table 24 – Value of quality factor $\phi_Q$ for lattice towers.....                                                                                                                                                                                        | 58             |
| <del>Table A.1 – Yearly reliability corresponding to various assumptions of load and strength...</del>                                                                                                                                                     | <del>117</del> |
| Table A.1 – Values of $u_e$ associated to exclusion limits.....                                                                                                                                                                                            | 79             |
| <del>Table A.2 – Relationship between reliability levels and return periods of limit loads .....</del>                                                                                                                                                     | <del>125</del> |
| <del>Table A.3 – Typical strength coordination .....</del>                                                                                                                                                                                                 | <del>129</del> |
| <del>Table A.4 – Values of central safety factor <math>\alpha</math> and strength coordination factor <math>\phi_S</math> required to insure that component <math>R_2</math> will fail after component <math>R_1</math> with a 90 % probability.....</del> | <del>137</del> |
| <del>Table A.5 – Strength factor <math>\phi_N</math> related to <math>N</math> components in series subjected to the critical load.....</del>                                                                                                              | <del>143</del> |
| <del>Table A.7 – Definition of terrain category.....</del>                                                                                                                                                                                                 | <del>151</del> |
| <del>Table A.9 – Values of reference wind speed <math>V_R</math>.....</del>                                                                                                                                                                                | <del>157</del> |
| <del>Table B.2 – Parameters of Weibull distribution.....</del>                                                                                                                                                                                             | <del>199</del> |
| <del>Table B.3 – Statistical parameters <math>\bar{U}</math> and <math>\sigma_U</math> of wind span variation .....</del>                                                                                                                                  | <del>203</del> |
| <del>Table B.4 – Statistical parameters <math>\bar{U}</math> and <math>\sigma_U</math> of weight span variation.....</del>                                                                                                                                 | <del>205</del> |
| <del>Table B.6 – Use factor coefficient <math>\gamma_U</math> for different strength coefficients of variation.....</del>                                                                                                                                  | <del>211</del> |
| <del>Table B.5 – Values of use factor coefficient <math>\gamma_U</math> as a function of <math>U</math> and <math>N</math> for <math>v_R = 0,10</math> .....</del>                                                                                         | <del>209</del> |
| Table C.1 – Physical properties of ice .....                                                                                                                                                                                                               | 91             |
| <del>Table C.2 – Values of <math>u_1</math> for given values of function <math>F_{(u_1)} = I(u_1, p_3 - 1)</math>.....</del>                                                                                                                               | <del>235</del> |
| Table C.2 – Meteorological parameters controlling ice accretion .....                                                                                                                                                                                      | 91             |
| Table C.3 – Approximate values of ice weights on lattice structures.....                                                                                                                                                                                   | 95             |
| Table C.4 – Combined wind and ice loading conditions .....                                                                                                                                                                                                 | 95             |
| Table C.5 – Drag coefficients and density of ice-covered conductors .....                                                                                                                                                                                  | 96             |
| Table D.1 – Parameters $C_1$ and $C_2$ of Gumbel distribution .....                                                                                                                                                                                        | 98             |
| Table D.2 – Ratios of $x / \bar{x}$ for a Gumbel distribution function, $T$ return period in years of loading event, $n$ number of years with observations, $v_X$ coefficient of variation .....                                                           | 101            |
| Table E.1 – Use factor coefficient $\gamma_U$ .....                                                                                                                                                                                                        | 107            |
| Table F.1 – Variation of conductor sag with catenary parameter $C$ .....                                                                                                                                                                                   | 125            |
| Table F.2 – Conductor tensioning – recommended catenary parameter limits .....                                                                                                                                                                             | 126            |
| Table G. 1 – Values of $\mu$ and $\gamma$ .....                                                                                                                                                                                                            | 128            |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DESIGN CRITERIA OF OVERHEAD TRANSMISSION LINES –  
DESIGN CRITERIA**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.**

International Standard IEC 60826 has been prepared by IEC technical committee 11: Overhead lines.

This fourth edition cancels and replaces the third edition published in 2003. It constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

This standard has been further simplified by removing many informative annexes and theoretical details that can now be found in CIGRE Technical Brochure 178 and referred to as needed in the text of the standard. Many revisions have also been made that reflect the users experience in the application of this standard, together with information about amplification of wind speed due to escarpments. The annexes dealing with icing data have also been updated using new work by CIGRE.

The text of this standard is based on the following documents:

| FDIS        | Report on voting |
|-------------|------------------|
| 11/251/FDIS | 11/252/RVD       |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.**

# ~~DESIGN CRITERIA OF OVERHEAD TRANSMISSION LINES –~~ DESIGN CRITERIA

## 1 Scope

This International Standard specifies the loading and strength requirements of overhead lines derived from reliability-based design principles. These requirements apply to lines 45 kV and above, but can also be applied to lines with a lower nominal voltage.

This document also provides a framework for the preparation of national standards dealing with overhead transmission lines, using reliability concepts and employing probabilistic or semi-probabilistic methods. These national standards will need to establish the local climatic data for the use and application of this standard, in addition to other data that are country-specific.

Although the design criteria in this standard apply to new lines, many concepts can be used to address the **design and** reliability requirements for refurbishment, **upgrading** and uprating of existing lines.

This document does not cover the detailed design of line components such as ~~towers~~ **supports**, foundations, conductors or insulators **strings**.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60652:~~2002~~, *Loading tests on overhead line structures*

IEC 61089:~~1994~~, *Round wire concentric lay overhead electrical stranded conductors*

IEC 61773:~~1996~~, *Overhead lines – Testing of foundations for structures*

IEC 61774:~~1997~~, *Overhead lines – Meteorological data for assessing climatic loads*

IEC 61284:~~1997~~, *Overhead lines – Requirements and tests for fittings*

# INTERNATIONAL STANDARD



---

## Overhead transmission lines – Design criteria

## CONTENTS

|                                                                                            |    |
|--------------------------------------------------------------------------------------------|----|
| FOREWORD .....                                                                             | 7  |
| 1 Scope .....                                                                              | 9  |
| 2 Normative references .....                                                               | 9  |
| 3 Terms, definitions, symbols and abbreviations .....                                      | 9  |
| 3.1 Terms and definitions .....                                                            | 9  |
| 3.2 Symbols and abbreviations .....                                                        | 12 |
| 4 General .....                                                                            | 15 |
| 4.1 Objective .....                                                                        | 15 |
| 4.2 System design .....                                                                    | 15 |
| 4.3 System reliability .....                                                               | 16 |
| 5 General design criteria .....                                                            | 16 |
| 5.1 Methodology .....                                                                      | 16 |
| 5.1.1 General .....                                                                        | 16 |
| 5.1.2 Reliability requirements .....                                                       | 17 |
| 5.1.3 Security requirements .....                                                          | 19 |
| 5.1.4 Safety requirements .....                                                            | 19 |
| 5.2 Load-strength requirements .....                                                       | 19 |
| 5.2.1 Climatic loads .....                                                                 | 19 |
| 5.2.2 Design requirements for the system .....                                             | 20 |
| 5.2.3 Design formula for each component .....                                              | 21 |
| 6 Loadings .....                                                                           | 22 |
| 6.1 Description .....                                                                      | 22 |
| 6.2 Climatic loads, wind and associated temperatures .....                                 | 22 |
| 6.2.1 General .....                                                                        | 22 |
| 6.2.2 Field of application .....                                                           | 22 |
| 6.2.3 Terrain roughness .....                                                              | 23 |
| 6.2.4 Reference wind speed $V_R$ .....                                                     | 23 |
| 6.2.5 Assessment of meteorological measurements .....                                      | 24 |
| 6.2.6 Determination from gradient wind velocities .....                                    | 25 |
| 6.2.7 Combination of wind speed and temperatures .....                                     | 25 |
| 6.2.8 Number of supports subjected in wind action, effect of length of line .....          | 26 |
| 6.2.9 Unit action of the wind speed on any line component or element .....                 | 26 |
| 6.2.10 Evaluation of wind loads on line components and elements .....                      | 27 |
| 6.3 Climatic loads, ice without wind .....                                                 | 34 |
| 6.3.1 Description .....                                                                    | 34 |
| 6.3.2 Ice data .....                                                                       | 34 |
| 6.3.3 Evaluation of yearly maximum ice load by means of meteorological data analysis ..... | 35 |
| 6.3.4 Reference limit ice load .....                                                       | 36 |
| 6.3.5 Temperature during icing .....                                                       | 37 |
| 6.3.6 Loads on support .....                                                               | 37 |
| 6.4 Climatic loads, combined wind and ice loadings .....                                   | 39 |
| 6.4.1 General .....                                                                        | 39 |
| 6.4.2 Combined probabilities – Principle proposed .....                                    | 39 |
| 6.4.3 Determination of ice load .....                                                      | 40 |
| 6.4.4 Determination of coincident temperature .....                                        | 40 |

|                       |                                                                                         |    |
|-----------------------|-----------------------------------------------------------------------------------------|----|
| 6.4.5                 | Determination of wind speed associated with icing conditions .....                      | 40 |
| 6.4.6                 | Drag coefficients of ice-covered conductors .....                                       | 41 |
| 6.4.7                 | Determination of loads on supports .....                                                | 42 |
| 6.5                   | Loads for construction and maintenance (safety loads) .....                             | 43 |
| 6.5.1                 | General .....                                                                           | 43 |
| 6.5.2                 | Erection of supports .....                                                              | 43 |
| 6.5.3                 | Construction stringing and sagging .....                                                | 44 |
| 6.5.4                 | Maintenance loads .....                                                                 | 44 |
| 6.6                   | Loads for failure containment (security requirements) .....                             | 45 |
| 6.6.1                 | General .....                                                                           | 45 |
| 6.6.2                 | Security requirements .....                                                             | 45 |
| 6.6.3                 | Security related loads – Torsional, longitudinal and additional security measures ..... | 45 |
| 7                     | Strength of components and limit states .....                                           | 47 |
| 7.1                   | General .....                                                                           | 47 |
| 7.2                   | General formulas for the strength of components .....                                   | 47 |
| 7.2.1                 | General .....                                                                           | 47 |
| 7.2.2                 | Values of strength factor $\phi_N$ .....                                                | 48 |
| 7.2.3                 | General basis for strength coordination .....                                           | 49 |
| 7.2.4                 | Strength factor $\phi_S$ related to the coordination of strength .....                  | 50 |
| 7.2.5                 | Methods for calculating strength coordination factors $\phi_S$ .....                    | 50 |
| 7.3                   | Data related to the calculation of components .....                                     | 51 |
| 7.3.1                 | Limit states for line components .....                                                  | 51 |
| 7.3.2                 | Strength data of line components .....                                                  | 54 |
| 7.3.3                 | Support design strength .....                                                           | 55 |
| 7.3.4                 | Foundation design strength .....                                                        | 56 |
| 7.3.5                 | Conductor and ground wire design criteria .....                                         | 56 |
| 7.3.6                 | Insulator string design criteria .....                                                  | 56 |
| Annex A (informative) | Technical information – Strength of line components .....                               | 58 |
| A.1                   | Calculation of characteristic strength .....                                            | 58 |
| Annex B (informative) | Formulas of curves and figures .....                                                    | 60 |
| B.1                   | General .....                                                                           | 60 |
| B.2                   | Formula for $G_C$ – Figure 4 .....                                                      | 60 |
| B.3                   | Formula for $G_L$ – Figure 5 .....                                                      | 60 |
| B.4                   | Formula for $G_t$ – Figure 6 .....                                                      | 60 |
| B.5                   | Formula for $C_{xt}$ – Figure 8 (flat-sided members) .....                              | 60 |
| B.6                   | Formula for $C_{xt}$ – Figure 9 (round-sided members) .....                             | 61 |
| B.7                   | Formulas for $C_{xtc}$ – Figure 10 .....                                                | 61 |
| Annex C (informative) | Atmospheric icing .....                                                                 | 62 |
| C.1                   | General .....                                                                           | 62 |
| C.2                   | Precipitation icing .....                                                               | 62 |
| C.2.1                 | Freezing rain .....                                                                     | 62 |
| C.2.2                 | Wet snow .....                                                                          | 62 |
| C.3                   | Dry ice .....                                                                           | 63 |
| C.4                   | In-cloud icing .....                                                                    | 63 |
| C.5                   | Physical properties of ice .....                                                        | 64 |
| C.6                   | Meteorological parameters controlling ice accretion .....                               | 64 |
| C.7                   | Terrain influences .....                                                                | 65 |

|                       |                                                                                                                                       |    |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------|----|
| C.7.1                 | In-cloud icing .....                                                                                                                  | 65 |
| C.7.2                 | Precipitation icing .....                                                                                                             | 65 |
| C.8                   | Guidelines for the implementation of an ice observation program .....                                                                 | 65 |
| C.9                   | Ice data .....                                                                                                                        | 67 |
| C.9.1                 | Influence of height and conductor diameter .....                                                                                      | 67 |
| C.9.2                 | The effect of icing on structures .....                                                                                               | 67 |
| C.10                  | Combined wind and ice loadings .....                                                                                                  | 67 |
| C.10.1                | Combined probabilities .....                                                                                                          | 67 |
| C.10.2                | Drag coefficients of ice-covered conductors .....                                                                                     | 68 |
| Annex D (informative) | Application of statistical distribution functions to load and strength of overhead lines .....                                        | 69 |
| Annex E (informative) | Effect of span variation on load-strength relationship – Calculation of span use factor .....                                         | 71 |
| E.1                   | General .....                                                                                                                         | 71 |
| E.2                   | Effect of use factor on load reduction and its calculation .....                                                                      | 72 |
| Annex F (normative)   | Conductor tension limits .....                                                                                                        | 73 |
| F.1                   | General .....                                                                                                                         | 73 |
| F.2                   | Limits for lines with short spans .....                                                                                               | 74 |
| F.3                   | Recommended conductor limit tensions .....                                                                                            | 74 |
| F.3.1                 | Initial tension limit .....                                                                                                           | 74 |
| F.3.2                 | Maximum final tension limit .....                                                                                                     | 75 |
| F.4                   | Benefits from reducing conductor tensions .....                                                                                       | 75 |
| Annex G (informative) | Methods of calculation for wind speed up effects due to local topography .....                                                        | 76 |
| G.1                   | Application .....                                                                                                                     | 76 |
| G.2                   | Notes on application .....                                                                                                            | 77 |
| Bibliography          | .....                                                                                                                                 | 79 |
| Figure 1              | – Diagram of a transmission line .....                                                                                                | 16 |
| Figure 2              | – Transmission line design methodology .....                                                                                          | 17 |
| Figure 3              | – Relationship between meteorological wind velocities at a height of 10 m depending on terrain category and on averaging period ..... | 25 |
| Figure 4              | – Combined wind factor $G_C$ for conductors for various terrain categories and heights above ground .....                             | 28 |
| Figure 5              | – Span factor $G_L$ .....                                                                                                             | 28 |
| Figure 6              | – Combined wind factor $G_t$ applicable to supports and insulator strings .....                                                       | 30 |
| Figure 7              | – Definition of the angle of incidence of wind .....                                                                                  | 31 |
| Figure 8              | – Drag coefficient $C_{xt}$ for lattice supports made of flat sided members .....                                                     | 32 |
| Figure 9              | – Drag coefficient $C_{xt}$ for lattice supports made of rounded members .....                                                        | 32 |
| Figure 10             | – Drag coefficient $C_{xtc}$ of cylindrical elements having a large diameter .....                                                    | 33 |
| Figure 11             | – Factor $K_d$ related to the conductor diameter .....                                                                                | 36 |
| Figure 12             | – Factor $K_h$ related to the conductor height .....                                                                                  | 37 |
| a)                    | Single circuit support .....                                                                                                          | 38 |
| b)                    | Double circuit support .....                                                                                                          | 38 |
| Figure 13             | – Typical support types .....                                                                                                         | 38 |
| Figure 14             | – Equivalent cylindrical shape of ice deposit .....                                                                                   | 42 |
| Figure 15             | – Simulated longitudinal conductor load (case of a single circuit support) .....                                                      | 46 |

|                                                                                                                                                                                                  |    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Figure 16 – Diagram of limit states of line components .....                                                                                                                                     | 47 |
| Figure C.1 – Type of accreted in-cloud icing as a function of wind speed and temperature .....                                                                                                   | 64 |
| Figure C.2 – Strategy flow chart for utilizing meteorological data, icing models and field measurements of ice loads .....                                                                       | 66 |
| Figure G.1 – Diagram of typical topographical cross-section .....                                                                                                                                | 77 |
| Table 1 – Reliability levels for transmission lines .....                                                                                                                                        | 18 |
| Table 2 – Default $\gamma_T$ factors for adjustment of climatic loads in relation to return period $T$ versus 50 years .....                                                                     | 20 |
| Table 3 – Design requirements for the system .....                                                                                                                                               | 21 |
| Table 4 – Classification of terrain categories.....                                                                                                                                              | 23 |
| Table 5 – Factors describing wind action depending on terrain category .....                                                                                                                     | 24 |
| Table 6 – Correction factor $\tau$ of dynamic reference wind pressure $q_0$ due to altitude and temperatures.....                                                                                | 27 |
| Table 7 – Drag coefficient of polygonal pole sections.....                                                                                                                                       | 34 |
| Table 8 – Drag coefficient of structures having a triangular section.....                                                                                                                        | 34 |
| Table 9 – Statistical parameters of ice loads .....                                                                                                                                              | 36 |
| Table 10 – Non-uniform ice loading conditions .....                                                                                                                                              | 39 |
| Table 11 – Return period of combined ice and wind load .....                                                                                                                                     | 40 |
| Table 12 – Drag coefficients of ice-covered conductors .....                                                                                                                                     | 41 |
| Table 13 – Additional security measures .....                                                                                                                                                    | 47 |
| Table 14 – Number of supports subjected to maximum load intensity during any single occurrence of a climatic event.....                                                                          | 48 |
| Table 15 – Strength factor $\Phi_N$ related to the number $N$ of components or elements subjected to the critical load intensity.....                                                            | 49 |
| Table 16 – Values of $\Phi_{S2}$ .....                                                                                                                                                           | 50 |
| Table 17 – Typical strength coordination of line components .....                                                                                                                                | 50 |
| Table 18 – Damage and failure limits of supports .....                                                                                                                                           | 52 |
| Table 19 – Damage and failure limits of foundations .....                                                                                                                                        | 53 |
| Table 20 – Damage and failure limits of conductors and ground wires .....                                                                                                                        | 53 |
| Table 21 – Damage and failure limit of interface components.....                                                                                                                                 | 54 |
| Table 22 – Default values for strength coefficients of variation ( $COV$ ).....                                                                                                                  | 55 |
| Table 23 – $u$ factors for log-normal distribution function for $e = 10\%$ .....                                                                                                                 | 55 |
| Table 24 – Value of quality factor $\Phi_Q$ for lattice towers.....                                                                                                                              | 56 |
| Table A.1 – Values of $u_e$ associated to exclusion limits.....                                                                                                                                  | 59 |
| Table C.1 – Physical properties of ice .....                                                                                                                                                     | 64 |
| Table C.2 – Meteorological parameters controlling ice accretion .....                                                                                                                            | 64 |
| Table C.3 – Approximate values of ice weights on lattice structures.....                                                                                                                         | 67 |
| Table C.4 – Combined wind and ice loading conditions .....                                                                                                                                       | 68 |
| Table C.5 – Drag coefficients and density of ice-covered conductors .....                                                                                                                        | 68 |
| Table D.1 – Parameters $C_1$ and $C_2$ of Gumbel distribution .....                                                                                                                              | 69 |
| Table D.2 – Ratios of $x / \bar{x}$ for a Gumbel distribution function, $T$ return period in years of loading event, $n$ number of years with observations, $v_x$ coefficient of variation ..... | 70 |
| Table E.1 – Use factor coefficient $\gamma_U$ .....                                                                                                                                              | 72 |

|                                                                                |    |
|--------------------------------------------------------------------------------|----|
| Table F.1 – Variation of conductor sag with catenary parameter $C$ .....       | 74 |
| Table F.2 – Conductor tensioning – recommended catenary parameter limits ..... | 75 |
| Table G. 1 – Values of $\mu$ and $\gamma$ .....                                | 77 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**OVERHEAD TRANSMISSION LINES – DESIGN CRITERIA****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60826 has been prepared by IEC technical committee 11: Overhead lines.

This fourth edition cancels and replaces the third edition published in 2003. It constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

This standard has been further simplified by removing many informative annexes and theoretical details that can now be found in CIGRE Technical Brochure 178 and referred to as needed in the text of the standard. Many revisions have also been made that reflect the users experience in the application of this standard, together with information about amplification of wind speed due to escarpments. The annexes dealing with icing data have also been updated using new work by CIGRE.

The text of this standard is based on the following documents:

| FDIS        | Report on voting |
|-------------|------------------|
| 11/251/FDIS | 11/252/RVD       |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.**

## OVERHEAD TRANSMISSION LINES – DESIGN CRITERIA

### 1 Scope

This International Standard specifies the loading and strength requirements of overhead lines derived from reliability-based design principles. These requirements apply to lines 45 kV and above, but can also be applied to lines with a lower nominal voltage.

This document also provides a framework for the preparation of national standards dealing with overhead transmission lines, using reliability concepts and employing probabilistic or semi-probabilistic methods. These national standards will need to establish the local climatic data for the use and application of this standard, in addition to other data that are country-specific.

Although the design criteria in this standard apply to new lines, many concepts can be used to address the design and reliability requirements for refurbishment, upgrading and uprating of existing lines.

This document does not cover the detailed design of line components such as supports, foundations, conductors or insulators strings.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60652, *Loading tests on overhead line structures*

IEC 61089, *Round wire concentric lay overhead electrical stranded conductors*

IEC 61773, *Overhead lines – Testing of foundations for structures*

IEC 61774, *Overhead lines – Meteorological data for assessing climatic loads*

IEC 61284, *Overhead lines – Requirements and tests for fittings*