

IEC/TS 60870-5-7

Edition 1.0 2013-07

TECHNICAL SPECIFICATION



Telecontrol equipment and systems -

Part 5-7: Transmission protocols – Security extensions to IEC 60870-5-101 and IEC 60870-5-104 protocols (applying IEC 62351)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

ISBN 978-2-8322-0919-6



ICS 33.200

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

4.1 Overview of clause 9 4.2 MAC algorithms 9 4.3 Encryption algorithms 9 4.4 Maximum error count 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 12 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 88: S_UC_NA_1 Update key change 21 7.3.7 TYPE IDE	FO	REWC	DRD		5		
3 Terms, definitions and abbreviations 8 3.1 Terms and definitions 8 3.2 Abbreviated terms 9 4 Selected options 9 4.1 Overview of clause 9 4.2 MAC algorithms 9 4.3 Encryption algorithms 9 4.4 Maximum error count 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Aggressive mode authentication request 18 7.3.3 TYPE IDENT 83: S_AR_NA_1 Session key status request 19 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key status request 19	1	Scop	e		7		
3.1 Terms and definitions 8 3.2 Abbreviated terms 9 4 Selected options 9 4.1 Overview of clause 9 4.2 MAC algorithms 9 4.3 Encryption algorithms 9 4.4 Maximum error count 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication challenge 16 7.3.3 TYPE IDENT 83: S_AR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.6	2	Norm	Normative references				
3.2 Abbreviated terms 9 4 Selected options 9 4.1 Overview of clause 9 4.2 MAC algorithms 9 4.3 Encryption algorithms 9 4.4 Maximum error count 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 83: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.4 TYPE IDENT 86: S_KC_NA_1 Session key status request 19 7.3.5 TYPE IDENT 87: S_ER_NA_1 User sertificate 22 <	3	Terms, definitions and abbreviations					
4.1 Overview of clause 9 4.2 MAC algorithms 9 4.3 Encryption algorithms 9 4.4 Maximum error count 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_RA_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key change 21 7.3.7 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.8 TYPE ID		3.1	Terms	and definitions	8		
4.1 Overview of clause 9 4.2 MAC algorithms 9 4.3 Encryption algorithms 9 4.4 Maximum error count 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 12 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Session key status request 19 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status 20 7.3.5 TYPE IDENT 86: S_KS_NA_1 Session key change 21 7.3.7 TYPE IDENT 88: S_LC_NA_1 User certificate 23 7.3.9 TYPE IDENT 88: S_LC_NA_1 User		3.2	Abbrev	iated terms	9		
4.2 MAC algorithms 9 4.3 Encryption algorithms 9 4.4 Maximum error count 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 81: S_CH_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 User status change 21	4	Selec	cted opti	ions	9		
4.3 Encryption algorithms 9 4.4 Maximum error count 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 81: S_CH_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_RP_NA_1 Authentication Reply 17 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status 20		4.1	Overvie	ew of clause	9		
4.4 Maximum error count. 9 4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 18 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status request 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Under key change 21 7.3.7 TYPE IDENT 88: S_UC_NA_1 Update key change request 25 7.3.11 TYPE IDEN		4.2	MAC al	lgorithms	9		
4.5 Use of aggressive mode 9 5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 81: S_CH_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 88: S_CN_A 1 Session key change 21 7.3.8 TYPE IDENT 88: S_UC_NA_1 Update key change reply 26 7.3.11 TYPE IDENT 90: S_US_NA_1 Update key change reply 26		4.3	Encryp	tion algorithms	9		
5 Operations considered critical 9 6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 88: S_UC_NA_1 Uber certificate 23 7.3.9 TYPE IDENT 88: S_UC_NA_1 Uber status change 24 7.3.11 TYPE IDENT 99: S_UR_NA_1 Update key change request 25 <td< td=""><td></td><td>4.4</td><td></td><td></td><td></td></td<>		4.4					
6 Addressing information 10 7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 81: S_CH_NA_1 Authentication Reply 17 7.3.1 TYPE IDENT 83: S_CH_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_CH_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 84: S_KR_NA_1 Session key status request 18 7.3.4 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.5 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.6 TYPE IDENT 87: S_ER_NA_1 User status change 24							
7 Implementation of messages 10 7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication Reply 17 7.3.1 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_CH_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 84: S_KR_NA_1 Session key status request 18 7.3.4 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.5 TYPE IDENT 86: S_KC_NA_1 Session key status request 19 7.3.5 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.6 TYPE IDENT 88: S_UC_NA_1 User certificate	5	•					
7.1 Overview of clause 10 7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.6 TYPE IDENT 87: S_ER_NA_1 Session key change 21 7.3.7 TYPE IDENT 88: S_UC_NA_1 Session key change 21 7.3.7 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.8 TYPE IDENT 91: S_UC_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key	6	Addre	essing ir	nformation	10		
7.2 Data definitions 10 7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 84: S_KR_NA_1 Session key status request 18 7.3.4 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.5 TYPE IDENT 86: S_KC_NA_1 Session key status 20 7.3.6 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 87: S_ER_NA_1 User certificate 23 7.3.9 TYPE IDENT 91: S_UQ_NA_1 User status change 24 7.3.11 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.12 TYPE I	7	Imple	ementati	on of messages	10		
7.2.1 Causes of transmission 10 7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key status request 20 7.3.6 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.6 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change - asymmetric <		7.1	Overvie	ew of clause	10		
7.2.2 Type identifiers 10 7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key status 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change - symmetric<		7.2	Data de				
7.2.3 Security statistics 11 7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status request 19 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change - symmetric 27 7.3.13 TYPE IDENT 94: S_UA_NA_1 Update key change - asymmetric 28 7.3.14 TYP			7.2.1				
7.2.4 Variable length data 11 7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 88: S_UC_NA_1 User certificate 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.10 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.11 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change - symmetric 27 7.3.13 TYPE IDENT 95: S_UC_NA_1 Update key change - asymmetric 28 7.3.14				7.			
7.2.5 Information object address 12 7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change - symmetric 27 7.3.13 TYPE IDENT 94: S_UA_NA_1 Update key change - asymmetric 28 7.3.15 TYPE IDENT 95: S_UC_NA_1 Update key change confirmation 29 7.3.15 TYPE IDENT 41: S_IT_TC_1 Integrated totals containing timetagged sec				•			
7.2.6 Transmitting extended ASDUs using segmentation 12 7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change - symmetric 27 7.3.13 TYPE IDENT 94: S_UA_NA_1 Update key change - asymmetric 28 7.3.14 TYPE IDENT 95: S_UC_NA_1 Update key change confirmation 29 7.3.15 TYPE IDENT 41: S_IT_TC_1 Integrated totals containing time-tagged security statistics 30 8 Implementatio				· ·			
7.3 Application Service Data Units 16 7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change - symmetric 27 7.3.13 TYPE IDENT 94: S_UA_NA_1 Update key change - asymmetric 28 7.3.14 TYPE IDENT 95: S_UC_NA_1 Update key change confirmation 29 7.3.15 TYPE IDENT 41: S_IT_TC_1 Integrated totals containing time-tagged security statistics 30 8 Implementation of procedures 31 8.1 Overview of clause <td< td=""><td></td><td></td><td></td><td>•</td><td></td></td<>				•			
7.3.1 TYPE IDENT 81: S_CH_NA_1 Authentication challenge 16 7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key change 21 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change reply 26 7.3.12 TYPE IDENT 93: S_UK_NA_1 Update key change – symmetric 27 7.3.13 TYPE IDENT 94: S_UA_NA_1 Update key change confirmation 29 7.3.15 TYPE IDENT 41: S_IT_TC_1 Integrated totals containing time-tagged security statistics 30 8 Implementation of procedures 31 8.1 Overview of clause 31 8.2 Initialization of aggressive mode 31<		7 2		· · · · · · · · · · · · · · · · · · ·			
7.3.2 TYPE IDENT 82: S_RP_NA_1 Authentication Reply 17 7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request 18 7.3.4 TYPE IDENT 84: S_KR_NA_1 Session key status request 19 7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change reply 26 7.3.12 TYPE IDENT 93: S_UK_NA_1 Update key change – symmetric 27 7.3.13 TYPE IDENT 94: S_UA_NA_1 Update key change – asymmetric 28 7.3.14 TYPE IDENT 95: S_UC_NA_1 Update key change confirmation 29 7.3.15 TYPE IDENT 41: S_IT_TC_1 Integrated totals containing time-tagged security statistics 30 8 Implementation of procedures 31 8.1 Overview of clause 31 8.2 Initialization of aggressive mode		1.3					
7.3.3 TYPE IDENT 83: S_AR_NA_1 Aggressive mode authentication request			-				
18					17		
7.3.5 TYPE IDENT 85: S_KS_NA_1 Session key status 20 7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change 21 7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error 22 7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate 23 7.3.9 TYPE IDENT 90: S_US_NA_1 User status change 24 7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request 25 7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change reply 26 7.3.12 TYPE IDENT 93: S_UK_NA_1 Update key change – symmetric 27 7.3.13 TYPE IDENT 94: S_UA_NA_1 Update key change – asymmetric 28 7.3.14 TYPE IDENT 95: S_UC_NA_1 Update key change confirmation 29 7.3.15 TYPE IDENT 41: S_IT_TC_1 Integrated totals containing time-tagged security statistics 30 8 Implementation of procedures 31 8.1 Overview of clause 31 8.2 Initialization of aggressive mode 31 8.3 Refreshing challenge data 34			7.0.0		18		
7.3.6 TYPE IDENT 86: S_KC_NA_1 Session key change			7.3.4	TYPE IDENT 84: S_KR_NA_1 Session key status request	19		
7.3.7 TYPE IDENT 87: S_ER_NA_1 Authentication error			7.3.5	TYPE IDENT 85: S_KS_NA_1 Session key status	20		
7.3.8 TYPE IDENT 88: S_UC_NA_1 User certificate			7.3.6	TYPE IDENT 86: S_KC_NA_1 Session key change	21		
7.3.9 TYPE IDENT 90: S_US_NA_1 User status change							
7.3.10 TYPE IDENT 91: S_UQ_NA_1 Update key change request							
7.3.11 TYPE IDENT 92: S_UR_NA_1 Update key change reply				·			
7.3.12 TYPE IDENT 93: S_UK_NA_1 Update key change – symmetric							
7.3.13 TYPE IDENT 94: S_UA_NA_1 Update key change – asymmetric							
7.3.14 TYPE IDENT 95: S_UC_NA_1 Update key change confirmation							
7.3.15 TYPE IDENT 41: S_IT_TC_1 Integrated totals containing time-tagged security statistics 30 8 Implementation of procedures 31 8.1 Overview of clause 31 8.2 Initialization of aggressive mode 31 8.3 Refreshing challenge data 34							
tagged security statistics 30 8 Implementation of procedures 31 8.1 Overview of clause 31 8.2 Initialization of aggressive mode 31 8.3 Refreshing challenge data 34					29		
8 Implementation of procedures			7.3.15		30		
8.1 Overview of clause	8						
8.2 Initialization of aggressive mode		·					
8.3 Refreshing challenge data							
		8.4					

9	Implementation of IEC/TS 62351-3 using IEC 60870-5-104						
	9.1						
	9.2	Deprecation of non-encrypting cipher suites	34				
	9.3	Mandatory cipher suite	34				
	9.4	Recommended cipher suites	34				
	9.5	Negotiation of versions	35				
	9.6	Cipher renegotiation	35				
	9.7	Message authentication code	35				
	9.8	Certificate support	35				
		9.8.1 Overview of clause	35				
		9.8.2 Multiple Certificate Authorities (CAs)					
		9.8.3 Certificate size					
		9.8.4 Certificate exchange					
		9.8.5 Certificate comparison					
	9.9	Co-existence with non-secure protocol traffic					
		Use with redundant channels					
10		ocol Implementation Conformance Statement					
		Overview of clause					
		Required algorithms					
		MAC algorithms					
		Key wrap algorithms					
		Use of error messages					
		Update key change methods					
		User status change					
		Configurable parameters					
		10.9 Configurable statistic thresholds and statistic information object addresses 10.10 Critical functions					
Rih		phyphy					
טוט	llogra	priy					
Fig	ure 1	– ASDU segmentation control	12				
Fig	ure 2	- Segmenting extended ASDUs	12				
Fig	ure 3	- Illustration of ASDU segment reception state machine	15				
Fig	ure 4	- ASDU: S_CH_NA_1 Authentication challenge	16				
_		– ASDU: S_RP_NA_1 Authentication Reply					
_		– ASDU: S_AR_NA_1 Aggressive Mode Authentication Request					
		- ASDU: S_KR_NA_1 Session key status request					
		- ASDU: S_KS_NA_1 Session key status					
-		- ASDU: S_KC_NA_1 Session key change					
		- ASDU: S_ER_NA_1 Session key change					
_		I – ASDU: S_UC_NA_1 User certificate					
		2 – ASDU: S_US_NA_1 User status change					
	Figure 13 – ASDU: S_UQ_NA_1 Update key change request						
_		4 – ASDU: S_UR_NA_1 Update key change reply					
Fig	ure 15	5 – ASDU: S_UK_NA_1 Update key change – symmetric	27				
Fig	ure 16	6 – ASDU: S_UA_NA_1 Update key change – asymmetric	28				
Fig	ure 17	7 – ASDU: S. UC. NA. 1 Update key change confirmation	29				

Figure 18 – ASDU: S_IT_TC_1 Integrated totals containing time-tagged security statistics	30
Figure 19 – Example of successful initialization of challenge data	
Table 1 – Additional cause of transmission	10
Table 2 – Additional type identifiers	10
Table 3 – Maximum lengths of variable length data	11
Table 4 – ASDU segment reception state machine	14
Table 5 – Recommended cipher suite combinations	35

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TELECONTROL EQUIPMENT AND SYSTEMS -

Part 5-7: Transmission protocols – Security extensions to IEC 60870-5-101 and IEC 60870-5-104 protocols (applying IEC 62351)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 60870-5-7, which is a technical specification, has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
57/1308/DTS	57/1339/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this publication the following print types are used:

Clause 10: Direct quotations from IEC/TS 62351-3:2007: in italic type.

A list of all the parts in the IEC 60870 series, published under the general title *Telecontrol* equipment and systems, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- transformed into an International Standard,
- reconfirmed.
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

TELECONTROL EQUIPMENT AND SYSTEMS -

Part 5-7: Transmission protocols – Security extensions to IEC 60870-5-101 and IEC 60870-5-104 protocols (applying IEC 62351)

1 Scope

This part of IEC 60870 describes messages and data formats for implementing IEC/TS 62351-5 for secure authentication as an extension to IEC 60870-5-101 and IEC 60870-5-104.

The purpose of this base standard is to permit the receiver of any IEC 60870-5-101/104 Application Protocol Data Unit (APDU) to verify that the APDU was transmitted by an authorized user and that the APDU was not modified in transit. It provides methods to authenticate not only the device which originated the APDU but also the individual human user if that capability is supported by the rest of the telecontrol system.

This specification is also intended to be used, together with the definitions of IEC/TS 62351-3, in conjunction with the IEC 60870-5-104 companion standard.

The state machines, message sequences, and procedures for exchanging these messages are defined in the IEC/TS 62351-5 specification. This base standard describes only the message formats, selected options, critical operations, addressing considerations and other adaptations required to implement IEC/TS 62351 in the IEC 60870-5-101 and 104 protocols.

The scope of this specification does not include security for IEC 60870-5-102 or IEC 60870-5-103. IEC 60870-5-102 is in limited use only and will therefore not be addressed. Users of IEC 60870-5-103 desiring a secure solution should implement IEC 61850 using the security measures from in IEC/TS 62351 referenced in IEC 61850.

Management of keys, certificates or other cryptographic credentials within devices or on communication links other than IEC 60870-5-101/104 is out of the scope of this specification and may be addressed by other IEC/TS 62351 specifications in the future.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60870-5-101:2003, Telecontrol equipment and systems – Part 5-101:Transmission protocols – Companion standard for basic telecontrol tasks

IEC 60870-5-104:2006, Telecontrol equipment and systems – Part 5-104:Transmission protocols – Network access for IEC 60870-5-101 – Using standard transport profiles

IEC/TS 62351-3:2007, Power systems management and associated information exchange – Data and communications security – Part 3: Communication network and system security – Profiles including TCP/IP

IEC/TS 62351-5:2013, Power systems management and associated information exchange – Data and communications security – Part 5: Security for IEC 60870-5 and derivatives

IEC/TS 62351-8, Power systems management and associated information exchange – Data and communications security – Part 8: Role-based access control