



Edition 2.1 2024-02 CONSOLIDATED VERSION

INTERNATIONAL STANDARD



Cable trunking systems and cable ducting systems for electrical installations – Part 1: General requirements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.060.01; 29.120.01

ISBN 978-2-8322-8321-9

Warning! Make sure that you obtained this publication from an authorized distributor.





Edition 2.1 2024-02 CONSOLIDATED VERSION

REDLINE VERSION



Cable trunking systems and cable ducting systems for electrical installations – Part 1: General requirements



CONTENTS

Ε(DREWO	DRD	5			
1	Scop	pe	7			
2	Norm	native references	7			
3	Term	Terms and definitions				
4	Gene	eral requirements	12			
5		General conditions for tests				
6		sification				
Ü						
	6.1 6.2	According to material				
	6.2.1					
	6.2.2					
	6.2.3	' '				
	6.2.4	•				
	6.2.5	•				
	6.2.6	•				
	6.2.7	•				
		•				
	6.3 6.4	According to temperatures as given in Table 1, Table 2 and Table 3 below According to resistance to flame propagation				
	6.4.1					
	6.4.1	1 1 3 3				
	_					
	6.5	According to electrical continuity characteristic				
	6.5.1	- · · -				
	6.5.2	,				
	6.6	According to electrical insulating characteristic				
	6.6.1	ĕ				
	6.6.2	ŭ	14			
	6.7	According to degrees of protection provided by enclosure according to IEC 60529:1989	14			
	6.7.1					
	6.7.2					
	6.7.3					
	6.8	According to protection against corrosive or polluting substances				
	6.9	According to the system access cover retention				
	6.9.1					
	6.9.2	CTS/CDS access cover, which can only be opened with a tool or a deliberate action	15			
	6.10	Optional classification according to halogen content				
	6.10.					
	6.10.					
7	Mark	ring and documentation	15			
8		ensions				
9		struction				
J	9.1	Sharp edges				
	9.1	Apparatus mounting				
	9.2	Means for protective separation and/or retention				
	9.3	Mechanical connections				
	J.T	INCONDINOUS CONTINUES	10			

	9.5	Accessible conductive parts	19
	9.6	Equipotential bonding	20
	9.7	Access to live parts	20
	9.8	Inlet openings	21
	9.9	Membranes	21
	9.10	Cable restrainer	21
	9.11	Cable anchorage	22
10	Mech	anical properties	23
	10.1	Mechanical strength	23
	10.2	Cable support test	
	10.3	Impact test	
	10.3.	·	
	10.3.		
	10.4	Linear deflection test	
	10.5	External load test	
	10.5.		
	10.5.		
	10.6	System access cover retention	
11		rical properties	
٠.		Electrical continuity	
	11.1	•	
	11.1.		
	11.1.	·	
	11.1.	•	
	11.2	Electrical insulation	
	11.2.		
	11.2.	5 1 1	
	11.2.		
	11.2.		
12	Therr	nal properties	29
	12.1	Resistance to heat	
	12.1.	1 General	29
	12.1.	Test for non-metallic or composite system components necessary to retain current-carrying parts in position	29
	12.1.	Test for non-metallic or composite system components not necessary to retain current-carrying parts in position	30
13	Fire h	nazard	30
	13.1	Reaction to fire	30
	13.1.		
	13.1.		
	13.1.		
	13.1.		
	13.2	Resistance to fire	
14	Exter	nal influences	32
	14.1	Degree of protection provided by enclosure	32
	14.1.	1 General	32
	14.1.	Protection against ingress of solid foreign objects	33
	14.1.	Protection against ingress of water	33
	14.1.	4 Protection against access to hazardous parts	33
	14 2	Protection against corrosive or polluting substances	33

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE TRUNKING SYSTEMS AND CABLE DUCTING SYSTEMS FOR ELECTRICAL INSTALLATIONS –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61084-1 edition 2.1 contains the second edition (2017-03) [documents 23A/826/FDIS and 23A/833/RVD] and its amendment 1 (2024-02) [documents 23A/1057/FDIS and 23A/1067/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

- 6 -

International Standard IEC 61084-1 has been prepared by subcommittee 23A: Cable management systems, of IEC technical committee 23: Electrical accessories.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- classification;
- construction;
- mechanical and electrical properties.

This part of the IEC 61084 series is not intended to be used by itself.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61084 series, published under the general title *Cable trunking and cable ducting systems for electrical installations*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

CABLE TRUNKING SYSTEMS AND CABLE DUCTING SYSTEMS FOR ELECTRICAL INSTALLATIONS –

Part 1: General requirements

1 Scope

This part of the IEC 61084 series specifies requirements and tests for cable trunking systems (CTS) and cable ducting systems (CDS) intended for the accommodation, and where necessary for the electrically protective separation, of insulated conductors, cables and possibly other electrical equipment in electrical and/or communication systems installations. The maximum voltage of these installations is 1 000 V AC and 1 500 V DC.

This document does not apply to conduit systems, cable tray systems, cable ladder systems, power track systems or equipment covered by other standards.

NOTE This part of the IEC 61084 series is not intended to be used by itself.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60417, Graphical symbols for use on equipment

IEC 60423:2007, Conduit systems for cable management – Outside diameters of conduits for electrical installations and threads for conduits and fittings

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60695-2-11:20142021, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)

IEC 60695-11-2:20132017, Fire hazard testing – Part 11-2: Test flames – 1 kW pre-mixed flame – Apparatus, confirmatory test arrangement and guidance

IEC 61032:1997, Protection of persons and equipment by enclosures – Probes for verification

IEC 63355:2022, Cable management systems – Test method for content of halogens

ISO 2768-1:1989, General tolerances – Part 1:Tolerances for linear and angular dimensions without individual tolerance indications





Edition 2.1 2024-02 CONSOLIDATED VERSION

FINAL VERSION

Cable trunking systems and cable ducting systems for electrical installations – Part 1: General requirements



CONTENTS

F	FOREWORD5				
1	Scop	e	7		
2	Norm	ative references	7		
3	Term	s and definitions	7		
4	Gene	General requirements			
5	Gene	General conditions for tests			
6		sification			
Ŭ	6.1 According to material				
	6.2	According to resistance to impact for installation and application			
	6.2.1	CTS/CDS for impact 0,5 J			
	6.2.2				
	6.2.3				
	6.2.4	•			
	6.2.5	·			
	6.2.6	CTS/CDS for impact 10 J	13		
	6.2.7	CTS/CDS for impact 20 J	13		
	6.3	According to temperatures as given in Table 1, Table 2 and Table 3 below	13		
	6.4	According to resistance to flame propagation	14		
	6.4.1	Flame propagating CTS/CDS	14		
	6.4.2	1 1 3 3 3			
	6.5	According to electrical continuity characteristic			
	6.5.1	,			
	6.5.2	,			
	6.6	According to electrical insulating characteristic			
	6.6.1	CTS/CDS without electrical insulating characteristic			
	6.6.2	3	14		
	6.7	According to degrees of protection provided by enclosure according to IEC 60529:1989	14		
	6.7.1	According to protection against ingress of solid foreign objects	14		
	6.7.2	According to protection against ingress of water	15		
	6.7.3	According to protection against access to hazardous parts	15		
	6.8	According to protection against corrosive or polluting substances			
	6.9	According to the system access cover retention	15		
	6.9.1	CTS/CDS access cover, which can be opened without a tool and without a deliberate action	15		
	6.9.2	CTS/CDS access cover, which can only be opened with a tool or a deliberate action	15		
	6.10	Optional classification according to halogen content	15		
	6.10.	1 Halogen-free CTS/CDS according to IEC 63355:2022	15		
	6.10.	2 Not declared	15		
7	Mark	ing and documentation	15		
8	Dime	nsions	17		
9	Cons	truction	18		
	9.1 Sharp edges		18		
	9.2 Apparatus mounting				
	9.3	Means for protective separation and/or retention			
	9.4	Mechanical connections	18		

	9.5	Accessible conductive parts	19
	9.6	Equipotential bonding	20
	9.7	Access to live parts	20
	9.8	Inlet openings	21
	9.9	Membranes	21
	9.10	Cable restrainer	21
	9.11	Cable anchorage	22
10	Mech	anical properties	23
	10.1	Mechanical strength	23
	10.2	Cable support test	
	10.3	Impact test	23
	10.3.	·	
	10.3.	·	
	10.4	Linear deflection test	
	10.5	External load test	
	10.5.		
	10.5.		
	10.6	System access cover retention	
11		rical properties	
	11.1	Electrical continuity	
	11.1.	•	
	11.1.		
	11.1.	· · · · · · · · · · · · · · · · · · ·	
	11.1.	Electrical impedance tests	
	11.2.		
	11.2.	5 1 1	
	11.2.		
40	11.2.		
12		mal properties	
	12.1	Resistance to heat	
		1 General	29
	12.1.	Test for non-metallic or composite system components necessary to retain current-carrying parts in position	29
	12.1.		
13	Fire h	nazard	30
	13.1	Reaction to fire	30
	13.1.		
	13.1.		
	13.1.		
	13.1.		
	13.2	Resistance to fire	
14	Exter	nal influences	
	14.1	Degree of protection provided by enclosure	32
	14.1.		
	14.1.	Protection against ingress of solid foreign objects	33
	14.1.	3 Protection against ingress of water	33
	14.1.	4 Protection against access to hazardous parts	33
	14 2	Protection against corrosive or polluting substances	33

•	
15 Electromagnetic compatibility	33
16 Environmental properties	33
16.1 Halogen content	33
Annex A (informative) Types of cable trunking systems (CTS) and cable ducting	
systems (CDS)	
Annex B (normative) CTS/CDS IK code	
Bibliography	45
Figure 1 – Types and application of trunking systems (CTS) and ducting systems	0.4
(CDS)	
Figure 2 – Example of impact test apparatus	
Figure 3 – Arrangement for test for resistance to flame propagation	
Figure 4 – Enclosure for test for resistance to flame propagation	
Figure 5 – Ball pressure test apparatus	37
Figure 6 – Electrical impedance tests arrangement	39
Figure 7 – Examples of membranes and grommets	39
Figure 8 – Typical apparatus for testing the resistance of cable anchorage to pull force	e40
Figure 9 – Typical apparatus for testing the resistance of cable anchorage to twist	
force	
Figure 10 – Piston for durability of marking test	41
Table 1 – Minimum storage and transport temperature	13
Table 2 – Minimum installation and application temperature	14
Table 3 – Maximum application temperature	
Table 4 – Torque values for the test of screwed connections	19
Table 5 – Forces and torques to be applied to cable anchorage	
Table 6 – Impact test values	
Table A.1 – Types of CTS and CDS for wall and ceiling installation	
Table A.2 – Types of CTS and CDS for floor installation	
Table A.3 – Types of CTS and CDS for installation between two opposite surfaces	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE TRUNKING SYSTEMS AND CABLE DUCTING SYSTEMS FOR ELECTRICAL INSTALLATIONS –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61084-1 edition 2.1 contains the second edition (2017-03) [documents 23A/826/FDIS and 23A/833/RVD] and its amendment 1 (2024-02) [documents 23A/1057/FDIS and 23A/1067/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

-6-

International Standard IEC 61084-1 has been prepared by subcommittee 23A: Cable management systems, of IEC technical committee 23: Electrical accessories.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- classification;
- construction;
- · mechanical and electrical properties.

This part of the IEC 61084 series is not intended to be used by itself.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61084 series, published under the general title *Cable trunking and cable ducting systems for electrical installations*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

CABLE TRUNKING SYSTEMS AND CABLE DUCTING SYSTEMS FOR ELECTRICAL INSTALLATIONS –

Part 1: General requirements

1 Scope

This part of the IEC 61084 series specifies requirements and tests for cable trunking systems (CTS) and cable ducting systems (CDS) intended for the accommodation, and where necessary for the electrically protective separation, of insulated conductors, cables and possibly other electrical equipment in electrical and/or communication systems installations. The maximum voltage of these installations is 1 000 V AC and 1 500 V DC.

This document does not apply to conduit systems, cable tray systems, cable ladder systems, power track systems or equipment covered by other standards.

NOTE This part of the IEC 61084 series is not intended to be used by itself.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60417, Graphical symbols for use on equipment

IEC 60423:2007, Conduit systems for cable management – Outside diameters of conduits for electrical installations and threads for conduits and fittings

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60695-2-11:2021, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)

IEC 60695-11-2:2017, Fire hazard testing – Part 11-2: Test flames – 1 kW pre-mixed flame – Apparatus, confirmatory test arrangement and guidance

IEC 61032:1997, Protection of persons and equipment by enclosures – Probes for verification

IEC 63355:2022, Cable management systems – Test method for content of halogens

ISO 2768-1:1989, General tolerances – Part 1:Tolerances for linear and angular dimensions without individual tolerance indications