



IEC 61196-8

Edition 2.0 2023-06

INTERNATIONAL STANDARD

**Coaxial communication cables –
Part 8: Sectional specification for semi-flexible cables with fluoropolymer
dielectric**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.10

ISBN 978-2-8322-7138-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	8
4 Materials and cable construction	8
4.1 Cable construction	8
4.2 Inner conductor.....	8
4.3 Dielectric	9
4.4 Outer conductor	9
4.5 Sheath.....	9
5 Standard rating and characteristics.....	10
5.1 Nominal characteristic impedance.....	10
5.2 Rated temperature range	10
5.3 Operating frequency	10
5.4 Power rating	10
5.5 Bending radius.....	10
6 Identification, marking and labelling.....	10
6.1 Cable identification	10
6.1.1 Type name	10
6.1.2 Variants.....	10
6.2 Cable marking.....	11
6.3 Labelling.....	11
7 Requirements for finished cables.....	11
7.1 General.....	11
7.2 Electrical measurements of the finished cable.....	11
7.3 Environmental testing of the finished cable	13
7.4 Mechanical testing of the finished cable.....	14
7.5 Fire performance requirements	15
7.6 Content of toxic and harmful substance	15
8 Quality assessment	16
9 Delivery and storage.....	16
Annex A (normative) Resistance to soldering.....	17
A.1 Preparation of test sample (TS)	17
A.2 Test procedure.....	17
A.3 Requirements	17
Annex B (normative) Stress-crack resistance	18
B.1 Preparation of test sample (TS)	18
B.2 Test procedure.....	18
B.3 Requirements	18
Annex C (normative) Pin hole testing	19
C.1 Preparation of test sample (TS)	19
C.2 Test equipment	19
C.3 Test procedure.....	19
C.4 Requirements	19

Table 1 – Rated temperature 10

Table 2 – Distinguishing number 11

Table 3 – Electrical measurements 12

Table 4 – Environmental testing of the finished cable..... 13

Table 5 – Tests for mechanical characteristics of the finished cable..... 14

Table 6 – Fire performance requirements..... 15

Table 7 – Content of toxic and harmful substance 15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COAXIAL COMMUNICATION CABLES –**Part 8: Sectional specification for semi-flexible cables
with fluoropolymer dielectric**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61196-8 has been prepared by subcommittee 46A: Coaxial cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

This second edition cancels and replaces the first edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Title changed to "Coaxial communication cables – Part 8: Sectional specification for semi-flexible cables with fluoropolymer dielectric";

- b) Subclause 4.3: Other fluoropolymer (such as PFA, etc.) dielectric materials added;
- c) Subclause 4.4: The construction of the outer conductor can consist of two layers or three layers;
- d) Subclause 5.2: Table 1 – "Rated temperature" added;
- e) Subclauses 5.3 5.4 and 5.5: new requirements added;
- f) Clause 7 completely revised;
- g) Annexes A, B and C added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46A/1618/CDV	46A/1632/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is to be read in conjunction with IEC 61196-1:2005.

A list of all parts in the IEC 61196 series, published under the general title *Coaxial communication cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

COAXIAL COMMUNICATION CABLES –

Part 8: Sectional specification for semi-flexible cables with fluoropolymer dielectric

1 Scope

This part of IEC 61196 specifies the materials and cable construction for semi-flexible coaxial communication cables with fluoropolymer dielectric, IEC type designation, identification, marking and labelling, standard rating and characteristics, requirements of finished cables, quality assessment, delivery and storage, etc.

This document applies to semi-flexible coaxial communication cables with fluoropolymer dielectric and tin soaked copper wire braid outer conductor. These cables are intended for use in mobile communication base station antenna systems, terrestrial microwave communication, radar systems and wireless equipment or other signal transmission equipment or units. It is read in conjunction with IEC 61196-1:2005.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-20:2021, *Environmental testing – Part 2-20: Tests – Tests Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60332-1-2, *Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame*

IEC 60332-3-24, *Tests on electric and optical fibre cables under fire conditions – Part 3-24: Test for vertical flame spread of vertically-mounted bunched wires or cables – Category C*

IEC 60811-501, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds*

IEC 60966-1:2019, *Radio frequency and coaxial cable assemblies – Part 1: Generic specification – General requirements and test methods*

IEC 61169-4, *Radio-frequency connectors – Part 4: RF coaxial connectors with inner diameter of outer conductor 16 mm (0,63 in) with screw lock – Characteristic impedance 50 Ω (Type 7-16)*

IEC 61196-1:2005, *Coaxial communication cables – Part 1: Generic specification – General, definitions and requirements*

IEC 61196-1-1, *Coaxial communication cables – Part 1-1: Capability approval for coaxial cables*

IEC 61196-1-101, *Coaxial communication cables – Part 1-101: Electrical test methods – Test for conductor d.c. resistance of cable*

IEC 61196-1-102, *Coaxial communication cables – Part 1-102: Electrical test methods – Test for insulation resistance of cable dielectric*

IEC 61196-1-103, *Coaxial communication cables – Part 1-103: Electrical test methods – Test for capacitance of cable*

IEC 61196-1-105, *Coaxial communication cables – Part 1-105: Electrical test methods – Test for withstand voltage of cable dielectric*

IEC 61196-1-108, *Coaxial communication cables – Part 1-108: Electrical test methods – Test for characteristic impedance, phase and group delay, electrical length and propagation velocity*

IEC 61196-1-110, *Coaxial communication cables – Part 1-110: Electrical test methods – Test for continuity*

IEC 61196-1-111, *Coaxial communication cables – Part 1-111: Electrical test methods – Stability of phase test methods*

IEC 61196-1-112, *Coaxial communication cables – Part 1-112: Electrical test methods – Test for return loss (uniformity of impedance)*

IEC 61196-1-113, *Coaxial communication cables – Part 1-113: Electrical test methods – Test for attenuation constant*

IEC 61196-1-116, *Coaxial communication cables – Part 1-116: Electrical test methods – Test for impedance with time domain reflectometry (TDR)*

IEC 61196-1-119, *Coaxial communication cables – Part 1-119: Electrical test methods – RF average power rating*

IEC 61196-1-126, *Coaxial communication cables – Part 1-126: Electrical test methods – Corona extinction voltage*

IEC 61196-1-201:2009, *Coaxial communication cables – Part 1-201: Environmental test methods – Test for cold bend performance of cable*

IEC 61196-1-215, *Coaxial communication cables – Part 1-215: Environmental test methods – High temperature cable ageing*

IEC 61196-1-301, *Coaxial communication cables – Part 1-301: Mechanical test methods – Test for ovality*

IEC 61196-1-302, *Coaxial communication cables – Part 1-302: Mechanical test methods – Test for eccentricity*

IEC 61196-1-313, *Coaxial communication cables – Part 1-313: Mechanical test methods – Adhesion of dielectric and sheath*

IEC 61196-1-314:2015, *Coaxial communication cables – Part 1-314: Mechanical test methods – Test for bending*

IEC 61196-1-316, *Coaxial communication cables – Part 1-316: Mechanical test methods – Test for maximum pulling force of cable*

IEC 61196-10:2022, *Coaxial communication cables – Part 10: Sectional specification for semi-rigid cables with fluoropolymer dielectric*

IEC 62037-4, *Passive RF and microwave devices, intermodulation level measurement – Part 4: Measurement of passive intermodulation in coaxial cables*

IEC 62153-4-4, *Metallic communication cable test methods – Part 4-4: Electromagnetic compatibility (EMC) – Test method for measuring of the screening attenuation as up to and above 3 GHz, triaxial method*

IEC 62230, *Electric cables – Spark-test method*