



Edition 4.1 2025-12

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

Wind energy generation systems - Part 1: Design requirements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 61400-1 Edition 4.0 2019-02

WIND ENERGY GENERATION SYSTEMS -

Part 1: Design requirements

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 88: Wind energy generation systems.

The text of this interpretation sheet is based on the following documents:

DISH	Report on voting
88/1065/DISH	88/1078/RVDISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

Question 1:

Subclause 6.4.2 mentions normal other environmental conditions that shall be taken into account and, specifically speaking, an ambient temperature range of $-10\,^{\circ}\text{C}$ to $+40\,^{\circ}\text{C}$. Does this mean that the wind turbines shall be designed to operate at rated power up to 40 $^{\circ}\text{C}$ on the maximum limit, or does it mean that the wind turbine can be designed to operate at any maximum temperature limit below 40 $^{\circ}\text{C}$, let's assume 35 $^{\circ}\text{C}$ or 32 $^{\circ}\text{C}$, etc. ?

Answer 1:

The standard requires that turbines designed to one of the design classes stated in Table 1 in Subclause 6.2 be capable of operating and generating at temperatures up to +40 °C. There is no requirement that the turbine shall generate maximum rated power at +40 °C.

CONTENTS

F	OREWO	RD	9
IN	TRODU	ICTION	11
1	Scop	e	12
2	Norm	native references	12
3	Term	is and definitions	14
4		pols and abbreviated terms	
•	4.1	Symbols and units	
	4.2	Abbreviated terms	
5		sipal elements	
Ŭ	5.1	General	
	5.2	Design methods	
	5.3	Safety classes	
	5.4	Quality assurance	
	5.5	Wind turbine markings	
6		rnal conditions	
•	6.1	General	
	6.2	Wind turbine classes	
	6.3	Wind conditions	
	6.3.1		
	6.3.2		
	6.3.3		
	6.4	Other environmental conditions	
	6.4.1		
	6.4.2	Normal other environmental conditions	41
	6.4.3	Extreme other environmental conditions	41
	6.5	Electrical power network conditions	41
7	Struc	ctural design	42
	7.1	General	42
	7.2	Design methodology	42
	7.3	Loads	42
	7.3.1	General	42
	7.3.2	Gravitational and inertial loads	43
	7.3.3	Aerodynamic loads	43
	7.3.4	Actuation loads	43
	7.3.5	Other loads	43
	7.4	Design situations and load cases	43
	7.4.1		
	7.4.2		46
	7.4.3	connection (DLC 2.1 to 2.5)	
	7.4.4		
	7.4.5	,	
	7.4.6	3	
	7.4.7	,	
	7.4.8	Parked plus fault conditions (DLC 7.1)	51
	7.4.9	Transport, assembly, maintenance and repair (DLC 8.1 and 8.2)	51

	7.5	Load calculations	.51
	7.6	Ultimate limit state analysis	.52
	7.6.1	Method	.52
	7.6.2	Ultimate strength analysis	.55
	7.6.3	Fatigue failure	.59
	7.6.4	Stability	.60
	7.6.5	Critical deflection analysis	.60
	7.6.6	Special partial safety factors	.61
	7.6.7	Evaluation of limit state through load comparison	.61
8	Conti	rol system	.63
	8.1	General	.63
	8.2	Control functions	
	8.3	Protection functions	.63
	8.4	Control system failure analysis	.64
	8.4.1	General	
	8.4.2		
	8.4.3	·	
	8.4.4		
	8.4.5	·	
	8.5	Manual operation	
	8.6	Emergency stop button function	.65
	8.7	Manual, automatic, and remote restart	.66
	8.8	Braking system	
9	Mech	anical systems	.67
	9.1	General	.67
	9.2	Errors of fitting	
	9.3	Hydraulic or pneumatic systems	
	9.4	Main gearbox	
	9.5	Yaw system	.68
	9.6	Pitch system	
	9.7	Protection function mechanical brakes	
	9.8	Rolling element bearings	
	9.8.1	General	
	9.8.2	Main shaft bearings	.69
	9.8.3	Generator bearings	.69
	9.8.4		
10	Elect	rical system	.69
	10.1	General	.69
	10.2	General requirements for the electrical system	
	10.3	Internal environmental conditions	
	10.4	Protective devices	
	10.5	Disconnection from supply sources	
	10.6	Earth system	
	10.7	Lightning protection	
	10.8	Electrical cables	
	10.9	Self-excitation	
	10.10	Protection against lightning electromagnetic impulse	
	10.11	Power quality	
		Electromagnetic compatibility (EMC)	

	10.12	2.1 General	73
	10.12	2.2 EMC design requirements	73
	10.13	Power electronic converter systems and equipment	74
	10.14	Twist/drip loop	74
	10.15	Slip rings	
	10.16	Vertical power transmission conductors and components	
	10.17	Motor drives and converters	
		Electrical machines	
		Power transformers	
		Low voltage switchgear and controlgear	
	10.21	High voltage switchgear	
		Hubs	
11		ssment of a wind turbine for site-specific conditions	
	11.1	General	
		Assessment of the topographical complexity of the site and its effect on	/ /
	11.2	turbulence	78
	11.2.		
	11.2.		
		Wind conditions required for assessment	
	11.3.	•	
	11.3.		
	11.3.	·	
	11.3.	·	
	11.4	Assessment of wake effects from neighbouring wind turbines	
	11.5	Assessment of other environmental conditions	
	11.6	Assessment of earthquake conditions	
	11.7	Assessment of electrical network conditions	
	11.8	Assessment of soil conditions	
		Assessment of structural integrity by reference to wind data	
	11.9		
	11.9.		
	11.9.		
		Assessment of the ultimate load suitability by reference to wind data Assessment of structural integrity by load calculations with reference to site-	90
	11.10	specific conditionsspecific conditions	91
12	Asse	mbly, installation and erection	
_	12.1	General	
	12.1	Planning	
	12.2	Installation conditions	
	12.3	Site access	
	12.4	Environmental conditions	
	12.6	Documentation	
	12.7	Receiving, handling and storage	
	12.8	Foundation/anchor systems	
	12.9	Assembly of wind turbine	
		Erection of wind turbine	
		Fasteners and attachments	
		Cranes, hoists and lifting equipment	
		missioning, operation and maintenance	
	13.1	General	95

13.2	Design requirements for safe operation, inspection and maintenance	95
13.3	Instructions concerning commissioning	96
13.3	3.1 General	96
13.3	3.2 Energization	96
13.3	Commissioning tests	96
13.3	8.4 Records	96
13.3	8.5 Post commissioning activities	96
13.4	Operator's instruction manual	97
13.4	·	
13.4	.2 Instructions for operations and maintenance records	97
13.4	·	
13.4		
13.4	•	
13.4		
13.5	Maintenance manual	
	I climate	
14.1	General	
14.1	Low temperature and icing climate	
14.2	·	
14.3		
_		
14.3		
14.4	Structural design	
14.5	Design situations and load cases	
14.5		
14.5		
14.5		
14.6	Control systems	
14.7	Mechanical systems	
14.8	Electrical systems	
Annex A	(normative) Design parameters for external conditions	
A.1	Design parameters for describing wind turbine class S	102
A.1.	1 General	102
A.1.	2 Machine parameters	102
A.1.3	3 Wind conditions	102
A.1.	4 Electrical network conditions	102
A.1.	5 Other environmental conditions (where taken into account)	103
A.2	Additional design parameters for describing cold climate wind turbine class S (CC-S)	103
	(informative) Design load cases for special class S wind turbine design or bility assessment	105
B.1	General	105
B.2	Power production (DLC 1.1 to 1.9)	
	(informative) Turbulence models	
C.1	General	
C.2	Mann [3] uniform shear turbulence model	
C.2	Kaimal [1] spectrum and exponential coherence model	
C.4	Reference documents	
	(informative) Assessment of earthquake loading	
D 1	•	115
117	I-ANAFAI	116

D.2	Design response spectrum	115
D.3	Structure model	116
D.4	Seismic load evaluation	117
D.5	Additional load	118
D.6	Reference documents	119
Annex E	(informative) Wake and wind farm turbulence	120
E.1	Added wake turbulence method	120
E.2	Dynamic wake meandering model	123
E.2.	l General	123
E.2.2	2 Wake deficit	124
E.2.3	B Meandering	125
E.2.4	Wake induced turbulence	126
E.2.	5 Wake superposition	126
E.2.6	6 Model synthesis	127
E.3	Reference documents	127
Annex F measure-	(informative) Prediction of wind distribution for wind turbine sites by correlate-predict (MCP) methods	128
F.1	General	128
F.2	Measure-correlate-predict (MCP)	128
F.3	Application to annual mean wind speed and distribution	128
F.4	Application to extreme wind speed	128
F.5	Reference documents	129
Annex G	(informative) Statistical extrapolation of loads for ultimate strength analysis	130
G.1	General	130
G.2	Data extraction for extrapolation	130
G.3	Load extrapolation methods	131
G.3.	1 General	131
G.3.	2 Global extremes	131
G.3.	3 Local extremes	133
G.3.	4 Long-term empirical distributions	133
G.4	Convergence criteria	134
G.4.	1 General	134
G.4.:	2 Load fractile estimate	134
G.4.	3 Confidence bounds	135
G.4.	Confidence intervals based on bootstrapping	135
G.4.	Confidence intervals based on the binomial distribution	135
G.5	Inverse first-order reliability method (IFORM)	136
G.6	Reference documents	138
Annex H	(informative) Fatigue analysis using Miner's rule with load extrapolation	140
H.1	Fatigue analysis	140
H.2	Reference documents	143
Annex I (informative) Contemporaneous loads	145
l.1	General	145
1.2	Scaling	
1.3	Averaging	
	informative) Prediction of the extreme wind speed of tropical cyclones by nte Carlo simulation method	
J.1	General	
J.2	Prediction of tropical cyclone induced extreme wind speeds	

J.2.	1 General	147
J.2.	2 Evaluation of tropical cyclone parameters	147
J.2.	3 Generation of synthetic tropical cyclones	148
J.2.	4 Prediction of wind speeds in the tropical cyclone boundary	148
J.3	Prediction of extreme wind speed in mixed climate regions	149
J.3.	1 General	149
J.3.	2 Extreme wind distributions of extratropical cyclones by the MCP method	149
J.3.	3 Extreme wind distributions of tropical cyclones by the MCS method	150
J.3.	4 Determination of extreme wind speed in a mixed climate region	150
J.4	Reference documents	150
	(informative) Calibration of structural material safety factors and structural ssisted by testing	152
K.1		
K.1 K.2	Overview and field of application	
K.2 K.3	Target reliability level	
K.3 K.4	Reliability-based calibration	
K.4 K.5	Calibration using the design value format	
K.6	Partial safety factors for fatigue for welded details in steel structures	
K.7	Types of tests for materials	
K.7 K.8	Planning of tests	
K.8	· ·	
K.8		
K.8	, · · · · · · · · · · · · · · · · · · ·	
K.8		
K.8	· · · · · · · · · · · · · · · · · · ·	
K.8	• .	
K.8		
K.8		
K.9	General principles for statistical evaluations	
K.10	Derivation of characteristic values	
K.11	Statistical determination of characteristic value for a single property	
K.12	Statistical determination of characteristic value for resistance models	
K.1		
K.1		
K.1	, , , ,	
K.1	·	
K.1		
K.1	·	
K.1		
K.1	Step 7: Determine the characteristic value $r_{f k}$ of the resistance	165
K.13	Reference documents	166
Annex L	(informative) Cold climate: assessment and effects of icing climate	167
L.1	Assessment of icing climate conditions	
L.1.	1 General	167
L.1.	ŭ	
L.1.	•	
L.1.	4 Measurement methods	169
I 1	5 Profile coefficients modification for ice	169

L.2	Ice mass effects on wind turbine blades	170
L.3	Cold climate design situations and load case	171
L.3.1	General	171
L.3.2	Power production (DLC 1.1 to 1.7)	171
L.3.3	Parked (standstill or idling) (DLC 6.1 to 6.5)	172
L.3.4	Parked and fault conditions (DLC 7.1)	172
L.4	Cold climate load calculations	172
L.5	Reference documents and bibliography	173
Annex M	(informative) Medium wind turbines	174
M.1	Overview	174
M.2	External conditions	174
M.2.	1 General	174
M.2.2	Wind shear	174
M.3	Assembly, installation and erection	174
12.6Dd	ocumentation	174
M.4	Commissioning, operation and maintenance	175
13.1	General	175
13.2De	esign requirements for safe operation, inspection and maintenance	176
M.5	Documentation	176
Bibliogra	phy	178
turbulenc	- Turbulence standard deviation and turbulence intensity for the normal e model (NTM)	
Figure 3 -	- Example of extreme direction change magnitude	37
Figure 4 -	- Example of extreme direction change transient	37
	Example of extreme coherent gust amplitude for ECD	
-	- Direction change for ECD	
	- Example of direction change transient	
Figure 8 -	- Examples of extreme positive and negative vertical wind shear, wind profile set ($t = 0$, dashed line) and at maximum shear ($t = 6$ s, full line)	
Figure 9 -	- Example of wind speeds at rotor top and bottom, respectively, which the transient positive wind shear	
Figure 10	- Examples of 30° sectors for fitting the terrain data	79
Figure 11	– Terrain variation (Δz) and terrain slope ($ heta$)	79
Figure 12	Possible combinations of normalized mean wind speed and Weibull shape r k (shaded area)	
•	1 – Structure model for response spectrum method	
•	1 – Configuration – Inside a wind farm with more than 2 rows	
•	2 – The three fundamental parts of the DWM model	
•	$1-r_{\mathrm{e}}-r_{\mathrm{t}}$ diagram	
•	I – Definition of meteorological icing and rotor icing	
Figure L.2	2 – Representative ice affected rotor area as defined by rotor icing height	169
Figure L.3	B – Iced airfoil lift and drag penalty factors	170
Table 1 –	Basic parameters for wind turbine classes	29

Table 2 – Design load cases (DLC)	45
Table 3 – Partial safety factors for loads $\gamma_{\!f}$	57
Table 4 – Minimum safety factor $S_{ extsf{H,min}}$ and $S_{ extsf{F,min}}$ for the yaw gear system	68
Table 5 – Threshold values of the terrain complexity categories L, M and H	81
Table 6 – Values of lateral and vertical turbulence standard deviations relative to the longitudinal component depending on terrain complexity category L, M and H	81
Table 7 – Values of turbulence structure correction parameter depending on terrain complexity category L, M and H	82
Table A.1 – Design parameters for describing cold climate wind turbine class S (CC-S)	. 103
Table B.1 – Design load cases	.106
Table C.1 – Turbulence spectral parameters for the Kaimal model	.113
Table E.1 – Number (N) of neighbouring wind turbines	.121
Table G.1 – Parameters needed to establish binomial-based confidence intervals	. 136
Table G.2 – Short-term load exceedance probabilities as a function of hub-height wind speed for different wind turbine classes for use with the IFORM procedure	. 138
Table I.1 – Extreme loading matrix	. 145
Table K.1 – Partial safety factor for model uncertainty, γ_{δ}	. 155
Table K.2 – Recommended values for partial safety factor for fatigue strength, $\gamma_{ extsf{Mf}}$. 157
Table K.3 – Recommended partial safety factor for fatigue stresses, $\gamma_{ extsf{Ff}}$. 157
Table K.4 – Values of k_n for the 5 % characteristic value	.161
Table L.1 – Cold climate design load cases	.171
Table L.2 – Blade ice mass and airfoil penalty factors used in different analysis types	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Wind energy generation systems - Part 1: Design requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61400-1 edition 4.1 contains the fourth edition (2019-02) [documents 88/696/FDIS and 88/701/RVD], its corrigendum 1 (2019-09) and its interpretation sheet 1 (2025-02), and its amendment 1 (2025-12) [documents 88/1109/FDIS and 88/1133/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61400-1 has been prepared by IEC technical committee 88: Wind energy generation systems.

This fourth edition cancels and replaces the third edition published in 2005 and Amendment 1:2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) general update and clarification of references and requirements;
- b) extension of wind turbine classes to allow for tropical cyclones and high turbulence;
- c) Weibull distribution of turbulence standard deviation for normal turbulence model (NTM);
- d) updated design load cases (DLCs), in particular DLC 2.1 and 2.2;
- e) revision of partial safety factor specifications;
- f) major revision of Clauses 8, 10 and 11;
- g) introduction of cold climate requirements, Clause 14;
- h) new Annex B on design load cases for site-specific or special class S wind turbine design or site suitability assessment;
- i) new Annex J on prediction of the extreme wind speed of tropical cyclones by using Monte Carlo simulation method;
- j) new Annex K on calibration of structural material safety factors and structural design assisted by testing;
- k) new Annex L on assessment and effects of icing climate;
- I) new Annex M on medium wind turbines.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
88/696/FDIS	88/701/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This part of IEC 61400 outlines minimum design requirements for wind turbines and is not intended for use as a complete design specification or instruction manual.

Any of the requirements of this document may be altered if it can be suitably demonstrated that the safety of the system is not compromised. This provision, however, does not apply to the classification and the associated definitions of external conditions in Clause 6. Compliance with this document does not relieve any person, organization, or corporation from the responsibility of observing other applicable regulations.

This document is not intended to give requirements for wind turbines installed offshore, in particular for the support structure. For offshore installations, reference is made to the IEC 61400-3 series.

1 Scope

This part of IEC 61400 specifies essential design requirements to ensure the structural integrity of wind turbines. Its purpose is to provide an appropriate level of protection against damage from all hazards during the planned lifetime.

This document is concerned with all subsystems of wind turbines such as control and protection functions, internal electrical systems, mechanical systems and support structures.

This document applies to wind turbines of all sizes. For small wind turbines, IEC 61400-2 can be applied. IEC 61400-3-1 provides additional requirements to offshore wind turbine installations.

This document is intended to be used together with the appropriate IEC and ISO standards mentioned in Clause 2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034 (all parts), Rotating electrical machines

IEC 60038, IEC standard voltages

IEC 60071-1, Insulation co-ordination – Part 1: Definitions, principles and rules

IEC 60071-2, Insulation co-ordination - Part 2: Application guidelines

IEC 60076 (all parts), Power transformers

IEC 60204-1, Safety of machinery – Electrical equipment of machines – Part 1: General requirements

IEC 60204-11:2000, Safety of machinery — Electrical equipment of machines — Part 11: Requirements for HV equipment for voltages above 1 000 V AC or 1 500 V DC and not exceeding 36 kV

IEC 60364 (all parts), Low voltage electrical installations

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60664-1, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

IEC 60664-3, Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution

IEC 60721 (all parts), Classification of environmental conditions

IEC 61000-6-2, Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments

IEC 61400-3, Wind turbines - Part 3: Design requirements for offshore wind turbines

IEC 61400-3-1, Wind energy generation systems - Part 3-1: Design requirements for offshore wind turbines

IEC 61400-4, Wind Turbines – Part 4: Design requirements for wind turbine gearboxes

IEC 61400-6, Wind energy generation systems - Part 6: Tower and foundation design requirements

IEC 61400-24, Wind turbines – Part 24: Lightning protection

IEC 61439 (all parts), Low-voltage switchgear and controlgear assemblies

IEC 61800-4, Adjustable speed electrical power drive systems – Part 4: General requirements – Rating specifications for AC power drive systems above 1 000 V AC and not exceeding 35 kV

IEC 61800-5-1, Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy

IEC 62271 (all parts), High-voltage switchgear and controlgear

IEC 62305-3, Protection against lightning – Part 3: Physical damage to structures and life hazard

IEC 62305-4, Protection against lightning – Part 4: Electrical and electronic systems within structures

IEC 62477-1:2012, Safety requirements for power electronic converter systems and equipment – Part 1: General

ISO 76, Rolling bearings - Static load ratings

ISO 281, Rolling bearings – Dynamic load ratings and rating life

ISO 2394, General principles on reliability for structures

ISO 2533, Standard Atmosphere

ISO 4354, Wind actions on structures

ISO 6336-2, Calculation of load capacity of spur and helical gears – Part 2: Calculation of surface durability (pitting)

ISO 6336-3:2006, Calculation of load capacity of spur and helical gears – Part 3: Calculation of tooth bending strength

ISO 12494:2001, Atmospheric icing on structures

ISO 13850, Safety of machinery – Emergency stop function – Principles for design

ISO/TS 16281, Rolling bearings – Methods for calculating the modified reference rating life for universally loaded bearings

Bibliography

IEC 60146 (all parts), Semiconductor converters

IEC 60173:1964, Colours of the cores of flexible cables and cords

IEC 60227 (all parts), Polyvinyl chloride insulated cables of rated voltages up to and including $450/750\ V$

IEC 60245 (all parts), Rubber insulated cables – Rated voltages up to and including 450/750 V

IEC 60269 (all parts), Low-voltage fuses

IEC 60287 (all parts), Electric cables - Calculation of the current rating

IEC 60439 (all parts), Low-voltage switchgear and controlgear assemblies

IEC 60446:2007, Basic and safety principles for man-machine interface, marking and identification – Identification of conductors by colours or alphanumerics

IEC 60617, Graphical symbols for diagrams (available at http://std.iec.ch/iec60617)

IEC 60755. General requirements for residual current-operated protective devices

IEC 60898 (all parts), Electrical accessories – Circuit-breakers for overcurrent protection for household and similar installations

IEC 61000-6-1, Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity standard for residential, commercial and light-industrial environments

IEC 61000-6-4, Electromagnetic compatibility (EMC) – Part 6-4: Generic standards – Emission standard for industrial environments

IEC 61310-1:2007, Safety of machinery – Indication, marking and actuation – Part 1: Requirements for visual, acoustic and tactile signals

IEC 61310-2:2007, Safety of machinery – Indication, marking and actuation – Part 2: Requirements for marking

IEC 61400-2, Wind turbines - Part 2: Small wind turbines

IEC 61400-3-1, Wind turbines - Part 3-1: Design requirements for fixed offshore wind turbines 61

IEC TS 61400-3-2, Wind energy generation systems - Part 3-2: Design requirements for floating offshore wind turbines

IEC 61400-6, Wind turbines Part 6: Tower and foundation design requirements 62

IEC 61400-12-1, Wind turbines – Part 12-1: Power performance measurements of electricity producing wind turbines

⁶¹ Under preparation. Stage at the time of publication: IEC CDV 61400-3-1:2017.

⁶² Under preparation. Stage at the time of publication: IEC CDV 61400-6:2017.

IEC 61400-13, Wind turbines - Part 13: Measurement of mechanical loads

IEC 61400-21, Wind turbines – Part 21: Measurement and assessment of power quality characteristics of grid connected wind turbines

IEC 61508 (all parts), Functional safety of electrical/electronic/programmable electronic safety-related systems

IEC 61508-1:2010, Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirements

IEC 61508-6, Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3

IEC 62061:2005, Safety of machinery – Functional safety of safety-related electrical, electronic and programmable electronic control systems

IEC 62061/AMD1:2012

IEC 62061/AMD2:2015

IEC 62305-1, Protection against lightning – Part 1: General principles

CISPR 11:2024, Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement

ISO 12100:2010, Safety of machinery – General principles for design – Risk assessment and risk reduction

ISO 3010, Basis for design of structures – Seismic actions on structures

ISO 8930:1987, General principles on reliability for structures – List of equivalent terms

ISO 9001, Quality management systems – Requirements

ISO 13849-1:2015, Safety of machinery – Safety-related parts of control systems – Part 1: General principles for design

ISO 13849-2, Safety of machinery – Safety-related parts of control systems – Part 2: Validation

EN 1993-1-6:2007, Design of steel structure – Part 1-6: Strength and stability of shell structure

IEA Recommendation 11, Wind speed measurement and use of cup anemometry, 1st Ed. 1999
