



IEC 61643-331

Edition 3.0 2020-03  
REDLINE VERSION

# INTERNATIONAL STANDARD



---

Components for low-voltage surge ~~protective devices~~ protection –  
Part 331: Performance requirements and test methods for metal oxide varistors  
(MOV)

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 31.040.20

ISBN 978-2-8322-8023-2

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	5
1 Scope .....	7
2 Normative references .....	7
3 Terms, definitions, symbols and abbreviated terms.....	8
3.1 Terms and definitions.....	8
3.1.1 Ratings .....	8
3.1.2 Characteristics.....	9
3.2 Symbols and abbreviated terms used in this document .....	11
3.2.1 Symbols .....	11
3.2.2 Abbreviated terms .....	11
4 Service conditions .....	12
4.1 Operating and storage temperature ranges .....	12
4.2 Altitude or atmospheric pressure range .....	12
4.3 Relative Humidity .....	12
5 Mechanical requirements and materials .....	12
5.1 Robustness of terminations .....	12
5.2 Solderability .....	12
5.3 Marking.....	12
6 General .....	13
6.1 Failure rates .....	13
6.2 Test standard atmospheric conditions .....	13
7 Electrical requirements .....	13
7.1 <del>Nominal</del> Varistor voltage ( $V_V$ ).....	13
7.2 Maximum AC (DC) continuous <del>operating</del> voltage ( $V_{M(AC)} / V_{M(DC)}$ ).....	13
7.3 Standby current <del>I<sub>DC</sub></del> ( $I_D$ ).....	13
7.4 Capacitance ( $C_V$ ) .....	13
7.5 Clamping voltage ( $V_C$ ).....	13
7.6 Electrostatic discharge (ESD) (for SMD type MOV only).....	15
7.7 Rated impulse energy <del>(<math>W_{TM}</math>)</del> .....	15
7.8 Nominal discharge current ( $I_n$ ).....	15
7.9 Endurance .....	15
7.10 Limited current temporary overvoltage .....	16
8 Standard design test criteria .....	16
8.1 General.....	16
8.2 Ratings .....	16
8.2.1 Single-impulse maximum current ( $I_{TM}$ ).....	16
8.2.2 Next impulse.....	17
8.2.3 Maximum Continuous <del>rated</del> voltage ( $V_M$ ).....	17
8.3 Electrical Characteristics .....	17
8.3.1 Clamping voltage ( $V_C$ ).....	17
8.3.2 Standby current ( $I_D$ ) .....	17
8.3.3 <del>Nominal</del> Varistor voltage <del>(<math>V_N</math>)</del> ( $V_V$ ) .....	18
8.3.4 Capacitance ( $C_V$ ) .....	18
8.3.5 Rated energy .....	18
8.4 <del>Endurance</del> Varistor Rating Assurance Testing .....	18

8.5	ESD test <del>Method</del> .....	19
9	Nominal discharge current and limited current temporary overvoltage .....	19
9.1	Thermally protected varistors – Sequence of tests .....	19
9.2	Temperature and humidity cycle conditioning .....	20
9.3	Nominal discharge current <del><math>I_n</math></del> ( $I_n$ ) test description .....	20
9.3.1	General .....	20
9.3.2	Pass/fail criteria .....	22
9.4	Limited current temporary overvoltage test description and procedure for thermally protected varistors .....	22
9.4.1	General .....	22
9.4.2	Sample preparation .....	23
9.4.3	Test conditions .....	23
9.4.4	Pass/fail criteria .....	23
9.5	Dielectric testing .....	24
9.5.1	Test conditions for thermally protected MOV .....	24
9.5.2	Setup from foil to leads .....	25
9.5.3	Pass criteria .....	25
9.6	Insulation Resistance .....	25
Annex A (informative) MOV testing according to the IEC 61643-11:2011 Surge protective devices for the Class I, II and III .....		26
A.1	General .....	26
A.2	MOV selection .....	26
A.3	Cross reference list of abbreviations, descriptions and definitions .....	26
A.4	Operating duty test .....	27
A.4.1	General .....	27
A.4.2	Class I and II operating duty tests (8.3.4.3) .....	32
A.4.3	Additional duty test for test class I .....	33
A.4.4	Class III operating duty tests .....	33
A.4.5	Pass criteria for all operating duty tests and for the additional duty test for test class I .....	34
A.4.6	Preferred parameters of impulse discharge current $I_{imp}$ used for Class I additional duty tests .....	34
A.4.7	Preferred values of impulse discharge current $I_n$ used for Class I and Class II residual voltage and operating duty tests .....	35
A.4.8	Preferred values of combination generator waveshape used for Class III tests .....	36
Annex B (informative) IEC 61051 Varistors for use in electronic equipment .....		38
Annex C ( <del>informative</del> normative) Accelerated Endurance screening test .....		39
C.1	Accelerated endurance screening test .....	39
C.2	Preparation of sample .....	39
C.3	Test conditions .....	39
C.4	Refer to test circuit diagram as shown in Figure C.1. ....	39
C.5	Pass criteria .....	40
Annex D (informative) Proposed test method <del>for determination</del> of MTTF – Mean time to failure (MTTF) .....		41
D.1	Sampling plans .....	41
D.2	Total test hours .....	41
D.3	Samples .....	41
D.4	Test set-up .....	42
D.5	Intermediate measurements .....	42

D.6 Failure criteria.....42  
 D.7 Acceptance criteria .....42

**Bibliography**.....

Figure 1 – V-I characteristic of an MOV ..... 10  
 Figure 2 – Symbol for MOV ..... 11  
 Figure 3 – Symbol for thermally protected MOV ..... 11  
 Figure 4 – Test circuit for single-impulse maximum current ..... 16  
 Figure 5 – Test circuit for measuring leakage standby current..... 17  
 Figure 6 – Test circuit for measuring nominal varistor voltage ( $V_N$ ) ( $V_V$ ) ..... 18  
 Figure 7 – Varistor rating assurance test setup ..... 18  
 Figure 8 – Nominal discharge current test flowchart..... 21  
 Figure 9 – Sequence of the  $I_n$  Test ..... 22  
 Figure 10 – Temporary overvoltage limited current test procedure flowchart ..... 24  
 Figure A.1 – Flow chart of the operating duty test ..... 28  
 Figure A.2 – Test set-up for operating duty test ..... 29  
 Figure A.3 – Flow chart of testing to determine the measured limiting voltage..... 31  
 Figure A.4 – Operating duty test timing diagram for test classes I and II ..... 32  
 Figure A.5 – Additional duty test timing diagram for test class I ..... 33  
 Figure A.6 – Operating duty test timing diagram for test class III..... 34  
 Figure C.1 – Circuit of accelerated ageing test..... 39  
 Figure D.1 – Test Circuit of MTTF ..... 42

Table 1 – Typical Voltage ratings for disc types ..... 14  
 Table 2 – Typical Voltage Ratings for SMD types..... 14  
 Table 3 – Test voltages for dielectric strength Between Test voltage ..... 25  
 Table A.1 – ~~Comparison of IEC 61643-11 and IEC 61643-311~~ Abbreviations, descriptions and definitions..... 27  
 Table A.2 – Preferred parameters for class I test ..... 34  
 Table A.3 – Preferred values for class I and class II tests ..... 35  
 Table A.4 – Preferred values for class III tests ..... 36  
 Table C.1 – Current in  $V_T$  measurement..... 39  
 Table D.1 – Sampling plans ..... 41

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**COMPONENTS FOR LOW-VOLTAGE SURGE ~~PROTECTIVE DEVICES~~  
PROTECTION –****Part 331: Performance requirements and test methods  
for metal oxide varistors (MOV)**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.**

International Standard IEC 61643-331 has been prepared by subcommittee 37B: Components for low-voltage surge protection, of IEC technical committee 37: Surge arresters.

This third edition cancels and replaces the second edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a Varistor MCOV rating assurance test;
- b) an energy rating test (2ms);
- c) revised Dielectric strength and insulation resistance tests.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
37B/211/FDIS	37B/214/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61643 series, under the general title *Components for low-voltage surge protective devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

# COMPONENTS FOR LOW-VOLTAGE SURGE ~~PROTECTIVE DEVICES~~ PROTECTION –

## Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

### 1 Scope

This part of IEC 61643 is a test specification for metal oxide varistors (MOV), which are used for applications up to 1 000 V AC or 1 500 V DC in power lines, or telecommunication, or signalling circuits. They are designed to protect apparatus or personnel, or both, from high transient voltages.

This document applies to MOVs having two electrodes and hybrid ~~overvoltage~~ surge protection components. This document also does not apply to mountings and their effect on the MOV's characteristics. Characteristics given apply solely to the MOV mounted only in the ways described for the tests.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-52:2017 *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

~~IEC 60068-2-78:2012, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*~~

IEC 61643-11:2011, *Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

# INTERNATIONAL STANDARD



---

**Components for low-voltage surge protection –  
Part 331: Performance requirements and test methods for metal oxide varistors  
(MOV)**



## CONTENTS

FOREWORD .....	5
1 Scope .....	7
2 Normative references .....	7
3 Terms, definitions, symbols and abbreviated terms.....	8
3.1 Terms and definitions.....	8
3.1.1 Ratings .....	8
3.1.2 Characteristics.....	9
3.2 Symbols and abbreviated terms used in this document .....	11
3.2.1 Symbols .....	11
3.2.2 Abbreviated terms .....	11
4 Service conditions .....	12
4.1 Operating and storage temperature ranges .....	12
4.2 Altitude or atmospheric pressure range .....	12
4.3 Relative Humidity .....	12
5 Mechanical requirements and materials .....	12
5.1 Robustness of terminations .....	12
5.2 Solderability .....	12
5.3 Marking.....	12
6 General .....	13
6.1 Failure rates .....	13
6.2 Test standard atmospheric conditions .....	13
7 Electrical requirements .....	13
7.1 Varistor voltage ( $V_V$ ) .....	13
7.2 Maximum AC (DC) continuous voltage ( $V_{M(AC)} / V_{M(DC)}$ ) .....	13
7.3 Standby current ( $I_D$ ).....	13
7.4 Capacitance ( $C_V$ ) .....	13
7.5 Clamping voltage ( $V_C$ ).....	13
7.6 Electrostatic discharge (ESD) (for SMD type MOV only).....	15
7.7 Rated impulse energy .....	15
7.8 Nominal discharge current ( $I_n$ ) .....	15
7.9 Endurance .....	15
7.10 Limited current temporary overvoltage .....	15
8 Standard design test criteria .....	16
8.1 General.....	16
8.2 Ratings .....	16
8.2.1 Single-impulse maximum current ( $I_{TM}$ ).....	16
8.2.2 Next impulse.....	16
8.2.3 Maximum Continuous voltage ( $V_M$ ) .....	17
8.3 Electrical Characteristics .....	17
8.3.1 Clamping voltage ( $V_C$ ) .....	17
8.3.2 Standby current ( $I_D$ ) .....	17
8.3.3 Varistor voltage ( $V_V$ ).....	17
8.3.4 Capacitance ( $C_V$ ).....	18
8.3.5 Rated energy .....	18
8.4 Varistor Rating Assurance Testing .....	18

8.5	ESD test .....	19
9	Nominal discharge current and limited current temporary overvoltage.....	19
9.1	Thermally protected varistors – Sequence of tests .....	19
9.2	Temperature and humidity cycle conditioning.....	19
9.3	Nominal discharge current ( $I_n$ ) test description .....	20
9.3.1	General .....	20
9.3.2	Pass/fail criteria.....	22
9.4	Limited current temporary overvoltage test description and procedure for thermally protected varistors .....	22
9.4.1	General .....	22
9.4.2	Sample preparation .....	23
9.4.3	Test conditions .....	23
9.4.4	Pass/fail criteria.....	23
9.5	Dielectric testing .....	24
9.5.1	Test conditions for thermally protected MOV.....	24
9.5.2	Setup from foil to leads.....	25
9.5.3	Pass criteria .....	25
9.6	Insulation Resistance.....	25
Annex A (informative) MOV testing according to the IEC 61643-11:2011 Surge protective devices for the Class I, II and III .....		26
A.1	General.....	26
A.2	MOV selection .....	26
A.3	Cross reference list of abbreviations, descriptions and definitions.....	26
A.4	Operating duty test .....	27
A.4.1	General .....	27
A.4.2	Class I and II operating duty tests (8.4.4.3) .....	32
A.4.3	Additional duty test for test class I .....	33
A.4.4	Class III operating duty tests .....	33
A.4.5	Pass criteria for all operating duty tests and for the additional duty test for test class I.....	34
A.4.6	Preferred parameters of impulse discharge current $I_{imp}$ used for Class I additional duty tests.....	34
A.4.7	Preferred values of impulse discharge current $I_n$ used for Class I and Class II residual voltage and operating duty tests .....	35
A.4.8	Preferred values of combination generator waveshape used for Class III tests .....	35
Annex B (informative) IEC 61051 Varistors for use in electronic equipment .....		38
Annex C (normative) Accelerated Endurance screening test .....		39
C.1	Accelerated endurance screening test .....	39
C.2	Preparation of sample.....	39
C.3	Test conditions .....	39
C.4	Refer to test circuit diagram as shown in Figure C.1. ....	39
C.5	Pass criteria.....	40
Annex D (informative) Proposed test method of MTTF – Mean time to failure (MTTF) .....		41
D.1	Sampling plans .....	41
D.2	Total test hours.....	41
D.3	Samples.....	41
D.4	Test set-up .....	42
D.5	Intermediate measurements .....	42
D.6	Failure criteria.....	42

D.7	Acceptance criteria .....	42
Figure 1	– V-I characteristic of an MOV .....	10
Figure 2	– Symbol for MOV .....	11
Figure 3	– Symbol for thermally protected MOV .....	11
Figure 4	– Test circuit for single-impulse maximum current .....	16
Figure 5	– Test circuit for measuring standby current .....	17
Figure 6	– Test circuit for measuring varistor voltage ( $V_V$ ) .....	18
Figure 7	– Varistor rating assurance test setup .....	19
Figure 8	– Nominal discharge current test flowchart .....	21
Figure 9	– Sequence of the $I_n$ Test .....	22
Figure 10	– Temporary overvoltage limited current test procedure flowchart .....	24
Figure A.1	– Flow chart of the operating duty test .....	28
Figure A.2	– Test set-up for operating duty test .....	29
Figure A.3	– Flow chart of testing to determine the measured limiting voltage .....	31
Figure A.4	– Operating duty test timing diagram for test classes I and II .....	32
Figure A.5	– Additional duty test timing diagram for test class I .....	33
Figure A.6	– Operating duty test timing diagram for test class III .....	34
Figure C.1	– Circuit of accelerated ageing test .....	39
Figure D.1	– Test Circuit of MTTF .....	42
Table 1	– Typical Voltage ratings for disc types .....	14
Table 2	– Typical Voltage Ratings for SMD types .....	15
Table 3	– Test voltages for dielectric strength Between Test voltage .....	25
Table A.1	– Abbreviations, descriptions and definitions .....	27
Table A.2	– Preferred parameters for class I test .....	34
Table A.3	– Preferred values for class I and class II tests .....	35
Table A.4	– Preferred values for class III tests .....	36
Table C.1	– Current in $V_T$ measurement .....	39
Table D.1	– Sampling plans .....	41

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTION –****Part 331: Performance requirements and test methods  
for metal oxide varistors (MOV)**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61643-331 has been prepared by subcommittee 37B: Components for low-voltage surge protection, of IEC technical committee 37: Surge arresters.

This third edition cancels and replaces the second edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a Varistor MCOV rating assurance test;
- b) an energy rating test (2ms);
- c) revised Dielectric strength and insulation resistance tests.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
37B/211/FDIS	37B/214/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61643 series, under the general title *Components for low-voltage surge protective devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTION –

### Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

#### 1 Scope

This part of IEC 61643 is a test specification for metal oxide varistors (MOV), which are used for applications up to 1 000 V AC or 1 500 V DC in power lines, or telecommunication, or signalling circuits. They are designed to protect apparatus or personnel, or both, from high transient voltages.

This document applies to MOVs having two electrodes and hybrid surge protection components. This document also does not apply to mountings and their effect on the MOV's characteristics. Characteristics given apply solely to the MOV mounted only in the ways described for the tests.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-52:2017 *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 61643-11:2011, *Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*