



IEEE

IEC 61691-1-1

Edition 3.0 2023-10

INTERNATIONAL STANDARD

IEEE Std 1076™

**Behavioural languages –
Part 1-1: VHDL Language Reference Manual**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.01, 35.060

ISBN 978-2-8322-7517-7

Warning! Make sure that you obtained this publication from an authorized distributor.

Contents

1.	Overview.....	14
1.1	Scope.....	14
1.2	Purpose.....	14
1.3	Structure and terminology of this standard.....	14
1.4	Word usage	16
2.	Normative references.....	18
3.	Design entities and configurations.....	19
3.1	General.....	19
3.2	Entity declarations.....	19
3.3	Architecture bodies	22
3.4	Configuration declarations.....	25
4.	Subprograms and packages.....	32
4.1	General.....	32
4.2	Subprogram declarations.....	32
4.3	Subprogram bodies	37
4.4	Subprogram instantiation declarations.....	39
4.5	Subprogram overloading.....	40
4.6	Resolution functions	43
4.7	Package declarations.....	44
4.8	Package bodies.....	45
4.9	Package instantiation declarations	47
4.10	Conformance rules	48
5.	Types.....	49
5.1	General.....	49
5.2	Scalar types	50
5.3	Composite types.....	58
5.4	Access types.....	68
5.5	File types.....	70
5.6	Protected types	75
5.7	String representations.....	79
5.8	Unspecified types.....	81
6.	Declarations	85
6.1	General.....	85
6.2	Type declarations	86
6.3	Subtype declarations	86
6.4	Objects	88
6.5	Interface declarations	96
6.6	Alias declarations.....	119
6.7	Attribute declarations.....	122
6.8	Component declarations.....	123
6.9	Group template declarations	123

6.10	Group declarations	124
6.11	PSL clock declarations	124
7.	Specifications	126
7.1	General	126
7.2	Attribute specification	126
7.3	Configuration specification	129
7.4	Disconnection specification	135
8.	Names	138
8.1	General	138
8.2	Simple names	139
8.3	Selected names	140
8.4	Indexed names	142
8.5	Slice names	143
8.6	Attribute names	143
8.7	External names	144
9.	Expressions	148
9.1	General	148
9.2	Operators	149
9.3	Operands	163
9.4	Static expressions	172
9.5	Universal expressions	175
10.	Sequential statements	176
10.1	General	176
10.2	Wait statement	176
10.3	Assertion statement	178
10.4	Report statement	179
10.5	Signal assignment statement	180
10.6	Variable assignment statement	189
10.7	Procedure call statement	191
10.8	If statement	192
10.9	Case statement	193
10.10	Loop statement	195
10.11	Next statement	196
10.12	Exit statement	196
10.13	Return statement	196
10.14	Null statement	197
10.15	Sequential block statement	197
11.	Concurrent statements	199
11.1	General	199
11.2	Block statement	199
11.3	Process statement	200
11.4	Concurrent procedure call statements	202
11.5	Concurrent assertion statements	203
11.6	Concurrent signal assignment statements	204

11.7	Component instantiation statements	206
11.8	Generate statements	212
12.	Scope and visibility.....	216
12.1	Declarative region.....	216
12.2	Scope of declarations	216
12.3	Visibility.....	218
12.4	Use clauses.....	222
12.5	The context of overload resolution	223
13.	Design units and their analysis	225
13.1	Design units.....	225
13.2	Design libraries	225
13.3	Context declarations.....	227
13.4	Context clauses	227
13.5	Order of analysis	228
14.	Elaboration and execution	229
14.1	General.....	229
14.2	Elaboration of a design hierarchy	229
14.3	Elaboration of a block, package, subprogram or protected type header	232
14.4	Elaboration of a declarative part	235
14.5	Elaboration of a statement part	241
14.6	Dynamic elaboration.....	244
14.7	Execution of a model	245
15.	Lexical elements	256
15.1	General.....	256
15.2	Character set.....	256
15.3	Lexical elements, separators, and delimiters	258
15.4	Identifiers	260
15.5	Abstract literals	261
15.6	Character literals	262
15.7	String literals.....	262
15.8	Bit string literals.....	263
15.9	Comments	266
15.10	Reserved words.....	266
15.11	Tool directives.....	268
16.	Predefined language environment	269
16.1	General.....	269
16.2	Predefined attributes	269
16.3	Package STANDARD.....	287
16.4	Package TEXTIO.....	305
16.5	Standard environment package	311
16.6	Standard mathematical packages	325
16.7	Standard multivalued logic package	326
16.8	Standard synthesis packages	326
16.9	Standard synthesis context declarations.....	332

16.10	Fixed-point package	333
16.11	Floating-point package.....	333
16.12	Reflection package.....	334
17.	VHDL Procedural Interface overview	355
17.1	General	355
17.2	Organization of the interface.....	355
17.3	Capability sets	356
17.4	Handles.....	358
18.	VHPI access functions	360
18.1	General	360
18.2	Information access functions	360
18.3	Property access functions.....	362
18.4	Access by name function	363
19.	VHPI information model	364
19.1	General	364
19.2	Formal notation	364
19.3	Class inheritance hierarchy	365
19.4	Name properties	366
19.5	The stdUninstantiated package	379
19.6	The stdHierarchy package.....	382
19.7	The stdTypes package.....	388
19.8	The stdExpr package.....	391
19.9	The stdSpec package.....	394
19.10	The stdSubprograms package	396
19.11	The stdStmts package.....	398
19.12	The stdConnectivity package	404
19.13	The stdCallbacks package.....	409
19.14	The stdEngine package	409
19.15	The stdForeign package	410
19.16	The stdMeta package	410
19.17	The stdTool package	412
19.18	Application contexts	413
20.	VHPI tool execution	414
20.1	General	414
20.2	Registration phase	414
20.3	Analysis phase.....	420
20.4	Elaboration phase.....	420
20.5	Initialization phase	422
20.6	Simulation phase	422
20.7	Save phase.....	422
20.8	Restart phase	423
20.9	Reset phase.....	423
20.10	Termination phase.....	424

21.	VHPI callbacks	425
21.1	General	425
21.2	Callback functions	425
21.3	Callback reasons	427
22.	VHPI value access and update	439
22.1	General	439
22.2	Value structures and types	439
22.3	Reading object values	442
22.4	Formatting values	443
22.5	Updating object values	445
22.6	Scheduling transactions on drivers	449
23.	VHPI function reference	452
23.1	General	452
23.2	vhpi_assert	452
23.3	vhpi_check_error	453
23.4	vhpi_compare_handles	456
23.5	vhpi_control	457
23.6	vhpi_create	459
23.7	vhpi_disable_cb	462
23.8	vhpi_enable_cb	462
23.9	vhpi_format_value	464
23.10	vhpi_get	465
23.11	vhpi_get_cb_info	466
23.12	vhpi_get_data	467
23.13	vhpi_get_foreignf_info	469
23.14	vhpi_get_next_time	470
23.15	vhpi_get_phys	472
23.16	vhpi_get_real	472
23.17	vhpi_get_str	473
23.18	vhpi_get_time	474
23.19	vhpi_get_value	475
23.20	vhpi_handle	476
23.21	vhpi_handle_by_index	477
23.22	vhpi_handle_by_name	481
23.23	vhpi_is_printable	483
23.24	vhpi_iterator	484
23.25	vhpi_printf	485
23.26	vhpi_protected_call	486
23.27	vhpi_put_data	490
23.28	vhpi_put_value	492
23.29	vhpi_register_cb	493
23.30	vhpi_register_foreignf	496
23.31	vhpi_release_handle	499
23.32	vhpi_remove_cb	499
23.33	vhpi_scan	500
23.34	vhpi_schedule_transaction	501
23.35	vhpi_vprintf	506

24.	Standard tool directives	507
24.1	Protect tool directives.....	507
24.2	Conditional analysis tool directives	523
	Annex A (informative) VHPI definitions file.....	525
	Annex B (normative) VHPI header file	527
	Annex C (informative) Syntax summary	530
	Annex D (informative) Potentially non-portable constructs.....	557
	Annex E (informative) Changes from IEEE Std 1076-2008	558
	Annex F (informative) Features under consideration for removal	559
	Annex G (informative) Guide to use of standard packages.....	560
	Annex H (informative) Guide to use of protect directives	597
	Annex I (informative) Glossary	605
	Annex J (informative) Bibliography	632
	Annex K (informative) Participants	633
	Index	634

BEHAVIOURAL LANGUAGES –

Part 1-1: VHDL Language Reference Manual

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC document(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed with IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. *IEEE documents are made available for use subject to important notices and legal disclaimers (see <https://standards.ieee.org/ipr/disclaimers.html> for more information).*

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations. This Dual Logo International Standard was jointly developed by the IEC and IEEE under the terms of that agreement.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

IEC 61691-1-1/IEEE Std 1076 was processed through IEC technical committee 91: Electronics assembly technology, under the IEC/IEEE Dual Logo Agreement. It is an International Standard.

The text of this International Standard is based on the following documents:

IEEE Std	FDIS	Report on voting
1076 (2019)	91/1871/FDIS	91/1885/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IEEE Std 1076™-2019

(Revision of
IEEE Std 1076-2008)

IEEE Standard for VHDL Language Reference Manual

Developed by the

Design Automation Standards Committee
of the
IEEE Computer Society

Approved 5 September 2019

IEEE SA Standards Board

Abstract: VHSIC Hardware Description Language (VHDL) is defined. VHDL is a formal notation intended for use in all phases of the creation of electronic systems. Because it is both machine readable and human readable, it supports the development, verification, synthesis, and testing of hardware designs; the communication of hardware design data; and the maintenance, modification, and procurement of hardware. Its primary audiences are the implementors of tools supporting the language and the advanced users of the language.

Keywords: computer languages, electronic systems, hardware, hardware design, IEEE 1076™, VHDL

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/ipr/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for IEEE standards can be accessed via <https://standards.ieee.org/standard/index.html>. Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in IEEE Xplore: <https://ieeexplore.ieee.org/browse/standards/collection/ieee/>. Users are encouraged to periodically check for errata.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IEEE Introduction

This introduction is not part of IEEE Std 1076-2019, IEEE Standard for VHDL Language Reference Manual.

The VHSIC Hardware Description Language (VHDL) is a formal notation intended for use in all phases of the creation of electronic systems. Because it is both machine readable and human readable, it supports the development, verification, synthesis, and testing of hardware designs; the communication of hardware design data; and the maintenance, modification, and procurement of hardware.

This document, IEEE Std 1076-2019, is a revision of IEEE Std 1076-2008. The IEEE VHDL Analysis and Standardization Group (VASG), otherwise known as the 1076 Working Group, gathered the requirements, developed language extensions, and completed a draft of this revised Language Reference Manual. That draft was returned to IEEE for final revision and approval, resulting in this document. This revision incorporates numerous enhancements, both major and minor, to previously existing language features and several new language features. The changes are summarized in Annex E. In addition, several VHDL library packages that were previously defined in separate standards are now defined in this standard, ensuring that they are treated as integral parts of the language. Finally, this revision incorporates the IEEE Property Specification Language (PSL) as part of VHDL. The combination of these changes significantly improves VHDL as a language for specification, design, and verification of complex electronic systems.

The maintenance of the VHDL language standard is an ongoing process. The chair of the VHDL Analysis and Standardization Group extends his gratitude to all who have participated in this revision and encourages the participation of all interested parties in future language revisions.¹

Acknowledgments

Material in clause titled “Protect Tool Directives” is derived from the document titled “A Mechanism for VHDL Source Protection” © 2004, Cadence Design Systems Inc. Used, modified, and reprinted by permission of Cadence Design Systems Inc.

The packages `FIXED_GENERIC_PKG`, `FIXED_PKG`, `FLOAT_GENERIC_PKG`, `FLOAT_PKG`, and `FIXED_FLOAT_TYPES` were modified and used with permission from Eastman Kodak Company © 2006. Material in annex clauses titled “Using the fixed-point package” and “Using the floating-point package” is derived from the documents titled “Fixed Point Package User’s Guide” and “Floating Point Package User’s Guide” by Eastman Kodak Company © 2006. Used, modified, and reprinted by permission of Eastman Kodak Company.

The package `STD_LOGIC_TEXTIO` was modified and used with permission of Synopsys Inc. © 1990, 1991, and 1992.

¹If interested in participating, please contact the VASG at vhdl-200x@LISTSERV.IEEE.ORG or <http://www.eda-twiki.org/cgi-bin/view.cgi/P1076/WebHome>.

IEEE Standard for VHDL Language Reference Manual

1. Overview

1.1 Scope

This standard defines the syntax and semantics of the VHSIC Hardware Description Language (VHDL). The acronym VHSIC (Very High Speed Integrated Circuits) in the language's name comes from the U.S. government program that funded early work on the standard.

1.2 Purpose

VHDL is a formal notation intended for use in all phases of the creation of electronic systems. Since it is both machine and human readable, it supports the design, development, verification, synthesis, and testing of hardware designs; the communication of hardware design data; and the maintenance, modification, and procurement of hardware. This document is intended for the implementers of tools supporting the language and for advanced users of the language.

1.3 Structure and terminology of this standard

1.3.1 General

This standard is organized into clauses, each of which focuses on some particular area of the language. Within each clause, individual constructs or concepts are discussed in each subclause.

Each subclause describing a specific construct begins with an introductory paragraph. Next, the syntax of the construct is described using one or more grammatical *productions*.

A set of paragraphs describing the meaning and restrictions of the construct in narrative form then follow.

In this document, the word *shall* is used to indicate a mandatory requirement. The word *should* is used to indicate a recommendation. The word *may* is used to indicate a permissible action. The word *can* is used for statements of possibility and capability.

Machine readable elements that are normatively referenced are available in the IEEE 1076 Open Source Repository (see Clause 2).

Finally, each clause may end with examples, notes, and references to other pertinent clauses.

1.3.2 Syntactic description

The form of a VHDL description is described by means of context-free syntax using a simple variant of the Backus-Naur form (BNF); in particular:

- a) Lowercase words in roman font, some containing embedded underlines, are used to denote syntactic categories, for example:

formal_port_list

Whenever the name of a syntactic category is used, apart from the syntax rules themselves, spaces take the place of underlines [thus, “formal port list” would appear in the narrative description when referring to the syntactic category in item a)].

- b) Boldface words are used to denote reserved words, for example:

array

Reserved words shall be used only in those places indicated by the syntax.

- c) A *production* consists of a *left-hand side*, the symbol “::=” (which is read as “can be replaced by”), and a *right-hand side*. The left-hand side of a production is always a syntactic category; the right-hand side is a replacement rule. The meaning of a production is a textual-replacement rule: any occurrence of the left-hand side may be replaced by an instance of the right-hand side.

- d) A vertical bar (|) separates alternative items on the right-hand side of a production unless it occurs immediately after an opening brace, in which case it stands for itself, as follows:

letter_or_digit ::= letter | digit
choices ::= choice { | choice }

In the first instance, an occurrence of “letter_or_digit” can be replaced by either “letter” or “digit.” In the second case, “choices” can be replaced by a list of “choice,” separated by vertical bars [see item f) for the meaning of braces].

- e) Square brackets [] enclose optional items on the right-hand side of a production; thus, the following two productions are equivalent:

return_statement ::= **return** [expression] ;
return_statement ::= **return** ; | **return** expression ;

Note, however, that the initial and terminal square brackets in the right-hand side of the production for signatures (see 4.5.3) are part of the syntax of signatures and do not indicate that the entire right-hand side is optional.

- f) Braces { } enclose a repeated item or items on the right-hand side of a production. The items may appear zero or more times; the repetitions occur from left to right as with an equivalent left-recursive rule. Thus, the following two productions are equivalent:

term ::= factor { multiplying_operator factor }
term ::= factor | term multiplying_operator factor

- g) If the name of any syntactic category starts with an italicized part, it is equivalent to the category name without the italicized part. The italicized part is intended to convey some semantic information. For example, *type_name* and *subtype_name* are both syntactically equivalent to name alone.

- h) The term *simple_name* is used for any occurrence of an identifier that already denotes some declared entity.

1.3.3 Semantic description

The meaning and restrictions of a particular construct are described with a set of narrative rules immediately following the syntactic productions. In these rules, an italicized term indicates the definition of that term,

and identifiers appearing entirely in uppercase letters refer to definitions in package STANDARD (see 16.3).

The following terms are used in these semantic descriptions with the following meanings:

erroneous: The condition described represents an ill-formed description; however, implementations are not required to detect and report this condition. Conditions are deemed erroneous only when it is impossible in general to detect the condition during the processing of the language.

error: The condition described represents an ill-formed description; implementations are required to detect the condition and report an error to the user of the tool.

illegal: A synonym for “error.”

legal: The condition described represents a well-formed description.

1.3.4 Front matter, examples, notes, references, and annexes

Prior to this subclause are several pieces of introductory material; following Clause 24 are some annexes and an index. The front matter, annexes (except Annex B), and index serve to orient and otherwise aid the user of this standard, but are not part of the definition of VHDL; Annex B, however, is normative.

Some clauses of this standard contain examples, notes, and cross-references to other clauses of the standard; these parts always appear at the end of a clause. Examples are meant to illustrate the possible forms of the construct described. Illegal examples are italicized. Notes are meant to emphasize consequences of the rules described in the clause or elsewhere. In order to distinguish notes from the other narrative portions of this standard, notes are set as enumerated paragraphs in a font smaller than the rest of the text. Cross-references are meant to guide the user to other relevant clauses of the standard. Examples, notes, and cross-references are not part of the definition of the language.

1.3.5 Incorporation of Property Specification Language

VHDL incorporates the simple subset of the Property Specification Language (PSL) as an embedded language for formal specification of the behavior of a VHDL description. PSL is defined by IEEE Std 1850™-2010.² All PSL constructs that appear in a VHDL description shall conform to the VHDL flavor of PSL. Within this standard, reference is made to syntactic rules of PSL. Each such reference has the italicized prefix *PSL_* and corresponds to the syntax rule in IEEE Std 1850-2010 with the same name but without the prefix.

1.4 Word usage

The word *shall* indicates mandatory requirements strictly to be followed in order to conform to the standard and from which no deviation is permitted (shall equals is required to).^{3, 4}

The word *should* indicates that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others; or that a certain course of action is preferred but not necessarily required (should equals is recommended that).

²Information on references can be found in Clause 2.

³ The use of the word *must* is deprecated and cannot be used when stating mandatory requirements, *must* is used only to describe unavoidable situations.

⁴ The use of *will* is deprecated and cannot be used when stating mandatory requirements, *will* is only used in statements of fact.

The word *may* is used to indicate a course of action permissible within the limits of the standard (may equals is permitted to).

The word *can* is used for statements of possibility and capability, whether material, physical, or causal (can equals is able to).

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

IEEE 1076 Open Source Repository.⁵

IEEE Std 754™-2019, IEEE Standard for Floating-Point Arithmetic.^{6, 7}

IEEE Std 1735™-2014, IEEE Recommended Practice for Encryption and Management of Electronic Design Intellectual Property (IP).

IEEE Std 1850™-2010, IEEE Standard for Property Specification Language (PSL).

ISO/IEC 8859-1:1998, Information technology—8-bit single-byte coded graphic character sets—Part 1: Latin alphabet No. 1.⁸

ISO/IEC 9899:2018, Information technology—Programming Languages—C.

ISO/IEC 19501:2005, Information technology—Open Distributed Processing—Unified Modeling Language (UML) Version 1.4.2.

⁵Jim Lewis, Patrick Lehmann, Robert Gaddi, et al., 2018. “Packages” <https://opensource.ieee.org/vasg/Packages/-/archive/release/Packages-release.zip> (supplement to <https://opensource.ieee.org/vasg/Packages>).

⁶IEEE publications are available from The Institute of Electrical and Electronics Engineers (<http://standards.ieee.org>).

⁷The IEEE standards or products referred to in this clause are trademarks of the Institute of Electrical and Electronics Engineers, Inc.

⁸ISO publications are available from the International Organization for Standardization (<http://www.iso.org>). IEC publications are available from the International Electrotechnical Commission (<http://www.iec.ch>). ISO/IEC publications are available from the American National Standards Institute (<http://www.ansi.org>).