



IEC 61784-5-3

Edition 4.1 2024-03
CONSOLIDATED VERSION

INTERNATIONAL STANDARD



**Industrial communication networks – Profiles –
Part 5-3: Installation of fieldbuses – Installation profiles for CPF 3**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.40

ISBN 978-2-8322-8672-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

- FOREWORD..... 7
- INTRODUCTION..... 9
- INTRODUCTION to Amendment 1 11
- 1 Scope..... 12
- 2 Normative references 12
- 3 Terms, definitions and abbreviated terms 12
- 4 CPF 3: Overview of installation profiles 13
- 5 Installation profile conventions 13
- 6 Conformance to installation profiles..... 14
- Annex A (normative) CP 3/1 (PROFIBUS) specific installation profile..... 15
 - A.1 Installation profile scope 15
 - A.2 Normative references..... 15
 - A.3 Installation profile terms, definitions, and abbreviated terms 15
 - A.3.1 Terms and definitions 15
 - A.3.2 Abbreviated terms 16
 - A.3.3 Conventions for installation profiles 16
 - A.4 Installation planning..... 16
 - A.4.1 General 16
 - A.4.2 Planning requirements 16
 - A.4.3 Network capabilities..... 18
 - A.4.4 Selection and use of cabling components 20
 - A.4.5 Cabling planning documentation 30
 - A.4.6 Verification of cabling planning specification..... 30
 - A.5 Installation implementation 30
 - A.5.1 General requirements 30
 - A.5.2 Cable installation 30
 - A.5.3 Connector installation 32
 - A.5.4 Terminator installation 36
 - A.5.5 Device installation 36
 - A.5.6 Coding and labelling 36
 - A.5.7 Earthing and bonding of equipment and device and shielded cabling 37
 - A.5.8 As-implemented cabling documentation 38
 - A.6 Installation verification and installation acceptance test 38
 - A.6.1 General 38
 - A.6.2 Installation verification 38
 - A.6.3 Installation acceptance test 40
 - A.7 Installation administration 45
 - A.8 Installation maintenance and installation troubleshooting 45
- Annex B (normative) CP 3/2 (PROFIBUS) specific installation profile..... 46
 - B.1 Installation profile scope 46
 - B.2 Normative references..... 46
 - B.3 Installation profile terms, definitions, and abbreviated terms 46
 - B.3.1 Terms and definitions 46
 - B.3.2 Abbreviated terms 47
 - B.3.3 Conventions for installation profiles 47
 - B.4 Installation planning..... 48

B.4.1	General	48
B.4.2	Planning requirements	49
B.4.3	Network capabilities	56
B.4.4	Selection and use of cabling components	62
B.4.5	Cabling planning documentation	77
B.4.6	Verification of cabling planning specification	77
B.5	Installation implementation	77
B.5.1	General requirements	77
B.5.2	Cable installation	77
B.5.3	Connector installation	78
B.5.4	Terminator installation	79
B.5.5	Device installation	79
B.5.6	Coding and labelling	79
B.5.7	Earthing and bonding of equipment and device and shielded cabling	79
B.5.8	As-implemented cabling documentation	79
B.6	Installation verification and installation acceptance test	79
B.6.1	General	79
B.6.2	Installation verification	80
B.6.3	Installation acceptance test	80
B.7	Installation administration	81
B.8	Installation maintenance and installation troubleshooting	81
Annex C (normative) CP 3/3, CP 3/4, CP 3/5, CP 3/6 (PROFINET) specific installation profile		82
C.1	Installation profile scope	82
C.2	Normative references	82
C.3	Installation profile terms, definitions, and abbreviated terms	82
C.3.1	Terms and definitions	82
C.3.2	Abbreviated terms	82
C.3.3	Conventions for installation profiles	83
C.4	Installation planning	83
C.4.1	General	83
C.4.2	Planning requirements	83
C.4.3	Network capabilities	83
C.4.4	Selection and use of cabling components	86
C.4.5	Cabling planning documentation	108
C.4.6	Verification of cabling planning specification	108
C.5	Installation implementation	108
C.5.1	General requirements	108
C.5.2	Cable installation	108
C.5.3	Connector installation	110
C.5.4	Terminator installation	112
C.5.5	Device installation	112
C.5.6	Coding and labelling	112
C.5.7	Earthing and bonding of equipment and device and shielded cabling	113
C.5.8	As-implemented cabling documentation	114
C.6	Installation verification and installation acceptance test	114
C.6.1	General	114
C.6.2	Installation verification	114
C.6.3	Installation acceptance test	115

C.7	Installation administration	116
C.8	Installation maintenance and installation troubleshooting	116
	Bibliography	117
Figure 1	– Standards relationships	10
Figure A.1	– Recommended combination of shielding and earthing for CP 3/1 networks with RS 485-IS	28
Figure A.2	– Sub-D connector pin numberings (front view)	33
Figure A.3	– 5-pin M12 female socket	34
Figure A.4	– 5-pin M12 male plug for CP 3/1	35
Figure A.5	– Test circuit A – Resistance measurement of data line B and shield	41
Figure A.6	– Test circuit B – Resistance measurement of data line A and shield	41
Figure A.7	– Test circuit C – Resistance measurement of data line A, data line B, and shield	41
Figure A.8	– Test circuit D – Resistance measurement between data line A and B	42
Figure A.9	– Resistance measurement without 9-pin Sub-D plug	42
Figure A.10	– Loop core resistance (cable type A)	43
Figure A.11	– Action and resolution tree for measurement 1 (RS 485 and RS 485-IS)	43
Figure A.12	– Action and resolution tree for measurement 2 (RS 485 and RS 485-IS)	44
Figure A.13	– Action and resolution tree for measurement 3 (RS 485 and RS 485-IS)	44
Figure B.1	– Connection of CP 3/1 networks	49
Figure B.2	– Typical fieldbus architecture	52
Figure B.3	– Fieldbus with stations supplied by auxiliary power sources	52
Figure B.4	– Fieldbus model	55
Figure B.5	– Current modulation (Manchester II code)	55
Figure B.6	– Tree topology	57
Figure B.7	– Bus topology	57
Figure B.8	– Combination of the tree topology and the bus topology	58
Figure B.9	– Fieldbus extension	58
Figure B.10	– Recommended combination of shielding and earthing	72
Figure B.11	– Ideal combination of shielding and earthing	73
Figure B.12	– Capacitive earthing	74
Figure B.13	– Galvanic isolated field device	75
Figure B.14	– Pin assignment of the male and female connectors IEC 60947-5-2 (A-coding)	79
Figure C.1	– Definition of End-to-end link	103
Figure C.2	– End-to-end link without interconnections	103
Figure C.3	– Assembled End-to-end link	103
Figure C.4	– Connectionless optical fibre link	104
Figure C.5	– Assembled optical fibre link	104
Figure C.6	– Shielded connectors for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 fieldbus networks	110
Figure C.7	– Pin-assignment for a straight cable	111
Table A.1	– Excerpt of MICE definition	18

Table A.2 – Basic network characteristics for balanced cabling not based on Ethernet (ISO/IEC 8802-3).....	19
Table A.3 – Network characteristics for optical fibre cabling.....	20
Table A.4 – Information relevant to copper cable: fixed cables.....	21
Table A.5 – Information relevant to optical fibre cables.....	22
Table A.6 – Connectors for copper cabling CPs not based on Ethernet.....	23
Table A.7 – Optical fibre connecting hardware.....	23
Table A.8 – Relationship between FOC and fibre types (CP 3/1).....	23
Table A.9 – Parameters for balanced cables.....	31
Table A.10 – Parameters for silica optical fibre cables.....	31
Table A.11 – Parameters for POF optical fibre cables.....	31
Table A.12 – Parameters for hard clad silica optical fibre cables.....	32
Table A.13 – Use of 9 pin Sub-D connector pins (RS 485).....	33
Table A.14 – Use of 9 pin Sub-D connector pins (RS 485-IS).....	34
Table A.15 – Use of M12 connector pins (RS 485).....	35
Table A.16 – Use of M12 connector pins (RS 485-IS).....	36
Table A.17 – Maximum fibre channel attenuation for CP 3/1 (PROFIBUS).....	45
Table B.1 – Valid parameter range of the FISCO model for use as EEx ib IIC / IIB.....	53
Table B.2 – Valid parameter range of the FISCO model for use as EEx ia IIC.....	54
Table B.3 – Power supply (operational values).....	60
Table B.4 – Line lengths which can be achieved.....	60
Table B.5 – Limit values for distortion, reflection and signal delay.....	61
Table B.6 – Recommended maximum cable lengths including spurs.....	61
Table B.7 – Recommended length of the spurs.....	62
Table B.8 – Maximum length of the splices.....	62
Table B.9 – Information relevant to copper cable: fixed cables.....	63
Table B.10 – Safety limit values for the fieldbus cable.....	64
Table B.11 – Connectors for copper cabling CPs not based on Ethernet.....	65
Table B.12 – Mixing devices from different categories.....	67
Table B.13 – Electrical characteristics of fieldbus interfaces.....	68
Table B.14 – Recommended data sheet specifications for CP 3/2 devices.....	69
Table B.15 – Parameters for balanced cables.....	77
Table B.16 – Contact assignments for the external connector for harsh industrial environments.....	78
Table C.1 – General transmission media selection information.....	84
Table C.2 – Network characteristics for balanced cabling based on Ethernet (ISO/IEC 8802-3).....	85
Table C.3 – Network characteristics for optical fibre cabling.....	85
Table C.4 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type A fixed cables.....	87
Table C.5 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables.....	88
Table C.6 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type C special cables.....	89

Table C.7 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 of cabinet cord sets	90
Table C.8 – Requirement data cable inside and outside cabinet: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables	91
Table C.9 – Requirement to copper cable inside and outside cabinet: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables	92
Table C.10 – Information relevant to optical fibre cables	93
Table C.11 – Requirements for plastic and hard clad silica optical fibre cables	93
Table C.12 – Requirements for glass multimode optical fibre cables	95
Table C.13 – Requirements for glass singlemode optical fibre cables	96
Table C.14 – Requirements of industrial FO-cord sets	97
Table C.15 – Standard of test of industrial FO-cord sets	98
Table C.16 – Information relevant to hybrid cables (application type B)	98
Table C.17 – Information relevant to hybrid cables (application type C)	99
Table C.18 – Connectors for balanced cabling CPs based on Ethernet	101
Table C.19 – Connectors for balanced cabling CPs not based on Ethernet	101
Table C.20 – Connectors for balanced cabling CPs based on Ethernet	101
Table C.21 – Optical fibre connecting hardware	102
Table C.22 – Relationship between FOC and fibre types (CP 3/3, CP 3/4, CP 3/5, CP3/6)	102
Table C.23 – Typical fibre channels common for industrial applications.	105
Table C.24 – Parameters for balanced cables	109
Table C.25 – Parameters for silica optical fibre cables	109
Table C.26 – Parameters for POF optical fibre cables	109
Table C.27 – Parameters for hard clad silica optical fibre cables	110
Table C.28 – Colour coding of 2 pair cabling for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors	111
Table C.29 – Colour coding of 4 pair cabling for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors	111
Table C.30 – Contact arrangement M12 2 pair to M12 4 pair for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors	112
Table C.31 – Maximum fibre channel attenuation for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 (PROFINET).....	116

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 5-3: Installation of fieldbuses – Installation profiles for CPF 3

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61784-5-3 edition 4.1 contains the fourth edition (2013-11) [documents 65C/924/FDIS and 65C/925/RVD] and its amendment 1 (2024-03) [documents 65C/1283/FDIS and 65C/1297/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61784-5-3 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This document is to be used in conjunction with IEC 61918:2018, IEC 61918:2018/AMD1:2022 and IEC 61918:2018/AMD2:2024.

This fourth edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) an addition of 4-pair cabling (see C.4.4.1.2.1 and C.5.3.2);
- b) an addition of the connector M12 X-Coding (see C.4.4.2.2);
- c) an addition of the definition of End-to-end links (see C.4.4.3.1);
- d) a revision of Table C.17 (see C.5.2.1);
- e) a formula for the NEXT limits of End-to-end links (see C.6.3.2.1.2).

~~This standard is to be used in conjunction with IEC 61918:2018~~

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61784-5 series, under the general title *Industrial communication networks – Profiles – Installation of fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This ~~International Standard~~ document is one of a series produced to facilitate the use of communication networks in industrial control systems.

IEC 61918:2018, IEC 61918:2018/AMD1:2022 and IEC 61918:2018/AMD2:2024 provides the common requirements for the installation of communication networks in industrial control systems. This installation profile standard provides the installation profiles of the communication profiles (CP) of a specific communication profile family (CPF) by stating which requirements of IEC 61918 fully apply and, where necessary, by supplementing, modifying, or replacing the other requirements (see Figure 1).

For general background on fieldbuses, their profiles, and relationship between the installation profiles specified in this document, see IEC 61158-1.

Each CP installation profile is specified in a separate annex of this document. Each annex is structured exactly as the reference standard IEC 61918 for the benefit of the persons representing the roles in the fieldbus installation process as defined in IEC 61918 (planner, installer, verification personnel, validation personnel, maintenance personnel, administration personnel). By reading the installation profile in conjunction with IEC 61918, these persons immediately know which requirements are common for the installation of all CPs and which are modified or replaced. The conventions used to draft this document are defined in Clause 5.

The provision of the installation profiles in one standard for each CPF (for example IEC 61784-5-3 for CPF 3), allows readers to work with standards of a convenient size.





Figure 1 – Standards relationships

INTRODUCTION to Amendment 1

This Amendment 1 includes the following significant technical changes with respect to IEC 61784-5-3:2018:

Annex C describes new content of installation such as Robot Cable and two new rectangular (one 8-way and one 10-way) connectors for Ethernet of industrial installation of Profinet.

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 5-3: Installation of fieldbuses – Installation profiles for CPF 3

1 Scope

This part of IEC 61784-5 specifies the installation profiles for CPF 3 (PROFIBUS/PROFINET)¹.

The installation profiles are specified in the annexes. These annexes are read in conjunction with IEC 61918:2018, IEC 61918:2018/AMD1:2022 and IEC 61918:2018/AMD2:2024.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918:2018², *Industrial communication networks – Installation of communication networks in industrial premises*

IEC 61918:2018/AMD1:2022

IEC 61918:2018/AMD2:2024

~~The normative references of IEC 61918:2018, Clause 2, apply.~~

NOTE For profile specific normative references, see Clause(s) A.2, B.2 and C.2.

¹ PROFIBUS and PROFINET are trade names of the non-profit organization PROFIBUS Nutzerorganisation e.V. (PNO). This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade names holder or any of its products. Compliance to this profile does not require use of the trade names. Use of the trade names PROFIBUS and PROFINET requires permission of the trade name holder.

² The normative references of IEC 61918:2018, Clause 2, IEC 61918:2018/AMD1:2022, Clause 2 and IEC 61918:2018/AMD2:2024, Clause 2, apply.

CONTENTS

- FOREWORD..... 7
- INTRODUCTION..... 9
- INTRODUCTION to Amendment 1 10
- 1 Scope..... 11
- 2 Normative references 11
- 3 Terms, definitions and abbreviated terms 11
- 4 CPF 3: Overview of installation profiles 11
- 5 Installation profile conventions 12
- 6 Conformance to installation profiles..... 13
- Annex A (normative) CP 3/1 (PROFIBUS) specific installation profile..... 14
 - A.1 Installation profile scope 14
 - A.2 Normative references..... 14
 - A.3 Installation profile terms, definitions, and abbreviated terms 14
 - A.3.1 Terms and definitions 14
 - A.3.2 Abbreviated terms 15
 - A.3.3 Conventions for installation profiles 15
 - A.4 Installation planning..... 15
 - A.4.1 General 15
 - A.4.2 Planning requirements 15
 - A.4.3 Network capabilities..... 17
 - A.4.4 Selection and use of cabling components 19
 - A.4.5 Cabling planning documentation 29
 - A.4.6 Verification of cabling planning specification..... 29
 - A.5 Installation implementation 29
 - A.5.1 General requirements 29
 - A.5.2 Cable installation 29
 - A.5.3 Connector installation 31
 - A.5.4 Terminator installation 35
 - A.5.5 Device installation 35
 - A.5.6 Coding and labelling 35
 - A.5.7 Earthing and bonding of equipment and device and shielded cabling 36
 - A.5.8 As-implemented cabling documentation 37
 - A.6 Installation verification and installation acceptance test 37
 - A.6.1 General 37
 - A.6.2 Installation verification 37
 - A.6.3 Installation acceptance test 39
 - A.7 Installation administration 44
 - A.8 Installation maintenance and installation troubleshooting 44
- Annex B (normative) CP 3/2 (PROFIBUS) specific installation profile..... 45
 - B.1 Installation profile scope 45
 - B.2 Normative references..... 45
 - B.3 Installation profile terms, definitions, and abbreviated terms 45
 - B.3.1 Terms and definitions 45
 - B.3.2 Abbreviated terms 46
 - B.3.3 Conventions for installation profiles 46
 - B.4 Installation planning..... 47

B.4.1	General	47
B.4.2	Planning requirements	48
B.4.3	Network capabilities	55
B.4.4	Selection and use of cabling components	61
B.4.5	Cabling planning documentation	76
B.4.6	Verification of cabling planning specification	76
B.5	Installation implementation	76
B.5.1	General requirements	76
B.5.2	Cable installation	76
B.5.3	Connector installation	77
B.5.4	Terminator installation	78
B.5.5	Device installation	78
B.5.6	Coding and labelling	78
B.5.7	Earthing and bonding of equipment and device and shielded cabling	78
B.5.8	As-implemented cabling documentation	78
B.6	Installation verification and installation acceptance test	78
B.6.1	General	78
B.6.2	Installation verification	79
B.6.3	Installation acceptance test	79
B.7	Installation administration	80
B.8	Installation maintenance and installation troubleshooting	80
Annex C (normative) CP 3/3, CP 3/4, CP 3/5, CP 3/6 (PROFINET) specific installation profile		81
C.1	Installation profile scope	81
C.2	Normative references	81
C.3	Installation profile terms, definitions, and abbreviated terms	81
C.3.1	Terms and definitions	81
C.3.2	Abbreviated terms	81
C.3.3	Conventions for installation profiles	82
C.4	Installation planning	82
C.4.1	General	82
C.4.2	Planning requirements	82
C.4.3	Network capabilities	82
C.4.4	Selection and use of cabling components	85
C.4.5	Cabling planning documentation	107
C.4.6	Verification of cabling planning specification	107
C.5	Installation implementation	107
C.5.1	General requirements	107
C.5.2	Cable installation	107
C.5.3	Connector installation	109
C.5.4	Terminator installation	111
C.5.5	Device installation	111
C.5.6	Coding and labelling	111
C.5.7	Earthing and bonding of equipment and device and shielded cabling	112
C.5.8	As-implemented cabling documentation	113
C.6	Installation verification and installation acceptance test	113
C.6.1	General	113
C.6.2	Installation verification	113
C.6.3	Installation acceptance test	114

C.7 Installation administration 115

C.8 Installation maintenance and installation troubleshooting 115

Bibliography 116

Figure 1 – Standards relationships 9

Figure A.1 – Recommended combination of shielding and earthing for CP 3/1 networks with RS 485-IS 27

Figure A.2 – Sub-D connector pin numberings (front view) 32

Figure A.3 – 5-pin M12 female socket 33

Figure A.4 – 5-pin M12 male plug for CP 3/1 34

Figure A.5 – Test circuit A – Resistance measurement of data line B and shield 40

Figure A.6 – Test circuit B – Resistance measurement of data line A and shield 40

Figure A.7 – Test circuit C – Resistance measurement of data line A, data line B, and shield 40

Figure A.8 – Test circuit D – Resistance measurement between data line A and B 41

Figure A.9 – Resistance measurement without 9-pin Sub-D plug 41

Figure A.10 – Loop core resistance (cable type A) 42

Figure A.11 – Action and resolution tree for measurement 1 (RS 485 and RS 485-IS) 42

Figure A.12 – Action and resolution tree for measurement 2 (RS 485 and RS 485-IS) 43

Figure A.13 – Action and resolution tree for measurement 3 (RS 485 and RS 485-IS) 43

Figure B.1 – Connection of CP 3/1 networks 48

Figure B.2 – Typical fieldbus architecture 51

Figure B.3 – Fieldbus with stations supplied by auxiliary power sources 51

Figure B.4 – Fieldbus model 54

Figure B.5 – Current modulation (Manchester II code) 54

Figure B.6 – Tree topology 56

Figure B.7 – Bus topology 56

Figure B.8 – Combination of the tree topology and the bus topology 57

Figure B.9 – Fieldbus extension 57

Figure B.10 – Recommended combination of shielding and earthing 71

Figure B.11 – Ideal combination of shielding and earthing 72

Figure B.12 – Capacitive earthing 73

Figure B.13 – Galvanic isolated field device 74

Figure B.14 – Pin assignment of the male and female connectors IEC 60947-5-2 (A-coding) 78

Figure C.1 – Definition of End-to-end link 102

Figure C.2 – End-to-end link without interconnections 102

Figure C.3 – Assembled End-to-end link 102

Figure C.4 – Connectionless optical fibre link 103

Figure C.5 – Assembled optical fibre link 103

Figure C.6 – Shielded connectors for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 fieldbus networks 109

Figure C.7 – Pin-assignment for a straight cable 110

Table A.1 – Excerpt of MICE definition 17

Table A.2 – Basic network characteristics for balanced cabling not based on Ethernet (ISO/IEC 8802-3).....	18
Table A.3 – Network characteristics for optical fibre cabling.....	19
Table A.4 – Information relevant to copper cable: fixed cables.....	20
Table A.5 – Information relevant to optical fibre cables.....	21
Table A.6 – Connectors for copper cabling CPs not based on Ethernet.....	22
Table A.7 – Optical fibre connecting hardware.....	22
Table A.8 – Relationship between FOC and fibre types (CP 3/1).....	22
Table A.9 – Parameters for balanced cables.....	30
Table A.10 – Parameters for silica optical fibre cables.....	30
Table A.11 – Parameters for POF optical fibre cables.....	30
Table A.12 – Parameters for hard clad silica optical fibre cables.....	31
Table A.13 – Use of 9 pin Sub-D connector pins (RS 485).....	32
Table A.14 – Use of 9 pin Sub-D connector pins (RS 485-IS).....	33
Table A.15 – Use of M12 connector pins (RS 485).....	34
Table A.16 – Use of M12 connector pins (RS 485-IS).....	35
Table A.17 – Maximum fibre channel attenuation for CP 3/1 (PROFIBUS).....	44
Table B.1 – Valid parameter range of the FISCO model for use as EEx ib IIC / IIB.....	52
Table B.2 – Valid parameter range of the FISCO model for use as EEx ia IIC.....	53
Table B.3 – Power supply (operational values).....	59
Table B.4 – Line lengths which can be achieved.....	59
Table B.5 – Limit values for distortion, reflection and signal delay.....	60
Table B.6 – Recommended maximum cable lengths including spurs.....	60
Table B.7 – Recommended length of the spurs.....	61
Table B.8 – Maximum length of the splices.....	61
Table B.9 – Information relevant to copper cable: fixed cables.....	62
Table B.10 – Safety limit values for the fieldbus cable.....	63
Table B.11 – Connectors for copper cabling CPs not based on Ethernet.....	64
Table B.12 – Mixing devices from different categories.....	66
Table B.13 – Electrical characteristics of fieldbus interfaces.....	67
Table B.14 – Recommended data sheet specifications for CP 3/2 devices.....	68
Table B.15 – Parameters for balanced cables.....	76
Table B.16 – Contact assignments for the external connector for harsh industrial environments.....	77
Table C.1 – General transmission media selection information.....	83
Table C.2 – Network characteristics for balanced cabling based on Ethernet (ISO/IEC 8802-3).....	84
Table C.3 – Network characteristics for optical fibre cabling.....	84
Table C.4 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type A fixed cables.....	86
Table C.5 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables.....	87
Table C.6 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type C special cables.....	88

Table C.7 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 of cabinet cord sets 89

Table C.8 – Requirement data cable inside and outside cabinet: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables 90

Table C.9 – Requirement to copper cable inside and outside cabinet: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables 91

Table C.10 – Information relevant to optical fibre cables 92

Table C.11 – Requirements for plastic and hard clad silica optical fibre cables 92

Table C.12 – Requirements for glass multimode optical fibre cables 94

Table C.13 – Requirements for glass singlemode optical fibre cables 95

Table C.14 – Requirements of industrial FO-cord sets 96

Table C.15 – Standard of test of industrial FO-cord sets 97

Table C.16 – Information relevant to hybrid cables (application type B) 97

Table C.17 – Information relevant to hybrid cables (application type C) 98

Table C.18 – Connectors for balanced cabling CPs based on Ethernet 100

Table C.19 – Connectors for balanced cabling CPs not based on Ethernet 100

Table C.20 – Connectors for balanced cabling CPs based on Ethernet 100

Table C.21 – Optical fibre connecting hardware 101

Table C.22 – Relationship between FOC and fibre types (CP 3/3, CP 3/4, CP 3/5, CP3/6) 101

Table C.23 – Typical fibre channels common for industrial applications. 104

Table C.24 – Parameters for balanced cables 108

Table C.25 – Parameters for silica optical fibre cables 108

Table C.26 – Parameters for POF optical fibre cables 108

Table C.27 – Parameters for hard clad silica optical fibre cables 109

Table C.28 – Colour coding of 2 pair cabling for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors 110

Table C.29 – Colour coding of 4 pair cabling for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors 110

Table C.30 – Contact arrangement M12 2 pair to M12 4 pair for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors 111

Table C.31 – Maximum fibre channel attenuation for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 (PROFINET)..... 115

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 5-3: Installation of fieldbuses – Installation profiles for CPF 3

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61784-5-3 edition 4.1 contains the fourth edition (2013-11) [documents 65C/924/FDIS and 65C/925/RVD] and its amendment 1 (2024-03) [documents 65C/1283/FDIS and 65C/1297/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 61784-5-3 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This document is to be used in conjunction with IEC 61918:2018, IEC 61918:2018/AMD1:2022 and IEC 61918:2018/AMD2:2024.

This fourth edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) an addition of 4-pair cabling (see C.4.4.1.2.1 and C.5.3.2);
- b) an addition of the connector M12 X-Coding (see C.4.4.2.2);
- c) an addition of the definition of End-to-end links (see C.4.4.3.1);
- d) a revision of Table C.17 (see C.5.2.1);
- e) a formula for the NEXT limits of End-to-end links (see C.6.3.2.1.2).

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61784-5 series, under the general title *Industrial communication networks – Profiles – Installation of fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION


This document is one of a series produced to facilitate the use of communication networks in industrial control systems.

IEC 61918:2018, IEC 61918:2018/AMD1:2022 and IEC 61918:2018/AMD2:2024 provide the common requirements for the installation of communication networks in industrial control systems. This installation profile standard provides the installation profiles of the communication profiles (CP) of a specific communication profile family (CPF) by stating which requirements of IEC 61918 fully apply and, where necessary, by supplementing, modifying, or replacing the other requirements (see Figure 1).

For general background on fieldbuses, their profiles, and relationship between the installation profiles specified in this document, see IEC 61158-1.

Each CP installation profile is specified in a separate annex of this document. Each annex is structured exactly as the reference standard IEC 61918 for the benefit of the persons representing the roles in the fieldbus installation process as defined in IEC 61918 (planner, installer, verification personnel, validation personnel, maintenance personnel, administration personnel). By reading the installation profile in conjunction with IEC 61918, these persons immediately know which requirements are common for the installation of all CPs and which are modified or replaced. The conventions used to draft this document are defined in Clause 5.

The provision of the installation profiles in one standard for each CPF (for example IEC 61784-5-3 for CPF 3) allows readers to work with standards of a convenient size.



IEC

Figure 1 – Standards relationships

INTRODUCTION to Amendment 1

This Amendment 1 includes the following significant technical changes with respect to IEC 61784-5-3:2018:

Annex C describes new content of installation such as Robot Cable and two new rectangular (one 8-way and one 10-way) connectors for Ethernet of industrial installation of Profinet.

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 5-3: Installation of fieldbuses – Installation profiles for CPF 3

1 Scope

This part of IEC 61784-5 specifies the installation profiles for CPF 3 (PROFIBUS/PROFINET)¹.

The installation profiles are specified in the annexes. These annexes are read in conjunction with IEC 61918:2018, IEC 61918:2018/AMD1:2022 and IEC 61918:2018/AMD2:2024.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918:2018², *Industrial communication networks – Installation of communication networks in industrial premises*
IEC 61918:2018/AMD1:2022
IEC 61918:2018/AMD2:2024

NOTE For profile specific normative references, see Clause(s) A.2, B.2 and C.2.

¹ PROFIBUS and PROFINET are trade names of the non-profit organization PROFIBUS Nutzerorganisation e.V. (PNO). This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade names holder or any of its products. Compliance to this profile does not require use of the trade names. Use of the trade names PROFIBUS and PROFINET requires permission of the trade name holder.

² The normative references of IEC 61918:2018, Clause 2, IEC 61918:2018/AMD1:2022, Clause 2 and IEC 61918:2018/AMD2:2024, Clause 2, apply.