



IEC 61950

Edition 3.0 2019-09

# INTERNATIONAL STANDARD

---

**Cable management systems –  
Specifications for extra-heavy-duty electrical steel conduit fittings and  
accessories**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 29.120.10

ISBN 978-2-8322-7373-9

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 General requirements .....	12
4.1 Tests .....	12
4.2 Metallic materials.....	12
4.2.1 General .....	12
4.2.2 Corrosion protection .....	12
4.3 Non-metallic materials .....	13
4.3.1 Flammability .....	13
4.3.2 Materials for bushings and insulating liners .....	13
4.3.3 Elastomeric materials .....	14
4.3.4 Gasket materials.....	14
4.4 Construction .....	15
4.4.1 Threads for fittings and conduit bodies .....	15
4.4.2 Offset and angle fittings.....	15
4.5 Screws.....	16
4.6 Locknuts .....	16
4.6.1 Construction .....	16
4.6.2 Functional requirements for fitting locknuts.....	17
4.7 Classifications .....	17
4.7.1 Concrete-tight type .....	17
4.7.2 Wet-location type.....	19
4.7.3 Expansion, expansion-deflection, deflection fitting.....	20
5 Fittings for EHDERS systems .....	20
5.1 Types.....	20
5.2 Fittings for threaded EHDERS conduit .....	20
5.2.1 End stop .....	20
5.2.2 Torque test .....	20
5.2.3 Earth fault.....	21
5.2.4 Threaded reducers .....	22
5.3 Fittings for unthreaded EHDERS conduit .....	22
5.3.1 Electrical continuity and mechanical strength.....	22
5.3.2 Earth fault.....	23
5.3.3 Construction .....	23
5.4 Bushings.....	24
5.4.1 General .....	24
5.4.2 Thermoplastic or thermosetting materials .....	24
5.5 Service-entrance heads .....	24
5.5.1 End stops for service-entrance heads .....	24
5.5.2 Assembly.....	24
5.5.3 Openings.....	24
5.5.4 Continuity test .....	25
5.5.5 Wet-location test.....	25
5.6 Nipples .....	25
6 Cast metal conduit bodies and covers.....	25

6.1	General.....	25
6.1.1	Applicability .....	25
6.1.2	Openings .....	25
6.2	Materials.....	25
6.2.1	Wall thickness .....	25
6.2.2	Coatings on metallic surfaces .....	25
6.3	Integral bushings .....	25
6.4	Threads .....	26
6.5	Threadless connections .....	26
6.6	External thread construction .....	26
6.7	Wet-location type .....	26
7	Conduit bodies and covers .....	30
7.1	Cross-sectional area .....	30
7.2	Connection to conduit .....	30
7.3	Straight conduit bodies .....	32
7.4	Angle conduit bodies.....	32
7.5	Short conduit bodies .....	33
8	Marking .....	35
8.1	All fittings.....	35
8.1.1	Permanence and legibility.....	35
8.1.2	Manufacturer identification.....	35
8.1.3	Location of marking .....	35
8.1.4	Specific conditions of installation .....	35
8.1.5	Specific instructions.....	35
8.2	Insulating bushings or parts .....	36
8.2.1	Colour coding .....	36
8.2.2	Temperature rating .....	36
8.2.3	Unthreaded bushings.....	36
8.3	Conduit bodies.....	36
8.3.1	Manufacturer identification.....	36
8.3.2	Specific conditions of installation .....	37
8.3.3	Short conduit bodies .....	37
8.3.4	Angle conduit bodies .....	37
8.3.5	Conduit bodies requiring pulling compound.....	37
8.4	Fittings for threaded hubs .....	37
8.5	Expansion, expansion-deflection and deflection fittings.....	37
9	Type tests.....	38
9.1	General.....	38
9.1.1	Samples under test.....	38
9.1.2	Mechanical connection .....	38
9.1.3	Number of samples .....	38
9.1.4	Locknuts.....	38
9.1.5	Temperature .....	38
9.1.6	Assembly.....	38
9.2	Concrete-tightness test .....	38
9.3	Wet locations test .....	39
9.4	Flammability test.....	42
9.5	Electrical continuity test .....	44
9.6	Earth fault current test .....	45

9.7	Tests for temperature ratings of insulating material used for bushings or insulating liners.....	47
9.7.1	Flammability test .....	47
9.7.2	Accelerated aging test .....	47
9.7.3	Heat distortion test .....	48
9.7.4	Drop test .....	48
9.8	Elastomeric materials deterioration test .....	48
9.9	Conductor pull test.....	49
9.10	Metallic-coating thickness test .....	49
9.11	Threaded fittings for EHDERS – Tests for conduit locknuts .....	51
9.11.1	Assembly.....	51
9.11.2	Integrity of assembly.....	52
9.12	Threaded fittings for EHDERS – Tests for hubs.....	52
9.13	Expansion, expansion-deflection and deflection fittings.....	52
9.13.1	General .....	52
9.13.2	Assembly test .....	53
9.13.3	Electrical continuity test.....	54
9.13.4	Reciprocation test.....	54
9.13.5	Deflection test .....	55
9.13.6	Wet locations test .....	56
9.13.7	Corrosion resistance test .....	56
9.13.8	Earth fault current test .....	56
9.13.9	Galvanic compatibility test .....	56
9.14	Gaskets – Expanded closed cell materials .....	57
9.14.1	Insulation electrical continuity test .....	57
9.14.2	Compression set test.....	57
9.15	Permanence of markings test.....	57
	Bibliography.....	58
	Figure 1 – Basic dimensions for locknuts for EHDERS conduit.....	18
	Figure 2 – Basic dimensions for electrical fitting locknuts.....	19
	Figure 3 – Bending test for threadless fittings .....	23
	Figure 4 – Basic dimensions of internal straight pipe threads for conduit fittings having short threads on bushings or hubs for use with EHDERS conduit or electrical equipment having tapered or straight threads .....	27
	Figure 5 – Pitch diameter dimensions of tapered thread conduit entries .....	28
	Figure 6 – Basic dimensions of external straight pipe threads for conduit fittings for use with EHDERS coupling or electrical equipment having tapered or straight internal threads .....	29
	Figure 7 – Conduit body openings.....	33
	Figure 8 – Short conduit bodies .....	34
	Figure 9 – Wet locations test spray head .....	41
	Figure 10 – Wet locations test spray head piping .....	42
	Figure 11 – Flammability test apparatus.....	44
	Figure 12 – Measurement of voltage drop for fittings.....	45
	Figure 13 – Fault current test using an enclosure.....	46
	Figure 14 – Fault current test using a steel plate.....	46

Figure 15 – Temperature rating test for insulating material of bushings and insulating liners ..... 48

Figure 16 – Expansion, expansion-deflection, and deflection fitting test programme ..... 53

Figure 17 – Parallel misalignment of an expansion-deflection, or deflection fitting ..... 55

  

Table 1 – Wall thickness of fittings ..... 12

Table 2 – Thickness of zinc coating ..... 13

Table 3 – Thickness and diameters of bushings ..... 14

Table 4 – Radius of bend of angle fittings ..... 15

Table 5 – Inside throat diameters of fittings and bushings ..... 16

Table 6 – Tightening torque, bending load, and pull-out force for threaded and threadless fittings ..... 21

Table 7 – Test currents and times ..... 21

Table 8 – Minimum cross-sectional area of conduit bodies ..... 30

Table 9 – Space inside a conduit body ..... 30

Table 10 – Minimum distance between conduit body hubs for three-conductor installation with no investigation ..... 31

Table 11 – Temperature for conditioning polymeric materials ..... 36

Table 12 – Tightening torque value ..... 47

Table 13 – Thickness factor reference test of zinc coatings ..... 51

Table 14 – Metal thickness simulating thickness of test material for verifying mechanical mounting ..... 51

Table 15 – Dimensions of zinc-coated ferrous-metal conduit for assembly test for expansion fittings ..... 54

Table 16 – Test currents and times for expansion fittings ..... 57

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## **CABLE MANAGEMENT SYSTEMS – SPECIFICATIONS FOR EXTRA-HEAVY-DUTY ELECTRICAL STEEL CONDUIT FITTINGS AND ACCESSORIES**

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61950 has been prepared by subcommittee 23A: Cable management systems, of IEC technical committee 23: Electrical accessories.

This third edition cancels and replaces the second edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- change in title and scope to cover only fittings and accessories for use with extra-heavy-duty electrical rigid steel (EHDERS) conduits;
- new and updated definitions of terms;
- addition of requirements for expansion, expansion-deflection and deflection fittings;
- deletion of requirements for cast metal boxes.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
23A/887/FDIS	23A/890/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type;*
- explanatory matter: in smaller roman type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

# **CABLE MANAGEMENT SYSTEMS – SPECIFICATIONS FOR EXTRA-HEAVY-DUTY ELECTRICAL STEEL CONDUIT FITTINGS AND ACCESSORIES**

## **1 Scope**

This document specifies requirements for conduit fittings, including conduit bodies used with extra-heavy-duty electrical rigid steel (EHDERS) conduit conforming to IEC 60981.

This document does not include requirements for fittings intended for installation in potentially explosive atmospheres.

## **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60981:2019, *Extra heavy-duty electrical rigid steel conduits*

ISO 68-2, *ISO general purpose screw threads – Basic profile – Part 2: Inch screw threads*

ISO 263, *ISO inch screw threads – General plan and selection for screws, bolts and nuts – Diameter range 0,06 to 6 in*

ISO 301, *Zinc alloy ingots intended for castings*

ISO 5864, *ISO inch screw threads – Allowances and tolerances*