



IEC 62394

Edition 4.0 2022-07

INTERNATIONAL STANDARD



**Service diagnostic interface for consumer electronics products and networks –
Implementation for ECHONET**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.99; 35.110

ISBN 978-2-8322-3923-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|----------------------------------------------------------|----|
| FOREWORD..... | 32 |
| INTRODUCTION..... | 34 |
| 1 Scope..... | 35 |
| 2 Normative references | 35 |
| 3 Terms, definitions and abbreviated terms | 35 |
| 3.1 Terms and definitions..... | 35 |
| 3.2 Abbreviated terms..... | 36 |
| 4 Different types of service diagnostics | 37 |
| 4.1 Stand-alone products..... | 37 |
| 4.2 Facilities or household appliances network | 37 |
| 4.3 Remote diagnosis | 37 |
| 5 SDI requirements..... | 37 |
| 5.1 General..... | 37 |
| 5.2 Hardware | 37 |
| 5.2.1 Tester hardware | 37 |
| 5.2.2 Facilities or household appliances network | 37 |
| 5.2.3 DUT hardware | 38 |
| 5.3 Software | 38 |
| 5.3.1 General | 38 |
| 5.3.2 Tester software..... | 38 |
| 5.3.3 DUT software requirements for the SDI | 38 |
| 6 Tester software requirements | 39 |
| 6.1 Reading the property diagnostic unit..... | 39 |
| 6.2 General information (product identification)..... | 39 |
| 6.3 Diagnosis information | 39 |
| 7 Control protocol 1st | 39 |
| 7.1 General..... | 39 |
| 7.2 Frame format | 39 |
| 7.2.1 General | 39 |
| 7.2.2 ECHONET headers (EHD)..... | 40 |
| 7.2.3 Source/Destination ECHONET address (SEA/DEA) | 42 |
| 7.2.4 ECHONET byte counter (EBC)..... | 43 |
| 7.2.5 ECHONET data (EDATA)..... | 43 |
| 7.2.6 Object message header (OHD) | 44 |
| 7.2.7 ECHONET objects (EOJ) | 44 |
| 7.2.8 ECHONET property (EPC)..... | 45 |
| 7.2.9 ECHONET service (ESV)..... | 46 |
| 7.2.10 ECHONET property value data (EDT) | 61 |
| 7.2.11 Compound ECHONET Service (CpESV) | 61 |
| 7.2.12 Processing target property counter (OPC) | 67 |
| 7.2.13 Property data counter (PDC)..... | 68 |
| 8 Control protocol 2nd | 68 |
| 8.1 General..... | 68 |
| 8.2 Frame format | 68 |
| 8.2.1 General | 68 |
| 8.2.2 ECHONET Lite Header (ELHD)..... | 69 |

| | | |
|--------|------------------------------------------------------------|-----|
| 8.2.3 | Transaction ID (TID) | 70 |
| 8.2.4 | ECHONET Lite Data (ELDATA) | 70 |
| 8.2.5 | ECHONET Objects (EOJ) | 70 |
| 8.2.6 | ECHONET Lite Service (ELSV)..... | 71 |
| 8.2.7 | ECHONET property (EPC)..... | 79 |
| 8.2.8 | ECHONET Lite Property data counter (ELPDC) | 80 |
| 9 | ECHONET objects: detailed specifications..... | 81 |
| 9.1 | Basic concept | 81 |
| 9.2 | ECHONET properties: basic specifications..... | 82 |
| 9.2.1 | General | 82 |
| 9.2.2 | ECHONET property value data types | 82 |
| 9.2.3 | Property value range | 82 |
| 9.2.4 | Required class properties | 83 |
| 9.2.5 | Array | 83 |
| 9.3 | Device object super class specifications | 84 |
| 9.3.1 | General | 84 |
| 9.3.2 | Overview of device object super class specifications | 84 |
| 9.3.3 | Operation status property | 89 |
| 9.3.4 | Installation location property | 89 |
| 9.3.5 | Standard version information property | 90 |
| 9.3.6 | Identification number property | 91 |
| 9.3.7 | Measured instantaneous power consumption property | 91 |
| 9.3.8 | Measured cumulative energy consumption property..... | 91 |
| 9.3.9 | Manufacturer's fault code property | 91 |
| 9.3.10 | Current limit setting property..... | 92 |
| 9.3.11 | Fault status property | 92 |
| 9.3.12 | Fault description property | 92 |
| 9.3.13 | Manufacturer code property | 94 |
| 9.3.14 | Business facility code property | 94 |
| 9.3.15 | Product code property | 95 |
| 9.3.16 | Production number property..... | 95 |
| 9.3.17 | Production date property | 95 |
| 9.3.18 | Power-saving operation setting property | 95 |
| 9.3.19 | Remote control setting property | 95 |
| 9.3.20 | Current time setting property | 97 |
| 9.3.21 | Current date setting property | 97 |
| 9.3.22 | Power limit setting property | 97 |
| 9.3.23 | Cumulative operating time property | 97 |
| 9.3.24 | Property map property | 98 |
| 9.4 | Temperature sensor class specifications | 99 |
| 9.4.1 | General | 99 |
| 9.4.2 | Operation status property | 99 |
| 9.4.3 | Measured temperature value property..... | 99 |
| 9.5 | Humidity sensor class specifications | 99 |
| 9.5.1 | General | 99 |
| 9.5.2 | Operation status property | 100 |
| 9.5.3 | Measured value of relative humidity property | 100 |
| 9.6 | Illuminance sensor class specifications | 100 |
| 9.6.1 | General | 100 |

| | | |
|--------|----------------------------------------------------------------------|-----|
| 9.6.2 | Operation status property | 100 |
| 9.6.3 | Measured illuminance value 1 property | 100 |
| 9.6.4 | Measured illuminance value 2 property | 101 |
| 9.7 | Human detection sensor class specifications | 101 |
| 9.7.1 | General | 101 |
| 9.7.2 | Operation status property | 101 |
| 9.7.3 | Detection threshold level property..... | 101 |
| 9.7.4 | Human detection status property | 101 |
| 9.8 | Electric energy sensor class specifications | 102 |
| 9.8.1 | General | 102 |
| 9.8.2 | Operation status property | 103 |
| 9.8.3 | Cumulative amounts of electric energy property..... | 103 |
| 9.8.4 | Small-capacity sensor instantaneous electric power property..... | 103 |
| 9.8.5 | Medium-capacity sensor instantaneous electric power property | 103 |
| 9.8.6 | Large-capacity sensor instantaneous electric power property | 103 |
| 9.8.7 | Cumulative amounts of electric energy measurement log property | 103 |
| 9.8.8 | Effective voltage value property | 103 |
| 9.9 | Open/close sensor class specifications | 104 |
| 9.9.1 | General | 104 |
| 9.9.2 | Operation status property | 104 |
| 9.9.3 | Degree-of-opening detection status 1 property | 104 |
| 9.9.4 | Detection threshold level property..... | 105 |
| 9.9.5 | Degree-of-opening detection status 2 property | 105 |
| 9.10 | Current sensor class specifications | 105 |
| 9.10.1 | General | 105 |
| 9.10.2 | Operation status property | 105 |
| 9.10.3 | Measured current value 1 property | 106 |
| 9.10.4 | Rated voltage property to be measured property..... | 106 |
| 9.10.5 | Measured current value 2 property | 106 |
| 9.11 | Air speed sensor class specifications | 106 |
| 9.11.1 | General | 106 |
| 9.11.2 | Operation status property | 106 |
| 9.11.3 | Measured value of air speed property | 107 |
| 9.11.4 | Air flow direction property | 107 |
| 9.12 | Water flow rate sensor class specifications | 107 |
| 9.12.1 | General | 107 |
| 9.12.2 | Operation status property | 107 |
| 9.12.3 | Cumulative flow rate property | 107 |
| 9.12.4 | Flow rate property | 108 |
| 9.13 | Rain sensor class specifications | 108 |
| 9.13.1 | General | 108 |
| 9.13.2 | Operation status property | 108 |
| 9.13.3 | Detection threshold level property..... | 108 |
| 9.13.4 | Rain detection status property | 108 |
| 9.14 | Home air conditioner class specifications..... | 109 |
| 9.14.1 | General | 109 |
| 9.14.2 | Operation status property | 117 |
| 9.14.3 | Power-saving operation setting property | 117 |
| 9.14.4 | Operation mode setting property..... | 118 |

| | | |
|---------|---------------------------------------------------------------------|-----|
| 9.14.5 | Automatic temperature control setting property | 118 |
| 9.14.6 | Normal/high-speed/silent operation setting property | 118 |
| 9.14.7 | Set temperature value property | 118 |
| 9.14.8 | Set value of relative humidity in dehumidifying mode property | 118 |
| 9.14.9 | Set temperature value in cooling mode property | 119 |
| 9.14.10 | Set temperature value in heating mode property | 119 |
| 9.14.11 | Set temperature value in dehumidifying mode property | 119 |
| 9.14.12 | Rated power consumption property | 120 |
| 9.14.13 | Measured value of current consumption property | 120 |
| 9.14.14 | Measured value of room relative humidity property | 120 |
| 9.14.15 | Measured value of room temperature property | 120 |
| 9.14.16 | Set temperature value of user remote control property | 120 |
| 9.14.17 | Measured cooled air temperature property | 121 |
| 9.14.18 | Measured outdoor air temperature property | 121 |
| 9.14.19 | Relative temperature setting property | 121 |
| 9.14.20 | Air flow rate setting property | 121 |
| 9.14.21 | Automatic control of air flow direction setting property | 121 |
| 9.14.22 | Automatic swing of air flow setting property | 122 |
| 9.14.23 | Air flow direction (vertical) setting property | 122 |
| 9.14.24 | Air flow direction (horizontal) setting property | 123 |
| 9.14.25 | Special state property | 124 |
| 9.14.26 | Non-priority state property | 124 |
| 9.14.27 | Ventilation function setting property | 124 |
| 9.14.28 | Humidifier function setting property | 125 |
| 9.14.29 | Ventilation air flow rate setting property | 125 |
| 9.14.30 | Degree of humidification setting property | 125 |
| 9.14.31 | Mounted air cleaning method property | 125 |
| 9.14.32 | Air purifier function setting property | 126 |
| 9.14.33 | Mounted air refresh method property | 126 |
| 9.14.34 | Air refresher function setting property | 127 |
| 9.14.35 | Mounted self-cleaning method property | 128 |
| 9.14.36 | Self-cleaning function setting property | 128 |
| 9.14.37 | Special function setting property | 129 |
| 9.14.38 | Operation status of components property | 129 |
| 9.14.39 | Thermostat setting override function property | 130 |
| 9.14.40 | Air purification mode setting property | 130 |
| 9.14.41 | Buzzer property | 130 |
| 9.14.42 | ON timer-based reservation setting property | 131 |
| 9.14.43 | ON timer setting (time) property | 131 |
| 9.14.44 | ON timer setting (relative time) | 131 |
| 9.14.45 | OFF timer-based reservation setting property | 131 |
| 9.14.46 | OFF timer setting (time) property | 132 |
| 9.14.47 | OFF timer setting (relative time) property | 132 |
| 9.15 | Ventilation fan class specifications | 132 |
| 9.15.1 | General | 132 |
| 9.15.2 | Operation status property | 132 |
| 9.15.3 | Ventilation automatic setting property | 133 |
| 9.15.4 | Set value of ventilation air flow rate property | 133 |
| 9.16 | Air purifier class specifications | 133 |

| | | |
|---------|-----------------------------------------------------------------------------------|-----|
| 9.16.1 | General | 133 |
| 9.16.2 | Operation status property | 134 |
| 9.16.3 | Filter change notice property | 134 |
| 9.16.4 | Air flow rate setting property | 134 |
| 9.16.5 | Smoke (cigarette) detection status property | 134 |
| 9.16.6 | Optical catalyst operation setting property | 134 |
| 9.16.7 | Air pollution detection status property | 134 |
| 9.17 | Humidifier class specifications | 134 |
| 9.17.1 | General | 134 |
| 9.17.2 | Operation status property | 136 |
| 9.17.3 | Humidifying setting 1 property | 136 |
| 9.17.4 | Humidifying setting 2 property | 136 |
| 9.17.5 | Measured value of relative humidity property | 136 |
| 9.17.6 | Reservation setting of OFF timer property | 136 |
| 9.17.7 | Relative time value set of OFF timer property | 137 |
| 9.17.8 | Ion emission setting property | 137 |
| 9.17.9 | Implemented ion emission method property | 137 |
| 9.17.10 | Water amount level property | 137 |
| 9.18 | Package-type commercial air conditioner (indoor unit) class specifications | 137 |
| 9.18.1 | General | 137 |
| 9.18.2 | Operation status property | 139 |
| 9.18.3 | Operation mode setting property | 139 |
| 9.18.4 | Temperature setting property | 139 |
| 9.18.5 | Measured indoor unit temperature property | 139 |
| 9.18.6 | Thermostat state property | 140 |
| 9.18.7 | Current function (automatic operation mode) property | 140 |
| 9.18.8 | Group information property | 140 |
| 9.18.9 | Power consumption range for indoor units property | 140 |
| 9.19 | Package-type commercial air conditioner (outdoor unit) class specifications | 140 |
| 9.19.1 | General | 140 |
| 9.19.2 | Operation status property | 142 |
| 9.19.3 | Rated power consumption of outdoor unit property | 142 |
| 9.19.4 | Measured outdoor unit temperature property | 142 |
| 9.19.5 | Special state property | 142 |
| 9.19.6 | Group information property | 142 |
| 9.19.7 | Measured power consumption of outdoor unit property | 142 |
| 9.19.8 | Possible power savings for outdoor units property | 143 |
| 9.19.9 | Settings restricting power consumption of outdoor units property | 143 |
| 9.19.10 | Minimum power consumption for restricted outdoor unit property | 143 |
| 9.20 | Electric storage heater class specifications | 144 |
| 9.20.1 | General | 144 |
| 9.20.2 | Operation status property | 146 |
| 9.20.3 | Temperature setting property | 146 |
| 9.20.4 | Rated power consumption property | 147 |
| 9.20.5 | Measured indoor temperature property | 147 |
| 9.20.6 | Measured outdoor temperature property | 147 |
| 9.20.7 | Air flow rate setting property | 147 |
| 9.20.8 | Fan operation status property | 148 |
| 9.20.9 | Heat storage operation status property | 148 |

| | | |
|---------|-----------------------------------------------------------------------------------------|-----|
| 9.20.10 | Heat storage temperature setting property | 148 |
| 9.20.11 | Measured stored heat temperature property | 148 |
| 9.20.12 | Daytime heat storage setting property | 148 |
| 9.20.13 | Daytime heat storage ability property | 148 |
| 9.20.14 | Midnight power duration setting property | 148 |
| 9.20.15 | Midnight power start time setting property | 148 |
| 9.20.16 | Radiation method property | 149 |
| 9.20.17 | Child lock setting property | 149 |
| 9.20.18 | Fan timer 1 setting property | 149 |
| 9.20.19 | Fan timer 1 ON time setting property | 149 |
| 9.20.20 | Fan timer 1 OFF time setting property | 149 |
| 9.20.21 | Fan timer 2 setting property | 149 |
| 9.20.22 | Fan timer 2 ON time setting property | 149 |
| 9.20.23 | Fan timer 2 OFF time setting property | 150 |
| 9.21 | Gas heat pump-type commercial air conditioner (indoor unit) class specifications | 150 |
| 9.21.1 | General | 150 |
| 9.21.2 | Operation status property | 151 |
| 9.21.3 | Operation mode setting property | 151 |
| 9.21.4 | Temperature setting value property | 151 |
| 9.21.5 | Measured temperature value of indoor unit property | 152 |
| 9.21.6 | Thermo status property | 152 |
| 9.21.7 | Operation mode status during automatic operation property | 152 |
| 9.21.8 | Group information property | 152 |
| 9.21.9 | Power consumption range for indoor units property | 152 |
| 9.22 | Gas heat pump-type commercial air conditioner (outdoor unit) class specifications | 152 |
| 9.22.1 | General | 152 |
| 9.22.2 | Operation status (inherited from the super class property) property | 154 |
| 9.22.3 | Measured temperature value of outdoor unit property | 154 |
| 9.22.4 | Measured cumulative gas consumption property | 154 |
| 9.22.5 | Group information property | 154 |
| 9.22.6 | Time slot operation factor setting property | 155 |
| 9.22.7 | Allowable operation factor property | 155 |
| 9.23 | Range hood class specifications | 156 |
| 9.23.1 | General | 156 |
| 9.23.2 | Operation status property | 158 |
| 9.23.3 | Range hood automatic setting property | 158 |
| 9.23.4 | Ventilation air flow rate setting property | 158 |
| 9.23.5 | Lighting operation setting property | 158 |
| 9.23.6 | Light source colour setting property | 159 |
| 9.23.7 | Brightness level setting property | 159 |
| 9.23.8 | Lighting mode setting property | 159 |
| 9.23.9 | When in coloured lighting mode RGB setting property | 159 |
| 9.23.10 | Measured value of indoor temperature property | 160 |
| 9.23.11 | Measured value of outdoor temperature property | 160 |
| 9.23.12 | Measured value of supply air temperature property | 160 |
| 9.23.13 | Measured value of cooking temperature property | 160 |
| 9.23.14 | Measured value of indoor relative humidity property | 160 |

| | | |
|---------|----------------------------------------------------------------------------|-----|
| 9.23.15 | Measured value of outdoor air humidity property..... | 160 |
| 9.23.16 | Human detection threshold level setting property..... | 160 |
| 9.23.17 | Human detection status property | 161 |
| 9.23.18 | Measured value of CO ₂ concentration property | 161 |
| 9.23.19 | Gas detection threshold level property..... | 161 |
| 9.23.20 | Gas detection status property | 161 |
| 9.23.21 | Error detection mode property | 161 |
| 9.24 | Electrically operated shade class specifications | 162 |
| 9.24.1 | General | 162 |
| 9.24.2 | Operation status property | 164 |
| 9.24.3 | Fault description property | 164 |
| 9.24.4 | Timer operation setting property | 164 |
| 9.24.5 | Wind detection status property | 164 |
| 9.24.6 | Sunlight detection status property..... | 164 |
| 9.24.7 | Opening (extension) speed setting property..... | 164 |
| 9.24.8 | Closing (retraction) speed setting property | 165 |
| 9.24.9 | Operation time property | 165 |
| 9.24.10 | Automatic operation setting property..... | 165 |
| 9.24.11 | Open/close (extension/retraction) operation setting property | 165 |
| 9.24.12 | Degree-of-opening property | 165 |
| 9.24.13 | Shade angle setting property | 165 |
| 9.24.14 | Open/close (extension/retraction) speed property | 165 |
| 9.24.15 | Electric lock setting property..... | 165 |
| 9.24.16 | Remote operation setting status property..... | 166 |
| 9.24.17 | Selective opening (extension) operation setting property | 166 |
| 9.24.18 | Open/closed (extended/retracted) status property..... | 166 |
| 9.24.19 | One-time opening (extension) speed setting property | 166 |
| 9.24.20 | One-time closing (retraction) speed setting property | 166 |
| 9.25 | Electrically operated rain sliding door/shutter class specifications | 166 |
| 9.25.1 | General | 166 |
| 9.25.2 | Operation status property | 168 |
| 9.25.3 | Fault description property | 169 |
| 9.25.4 | Timer operation setting property | 169 |
| 9.25.5 | Opening speed setting property | 169 |
| 9.25.6 | Closing speed setting property | 169 |
| 9.25.7 | Operation time setting property..... | 169 |
| 9.25.8 | Open/close operation setting property | 169 |
| 9.25.9 | Degree-of-opening setting property..... | 169 |
| 9.25.10 | Blind angle setting property | 169 |
| 9.25.11 | Opening/closing speed setting property | 170 |
| 9.25.12 | Electric lock setting property..... | 170 |
| 9.25.13 | Remote operation setting status property..... | 170 |
| 9.25.14 | Selective degree-of-opening setting property | 170 |
| 9.25.15 | Open/closed status property | 170 |
| 9.25.16 | Slit degree-of-opening property | 170 |
| 9.25.17 | One-time opening speed setting property..... | 171 |
| 9.25.18 | One-time closing speed setting property | 171 |
| 9.26 | Electric water heater class specifications | 171 |
| 9.26.1 | General | 171 |

| | | |
|---------|---------------------------------------------------------------------------------------------------------------|-----|
| 9.26.2 | Operation status property | 179 |
| 9.26.3 | Automatic water heating setting property | 179 |
| 9.26.4 | Automatic water temperature control setting property | 179 |
| 9.26.5 | Water heater status property | 179 |
| 9.26.6 | Water heating temperature setting property | 179 |
| 9.26.7 | Manual water heating stop days setting property | 179 |
| 9.26.8 | Relative time setting value for manual water heating OFF property | 180 |
| 9.26.9 | Tank operation mode setting property | 180 |
| 9.26.10 | Daytime reheating permission setting property | 180 |
| 9.26.11 | Measured temperature of water in water heater property | 180 |
| 9.26.12 | Alarm status property | 180 |
| 9.26.13 | Hot water supply status property | 181 |
| 9.26.14 | Relative time setting for keeping bath temperature property | 181 |
| 9.26.15 | Temperature of supplied water setting property | 181 |
| 9.26.16 | Bath water temperature setting property | 181 |
| 9.26.17 | Hot water volume setting property | 181 |
| 9.26.18 | Measured amount of water remaining in tank property | 182 |
| 9.26.19 | Tank capacity property | 182 |
| 9.26.20 | Automatic bath water heating mode setting property | 182 |
| 9.26.21 | Manual bath reheating operation setting property | 182 |
| 9.26.22 | Manual bath hot water addition function setting property | 182 |
| 9.26.23 | Manual lukewarm water temperature lowering function setting property | 182 |
| 9.26.24 | Bath water volume setting 1 property | 182 |
| 9.26.25 | Bath water volume setting 2 property | 183 |
| 9.26.26 | Bathroom priority setting property | 183 |
| 9.26.27 | Bath operation status monitor property | 183 |
| 9.26.28 | Bath water volume setting 3 property | 183 |
| 9.26.29 | Bath water volume setting 4 property | 183 |
| 9.26.30 | Bath water volume setting 4 – Maximum settable level property | 183 |
| 9.26.31 | Sound volume setting property | 184 |
| 9.26.32 | Mute setting property | 184 |
| 9.26.33 | Remaining hot water volume property | 184 |
| 9.26.34 | Surplus electric energy prediction value property | 184 |
| 9.26.35 | Rated power consumption of HP unit in wintertime property | 185 |
| 9.26.36 | Rated power consumption of HP unit in in-between seasons property | 185 |
| 9.26.37 | Rated power consumption of HP unit in summertime property | 185 |
| 9.26.38 | ON timer reservation setting property | 185 |
| 9.26.39 | ON timer setting property | 185 |
| 9.26.40 | Participation in energy shift property | 185 |
| 9.26.41 | Standard time to start heating property | 186 |
| 9.26.42 | Number of energy shifts property | 186 |
| 9.26.43 | Daytime heating shift time 1 property (D1 of Figure 63 and D1 of Figure 64) | 187 |
| 9.26.44 | Expected electric energy at daytime heating shift time 1 property (C1 of Figure 63 and C1 of Figure 64) | 187 |
| 9.26.45 | Consumption of electric energy per hour 1 property | 188 |
| 9.26.46 | Daytime heating shift time 2 property (D2 of Figure 63 and D2 of Figure 64) | 188 |
| 9.26.47 | Expected electric energy at daytime heating shift time 2 property (C2 of Figure 64) | 189 |

| | | |
|---------|-------------------------------------------------------------------------------------------------------------|-----|
| 9.26.48 | Consumption of electric energy per hour 2 property | 189 |
| 9.27 | Electric toilet seat class (warm-water washing toilet seat, heating toilet seat, etc.) specifications | 191 |
| 9.27.1 | General | 191 |
| 9.27.2 | Operation status property | 193 |
| 9.27.3 | Temperature level of toilet seat property | 193 |
| 9.27.4 | Heater setting of toilet seat property | 193 |
| 9.27.5 | Temporal halt setting of toilet seat heating property | 193 |
| 9.27.6 | Temporal halt start time of toilet seat heating property | 193 |
| 9.27.7 | Temporal halt time duration of toilet seat heating property | 193 |
| 9.27.8 | Temperature level setting of room heating property | 194 |
| 9.27.9 | Room heating setting property | 194 |
| 9.27.10 | Room heating status property | 194 |
| 9.27.11 | Start time of room heating property | 194 |
| 9.27.12 | Duration time of room heating property | 194 |
| 9.27.13 | Special operation mode setting property | 194 |
| 9.27.14 | Human detection status property | 194 |
| 9.27.15 | Seating detection status property | 194 |
| 9.28 | Electric lock class specifications | 195 |
| 9.28.1 | General | 195 |
| 9.28.2 | Operation status property | 196 |
| 9.28.3 | Lock setting 1 property | 196 |
| 9.28.4 | Lock setting 2 property | 196 |
| 9.28.5 | Lock status of door guard property | 196 |
| 9.28.6 | Door open/closed status property | 196 |
| 9.28.7 | Occupant/non-occupant status property | 196 |
| 9.28.8 | Alarm status property | 196 |
| 9.28.9 | Automatic lock mode setting property | 196 |
| 9.28.10 | Battery level property | 197 |
| 9.29 | Instantaneous water heater class specifications | 197 |
| 9.29.1 | General | 197 |
| 9.29.2 | Operation status property | 200 |
| 9.29.3 | Water heating status property | 200 |
| 9.29.4 | Set value of hot water temperature property | 200 |
| 9.29.5 | Hot water warmer setting property | 200 |
| 9.29.6 | Duration of automatic operation setting property | 200 |
| 9.29.7 | Remaining automatic operation time property | 201 |
| 9.29.8 | Set value of bath temperature property | 201 |
| 9.29.9 | Bath water heater status property | 201 |
| 9.29.10 | Bath automatic mode setting property | 201 |
| 9.29.11 | Bath additional boil-up operation setting property | 201 |
| 9.29.12 | Bath hot water adding operation setting property | 202 |
| 9.29.13 | Bath water temperature lowering operation setting property | 202 |
| 9.29.14 | Bath hot water volume setting 1 property | 202 |
| 9.29.15 | Bath hot water volume setting 2 property | 202 |
| 9.29.16 | Bath hot water volume setting 3 property | 202 |
| 9.29.17 | Bath hot water volume setting 4 property | 202 |
| 9.29.18 | Bath hot water volume setting 4 – Maximum settable level property | 203 |
| 9.29.19 | Bathroom priority setting property | 203 |

| | | |
|---------|----------------------------------------------------------------------------|-----|
| 9.29.20 | Shower hot water supply status property | 203 |
| 9.29.21 | Kitchen hot water heating status property | 203 |
| 9.29.22 | Hot water warmer ON timer reservation setting property | 203 |
| 9.29.23 | Bath operation status monitor property | 203 |
| 9.29.24 | Set value of hot water warmer ON timer time property | 203 |
| 9.29.25 | ON timer reservation setting property | 204 |
| 9.29.26 | Set value of ON timer time property | 204 |
| 9.29.27 | Set value of ON timer relative time property | 204 |
| 9.29.28 | Sound volume setting property | 204 |
| 9.29.29 | Mute setting property | 204 |
| 9.30 | Bathroom heater and dryer class specifications | 205 |
| 9.30.1 | General | 205 |
| 9.30.2 | Operation status property | 209 |
| 9.30.3 | Operation setting property | 209 |
| 9.30.4 | Ventilation operation setting property | 210 |
| 9.30.5 | Bathroom pre-warmer operation setting property | 210 |
| 9.30.6 | Bathroom heater operation setting property | 210 |
| 9.30.7 | Bathroom dryer operation setting property | 211 |
| 9.30.8 | Cool air circulation operation setting property | 211 |
| 9.30.9 | Mist sauna operation setting property | 212 |
| 9.30.10 | Water mist operation settings property | 212 |
| 9.30.11 | Measured relative bathroom humidity property | 212 |
| 9.30.12 | Measured bathroom temperature property | 213 |
| 9.30.13 | Human body detection status property | 213 |
| 9.30.14 | Filter cleaning reminder sign setting property | 213 |
| 9.30.15 | Ventilation air flow rate setting property | 213 |
| 9.30.16 | ON timer-based reservation setting 1 property | 213 |
| 9.30.17 | ON timer-based reservation setting 2 property | 214 |
| 9.30.18 | ON timer setting (time) property | 214 |
| 9.30.19 | ON timer setting (relative time) property | 214 |
| 9.30.20 | OFF timer-based reservation setting property | 214 |
| 9.30.21 | OFF timer setting (time) property | 215 |
| 9.30.22 | OFF timer setting (relative time) property | 215 |
| 9.31 | Household solar power generation class specifications | 215 |
| 9.31.1 | General | 215 |
| 9.31.2 | Operation status property | 221 |
| 9.31.3 | Identification number property | 221 |
| 9.31.4 | Current time setting property | 221 |
| 9.31.5 | Current date setting property | 222 |
| 9.31.6 | Output power control setting 1 property | 222 |
| 9.31.7 | Output power control setting 2 property | 222 |
| 9.31.8 | Function to control purchase of excess electricity setting property | 222 |
| 9.31.9 | Output power controlling schedule property | 222 |
| 9.31.10 | Next access date and time property | 223 |
| 9.31.11 | Type for function to control purchase of excess electricity property | 223 |
| 9.31.12 | Output power change time setting value property | 223 |
| 9.31.13 | Upper limit clip setting value property | 223 |
| 9.31.14 | Operation power factor setting value property | 223 |
| 9.31.15 | FIT contract type property | 223 |

| | | |
|---------|-------------------------------------------------------------------------|-----|
| 9.31.16 | Self-consumption type property | 223 |
| 9.31.17 | Capacity approved by equipment property | 224 |
| 9.31.18 | Conversion coefficient property | 224 |
| 9.31.19 | System interconnection status property | 224 |
| 9.31.20 | Output power restraint status property | 224 |
| 9.31.21 | Measured instantaneous amount of electricity generated property | 225 |
| 9.31.22 | Measured cumulative amount of electricity generated property | 225 |
| 9.31.23 | Resetting cumulative amount of electric energy generated property | 225 |
| 9.31.24 | Measured cumulative amount of electric energy sold property | 225 |
| 9.31.25 | Resetting cumulative amount of electric energy sold property | 225 |
| 9.31.26 | Power generation output limit setting 1 property | 225 |
| 9.31.27 | Power generation output limit setting 2 property | 225 |
| 9.31.28 | Limit setting for the amount of electricity sold property | 225 |
| 9.31.29 | Rated power generation output (system interconnected) property | 225 |
| 9.31.30 | Rated power generation output (independent) property | 226 |
| 9.32 | Floor heater class specifications | 226 |
| 9.32.1 | General | 226 |
| 9.32.2 | Operation status property | 228 |
| 9.32.3 | Measured instantaneous power consumption property | 228 |
| 9.32.4 | Measured cumulative energy consumption property | 228 |
| 9.32.5 | Temperature setting 1 property | 229 |
| 9.32.6 | Temperature setting 2 property | 229 |
| 9.32.7 | Temperature setting 2 – Maximum settable level property | 229 |
| 9.32.8 | Measured room temperature property | 229 |
| 9.32.9 | Measured floor temperature property | 230 |
| 9.32.10 | Zone change setting property | 230 |
| 9.32.11 | Special operation setting property | 230 |
| 9.32.12 | Daily timer setting property | 230 |
| 9.32.13 | Daily timer setting 1 property / Daily timer setting 2 property | 230 |
| 9.32.14 | Rated power consumption property | 231 |
| 9.32.15 | Power consumption measurement method property | 232 |
| 9.32.16 | ON timer reservation setting property | 232 |
| 9.32.17 | Time set by ON timer property | 232 |
| 9.32.18 | Relative ON timer setting property | 232 |
| 9.32.19 | OFF timer reservation setting property | 232 |
| 9.32.20 | Time set by OFF timer property | 233 |
| 9.32.21 | Relative OFF timer setting property | 233 |
| 9.33 | Fuel cell class specifications | 233 |
| 9.33.1 | General | 233 |
| 9.33.2 | Operation status property | 235 |
| 9.33.3 | Measured temperature of water in water heater property | 236 |
| 9.33.4 | Rated power generation output property | 236 |
| 9.33.5 | Heating value of hot water storage tank property | 236 |
| 9.33.6 | Measured instantaneous power generation output property | 236 |
| 9.33.7 | Measured cumulative energy generation output property | 236 |
| 9.33.8 | Cumulative energy generation output reset setting property | 236 |
| 9.33.9 | Measured instantaneous gas consumption property | 236 |
| 9.33.10 | Measured cumulative gas consumption property | 236 |
| 9.33.11 | Cumulative gas consumption reset setting property | 236 |

| | | |
|---------|---------------------------------------------------------------------------|-----|
| 9.33.12 | Power generation setting property | 237 |
| 9.33.13 | Power generation status property | 237 |
| 9.33.14 | Measured in-house instantaneous power consumption property | 237 |
| 9.33.15 | Measured in-house cumulative energy consumption property | 237 |
| 9.33.16 | In-house cumulative energy consumption reset property | 237 |
| 9.33.17 | System interconnection status property | 237 |
| 9.33.18 | Power generation request time setting property | 237 |
| 9.33.19 | Designated power generation status property | 238 |
| 9.33.20 | Measured remaining hot water amount property | 238 |
| 9.33.21 | Tank capacity property | 238 |
| 9.34 | Storage battery class specifications | 238 |
| 9.34.1 | General | 238 |
| 9.34.2 | Operation status property | 248 |
| 9.34.3 | Identification number property | 248 |
| 9.34.4 | Current time setting property | 249 |
| 9.34.5 | Current date setting property | 249 |
| 9.34.6 | AC effective capacity (charging) property | 249 |
| 9.34.7 | AC effective capacity (discharging) property | 249 |
| 9.34.8 | AC chargeable capacity property | 249 |
| 9.34.9 | AC dischargeable capacity property | 250 |
| 9.34.10 | AC chargeable electric energy property | 250 |
| 9.34.11 | AC dischargeable electric energy property | 250 |
| 9.34.12 | AC charge upper limit setting property | 250 |
| 9.34.13 | AC discharge lower limit setting property | 250 |
| 9.34.14 | AC cumulative charging electric energy property | 250 |
| 9.34.15 | AC cumulative discharging electric energy property | 250 |
| 9.34.16 | AC charge amount target value property | 251 |
| 9.34.17 | AC discharge amount target value property | 251 |
| 9.34.18 | Charging method property | 251 |
| 9.34.19 | Discharging method property | 252 |
| 9.34.20 | Minimum/maximum charging electric power property | 254 |
| 9.34.21 | Minimum/maximum discharging electric power property | 254 |
| 9.34.22 | Minimum/maximum charging current property | 254 |
| 9.34.23 | Minimum/maximum discharging current property | 254 |
| 9.34.24 | Re-interconnection permission setting property | 254 |
| 9.34.25 | Operation permission setting property | 255 |
| 9.34.26 | Independent operation permission setting property | 255 |
| 9.34.27 | Working operation status property | 255 |
| 9.34.28 | AC rated electric energy property | 255 |
| 9.34.29 | Rated electric energy property | 255 |
| 9.34.30 | Rated capacity property | 255 |
| 9.34.31 | Rated voltage property | 255 |
| 9.34.32 | Measured instantaneous charging/discharging electric power property | 255 |
| 9.34.33 | Measured instantaneous charging/discharging current property | 256 |
| 9.34.34 | Measured instantaneous charging/discharging voltage property | 256 |
| 9.34.35 | Measured cumulative discharging electric energy property | 256 |
| 9.34.36 | Measured cumulative discharging electric energy resetting property | 256 |
| 9.34.37 | Measured cumulative charging electric energy property | 256 |
| 9.34.38 | Measured cumulative charging electric energy reset setting property | 256 |

| | | |
|---------|---------------------------------------------------------------------------------------|-----|
| 9.34.39 | Operation mode setting property..... | 256 |
| 9.34.40 | System interconnection status property | 257 |
| 9.34.41 | Minimum/maximum charging electric power (independent) property..... | 257 |
| 9.34.42 | Minimum/maximum discharging electric power (independent) property | 257 |
| 9.34.43 | Minimum/maximum charging current (independent) property | 257 |
| 9.34.44 | Minimum/maximum discharging current (independent) property | 257 |
| 9.34.45 | Charging/discharging amount setting 1 property | 258 |
| 9.34.46 | Charging/discharging amount setting 2 property | 258 |
| 9.34.47 | Remaining stored electricity 1 property | 258 |
| 9.34.48 | Remaining stored electricity 2 property | 258 |
| 9.34.49 | Remaining stored electricity 3 property | 258 |
| 9.34.50 | Battery state of health property..... | 258 |
| 9.34.51 | Battery type property | 259 |
| 9.34.52 | Charging amount setting 1 property | 259 |
| 9.34.53 | Discharging amount setting 1 property..... | 259 |
| 9.34.54 | Charging amount setting 2 property | 259 |
| 9.34.55 | Discharging amount setting 2 property..... | 259 |
| 9.34.56 | Charging electric power setting property..... | 259 |
| 9.34.57 | Discharging electric power setting property..... | 259 |
| 9.34.58 | Charging current setting property..... | 260 |
| 9.34.59 | Discharging current setting property | 260 |
| 9.34.60 | Rated voltage (independent) property | 260 |
| 9.35 | Electric vehicle charger/discharger class specifications | 260 |
| 9.35.1 | General | 260 |
| 9.35.2 | Operation status property | 269 |
| 9.35.3 | Dischargeable capacity of vehicle mounted battery 1 property | 269 |
| 9.35.4 | Dischargeable capacity of vehicle mounted battery 2 property | 269 |
| 9.35.5 | Remaining dischargeable capacity of vehicle mounted battery 1 property | 269 |
| 9.35.6 | Remaining dischargeable capacity of vehicle mounted battery 2 property..... | 270 |
| 9.35.7 | Remaining dischargeable capacity of vehicle mounted battery 3 property | 270 |
| 9.35.8 | Rated charge capacity property | 270 |
| 9.35.9 | Rated discharge capacity property | 270 |
| 9.35.10 | Vehicle connection and chargeable/dischargeable status property..... | 270 |
| 9.35.11 | Minimum/maximum charging electric power property | 271 |
| 9.35.12 | Minimum/maximum discharging electric power property..... | 271 |
| 9.35.13 | Minimum/maximum charging current property | 271 |
| 9.35.14 | Minimum/maximum discharging current property | 271 |
| 9.35.15 | Charger/discharger type property..... | 271 |
| 9.35.16 | Vehicle connection confirmation property..... | 273 |
| 9.35.17 | Used capacity of vehicle mounted battery 1 (total battery capacity) property | 273 |
| 9.35.18 | Used capacity of vehicle mounted battery 2 property | 273 |
| 9.35.19 | Rated voltage property | 273 |
| 9.35.20 | Measured instantaneous charging/discharging electric power | 273 |
| 9.35.21 | Measured instantaneous charging/discharging current property..... | 273 |
| 9.35.22 | Measured instantaneous charging/discharging voltage property | 274 |
| 9.35.23 | Measured cumulative amount of discharging electric energy property..... | 274 |

| | | |
|---------|------------------------------------------------------------------------------------------|-----|
| 9.35.24 | Cumulative amount of discharging electric energy reset setting | 274 |
| 9.35.25 | Measured cumulative amount of charging electric energy property | 274 |
| 9.35.26 | Cumulative amount of charging electric energy reset setting property | 274 |
| 9.35.27 | Operation mode setting property | 274 |
| 9.35.28 | System interconnection status property | 274 |
| 9.35.29 | Remaining stored electricity of vehicle mounted battery 1 property | 274 |
| 9.35.30 | Remaining stored electricity of vehicle mounted battery 2 property | 275 |
| 9.35.31 | Remaining stored electricity of vehicle mounted battery 3 (charging rate) property | 275 |
| 9.35.32 | Charging amount setting 1 property | 275 |
| 9.35.33 | Charging amount setting 2 property | 275 |
| 9.35.34 | Charging electric power setting property | 275 |
| 9.35.35 | Discharging electric power setting property | 275 |
| 9.35.36 | Charging current setting property | 275 |
| 9.35.37 | Discharging current setting property | 276 |
| 9.35.38 | Rated voltage (independent status) property | 276 |
| 9.35.39 | Chargeable capacity of vehicle mounted battery property | 276 |
| 9.35.40 | Remaining chargeable capacity of vehicle mounted battery property | 276 |
| 9.35.41 | Vehicle ID property | 276 |
| 9.35.42 | Discharging amount setting property | 277 |
| 9.36 | Engine cogeneration class specifications | 277 |
| 9.36.1 | General | 277 |
| 9.36.2 | Operation status property | 279 |
| 9.36.3 | Measured hot water temperature of water heater property | 279 |
| 9.36.4 | Rated power generation output property | 279 |
| 9.36.5 | Heating value of hot water storage tank property | 279 |
| 9.36.6 | Measured instantaneous power generation output property | 280 |
| 9.36.7 | Measured cumulative energy generation output property | 280 |
| 9.36.8 | Cumulative energy generation output reset setting property | 280 |
| 9.36.9 | Measured instantaneous gas consumption property | 280 |
| 9.36.10 | Measured cumulative gas consumption property | 280 |
| 9.36.11 | Cumulative gas consumption reset setting property | 280 |
| 9.36.12 | Power generation setting property | 280 |
| 9.36.13 | Power generation status property | 280 |
| 9.36.14 | Measured in-house instantaneous power consumption property | 280 |
| 9.36.15 | Measured in-house cumulative energy consumption property | 281 |
| 9.36.16 | In-house cumulative energy consumption reset property | 281 |
| 9.36.17 | System interconnection status property | 281 |
| 9.36.18 | Measured remaining hot water amount property | 281 |
| 9.36.19 | Tank capacity property | 281 |
| 9.37 | Water flowmeter class specifications | 281 |
| 9.37.1 | General | 281 |
| 9.37.2 | Operation status property | 283 |
| 9.37.3 | Water flowmeter classification property | 283 |
| 9.37.4 | Owner classification property | 283 |
| 9.37.5 | Measured cumulative amount of flowing water property | 284 |
| 9.37.6 | Unit for measured cumulative amounts of flowing water property | 284 |
| 9.37.7 | Historical data of measured cumulative amounts of flowing water property | 284 |

| | | |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 9.37.8 | Detection of abnormal value in metering data property | 284 |
| 9.37.9 | Security data information property | 284 |
| 9.37.10 | ID number setting property | 285 |
| 9.37.11 | Verification expiration information property | 285 |
| 9.38 | Power distribution board metering class specifications | 285 |
| 9.38.1 | General | 285 |
| 9.38.2 | Operation status property | 301 |
| 9.38.3 | Measured cumulative amount of electric energy (normal and reverse directions) property | 301 |
| 9.38.4 | Unit for cumulative amounts of electric energy property | 302 |
| 9.38.5 | Historical data of measured cumulative amounts of electric energy (normal and reverse directions) property | 302 |
| 9.38.6 | Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved (normal and reverse directions) property | 302 |
| 9.38.7 | Measured instantaneous electric power property | 303 |
| 9.38.8 | Measured instantaneous currents property | 303 |
| 9.38.9 | Measured instantaneous voltages property | 303 |
| 9.38.10 | Measurement channels 1 to 32 property | 303 |
| 9.38.11 | Master rated capacity property | 304 |
| 9.38.12 | Number of measurement channels (simplex) property | 304 |
| 9.38.13 | Channel range specification for cumulative amount of electric energy consumption measurement (simplex) property | 304 |
| 9.38.14 | Measured cumulative amount of electric energy consumption list (simplex) property | 304 |
| 9.38.15 | Channel range specification for instantaneous current measurement (simplex) property | 305 |
| 9.38.16 | Measured instantaneous current list (simplex) property | 305 |
| 9.38.17 | Channel range specification for instantaneous power consumption measurement (simplex) property | 306 |
| 9.38.18 | Measured instantaneous power consumption list (simplex) property | 306 |
| 9.38.19 | Number of measurement channels (duplex) property | 306 |
| 9.38.20 | Channel range specification for cumulative amount of electric energy consumption measurement (duplex) property | 307 |
| 9.38.21 | Measured cumulative amount of electric energy consumption list (duplex) property | 307 |
| 9.38.22 | Channel range specification for instantaneous current measurement (duplex) property | 307 |
| 9.38.23 | Measured instantaneous current list (duplex) property | 308 |
| 9.38.24 | Channel range specification for instantaneous power consumption measurement (duplex) property | 308 |
| 9.38.25 | Measured instantaneous power consumption list (duplex) property | 309 |
| 9.39 | Low-voltage smart electric meter class specifications | 309 |
| 9.39.1 | General | 309 |
| 9.39.2 | Operation status property | 316 |
| 9.39.3 | Coefficient property | 316 |
| 9.39.4 | Number of effective digits for cumulative amounts of electric energy property | 316 |
| 9.39.5 | Measured cumulative amount of electric energy (normal direction) property | 317 |
| 9.39.6 | Unit for measured cumulative amounts of electric energy (normal and reverse directions) property | 317 |

| | | |
|---------|-------------------------------------------------------------------------------------------------------------------------|-----|
| 9.39.7 | Historical data of measured cumulative amounts of electric energy 1 (normal direction) property..... | 317 |
| 9.39.8 | Measured cumulative amounts of electric energy (reverse direction) property..... | 318 |
| 9.39.9 | Historical data of measured cumulative amounts of electric energy 1 (reverse direction) property..... | 318 |
| 9.39.10 | Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved 1 property | 319 |
| 9.39.11 | Measured instantaneous electric power property | 319 |
| 9.39.12 | Measured instantaneous currents property | 319 |
| 9.39.13 | Cumulative amounts of electric energy measured at fixed time (normal direction) property | 319 |
| 9.39.14 | Cumulative amounts of electric energy measured at fixed time (reverse direction) property | 320 |
| 9.39.15 | Historical data of measured cumulative amounts of electric energy 2 (normal and reverse directions) property | 321 |
| 9.39.16 | Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved 2 property | 321 |
| 9.40 | Smart gas meter class specifications | 322 |
| 9.40.1 | General | 322 |
| 9.40.2 | Operation status property | 326 |
| 9.40.3 | Gas meter classification setting property | 326 |
| 9.40.4 | Owner classification setting property | 326 |
| 9.40.5 | Measured cumulative gas consumption property | 327 |
| 9.40.6 | Unit for measured cumulative gas consumption property | 327 |
| 9.40.7 | Historical data of measured cumulative gas consumption property..... | 328 |
| 9.40.8 | Day setting for which the historical data of measured cumulative gas consumption shall be retrieved property..... | 328 |
| 9.40.9 | Detection of abnormal value in metering data property | 328 |
| 9.40.10 | Security data information property | 328 |
| 9.40.11 | Valve closure by the Centre property | 329 |
| 9.40.12 | Permission from the Centre to reopen the valve closed by the Centre property..... | 329 |
| 9.40.13 | Emergency closure of shutoff valve property..... | 329 |
| 9.40.14 | Shutoff valve status property | 329 |
| 9.40.15 | Historical data of shutoff reasons property..... | 329 |
| 9.40.16 | ID number setting property | 329 |
| 9.40.17 | Verification expiration setting property..... | 329 |
| 9.40.18 | Measured cumulative gas consumption information with date and time property | 329 |
| 9.40.19 | Historical information of cumulative gas consumption property | 330 |
| 9.41 | High-voltage smart electric energy meter class specifications | 331 |
| 9.41.1 | General | 331 |
| 9.41.2 | Operation status property | 341 |
| 9.41.3 | Coefficient property | 341 |
| 9.41.4 | Multiplying factor for coefficient property | 341 |
| 9.41.5 | Fixed date property..... | 341 |
| 9.41.6 | Day for which the historical data of measured cumulative amounts of electric energy shall be retrieved property | 341 |
| 9.41.7 | Measured cumulative amount of active electric energy property..... | 342 |
| 9.41.8 | Cumulative amounts of active electric energy at fixed time property | 342 |

| | | |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 9.41.9 | Measurement data of cumulative amount of active electric energy for power factor measurement | 343 |
| 9.41.10 | Number of effective digits for cumulative amount of active electric energy property | 343 |
| 9.41.11 | Unit for cumulative amounts of active electric energy property | 344 |
| 9.41.12 | Historical data of measured cumulative amount of active electric energy property | 344 |
| 9.41.13 | Monthly maximum electric power demand property | 344 |
| 9.41.14 | Cumulative maximum electric power demand property | 345 |
| 9.41.15 | Electric power demand at fixed time (30-minute average electric power) property | 345 |
| 9.41.16 | Number of effective digits of electric power demand property | 346 |
| 9.41.17 | Unit of electric power demand property | 346 |
| 9.41.18 | Historical data of measured electric power demand property | 347 |
| 9.41.19 | Unit of cumulative maximum electric power demand property | 347 |
| 9.41.20 | Measurement data of reactive electric energy consumption (lag) for power factor measurement property | 347 |
| 9.41.21 | Measurement data of cumulative amount of reactive electric energy consumption (lag) at fixed time for power factor measurement property | 348 |
| 9.41.22 | Number of effective digits for measurement data of cumulative amount of reactive electric energy consumption (lag) for power factor measurement property | 349 |
| 9.41.23 | Unit of measurement data of cumulative amount of reactive electric energy consumption (lag) property | 349 |
| 9.41.24 | Historical data of measurement data of cumulative amount of reactive electric energy consumption (lag) for power factor measurement property | 349 |
| 9.42 | Kerosene meter class specifications | 350 |
| 9.42.1 | General | 350 |
| 9.42.2 | Operation status property | 351 |
| 9.42.3 | Measured cumulative amount of kerosene consumption property | 351 |
| 9.42.4 | History of measured cumulative amounts of kerosene consumption property | 351 |
| 9.43 | Smart kerosene meter class specifications | 351 |
| 9.43.1 | General | 351 |
| 9.43.2 | Operation status property | 354 |
| 9.43.3 | Owner category setting property | 354 |
| 9.43.4 | Measured cumulative kerosene consumption property | 354 |
| 9.43.5 | Units for measured cumulative kerosene consumption property | 355 |
| 9.43.6 | Historical information of cumulative kerosene consumption property | 355 |
| 9.43.7 | Collection date setting for history of cumulative kerosene consumption property | 355 |
| 9.43.8 | Meter reading data abnormality detection status property | 356 |
| 9.43.9 | Security data information property | 356 |
| 9.43.10 | Residual volume control warning level property | 356 |
| 9.43.11 | Residual volume control warning level 1 property | 356 |
| 9.43.12 | Residual volume control warning level 2 property | 356 |
| 9.43.13 | Residual volume control warning level 3 property | 356 |
| 9.43.14 | Slight leak timer value (kerosene flow rate continuation) property | 357 |
| 9.43.15 | ID number setting property | 357 |
| 9.43.16 | Verification expiration setting property | 357 |

| | | |
|---------|----------------------------------------------------------------------------------------|-----|
| 9.43.17 | Measured cumulative kerosene consumption information with date and time property | 357 |
| 9.43.18 | Historical information of cumulative kerosene consumption property..... | 357 |
| 9.44 | General light class specifications | 358 |
| 9.44.1 | General | 358 |
| 9.44.2 | Operation status property | 361 |
| 9.44.3 | Illuminance level property | 362 |
| 9.44.4 | Light colour setting property | 362 |
| 9.44.5 | Illuminance level step setting property | 362 |
| 9.44.6 | Light colour step setting property | 363 |
| 9.44.7 | Maximum specifiable values property | 363 |
| 9.44.8 | Maximum value of settable level for night lighting property | 363 |
| 9.44.9 | Lighting mode setting property..... | 363 |
| 9.44.10 | Illuminance level setting for main lighting property..... | 364 |
| 9.44.11 | Illuminance level step setting for main lighting property | 364 |
| 9.44.12 | Illuminance level setting for night lighting property..... | 364 |
| 9.44.13 | Illuminance level step setting for night lighting property | 365 |
| 9.44.14 | Light colour setting for main lighting property..... | 365 |
| 9.44.15 | Light colour level step setting for main lighting property..... | 365 |
| 9.44.16 | Light colour setting for night lighting property | 366 |
| 9.44.17 | Light colour level step setting for night lighting property..... | 366 |
| 9.44.18 | Lighting mode status in automatic mode property | 366 |
| 9.44.19 | RGB setting for colour lighting property | 366 |
| 9.44.20 | ON timer reservation setting property | 366 |
| 9.44.21 | ON timer setting property..... | 367 |
| 9.44.22 | OFF timer reservation setting property..... | 367 |
| 9.44.23 | OFF timer setting property | 367 |
| 9.45 | Mono functional lighting class specifications | 367 |
| 9.45.1 | General | 367 |
| 9.45.2 | Operation status property | 368 |
| 9.45.3 | Illuminance level setting property..... | 368 |
| 9.46 | Lighting for solid light-emitting source class specifications..... | 368 |
| 9.46.1 | General | 368 |
| 9.46.2 | Operation status property | 370 |
| 9.46.3 | Number of light sources property | 370 |
| 9.46.4 | List of the light source operation status property..... | 370 |
| 9.46.5 | List of the light source optical output setting values property | 371 |
| 9.46.6 | List of light source colour temperature setting values property..... | 371 |
| 9.46.7 | ON timer reservation setting property | 372 |
| 9.46.8 | ON timer setting property..... | 372 |
| 9.46.9 | OFF timer reservation setting property..... | 373 |
| 9.46.10 | OFF timer setting property | 373 |
| 9.47 | Electric vehicle charger class specifications..... | 373 |
| 9.47.1 | General | 373 |
| 9.47.2 | Operation status property | 377 |
| 9.47.3 | Rated charge capacity property | 378 |
| 9.47.4 | Vehicle connection and chargeable status property | 378 |
| 9.47.5 | Minimum/maximum charging electric power property | 378 |
| 9.47.6 | Minimum/maximum charging current property | 378 |

| | | |
|---------|----------------------------------------------------------------------------|-----|
| 9.47.7 | Charger type property | 378 |
| 9.47.8 | Vehicle connection confirmation property | 379 |
| 9.47.9 | Used capacity of vehicle-mounted battery 1 property | 379 |
| 9.47.10 | Rated voltage property | 380 |
| 9.47.11 | Measured instantaneous charging electric power property | 380 |
| 9.47.12 | Measured cumulative amount of charging electric energy property | 380 |
| 9.47.13 | Cumulative amount of charging electric energy reset setting property | 380 |
| 9.47.14 | Operating mode setting property | 380 |
| 9.47.15 | Remaining stored electricity of vehicle-mounted battery 1 property | 380 |
| 9.47.16 | Remaining stored electricity of vehicle-mounted battery 3 property | 380 |
| 9.47.17 | Charging electric power setting property | 380 |
| 9.47.18 | Charging current setting property | 380 |
| 9.47.19 | Chargeable capacity of vehicle mounted battery property | 381 |
| 9.47.20 | Remaining chargeable capacity of vehicle mounted battery property | 381 |
| 9.47.21 | Vehicle ID property | 381 |
| 9.47.22 | Charging amount setting property | 381 |
| 9.48 | Household small wind turbine power generation class specifications | 382 |
| 9.48.1 | General | 382 |
| 9.48.2 | Operation status property | 383 |
| 9.48.3 | System interconnection status property | 383 |
| 9.48.4 | Measured instantaneous amount of electricity generated property | 384 |
| 9.48.5 | Measured cumulative amount of electricity generated property | 384 |
| 9.48.6 | Resetting cumulative amount of electricity generated property | 384 |
| 9.48.7 | Measured cumulative amount of electricity sold property | 384 |
| 9.48.8 | Resetting cumulative amount of electricity sold property | 384 |
| 9.48.9 | Power generation output limit setting 1 property | 384 |
| 9.48.10 | Power generation output limit setting 2 property | 384 |
| 9.48.11 | Limit setting for the amount of electricity sold property | 384 |
| 9.48.12 | Rated power property | 384 |
| 9.48.13 | Measured wind speed property | 385 |
| 9.48.14 | Rated wind speed property | 385 |
| 9.48.15 | Cut-in wind speed property | 385 |
| 9.48.16 | Cut-out wind speed property | 385 |
| 9.48.17 | Extreme wind speed property | 385 |
| 9.48.18 | Braking status property | 385 |
| 9.49 | Lighting system class specifications | 386 |
| 9.49.1 | General | 386 |
| 9.49.2 | Operation status property | 387 |
| 9.49.3 | Illuminance level setting property | 387 |
| 9.49.4 | Scene control setting property | 387 |
| 9.49.5 | Number that can assign scene control setting property | 387 |
| 9.50 | Extended lighting system class specifications | 388 |
| 9.50.1 | General | 388 |
| 9.50.2 | Operation status property | 390 |
| 9.50.3 | Illuminance level setting property | 390 |
| 9.50.4 | Scene control setting property | 390 |
| 9.50.5 | Number that can assign scene control setting property | 390 |
| 9.50.6 | Power consumption rate list property | 390 |
| 9.50.7 | Power consumption when fully lit property | 391 |

| | | |
|---------|-------------------------------------------------------------------------------------|-----|
| 9.50.8 | Possible power savings property..... | 391 |
| 9.50.9 | Power consumption limit setting property..... | 391 |
| 9.50.10 | Automatic operation controlling setting property | 392 |
| 9.50.11 | Fading control change time setting property | 392 |
| 9.51 | Multiple input PCS class specifications | 392 |
| 9.51.1 | General | 392 |
| 9.51.2 | Operation status property | 395 |
| 9.51.3 | Identification number property | 395 |
| 9.51.4 | Current time setting property | 395 |
| 9.51.5 | Current date setting property | 395 |
| 9.51.6 | System interconnection status property | 396 |
| 9.51.7 | Measured cumulative amount of electric energy (normal direction) property | 396 |
| 9.51.8 | Measured cumulative amount of electric energy (reverse direction) property | 396 |
| 9.51.9 | Measured instantaneous electric power property | 396 |
| 9.51.10 | List of connected devices property..... | 396 |
| 9.52 | Hybrid water heater class specifications | 396 |
| 9.52.1 | General | 396 |
| 9.52.2 | Operation status property | 399 |
| 9.52.3 | Automatic water heating setting property | 399 |
| 9.52.4 | Water heating status property..... | 399 |
| 9.52.5 | Heater status property | 399 |
| 9.52.6 | Hot water supply mode setting for auxiliary heat source machine property..... | 399 |
| 9.52.7 | Heater mode setting for auxiliary heat source machine property | 400 |
| 9.52.8 | Linkage mode setting for solar power generation property | 400 |
| 9.52.9 | Solar power generations utilization time property..... | 400 |
| 9.52.10 | Hot water supply status property..... | 401 |
| 9.52.11 | Measured amount of hot water remaining in tank property | 401 |
| 9.52.12 | Tank capacity property | 401 |
| 9.53 | Refrigerator class specifications | 401 |
| 9.53.1 | General | 401 |
| 9.53.2 | Operation status property | 407 |
| 9.53.3 | Door open/close status property | 407 |
| 9.53.4 | Door open warning property..... | 407 |
| 9.53.5 | Refrigerator compartment door status..... | 407 |
| 9.53.6 | Freezer compartment door status property | 407 |
| 9.53.7 | Ice compartment door status property..... | 408 |
| 9.53.8 | Vegetable compartment door status property..... | 408 |
| 9.53.9 | Multi-refrigerating mode compartment door status property | 408 |
| 9.53.10 | Maximum allowable temperature setting level property | 408 |
| 9.53.11 | Refrigerator compartment temperature setting property | 408 |
| 9.53.12 | Freezer compartment temperature setting property..... | 408 |
| 9.53.13 | Ice compartment temperature setting property | 409 |
| 9.53.14 | Vegetable compartment temperature setting property..... | 409 |
| 9.53.15 | Multi-refrigerating mode compartment temperature setting property..... | 409 |
| 9.53.16 | Refrigerator compartment temperature level setting property | 409 |
| 9.53.17 | Freezer compartment temperature level setting property | 410 |
| 9.53.18 | Ice compartment temperature level setting property..... | 410 |

| | | |
|---------|-----------------------------------------------------------------------------|-----|
| 9.53.19 | Vegetable compartment temperature level setting property | 410 |
| 9.53.20 | Multi-refrigerating mode compartment temperature level setting property ... | 410 |
| 9.53.21 | Measured refrigerator compartment temperature property | 411 |
| 9.53.22 | Measured freezer compartment temperature property | 411 |
| 9.53.23 | Measured ice compartment temperature property | 411 |
| 9.53.24 | Measured vegetable compartment temperature property | 411 |
| 9.53.25 | Measured multi-refrigerating mode compartment temperature property | 411 |
| 9.53.26 | Compressor rotation speed property | 411 |
| 9.53.27 | Measured electric current consumption property | 411 |
| 9.53.28 | Rated power consumption property | 412 |
| 9.53.29 | Quick freeze function setting property | 412 |
| 9.53.30 | Quick refrigeration function setting property | 412 |
| 9.53.31 | Icemaker setting property | 412 |
| 9.53.32 | Icemaker operation status property | 412 |
| 9.53.33 | Icemaker tank status property | 412 |
| 9.53.34 | Refrigerator compartment humidification function setting property | 413 |
| 9.53.35 | Vegetable compartment humidification function setting property | 413 |
| 9.53.36 | Deodorization function setting property | 413 |
| 9.54 | Microwave oven class specifications | 413 |
| 9.54.1 | General | 413 |
| 9.54.2 | Operation status property | 419 |
| 9.54.3 | Door open/close status property | 419 |
| 9.54.4 | Heating status property | 419 |
| 9.54.5 | Heating setting property | 420 |
| 9.54.6 | Heating mode setting property | 420 |
| 9.54.7 | Automatic heating setting property | 421 |
| 9.54.8 | Automatic heating level setting property | 421 |
| 9.54.9 | Automatic heating menu setting property | 421 |
| 9.54.10 | Oven mode setting property | 423 |
| 9.54.11 | Oven preheating setting property | 423 |
| 9.54.12 | Fermenting mode setting property | 423 |
| 9.54.13 | Chamber temperature setting property | 424 |
| 9.54.14 | Food temperature setting property | 424 |
| 9.54.15 | Heating time setting property | 424 |
| 9.54.16 | Remaining heating time setting property | 425 |
| 9.54.17 | Microwave heating power setting property | 425 |
| 9.54.18 | Prompt message setting property | 425 |
| 9.54.19 | Accessories to combination microwave oven setting property | 426 |
| 9.54.20 | Display character string setting property | 428 |
| 9.54.21 | Two-stage microwave heating setting (duration) property | 428 |
| 9.54.22 | Two-stage microwave heating setting (heating power) property | 428 |
| 9.55 | Washer and dryer class specifications | 429 |
| 9.55.1 | General | 429 |
| 9.55.2 | Operation status property | 441 |
| 9.55.3 | Door/cover open/close status property | 441 |
| 9.55.4 | Washer and dryer setting property | 441 |
| 9.55.5 | Washer and dryer cycle setting 1 property | 442 |
| 9.55.6 | Washer and dryer cycle setting 2 property | 445 |
| 9.55.7 | Drying cycle setting property | 446 |

| | | |
|---------|------------------------------------------------------------------|-----|
| 9.55.8 | Washer and dryer cycle option list 1 property | 447 |
| 9.55.9 | Washer and dryer cycle option list 2 property | 448 |
| 9.55.10 | Washer and dryer cycle option list 3 property | 448 |
| 9.55.11 | Water flow rate setting property | 449 |
| 9.55.12 | Rotation speed for spin drying setting property | 449 |
| 9.55.13 | Degree of drying setting property | 450 |
| 9.55.14 | Remaining washing time property | 450 |
| 9.55.15 | Remaining drying time | 450 |
| 9.55.16 | Elapsed time on the ON timer property | 450 |
| 9.55.17 | Pre-soaking time setting property | 450 |
| 9.55.18 | Current stage of washer and dryer cycle property | 451 |
| 9.55.19 | Water volume setting 1 property | 452 |
| 9.55.20 | Water volume setting 2 property | 453 |
| 9.55.21 | Washing time setting property..... | 453 |
| 9.55.22 | Number of times of rinsing property | 454 |
| 9.55.23 | Rinsing process setting property | 454 |
| 9.55.24 | Spin drying time setting property | 454 |
| 9.55.25 | Drying time setting property | 455 |
| 9.55.26 | Warm water setting property | 455 |
| 9.55.27 | Bathtub water recycle setting property | 455 |
| 9.55.28 | Wrinkling minimization setting property | 456 |
| 9.55.29 | Time remaining to complete washer and dryer cycle property | 456 |
| 9.55.30 | Door/cover lock setting property | 456 |
| 9.55.31 | Washer and dryer cycle property | 456 |
| 9.55.32 | ON timer reservation setting property | 458 |
| 9.55.33 | ON timer setting property..... | 458 |
| 9.55.34 | Relative time-based ON timer setting..... | 458 |
| 9.56 | Clothes dryer class specifications | 458 |
| 9.56.1 | General | 458 |
| 9.56.2 | Operation status property | 459 |
| 9.56.3 | Door/cover open/close status property..... | 459 |
| 9.56.4 | Drying setting property | 460 |
| 9.56.5 | Drying status property | 460 |
| 9.56.6 | Remaining drying time property | 460 |
| 9.56.7 | ON timer reservation setting property | 460 |
| 9.56.8 | ON timer setting property..... | 460 |
| 9.56.9 | Relative time-based ON timer setting property..... | 460 |
| 9.57 | Cooking heater class specifications | 460 |
| 9.57.1 | General | 460 |
| 9.57.2 | Operation status property | 463 |
| 9.57.3 | Heating status property..... | 463 |
| 9.57.4 | Heating setting property..... | 464 |
| 9.57.5 | All stop setting property | 464 |
| 9.57.6 | Heating power setting property | 465 |
| 9.57.7 | Heating temperature setting property | 465 |
| 9.57.8 | Heating modes of stoves setting property | 465 |
| 9.57.9 | Relative time settings of OFF timers property | 466 |
| 9.57.10 | Child lock setting property | 466 |
| 9.57.11 | Radiant heater lock setting property | 466 |

| | | |
|---------|--------------------------------------------------------------------------|-----|
| 9.58 | Commercial showcase class specifications | 467 |
| 9.58.1 | General | 467 |
| 9.58.2 | Operation status property | 469 |
| 9.58.3 | Operation mode setting property..... | 469 |
| 9.58.4 | Measured value of discharge temperature property..... | 469 |
| 9.58.5 | Internal lighting operation status property | 469 |
| 9.58.6 | External lighting operation status property | 470 |
| 9.58.7 | Compressor operation status property | 470 |
| 9.58.8 | Measured value of internal temperature property | 470 |
| 9.58.9 | Freezing capability value property | 470 |
| 9.58.10 | Defrosting heater power consumption property | 470 |
| 9.58.11 | Fan motor power consumption property | 470 |
| 9.58.12 | Heater mode property | 470 |
| 9.58.13 | Group information property | 470 |
| 9.58.14 | Showcase type information property | 470 |
| 9.58.15 | Door type information property | 470 |
| 9.58.16 | Showcase configuration information property..... | 471 |
| 9.58.17 | Type of lighting inside the showcase property | 471 |
| 9.58.18 | Type of lighting outside the case property..... | 471 |
| 9.58.19 | Illuminance level setting of lighting inside the showcase property | 471 |
| 9.58.20 | Illuminance level setting of lighting outside the case property | 471 |
| 9.58.21 | Temperature setting of inside the case property | 471 |
| 9.58.22 | Showcase shape information property | 471 |
| 9.58.23 | Temperature range information for inside the case property | 471 |
| 9.59 | Commercial showcase outdoor unit class specifications..... | 472 |
| 9.59.1 | General | 472 |
| 9.59.2 | Operation status property | 472 |
| 9.59.3 | Exceptional status property | 472 |
| 9.59.4 | Operation mode setting property..... | 473 |
| 9.59.5 | Measured value of outdoor air temperature property..... | 473 |
| 9.59.6 | Compressor operation status property | 473 |
| 9.59.7 | Group information property | 473 |
| 9.60 | Dishwasher and dryer class specifications | 473 |
| 9.60.1 | General | 473 |
| 9.60.2 | Operation status property | 485 |
| 9.60.3 | ON timer reservation setting property | 485 |
| 9.60.4 | ON timer setting property..... | 485 |
| 9.60.5 | Relative time-based ON timer setting property..... | 485 |
| 9.60.6 | Door/cover open/close setting property..... | 485 |
| 9.60.7 | Door/cover lock setting property | 485 |
| 9.60.8 | Operation status setting property | 485 |
| 9.60.9 | Dish-washing method setting property | 486 |
| 9.60.10 | Drying method setting property | 486 |
| 9.60.11 | Storing method setting property | 487 |
| 9.60.12 | Dish-washing method setting acceptable information property | 487 |
| 9.60.13 | Drying method setting acceptable information property | 488 |
| 9.60.14 | Storing method setting acceptable information property..... | 488 |
| 9.60.15 | Prewashing time setting property | 488 |
| 9.60.16 | Highest water temperature setting for prewashing property..... | 489 |

| | | |
|---------|-------------------------------------------------------------------------------------------------|-----|
| 9.60.17 | Washing time setting property..... | 489 |
| 9.60.18 | Highest water temperature setting for washing property..... | 489 |
| 9.60.19 | Number of times of rinsing setting property..... | 490 |
| 9.60.20 | Rinsing mode setting property | 490 |
| 9.60.21 | Highest water temperature setting for hot water rinsing property..... | 490 |
| 9.60.22 | Dish-washing water volume setting property | 491 |
| 9.60.23 | Dish-washing water pressure setting property..... | 491 |
| 9.60.24 | Dish-washing level setting property | 491 |
| 9.60.25 | Drying time setting property..... | 492 |
| 9.60.26 | Highest air temperature setting for hot air drying property..... | 492 |
| 9.60.27 | Drying air flow rate setting property | 492 |
| 9.60.28 | Drying level setting property | 493 |
| 9.60.29 | Storing time setting property..... | 493 |
| 9.60.30 | Operation setting information property | 494 |
| 9.60.31 | Operation transition status property | 495 |
| 9.60.32 | Remaining time on the ON timer property | 497 |
| 9.60.33 | Remaining time of prewashing property | 497 |
| 9.60.34 | Remaining time of washing property | 497 |
| 9.60.35 | Remaining time of rinsing property | 498 |
| 9.60.36 | Remaining time of dish-washing property..... | 498 |
| 9.60.37 | Remaining drying time property | 498 |
| 9.60.38 | Remaining time of dish-washing and drying property | 498 |
| 9.60.39 | Storing elapsed time property | 498 |
| 9.60.40 | Used water volume property | 498 |
| 9.61 | Switch class specifications..... | 498 |
| 9.61.1 | General | 498 |
| 9.61.2 | Operation status property | 499 |
| 9.61.3 | Connected device property | 499 |
| 9.62 | Controller class specifications..... | 499 |
| 9.62.1 | General | 499 |
| 9.62.2 | Operation status property | 501 |
| 9.62.3 | Controller ID property | 501 |
| 9.62.4 | Number of devices controlled property..... | 502 |
| 9.62.5 | Index property | 502 |
| 9.62.6 | Device ID property..... | 502 |
| 9.62.7 | Device type property..... | 502 |
| 9.62.8 | Name property..... | 502 |
| 9.62.9 | Connection status property | 503 |
| 9.62.10 | Business code of the device to be controlled property | 503 |
| 9.62.11 | Product code of the device to be controlled property..... | 503 |
| 9.62.12 | Manufacture date of the device to be controlled property | 503 |
| 9.62.13 | Registered information renewal date of the device to be controlled property | 504 |
| 9.62.14 | Registered information renewal version information of the device to be controlled property..... | 504 |
| 9.62.15 | Place to install device to be controlled property | 504 |
| 9.62.16 | Fault status of device to be controlled property..... | 504 |
| 9.62.17 | Address of installation location property | 504 |
| 9.62.18 | Set property map for device to be controlled property..... | 504 |

9.62.19 Get property map for device to be controlled property..... 504

10 Property map description format 505

Bibliography..... 506

Figure 1 – ECHONET frame for plain data format 40

Figure 2 – EHD detailed specifications 41

Figure 3 – Configuration of SEA and DEA when an individual address is specified 42

Figure 4 – DEA (broadcast-stipulated) address configuration 42

Figure 5 – Broadcast target stipulation code 43

Figure 6 – Node group stipulation bit specifications 43

Figure 7 – OHD detailed specifications 44

Figure 8 – EOJ detailed specifications 44

Figure 9 – EPC detailed specifications 46

Figure 10 – ESV detailed specifications 46

Figure 11 – EDATA configuration in property value write service 51

Figure 12 – EDATA configuration in property value read service 51

Figure 13 – EDATA configuration in property value notification service 52

Figure 14 – EDATA configuration in property value element-stipulated write service 53

Figure 15 – EDATA configuration in property value element-stipulated read service 54

Figure 16 – EDATA configuration in property value element-stipulated notification service 55

Figure 17 – EDATA configuration in property value element-stipulated addition 56

Figure 18 – EDATA configuration in property value element-stipulated deletion 57

Figure 19 – EDATA configuration in property value element-stipulated existence confirmation 58

Figure 20 – EDATA configuration in property value element addition 59

Figure 21 – EDATA configuration in property value notification (response required) 59

Figure 22 – EDATA configuration in property value element-stipulated notification (response required) 60

Figure 23 – CpESV configuration 61

Figure 24 – Relationship between write request (requiring no response) and write "process-not-possible" response 64

Figure 25 – Relationship between write request (requiring a response), write "accepted" response, and write "process-not-possible" response 65

Figure 26 – Relationship between read request (requiring a response), read "accepted" response, and read "process-not-possible" response 66

Figure 27 – Notification message format 67

Figure 28 – Relationship between property value notification (requiring a response) and property value notification response 67

Figure 29 – Processing target property counter for three requests 68

Figure 30 – Property data counter 68

Figure 31 – ECHONET Lite frame format 69

Figure 32 – Detailed specifications of ELHD1 69

Figure 33 – Detailed specifications of ELHD2 70

Figure 34 – Detailed specifications of EOJ code 70

| | |
|------------------------------------------------------------------------------------------------------------|-----|
| Figure 35 – ELSV code detailed specifications | 71 |
| Figure 36 – ELDATA configuration for property value write service (no response required) | 74 |
| Figure 37 – ELDATA configuration for property value write service (response required) | 75 |
| Figure 38 – ELDATA configuration for property value read service | 76 |
| Figure 39 – ELDATA configuration for property value write and read service | 77 |
| Figure 40 – ELDATA configuration for property value notification service | 78 |
| Figure 41 – ELDATA configuration for property value notification (response required) service | 79 |
| Figure 42 – EPC detailed specifications | 80 |
| Figure 43 – ECHONET Lite Property data counter | 81 |
| Figure 44 – Example of array elements | 83 |
| Figure 45 – Example of property value element deletion | 84 |
| Figure 46 – Example of property value element addition | 84 |
| Figure 47 – Data structure of "identification number" property | 91 |
| Figure 48 – Data structure of "manufacturer's fault code" property | 92 |
| Figure 49 – Configuration without "control server" | 96 |
| Figure 50 – Configuration with "control server" | 96 |
| Figure 51 – Air flow direction (vertical) setting | 122 |
| Figure 52 – Air flow direction (horizontal) setting | 124 |
| Figure 53 – Mounted air cleaning method | 125 |
| Figure 54 – Air purifier function setting | 126 |
| Figure 55 – Air refresh method | 127 |
| Figure 56 – Air refresher function setting | 127 |
| Figure 57 – Self-cleaning method | 128 |
| Figure 58 – Self-cleaning function setting | 129 |
| Figure 59 – Implemented ion emission method | 137 |
| Figure 60 – Power restriction control of commercial-use package air conditioner (example) | 144 |
| Figure 61 – Value of alarm status | 181 |
| Figure 62 – Period that writing request is unacceptable | 186 |
| Figure 63 – Time to start accumulating hot water shift (daytime single shift) | 190 |
| Figure 64 – Time to start accumulating hot water shift (daytime double shift) | 191 |
| Figure 65 – An example of household solar power generation configuration | 220 |
| Figure 66 – Function to control purchase of excess electricity | 221 |
| Figure 67 – An example of capacity approved by equipment | 224 |
| Figure 68 – Daily timer setting | 231 |
| Figure 69 – Example of the battery configuration | 239 |
| Figure 70 – Image of various properties related to electric energy handled in this class | 239 |
| Figure 71 – Overview of charging methods | 252 |
| Figure 72 – Overview of discharging methods for storage battery if reverse power flow is not allowed | 253 |
| Figure 73 – Overview of discharging methods for storage battery if reverse power flow is allowed | 253 |

| | |
|----------------------------------------------------------------------------------------------------------------------|-----|
| Figure 74 – Relationship between the properties related to electric energy handled in this class | 261 |
| Figure 75 – Data structure of Vehicle ID in electric vehicle charger/discharger class..... | 276 |
| Figure 76 – Current direction in power distribution board | 301 |
| Figure 77 – Actual implementation cases from the solid light-emitting source class | 369 |
| Figure 78 – Relationship between the properties related to electric energy handled in this class | 377 |
| Figure 79 – Data structure of vehicle ID in electric vehicle charger class | 381 |
| Figure 80 – Relationship between the properties related to household small wind turbine power generation class | 386 |
| Figure 81 – A configuration of lighting system..... | 387 |
| Figure 82 – A configuration of extended lighting system..... | 389 |
| Figure 83 – Explanation for power consumptions | 391 |
| Figure 84 – An example of multiple input PCS configuration | 395 |
| Figure 85 – Example of a device that operates a heat pump only when supplying hot water | 398 |
| Figure 86 – Example of a device that operates a heat pump when supplying hot water and heating..... | 399 |
| Figure 87 – Stove | 464 |
| | |
| Table 1 – Bit pattern for hop count..... | 41 |
| Table 2 – List of class group codes | 45 |
| Table 3 – List of ESV codes for requests | 48 |
| Table 4 – List of ESV codes for response/notification..... | 49 |
| Table 5 – List of ESV codes for "response-not-possible" responses | 50 |
| Table 6 – List of CpESV codes for request/notification | 63 |
| Table 7 – List of CpESV codes for "accepted" response | 63 |
| Table 8 – List of CpESV codes for "process-not-possible" response | 63 |
| Table 9 – List of class group codes | 71 |
| Table 10 – List of service codes for request..... | 73 |
| Table 11 – List of ELSV codes for response/notification..... | 73 |
| Table 12 – List of ELSV codes for "response not possible" | 74 |
| Table 13 – EPC code allocation table | 80 |
| Table 14 – Data types, data sizes, and overflow/underflow codes | 83 |
| Table 15 – List of device object super class configuration properties | 85 |
| Table 16 – Installation location (space) types and the bit values assigned to them..... | 90 |
| Table 17 – Fault-content property value assignments | 94 |
| Table 18 – List of temperature sensor properties | 99 |
| Table 19 – List of humidity sensor properties | 99 |
| Table 20 – List of illuminance sensor properties..... | 100 |
| Table 21 – List of human detection sensor properties | 101 |
| Table 22 – List of electric energy sensor properties | 102 |
| Table 23 – List of open/close sensor properties | 104 |
| Table 24 – List of current sensor properties | 105 |
| Table 25 – List of air speed sensor properties..... | 106 |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Table 26 – List of water flow rate sensor properties | 107 |
| Table 27 – List of rain sensor properties | 108 |
| Table 28 – List of home air conditioner properties | 109 |
| Table 29 – Air flow direction (horizontal) setting..... | 123 |
| Table 30 – List of ventilation fan properties..... | 132 |
| Table 31 – List of air purifier properties..... | 133 |
| Table 32 – List of humidifier properties | 135 |
| Table 33 – List of package-type commercial air conditioner (indoor unit) properties | 138 |
| Table 34 – List of package-type commercial air conditioner (outdoor unit) properties | 141 |
| Table 35 – List of electric storage heater properties..... | 144 |
| Table 36 – List of gas heat pump-type commercial air conditioner (indoor unit) properties | 150 |
| Table 37 – List of gas heat pump-type commercial air conditioner (outdoor unit) properties | 153 |
| Table 38 – List of range hood properties | 156 |
| Table 39 – Range hood-specific errors of EPC = 0x88 "fault status"..... | 161 |
| Table 40 – List of electrically operated shade properties..... | 162 |
| Table 41 – List of electrically operated rain sliding door/shutter properties..... | 167 |
| Table 42 – List of electric water heater properties | 171 |
| Table 43 – Property change according to both heating automatic setting property and energy shift participation status property..... | 186 |
| Table 44 – List of electric toilet seat (warm-water washing toilet seat, heating toilet seat, etc.) properties | 192 |
| Table 45 – List of electric lock properties | 195 |
| Table 46 – List of household instantaneous water heater properties | 197 |
| Table 47 – List of bathroom heater and dryer properties | 205 |
| Table 48 – List of household solar power generation properties | 216 |
| Table 49 – List of floor heater properties..... | 226 |
| Table 50 – List of fuel cell properties | 233 |
| Table 51 – List of storage battery properties | 240 |
| Table 52 – List of electric vehicle charger/discharger properties | 262 |
| Table 53 – List of engine cogeneration properties | 277 |
| Table 54 – List of water flowmeter properties | 282 |
| Table 55 – List of power distribution board metering properties..... | 285 |
| Table 56 – List of low-voltage smart electric meter properties | 310 |
| Table 57 – List of smart gas meter properties | 322 |
| Table 58 – Security data information property | 328 |
| Table 59 – Historical data of measured cumulative gas consumption (example) corresponding to the transition of cumulative gas consumption | 330 |
| Table 60 – List of high-voltage smart electric energy meter properties | 331 |
| Table 61 – List of kerosene meter properties | 350 |
| Table 62 – List of smart kerosene meter properties..... | 351 |
| Table 63 – bit assignment for security data | 356 |
| Table 64 – Historical data example of measured cumulative kerosene consumption corresponding to the transition of cumulative kerosene consumption | 358 |

| | |
|-----------------------------------------------------------------------------------------------------------|-----|
| Table 65 – List of general light properties | 359 |
| Table 66 – List of mono functional lighting properties..... | 367 |
| Table 67 – List of lighting for solid light-emitting source properties | 368 |
| Table 68 – Examples of the list of the light source operation status when operating Get | 370 |
| Table 69 – Examples of the list of the light source operation status when operating Set | 370 |
| Table 70 – Examples of the list of the light source optical output setting values when operating Get..... | 371 |
| Table 71 – Examples of the list of the light source optical output setting values when operating Set..... | 371 |
| Table 72 – Examples of the list of light source colour temperature setting values when operating Get..... | 372 |
| Table 73 – Examples of the list of light source colour temperature setting values when operating Set..... | 372 |
| Table 74 – List of electric vehicle charger properties..... | 373 |
| Table 75 – List of household small wind turbine power generation properties..... | 382 |
| Table 76 – List of lighting system properties | 386 |
| Table 77 – List of extended lighting system properties | 388 |
| Table 78 – An example of scene number set..... | 390 |
| Table 79 – List of multiple input PCS properties..... | 393 |
| Table 80 – List of hybrid water heater properties | 397 |
| Table 81 – List of operations for linkage modes and utilization time | 401 |
| Table 82 – List of refrigerator properties | 402 |
| Table 83 – List of microwave oven properties | 413 |
| Table 84 – Heating status property | 420 |
| Table 85 – Automatic heating setting property | 421 |
| Table 86 – Automatic heating cycle codes | 422 |
| Table 87 – Prompt message codes | 426 |
| Table 88 – 2 bytes bitmap definition for each accessory | 427 |
| Table 89 – List of washer and dryer properties..... | 429 |
| Table 90 – washer and dryer setting property | 442 |
| Table 91 – Washer and dryer cycle option list 1 property | 448 |
| Table 92 – Washer and dryer cycle option list 2 property | 448 |
| Table 93 – Washer and dryer cycle option list 3 property | 448 |
| Table 94 – Current stage of washer and dryer cycle property | 452 |
| Table 95 – List of clothes dryer properties | 459 |
| Table 96 – List of cooking heater properties..... | 461 |
| Table 97 – List of commercial showcase properties | 467 |
| Table 98 – List of commercial showcase outdoor unit properties | 472 |
| Table 99 – List of dishwasher and dryer properties | 473 |
| Table 100 – Bitmap definition for dish-washing method setting acceptable information | 488 |
| Table 101 – Bitmap definition for drying method setting acceptable information | 488 |
| Table 102 – Bitmap definition for storing method setting acceptable information | 488 |
| Table 103 – Bitmap definition for each rinsing mode | 490 |
| Table 104 – Operation setting information arrangement | 495 |

Table 105 – Pattern of property values 496

Table 106 – Relationship with operation status setting (EPC = 0xB2)..... 497

Table 107 – List of switch properties 499

Table 108 – List of controller properties 499

Table 109 – Property map description format..... 505

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SERVICE DIAGNOSTIC INTERFACE FOR CONSUMER ELECTRONICS PRODUCTS AND NETWORKS – IMPLEMENTATION FOR ECHONET

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62394 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment¹. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) updates of the device object super class specifications for the property configurations shared by all device objects;
- b) modification and addition of the property configurations defined by each object;
- c) addition of new device objects and their property configurations;

¹ The third edition (2017) was developed by technical area 8: Multimedia home systems and applications for end-user network. However, technical area 8 has been disbanded.

d) updates to Bibliography.

The text of this International Standard is based on the following documents:

| Draft | Report on voting |
|---------------|------------------|
| 100/3758/FDIS | 100/3787/RVD |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Consumer products are often repaired by service workshops, which service a wide range of products developed by different manufacturers.

For highly complex products, fault diagnosis becomes increasingly difficult and time consuming.

To facilitate diagnosis, manufacturers often develop built-in diagnostic software that communicates with an external diagnostic unit through a service diagnostic interface (SDI).

To avoid the need for a service workshop to purchase several different diagnostic units from different manufacturers for different products, a standardized SDI is proposed for use by all manufacturers of any products requiring a diagnostic interface. The result will be that only one SDI is needed in the service workshops.

The SDI should be suitable for diagnosis in a facilities or household appliances network in which different products from different manufacturers are connected together. The interface should also allow for future developments.

The standard SDI should:

- be usable in future products,
- be easily connectable to a product or a network,
- be inexpensive,
- not limit product design.

SERVICE DIAGNOSTIC INTERFACE FOR CONSUMER ELECTRONICS PRODUCTS AND NETWORKS – IMPLEMENTATION FOR ECHONET

1 Scope

This International Standard specifies requirements for service diagnostic software to be implemented in products that incorporate a digital interface. It does not specify requirements for carrying out remote diagnosis or for manufacturer-dependent software.

The Service Diagnostic Interface (SDI) requires an external controller (exclusive or general-purpose/PC) into which service diagnostic software can be loaded. Parts of the controller software are standardized while other parts are proprietary to the manufacturers.

To reach a common approach in servicing all products from all manufacturers, it is necessary to standardize specific items to be tested in products and certain aspects of controllers' diagnostic software.

The SDI is based upon ECHONET specification version 2.11, ECHONET Lite specification version 1.13, and APPENDIX Detailed Requirements for ECHONET Device objects Release M, because this interface will be used in future products. The use of this connection and existing communication protocols enable implementation in products at a low cost, with maximum flexibility and efficiency.

The SDI consists of

- specific hardware and software requirements of the device under test (DUT);
- specific requirements of the controller:
 - the service software;
 - an ECHONET interface;
- the connection between the controller and the DUT.

This document provides the minimal requirements necessary to carry out computerized diagnosis. It covers the standardized software of the controller as well as the standardized software and provisions in the DUT.

2 Normative references

There are no normative references in this document.