

# TECHNICAL REPORT



---

**Field device tool (FDT) interface specification –  
Part 52-31: Communication implementation for common language  
infrastructure – IEC 61784 CP 3/1 and CP 3/2**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8322-4335-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references .....	9
3 Terms, definitions, symbols, abbreviated terms and conventions .....	10
3.1 Terms and definitions.....	10
3.2 Symbols and abbreviated terms .....	10
3.3 Conventions.....	10
3.3.1 Datatype names and references to datatypes .....	10
3.3.2 Vocabulary for requirements .....	10
3.3.3 Use of UML .....	10
4 Bus category .....	10
5 Access to instance and device data .....	11
5.1 General.....	11
5.2 IO signals provided by DTM.....	11
5.3 Data interfaces .....	11
5.3.1 General .....	11
5.3.2 Mapping of PROFIBUS datatypes to FDT datatypes .....	11
5.3.3 SemanticInfo .....	12
6 Protocol specific behaviour.....	14
6.1 PROFIBUS device model .....	14
6.2 Configuration and parameterization of PROFIBUS devices .....	15
6.2.1 General .....	15
6.2.2 Monolithic DTM for a modular PROFIBUS device .....	16
6.2.3 Composite DTM for a modular PROFIBUS device.....	16
6.3 Support for DP-V0 configuration .....	17
6.4 PROFIBUS slaves operating without a class 1 PROFIBUS master .....	17
6.5 PROFIBUS-related information of a slave DTM.....	17
6.5.1 General .....	17
6.5.2 PROFIBUS Network Data (PND).....	18
6.5.3 GSD Information.....	25
6.5.4 Process Data Items .....	26
7 Protocol specific usage of general datatypes .....	26
7.1 General datatypes .....	26
7.2 Protocol specific handling of the datatype STRING .....	27
8 Network management datatypes .....	27
8.1 General.....	27
8.2 Configuration .....	28
8.3 Process Data Items.....	28
8.4 Parameterization.....	28
9 Communication datatypes.....	29
9.1 General.....	29
9.2 ProfibusAbortMessage .....	29
9.3 DP-V0 Communication .....	29
9.3.1 General .....	29
9.3.2 Dpv0ConnectRequest .....	30

9.3.3	Dpv0ConnectResponse .....	31
9.3.4	Dpv0DisconnectRequest.....	32
9.3.5	Dpv0DisconnectResponse .....	32
9.3.6	Dpv0TransactionRequest.....	33
9.3.7	Dpv0TransactionResponse .....	37
9.4	DP-V1 Communication .....	42
9.4.1	Dpv1ConnectRequest .....	42
9.4.2	Dpv1ConnectResponse .....	43
9.4.3	Dpv1DisconnectRequest.....	45
9.4.4	Dpv1DisconnectResponse .....	45
9.4.5	Dpv1TransactionRequest.....	46
9.4.6	Dpv1TransactionResponse .....	47
9.5	Error information provided by Communication Channel .....	49
10	Datatypes for process data information.....	49
10.1	General.....	49
10.2	ProfibusIOSignalInfo .....	49
11	Device identification .....	50
11.1	General.....	50
11.2	ProfibusDeviceScanInfo datatype.....	51
11.2.1	General .....	51
11.2.2	Datatypes derived from ProfibusBaseScanInfo .....	52
11.3	ProfibusDeviceIdentInfo datatype.....	54
11.3.1	General .....	54
11.3.2	Datatypes derived from ProfibusBaseIdentInfo .....	55
11.4	Mapping of Information Source .....	57
	Bibliography.....	63
	Figure 1 – Part 52-31 of the IEC 62453 series .....	8
	Figure 2 – FDT PROFIBUS Device Model .....	15
	Figure 3 – ProfibusNetworkData .....	27
	Figure 4 – ProfibusAbortMessage .....	29
	Figure 5 – Dpv0ConnectRequest .....	31
	Figure 6 – Dpv0ConnectResponse .....	31
	Figure 7 – Dpv0DisconnectRequest .....	32
	Figure 8 – Dpv0DisconnectResponse .....	32
	Figure 9 – Dpv0ReadConfigurationDataRequest .....	33
	Figure 10 – Dpv0ReadDiagnosisDataRequest.....	34
	Figure 11 – Dpv0ReadInputDataRequest .....	34
	Figure 12 – Dpv0ReadOutputDataRequest .....	35
	Figure 13 – Dpv0ReadUserParameterRequest.....	36
	Figure 14 – Dpv0WriteOutputDataRequest.....	36
	Figure 15 – Dpv0WriteUserParameterRequest.....	37
	Figure 16 – Dpv0ReadConfigurationDataResponse.....	38
	Figure 17 – Dpv0ReadDiagnosisDataResponse .....	39
	Figure 18 – Dpv0ReadInputDataResponse .....	39
	Figure 19 – Dpv0ReadOutputDataResponse.....	40

Figure 20 – Dpv0ReadUserParameterResponse .....	41
Figure 21 – Dpv0WriteOutputDataResponse .....	41
Figure 22 – Dpv0WriteUserParameterResponse .....	42
Figure 23 – Dpv1ConnectRequest .....	43
Figure 24 – Dpv1ConnectResponse .....	44
Figure 25 – Dpv1DisconnectRequest .....	45
Figure 26 – Dpv1DisconnectResponse .....	45
Figure 27 – Dpv1ReadRequest .....	46
Figure 28 – Dpv1WriteRequest .....	47
Figure 29 – Dpv1ReadResponse .....	48
Figure 30 – Dpv1WriteResponse .....	48
Figure 31 – ProfibusIOSignalInfo .....	50
Figure 32 – ProfibusDeviceScanInfo .....	51
Figure 33 – Datatypes derived from ProfibusBaseScanInfo .....	52
Figure 34 – ProfibusDeviceIdentInfo .....	54
Figure 35 – Datatypes derived from ProfibusBaseIdentInfo .....	55
Table 1 – Mapping of datatypes .....	11
Table 2 – Usage of general datatypes .....	12
Table 3 – PROFIBUS Network Information .....	19
Table 4 – Protocol specific usage of general datatypes .....	27
Table 5 – ProfibusAbortMessage datatype .....	29
Table 6 – Availability of services for Master Class 1 (C1) .....	30
Table 7 – Availability of services for Master Class 2 (C2) .....	30
Table 8 – Dpv0ConnectRequest datatype .....	31
Table 9 – Dpv0ConnectResponse datatype .....	32
Table 10 – Dpv0DisconnectRequest datatype .....	32
Table 11 – Dpv0DisconnectResponse datatype .....	33
Table 12 – Dpv0ReadConfigurationDataRequest datatype .....	33
Table 13 – Dpv0ReadDiagnosisDataRequest datatype .....	34
Table 14 – Dpv0ReadInputDataRequest datatype .....	35
Table 15 – Dpv0ReadOutputDataRequest datatype .....	35
Table 16 – Dpv0ReadUserParameterRequest datatype .....	36
Table 17 – Dpv0WriteOutputDataRequest datatype .....	37
Table 18 – Dpv0WriteUserParameterRequest datatype .....	37
Table 19 – Dpv0ReadConfigurationDataResponse datatype .....	38
Table 20 – Dpv0ReadDiagnosisDataResponse datatype .....	39
Table 21 – Dpv0ReadInputDataResponse datatype .....	40
Table 22 – Dpv0ReadOutputDataResponse datatype .....	40
Table 23 – Dpv0ReadUserParameterResponse datatype .....	41
Table 24 – Dpv0WriteOutputDataResponse datatype .....	42
Table 25 – Dpv0WriteUserParameterResponse datatype .....	42
Table 26 – Dpv1ConnectRequest datatype .....	43

Table 27 – Dpv1ConnectResponse datatype.....	44
Table 28 – Dpv1DisconnectRequest datatype .....	45
Table 29 – Dpv1DisconnectResponse datatype .....	45
Table 30 – Dpv1ReadRequest datatype .....	46
Table 31 – Dpv1WriteRequest datatype .....	47
Table 32 – Dpv1ReadResponse datatype .....	48
Table 33 – Dpv1WriteResponse datatype .....	49
Table 34 – ProfibusIOSignalInfo datatype .....	50
Table 35 – ProfibusDeviceScanInfo datatype .....	52
Table 36 – Datatypes derived from ProfibusBaseScanInfo .....	53
Table 37 – ProfibusDeviceIdentInfo datatype .....	55
Table 38 – Datatypes derived from ProfibusBaseIdentInfo .....	56
Table 39 – Profile specific mapping of identity information .....	58

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

#### **Part 52-31: Communication implementation for common language infrastructure – IEC 61784 CP 3/1 and CP 3/2**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62453-52-31, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

Each part of the IEC 62453-52-xy series is intended to be read in conjunction with its corresponding part in the IEC 62453-3xy series. The corresponding part for this document is IEC 62453-303-1.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
65E/440/DTR	65E/514/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of the IEC 62453 series, under the general title *Field device tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**


## INTRODUCTION

This part of IEC 62453 is an interface specification for developers of Field Device Tool (FDT) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called Device Type Manager (DTM), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how this part of the IEC 62453-52-xy series is aligned in the structure of the IEC 62453 series.



**Figure 1 – Part 52-31 of the IEC 62453 series**



## FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

### Part 52-31: Communication implementation for common language infrastructure – IEC 61784 CP 3/1 and CP 3/2

#### 1 Scope

This part of the IEC 62453-52-xy series, which is a Technical Report, provides information for integrating the PROFIBUS<sup>1</sup> technology into the CLI-based implementation of FDT interface specification (IEC TR 62453-42).

This part of IEC 62453 specifies implementation of communication and other services based on IEC 62453-303-1.

This document neither contains the FDT specification nor modifies it.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61131-3:2003, *Programmable controllers – Part 3: Programming languages*

IEC 61158 (all parts), *Industrial communication networks – Fieldbus specifications*

IEC 61158-6-3:2014, *Industrial communication networks – Fieldbus specifications – Part 6-3: Application layer protocol specification – Type 3 elements*

IEC 61784-1:2014, *Industrial communication networks – Profiles – Part 1: Fieldbus profiles*

IEC 62453-1:2016, *Field device tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2:2016, *Field device tool (FDT) interface specification – Part 2: Concepts and detailed description*

IEC TR 62453-42:2016, *Field device tool (FDT) interface specification – Part 42: Object model integration profile – Common language infrastructure*

IEC 62453-303-1:2009, *Field device tool (FDT) interface specification – Part 303-1: Communication profile integration – IEC 61784 CP 3/1 and CP 3/2*  
IEC 62453-303-1:2009/AMD1:2016

---

<sup>1</sup> PROFIBUS™ is a trade name of the non-profit organization PROFIBUS Nutzerorganisation e.V. (PNO). This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this document does not require use of the registered logos for PROFIBUS™. Use of the registered logos for PROFIBUS™ requires permission of PNO.