



Edition 1.0 2008-07

TECHNICAL SPECIFICATION

Process management for avionics – Defining and performing highly accelerated tests in aerospace systems – Application guide

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE



CONTENTS

FO	REWC	PRD	4
INT	RODU	JCTION	6
1	Scop	e	7
2	Term	s and definitions	7
3	Acror	nyms	9
4		y accelerated test goals and principles	
•	4.1	General characteristics	
	4.2	General principles of highly accelerated tests	
	4.3	Example of the limitations of highly accelerated tests	
5		trial technical domains covered by highly accelerated tests	
6		y accelerated tests in the lifecycle and associated assembly levels	
	_	ning and management of highly accelerated tests	
7			
	7.1	General	
	7.2	Validation and verification	
	7.3	Planning of highly accelerated tests	
8	7.4	Management of highly accelerated tests	
0		ral methodology for implementing highly accelerated tests	
	8.1	Structure of the approach	
	8.2	Analysis of product sensitive points	
	8.3	Selection of applicable stresses	
	8.4	Producing a test plan	
	8.5 8.6	Performing tests	
9		ing on and using experience	
9			
	9.1	General	
	9.2 9.3	Creating the database	
	9.3 9.4	Inclusion in the company reference system	
	9.4	Correlation with feedback	
	9.6	Synthesis and impact on company culture	
10		omer/supplier relations	
10		Prime contractor/supplier relations	
	10.1	10.1.1 Responsibilities	
		10.1.2 Contract procedures	
		10.1.3 Tests synthesis	
	10.2	Supplier/test laboratory relations	
11		s and savings	
• •	11.1		
		"Non-reliability" costs	
	11.2	11.2.1 Cost in delayed time to market	
		11.2.2 Cost of an in-service failure	
		11.2.3 Cost of a recovery operation	
		11.2.4 Impact on brand image	
	11.3	Expenses generated by the highly accelerated tests	
		11.3.1 Engineering upstream of testing	
		5 5 1	-

11.3.2 Test resources used	31
11.3.3 Manpower dedicated to highly accelerated tests	31
11.3.4 The cost of damaged or destroyed products	31
Annex A (informative) Comparative characteristics of highly accelerated tests and reliability tests	32
Annex B (informative) Example of potential effectiveness table for stresses or loadings according to the nature of the product sensitive point	33
Annex C (normative) Highly accelerated tests implementation logic	34
Annex D (informative) Margin-related statistical considerations – Example: telecommunications circuit boards or board assembly	36
Bibliography	38
Figure 1 – Exploration of margins using a highly accelerated test	13
Figure 2 – Financial losses generated by a delay in time to market	29
Figure C.1 – General logical flowchart	34
Figure C.2 – Details of test performance	35
Figure D.1 – Examples of the margin options open to the designer	37
Table A.1 – Comparative characteristics of highly accelerated tests and reliability tests	32
Table B.1 – Example of potential effectiveness table for stresses or loadings according to the nature of the product sensitive point	33

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PROCESS MANAGEMENT FOR AVIONICS – DEFINING AND PERFORMING HIGHLY ACCELERATED TESTS IN AEROSPACE SYSTEMS – APPLICATION GUIDE

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62500, which is a technical specification, has been prepared by IEC technical committee 107: Process management for avionics.

This technical specification cancels and replaces IEC/PAS 62500 published in 2006. This first edition constitutes a technical revision.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
107/79/DTS	107/90/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed.
- · withdrawn,
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

In an increasingly harsh economic context (tighter performance requirements, shorter development cycles, reduced cost of ownership, etc.), it is essential to ensure product maturity rapidly and, in any case, by the time of commissioning.

It is with a view to remedying shortcomings in traditional development methods that "highly accelerated" tests have been developed. The main underlying principle behind this new type of test strategy is as follows: rather than reasoning in terms of conformity with a specification and simply performing conventional tests, it is on the contrary attempted to push the product to its limits by applying environmental stresses and/or stimuli of levels higher than the specification. The aim is thus to take full advantage of current technologies, by eliminating defects which generate potential failures, as of the first prototypes.

A well-conducted accelerated test process should, in a relatively short time, lead to a significant increase in the robustness of a product, as early as the initial prototypes stage at the beginning of the development phase, thus accelerating early maturity of this product. Furthermore, identification of the margins available on a "mature" product helps to design and size its future environmental stress screening profile more accurately, by increasing the severity of the loadings applied to just what is needed, leading to a particularly significant boost in the efficiency of this environmental stress screening process.

PROCESS MANAGEMENT FOR AVIONICS – DEFINING AND PERFORMING HIGHLY ACCELERATED TESTS IN AEROSPACE SYSTEMS – APPLICATION GUIDE

1 Scope

This technical specification specifies the targets assigned to highly accelerated tests, their basic principles, their scope of application and their implementation procedures. It is primarily intended for programme managers, designers, test managers, and RAMS experts to facilitate the draft of the specification and execution of highly accelerated tests. This guide is applicable to all programmes and is of primary interest to the industrial firms in charge of designing, developing and producing equipment built for these programmes, and also their customers who, in drafting contractual clauses, may require that their suppliers implement highly accelerated tests.

NOTE This technical specification applies to all types of equipment used in systems developed in these programmes, whatever their nature (electronic, electromechanical, mechanical, electro-hydraulic, electropneumatic, etc.) and whatever their size, from "low-level" subassemblies (PCBs, mechanical assemblies, connectors, etc.), up to system level groups of equipment.