

INTERNATIONAL STANDARD

**OPC unified architecture -
Part 100: Devices**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -
webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	10
1 Scope.....	12
2 Normative references	12
3 Terms, definitions, abbreviated terms and conventions	13
3.1 Terms and definitions	13
3.2 Abbreviated terms	15
3.3 Conventions used in this document.....	15
3.3.1 Conventions for Node descriptions	15
3.3.2 NodeIds and BrowseNames	19
3.3.3 Common Attributes	20
4 Device model.....	22
4.1 General.....	22
4.2 Usage guidelines	23
4.3 TopologyElementType.....	23
4.4 FunctionalGroupType	25
4.4.1 Model	25
4.4.2 Recommended FunctionalGroup BrowseNames.....	27
4.4.3 UIElement Type	27
4.5 Interfaces.....	28
4.5.1 Overview	28
4.5.2 VendorNameplate Interface.....	28
4.5.3 TagNameplate Interface	31
4.5.4 DeviceHealth Interface.....	32
4.5.5 OperationCounter Interface	33
4.5.6 SupportInfo Interface	35
4.6 ComponentType.....	37
4.7 DeviceType.....	38
4.8 SoftwareType.....	41
4.9 DeviceSet entry point	42
4.10 DeviceFeatures entry point.....	43
4.11 BlockType.....	43
4.12 DeviceHealth Alarm Types	45
4.12.1 General	45
4.12.2 DeviceHealthDiagnosticAlarmType	45
4.12.3 FailureAlarmType.....	46
4.12.4 CheckFunctionAlarmType.....	46
4.12.5 OffSpecAlarmType	46
4.12.6 MaintenanceRequiredAlarmType	47
5 Device communication model.....	47
5.1 General.....	47
5.2 ProtocolType.....	49
5.3 Network	49
5.4 ConnectionPoint.....	51
5.5 ConnectsTo and ConnectsToParent ReferenceTypes.....	53
5.6 NetworkSet Object	54
6 Device integration host model	55

6.1	General.....	55
6.2	DeviceTopology Object	56
6.3	Online/Offline.....	57
6.3.1	General	57
6.3.2	IsOnline ReferenceType.....	58
6.4	Offline-Online data transfer	59
6.4.1	Definition	59
6.4.2	TransferServices Type	60
6.4.3	TransferServices Object.....	60
6.4.4	TransferToDevice Method	61
6.4.5	TransferFromDevice Method	62
6.4.6	FetchTransferResultData Method	63
7	Locking model	66
7.1	Overview	66
7.2	LockingServices Type	66
7.3	LockingServices Object.....	68
7.4	MaxInactiveLockTime Property	69
7.5	InitLock Method.....	69
7.6	ExitLock Method	70
7.7	RenewLock Method.....	70
7.8	BreakLock Method	71
8	Software update model	72
8.1	Overview	72
8.2	Use Cases	72
8.2.1	General	72
8.2.2	Supported Use Cases	72
8.2.3	Unsupported Use Cases.....	74
8.3	General.....	75
8.3.1	System perspective.....	75
8.3.2	Types of software.....	75
8.3.3	Types of Devices	75
8.3.4	Options for the Server.....	76
8.3.5	Software Update Client	78
8.3.6	Safety considerations.....	84
8.3.7	Security considerations	84
8.3.8	Update Behavior	85
8.3.9	Installation of patches	85
8.3.10	Incompatible parameters / settings	85
8.3.11	AddIn model	85
8.4	ObjectTypes.....	86
8.4.1	SoftwareUpdateType.....	86
8.4.2	SoftwareLoadingType	89
8.4.3	PackageLoadingType.....	90
8.4.4	DirectLoadingType	92
8.4.5	CachedLoadingType	93
8.4.6	FileSystemLoadingType	95
8.4.7	SoftwareVersionType	97
8.4.8	PrepareForUpdateStateMachineType	99
8.4.9	InstallationStateMachineType.....	103

8.4.10	PowerCycleStateMachineType	107
8.4.11	ConfirmationStateMachineType	109
8.5	DataTypes	111
8.5.1	SoftwareVersionFileType	111
8.5.2	UpdateBehavior OptionSet	112
9	Specialized topology elements	113
9.1	General.....	113
9.2	Configurable components	113
9.2.1	General pattern.....	113
9.2.2	ConfigurableObjectType	114
9.3	Block Devices	115
9.4	Modular Devices	116
10	Lifetime model	117
10.1	General.....	117
10.2	LifetimeVariableType definition.....	117
10.2.1	Overview	117
10.2.2	VariableType definition.....	118
10.3	BaseLifetimeIndicationType definition	119
10.3.1	Overview	119
10.3.2	ObjectType definition	119
10.4	TimeIndicationType definition	119
10.4.1	Overview	119
10.4.2	ObjectType definition	120
10.5	NumberOfPartsIndicationType definition	120
10.5.1	Overview	120
10.5.2	ObjectType definition	120
10.6	NumberOfUsagesIndicationType definition.....	120
10.6.1	Overview	120
10.6.2	ObjectType definition	121
10.7	LengthIndicationType definition	121
10.7.1	Overview	121
10.7.2	ObjectType definition	121
10.8	DiameterIndicationType definition.....	121
10.8.1	Overview	121
10.8.2	ObjectType definition	122
10.9	SubstanceVolumeIndicationType definition	122
10.9.1	Overview	122
10.9.2	ObjectType definition	122
11	Profiles and ConformanceUnits	122
11.1	Conformance Units.....	122
11.2	Profiles	126
11.2.1	General	126
11.2.2	Profile list	127
11.2.3	Device Server Facets	127
11.2.4	Device Client Facets	131
12	Namespaces	133
12.1	Namespace Metadata.....	133
12.2	Handling of OPC UA namespaces	134

Annex A (normative) Namespace and mappings	136
Annex B (informative) Examples.....	137
B.1 General.....	137
B.2 Functional Group usages.....	137
B.3 Identification Functional Group	138
B.4 Software Update examples.....	139
B.4.1 Factory Automation example	139
B.4.2 Update sequence using Direct-Loading.....	140
B.4.3 Update sequence using Cached-Loading	141
B.4.4 Update sequence using File System based Loading.....	142
Annex C (informative) Guidelines for the usage of OPC UA for Devices as base for companion specifications	144
C.1 Overview	144
C.2 Guidelines to define companion specifications based on OPC UA for Devices.....	146
C.3 Guidelines on how to combine different companion specifications based on OPC UA for Devices in one OPC UA application	147
C.4 Guidelines to manage the same Variables defined in different places	149
C.5 Guidelines on how to use functionality in companion specifications	150
Bibliography	152
Figure 1 – Device model overview.....	22
Figure 2 – Components of the TopologyElementType	23
Figure 3 – FunctionalGroupType	26
Figure 4 – Overview of Interfaces for Devices and Device components	28
Figure 5 – VendorNameplate Interface	29
Figure 6 – TagNameplate Interface	31
Figure 7 – DeviceHealth Interface	32
Figure 8 – Support information Interface.....	35
Figure 9 – ComponentType.....	37
Figure 10 – DeviceType	39
Figure 11 – SoftwareType	41
Figure 12 – Standard entry point for Devices	42
Figure 13 – Standard entry point for DeviceFeatures	43
Figure 14 – BlockType hierarchy	44
Figure 15 – Device Health Alarm type hierarchy	45
Figure 16 – Device communication model overview	48
Figure 17 – Example of a communication topology	48
Figure 18 – Example of a ProtocolType hierarchy with instances that represent specific communication profiles	49
Figure 19 – NetworkType	50
Figure 20 – Example of ConnectionPointType hierarchy	51
Figure 21 – ConnectionPointType	51
Figure 22 – ConnectionPoint usage.....	52
Figure 23 – Type Hierarchy for ConnectsTo and ConnectsToParent References	53
Figure 24 – Example with ConnectsTo and ConnectsToParent References	54

Figure 25 – Example of an automation system.....	55
Figure 26 – Example of a Device topology.....	56
Figure 27 – Online component for access to Device data.....	57
Figure 28 – Type hierarchy for IsOnline Reference.....	59
Figure 29 – TransferServicesType.....	60
Figure 30 – TransferServices.....	61
Figure 31 – LockingServicesType.....	67
Figure 32 – LockingServices.....	68
Figure 33 – Example with a device and several software components.....	75
Figure 34 – Determine the type of update that the Server implements.....	79
Figure 35 – Different flows of <i>Direct-Loading</i> , <i>Cached-Loading</i> and <i>FileSystem based Loading</i>	80
Figure 36 – Prepare and Resume activities.....	81
Figure 37 – Installation activity for <i>Direct-Loading</i>	82
Figure 38 – Installation activity for <i>Cached-Loading</i> and <i>File System based Loading</i>	83
Figure 39 – Resume activity.....	84
Figure 40 – Example how to add the SoftwareUpdate AddIn to a component.....	86
Figure 41 – SoftwareUpdateType.....	87
Figure 42 – PackageLoadingType.....	90
Figure 43 – DirectLoadingType.....	92
Figure 44 – CachedLoadingType.....	93
Figure 45 – FileSystemLoadingType.....	95
Figure 46 – SoftwareVersionType.....	97
Figure 47 – PrepareForUpdate state machine.....	99
Figure 48 – PrepareForUpdateStateMachineType.....	100
Figure 49 – Installation state machine.....	103
Figure 50 – InstallationStateMachine.....	103
Figure 51 – PowerCycle state machine.....	108
Figure 52 – Confirmation state machine.....	109
Figure 53 – ConfirmationStateMachineType.....	110
Figure 54 – Configurable component pattern.....	114
Figure 55 – ConfigurableObjectType.....	114
Figure 56 – Block-oriented Device structure example.....	115
Figure 57 – Modular Device structure example.....	116
Figure B.1 – Analyser Device use for FunctionalGroups.....	137
Figure B.2 – PLCopen use for FunctionalGroups.....	138
Figure B.3 – Example of an Identification FunctionalGroup.....	139
Figure B.4 – Example.....	139
Figure B.5 – Example sequence of Direct-Loading.....	141
Figure B.6 – Example sequence of Cached-Loading.....	142
Figure B.7 – Example sequence of File System based Loading.....	143
Figure C.1 – Example of applying two companion specifications based on OPC UA for Devices.....	145

Figure C.2 – Using composition to compose one device representation defined by two companion specifications	146
Figure C.3 – Example of applying several companion specifications (I)	148
Figure C.4 – Example of applying several companion specifications (II)	149
Figure C.5 – Options how to manage the same Variable	150
Figure C.6 – Example on how to use AddIns and Interface.....	151
Figure C.7 – Example on how to use Interface with additional Object	151
Table 1 – Examples of DataTypes	16
Table 2 – Type Definition table.....	17
Table 3 – Examples of other characteristics.....	17
Table 4 – <some>Type Additional References	18
Table 5 – <some>Type Additional Subcomponents	18
Table 6 – <some>Type Attribute values for child Nodes	19
Table 7 – Common Node Attributes	20
Table 8 – Common Object Attributes	20
Table 9 – Common Variable Attributes	21
Table 10 – Common VariableType Attributes	21
Table 11 – Common Method Attributes	21
Table 12 – TopologyElementType definition	24
Table 13 – TopologyElementType Additional Subcomponents	25
Table 14 – FunctionalGroupType definition.....	26
Table 15 – Recommended FunctionalGroup BrowseNames	27
Table 16 – UIElementType definition	28
Table 17 – IVendorNameplateType definition.....	29
Table 18 – VendorNameplate Mapping to IRDIs.....	31
Table 19 – ITagNameplateType definition.....	31
Table 20 – TagNameplate Mapping to IRDIs.....	32
Table 21 – IDeviceHealthType definition.....	32
Table 22 – DeviceHealthEnumeration values.....	33
Table 23 – DeviceHealthEnumeration definition.....	33
Table 24 – IOperationCounterType definition.....	34
Table 25 – IOperationCounterType Attribute values for child Nodes	35
Table 26 – ISupportInfoType definition	36
Table 27 – ISupportInfoType Additional Subcomponents.....	36
Table 28 – ComponentType definition	38
Table 29 – DeviceType definition	40
Table 30 – SoftwareType definition	41
Table 31 – DeviceSet definition	43
Table 32 – DeviceFeatures definition	43
Table 33 – BlockType definition	44
Table 34 – DeviceHealthDiagnosticAlarmType definition.....	45
Table 35 – FailureAlarmType definition	46

Table 36 – CheckFunctionAlarmType definition	46
Table 37 – OffSpecAlarmType definition.....	47
Table 38 – MaintenanceRequiredAlarmType definition.....	47
Table 39 – ProtocolType definition	49
Table 40 – NetworkType definition	50
Table 41 – ConnectionPointType definition.....	52
Table 42 – ConnectsTo ReferenceType.....	53
Table 43 – ConnectsToParent ReferenceType.....	54
Table 44 – NetworkSet definition.....	54
Table 45 – DeviceTopology definition	57
Table 46 – IsOnline ReferenceType	59
Table 47 – TransferServicesType definition	60
Table 48 – TransferToDevice Method arguments.....	62
Table 49 – TransferToDevice Method AddressSpace definition	62
Table 50 – TransferFromDevice Method arguments	62
Table 51 – TransferFromDevice Method AddressSpace definition	63
Table 52 – FetchTransferResultData Method arguments.....	64
Table 53 – FetchTransferResultData Method AddressSpace definition	64
Table 54 – FetchResultDataType structure	64
Table 55 – TransferResultErrorDataType structure	65
Table 56 – TransferResultErrorDataType Definition	65
Table 57 – TransferResultDataDataType structure.....	65
Table 58 – TransferResultDataDataType definition	66
Table 59 – LockingServicesType definition	67
Table 60 – LockingServicesType Attribute Values for child Nodes.....	67
Table 61 – MaxInactiveLockTime Property definition.....	69
Table 62 – InitLock Method Arguments.....	69
Table 63 – InitLock Method AddressSpace definition	70
Table 64 – ExitLock Method Arguments.....	70
Table 65 – ExitLock Method AddressSpace definition	70
Table 66 – RenewLock Method Arguments	71
Table 67 – RenewLock Method AddressSpace definition	71
Table 68 – BreakLock Method Arguments.....	71
Table 69 – BreakLock Method AddressSpace definition	71
Table 70 – SoftwareUpdateType definition	87
Table 71 – SoftwareUpdateType Attribute values for child Nodes.....	89
Table 72 – SoftwareLoadingType definition	89
Table 73 – PackageLoadingType definition.....	90
Table 74 – TemporaryFileTransferType Result Codes.....	91
Table 75 – DirectLoadingType definition.....	92
Table 76 – CachedLoadingType definition	93
Table 77 – GetUpdateBehavior Method Arguments.....	94
Table 78 – GetUpdateBehavior Method AddressSpace definition	95

Table 79 – FileSystemLoadingType definition	95
Table 80 – GetUpdateBehavior Method Arguments	96
Table 81 – GetUpdateBehavior Method AddressSpace definition	96
Table 82 – ValidateFiles Method Arguments	97
Table 83 – ValidateFiles Method AddressSpace definition	97
Table 84 – SoftwareVersionType definition	98
Table 85 – PrepareForUpdateStateMachineType definition	100
Table 86 – PrepareForUpdateStateMachineType Attribute values for child Nodes	101
Table 87 – PrepareForUpdateStateMachineType Additional References	101
Table 88 – InstallationStateMachineType definition	104
Table 89 – InstallationStateMachineType Attribute values for child Nodes	104
Table 90 – InstallationStateMachineType Additional References	105
Table 91 – InstallSoftwarePackage Method Arguments	106
Table 92 – InstallSoftwarePackage Method AddressSpace definition	106
Table 93 – InstallFiles Method Arguments	107
Table 94 – InstallFiles Method AddressSpace definition	107
Table 95 – PowerCycleStateMachineType definition	108
Table 96 – PowerCycleStateMachineType Attribute values for child Nodes	108
Table 97 – PowerCycleStateMachineType Additional References	109
Table 98 – ConfirmationStateMachineType	110
Table 99 – ConfirmationStateMachineType Attribute values for child Nodes	111
Table 100 – ConfirmationStateMachineType TargetBrowsePath	111
Table 101 – SoftwareVersionFileType Items	112
Table 102 – SoftwareVersionFileType definition	112
Table 103 – UpdateBehavior OptionSet	112
Table 104 – UpdateBehavior OptionSet Definition	113
Table 105 – ConfigurableObjectType definition	115
Table 106 – Lifetime examples	117
Table 107 – LifetimeVariableType definition	118
Table 108 – LifetimeVariableType Attribute values for child Nodes	119
Table 109 – BaseLifetimeIndicationType definition	119
Table 110 – TimeIndicationType definition	120
Table 111 – NumberOfPartsIndicationType definition	120
Table 112 – NumberOfUsagesIndicationType definition	121
Table 113 – LengthIndicationType definition	121
Table 114 – DiameterIndicationType definition	122
Table 115 – SubstanceVolumeIndicationType definition	122
Table 116 – Conformance Units for Devices	123
Table 117 – Profile URIs for Devices	127
Table 118 – DI BaseDevice Server Facet definition	128
Table 119 – DI DeviceIdentification Server Facet definition	128
Table 120 – DI BlockDevice Server Facet definition	128
Table 121 – DI Locking Server Facet definition	128

Table 122 – DI DeviceCommunication Server Facet definition.....	129
Table 123 – DI DeviceIntegrationHost Server Facet definition	129
Table 124 – DI SU Software Update Base Server Facet.....	129
Table 125 – DI SU Direct Loading Server Facet.....	129
Table 126 – DI SU Cached Loading Server Facet	130
Table 127 – DI SU FileSystem Loading Server Facet.....	130
Table 128 – DI Lifetime Server Facet	131
Table 129 – DI BaseDevice Client Facet definition.....	131
Table 130 – DI DeviceIdentification Client Facet definition	131
Table 131 – DI BlockDevice Client Facet definition	131
Table 132 – DI Locking Client Facet definition	132
Table 133 – DI DeviceCommunication Client Facet definition	132
Table 134 – DI DeviceIntegrationHost Client Facet definition	132
Table 135 – DI SU Software Update Base Client Facet.....	132
Table 136 – DI SU Direct Loading Client Facet.....	132
Table 137 – DI SU Cached Loading Client Facet	133
Table 138 – DI SU FileSystem Loading Client Facet	133
Table 139 – DI Lifetime Client Facet definition.....	133
Table 140 – NamespaceMetadata Object for this Specification	134
Table 141 – Namespaces used in an OPC UA for Devices Server	134
Table 142 – Namespaces used in this specification	135

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC unified architecture - Part 100: Devices

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62541-100 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This second edition cancels and replaces the first edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a `ComponentType` that can be used to model any HW or SW element of a device has been defined and a `SoftwareType` has been added as subtype of `ComponentType`;
- b) the new OPC UA interface concept and defined interfaces for `Nameplate`, `DeviceHealth`, and `SupportInfo` has been added.
- c) a new model for Software Update (Firmware Update) has been added;

- d) a new entry point for documents where each document is represented by a FileType instance has been specified;
- e) a model that provides information about the lifetime, related limits and semantic of the lifetime of things like tools, material or machines has been added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/1050/CDV	65E/1095/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in the "Terms and definitions" clause in one of the parts of the IEC 62541 series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts in the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 62541 defines the information model associated with *Devices*. This document describes three models which build upon each other as follows:

- The (base) Device Model is intended to provide a unified view of devices and their hardware and software parts irrespective of the underlying device protocols.
- The Device Communication Model adds Network and Connection information elements so that communication topologies can be created.
- The Device Integration Host Model finally adds additional elements and rules required for host systems to manage integration for a complete system. It enables reflecting the topology of the automation system with the devices as well as the connecting communication networks.

This document also defines AddIns that can be used for the models in this document but also for models in other information models. They are:

- Locking model – a generic AddIn to control concurrent access,
- Software update model – an AddIn to manage software in a *Device*.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62541-1, *OPC Unified Architecture - Part 1: Overview and Concepts*

IEC 62541-3, *OPC Unified Architecture - Part 3: Address Space Model*

IEC 62541-4, *OPC Unified Architecture - Part 4: Services*

IEC 62541-5, *OPC Unified Architecture - Part 5: Information Model*

IEC 62541-6, *OPC Unified Architecture - Part 6: Mappings*

IEC 62541-7, *OPC Unified Architecture - Part 7: Profiles*

IEC 62541-8, *OPC Unified Architecture - Part 8: Data Access*

IEC 62541-9, *OPC Unified Architecture - Part 9: Alarms and Conditions*

NAMUR Recommendation NE107: *Self-monitoring and diagnosis of field devices*

Bibliography

IEC 61131-3, *IEC standard for Programmable Logic Controllers (PLCs)*

IEC 61499-1:2012, *Function Blocks - Part 1: Architecture*

IEC 61784, *Industrial networks - Profiles*

IEC 62541-19, *OPC Unified Architecture - Part 19: Dictionary References*

IEC 62591, *Industrial networks - Wireless communication network and communication profiles - WirelessHART™*

IEC 62769 (all parts), *Field device integration (FDI®)*

ISO/IEC 11179-6, *Information technology - Metadata registries (MDR) - Part 6: Registration*
