

# INTERNATIONAL STANDARD

---

**OPC unified architecture -  
Part 5: Information Model**



## **THIS PUBLICATION IS COPYRIGHT PROTECTED**

**Copyright © 2026 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### **IEC publications search -**

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### **IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

|                                                               |    |
|---------------------------------------------------------------|----|
| FOREWORD .....                                                | 15 |
| 1 Scope .....                                                 | 17 |
| 2 Normative references .....                                  | 17 |
| 3 Terms, definitions, abbreviated terms and conventions ..... | 18 |
| 3.1 Terms and definitions .....                               | 18 |
| 3.2 Abbreviated terms .....                                   | 18 |
| 3.3 Conventions for Node descriptions .....                   | 18 |
| 4 NodeIds and BrowseNames .....                               | 20 |
| 4.1 NodeIds .....                                             | 20 |
| 4.2 BrowseNames .....                                         | 21 |
| 5 Common Attributes .....                                     | 21 |
| 5.1 General .....                                             | 21 |
| 5.2 Objects .....                                             | 21 |
| 5.3 Variables .....                                           | 21 |
| 5.4 VariableTypes .....                                       | 22 |
| 5.5 Methods .....                                             | 22 |
| 6 Standard ObjectTypes .....                                  | 23 |
| 6.1 General .....                                             | 23 |
| 6.2 BaseObjectType .....                                      | 23 |
| 6.3 ObjectTypes for the Server Object .....                   | 23 |
| 6.3.1 ServerType .....                                        | 23 |
| 6.3.2 ServerCapabilitiesType .....                            | 26 |
| 6.3.3 ServerDiagnosticsType .....                             | 30 |
| 6.3.4 SessionsDiagnosticsSummaryType .....                    | 31 |
| 6.3.5 SessionDiagnosticsObjectType .....                      | 32 |
| 6.3.6 VendorServerInfoType .....                              | 32 |
| 6.3.7 ServerRedundancyType .....                              | 33 |
| 6.3.8 TransparentRedundancyType .....                         | 33 |
| 6.3.9 NonTransparentRedundancyType .....                      | 34 |
| 6.3.10 NonTransparentNetworkRedundancyType .....              | 34 |
| 6.3.11 OperationLimitsType .....                              | 35 |
| 6.3.12 AddressSpaceFileType .....                             | 37 |
| 6.3.13 NamespaceMetadataType .....                            | 37 |
| 6.3.14 NamespacesType .....                                   | 39 |
| 6.3.15 NonTransparentBackupRedundancyType .....               | 40 |
| 6.4 ObjectTypes used as EventTypes .....                      | 41 |
| 6.4.1 General .....                                           | 41 |
| 6.4.2 BaseEventType .....                                     | 41 |
| 6.4.3 AuditEventType .....                                    | 45 |
| 6.4.4 AuditSecurityEventType .....                            | 46 |
| 6.4.5 AuditChannelEventType .....                             | 46 |
| 6.4.6 AuditOpenSecureChannelEventType .....                   | 47 |
| 6.4.7 AuditSessionEventType .....                             | 48 |
| 6.4.8 AuditCreateSessionEventType .....                       | 48 |
| 6.4.9 AuditUrlMismatchEventType .....                         | 49 |
| 6.4.10 AuditActivateSessionEventType .....                    | 50 |

|        |                                             |    |
|--------|---------------------------------------------|----|
| 6.4.11 | AuditCancelEventType .....                  | 50 |
| 6.4.12 | AuditCertificateEventType.....              | 51 |
| 6.4.13 | AuditCertificateDataMismatchEventType ..... | 51 |
| 6.4.14 | AuditCertificateExpiredEventType.....       | 52 |
| 6.4.15 | AuditCertificateInvalidEventType .....      | 52 |
| 6.4.16 | AuditCertificateUntrustedEventType.....     | 53 |
| 6.4.17 | AuditCertificateRevokedEventType .....      | 53 |
| 6.4.18 | AuditCertificateMismatchEventType .....     | 54 |
| 6.4.19 | AuditNodeManagementEventType .....          | 54 |
| 6.4.20 | AuditAddNodesEventType .....                | 55 |
| 6.4.21 | AuditDeleteNodesEventType.....              | 55 |
| 6.4.22 | AuditAddReferencesEventType .....           | 56 |
| 6.4.23 | AuditDeleteReferencesEventType.....         | 56 |
| 6.4.24 | AuditUpdateEventType .....                  | 57 |
| 6.4.25 | AuditWriteUpdateEventType .....             | 57 |
| 6.4.26 | AuditHistoryUpdateEventType.....            | 58 |
| 6.4.27 | AuditUpdateMethodEventType .....            | 59 |
| 6.4.28 | SystemEventType .....                       | 59 |
| 6.4.29 | DeviceFailureEventType .....                | 60 |
| 6.4.30 | SystemStatusChangeEvent.....                | 60 |
| 6.4.31 | BaseModelChangeEvent.....                   | 61 |
| 6.4.32 | GeneralModelChangeEvent .....               | 61 |
| 6.4.33 | SemanticChangeEvent .....                   | 62 |
| 6.4.34 | EventQueueOverflowEventType .....           | 62 |
| 6.4.35 | ProgressEventType .....                     | 63 |
| 6.4.36 | AuditClientEventType .....                  | 64 |
| 6.4.37 | AuditClientUpdateMethodResultEventType..... | 64 |
| 6.5    | ModellingRuleType .....                     | 65 |
| 6.6    | FolderType .....                            | 65 |
| 6.7    | DataTypeEncodingType .....                  | 65 |
| 6.8    | AggregateFunctionType .....                 | 66 |
| 6.9    | BaseInterfaceType.....                      | 66 |
| 6.10   | OrderedListType.....                        | 67 |
| 6.11   | IOrderedObjectType Definition .....         | 67 |
| 7      | Standard VariableTypes .....                | 68 |
| 7.1    | General .....                               | 68 |
| 7.2    | BaseVariableType .....                      | 68 |
| 7.3    | PropertyType .....                          | 69 |
| 7.4    | BaseDataVariableType.....                   | 69 |
| 7.5    | ServerVendorCapabilityType.....             | 70 |
| 7.6    | ServerStatusType .....                      | 70 |
| 7.7    | BuildInfoType .....                         | 71 |
| 7.8    | ServerDiagnosticsSummaryType.....           | 72 |
| 7.9    | SamplingIntervalDiagnosticsArrayType .....  | 72 |
| 7.10   | SamplingIntervalDiagnosticsType.....        | 73 |
| 7.11   | SubscriptionDiagnosticsArrayType .....      | 73 |
| 7.12   | SubscriptionDiagnosticsType .....           | 74 |
| 7.13   | SessionDiagnosticsArrayType.....            | 75 |
| 7.14   | SessionDiagnosticsVariableType.....         | 76 |

|        |                                                           |     |
|--------|-----------------------------------------------------------|-----|
| 7.15   | SessionSecurityDiagnosticsArrayType .....                 | 79  |
| 7.16   | SessionSecurityDiagnosticsType .....                      | 79  |
| 7.17   | OptionSetType .....                                       | 80  |
| 7.18   | SelectionListType .....                                   | 81  |
| 7.19   | AudioVariableType .....                                   | 82  |
| 7.20   | RationalNumberType .....                                  | 83  |
| 7.21   | VectorType .....                                          | 83  |
| 7.22   | 3DVectorType .....                                        | 83  |
| 7.23   | CartesianCoordinatesType .....                            | 84  |
| 7.24   | 3DCartesianCoordinatesType .....                          | 84  |
| 7.25   | OrientationType .....                                     | 85  |
| 7.26   | FrameType .....                                           | 85  |
| 7.27   | BitFieldType .....                                        | 86  |
| 8      | Standard Objects and their Variables .....                | 87  |
| 8.1    | General .....                                             | 87  |
| 8.2    | Objects used to organise the AddressSpace structure ..... | 87  |
| 8.2.1  | Overview .....                                            | 87  |
| 8.2.2  | Root .....                                                | 88  |
| 8.2.3  | Views .....                                               | 88  |
| 8.2.4  | Objects .....                                             | 89  |
| 8.2.5  | Types .....                                               | 90  |
| 8.2.6  | ObjectTypes .....                                         | 90  |
| 8.2.7  | VariableTypes .....                                       | 91  |
| 8.2.8  | ReferenceTypes .....                                      | 92  |
| 8.2.9  | DataTypes .....                                           | 92  |
| 8.2.10 | EventTypes .....                                          | 93  |
| 8.2.11 | InterfaceTypes .....                                      | 94  |
| 8.2.12 | Locations .....                                           | 94  |
| 8.3    | Server Object and its containing Objects .....            | 95  |
| 8.3.1  | General .....                                             | 95  |
| 8.3.2  | Server Object .....                                       | 96  |
| 8.4    | ModellingRule Objects .....                               | 99  |
| 8.4.1  | ExposesItsArray .....                                     | 99  |
| 8.4.2  | Mandatory .....                                           | 99  |
| 8.4.3  | Optional .....                                            | 99  |
| 8.4.4  | OptionalPlaceholder .....                                 | 99  |
| 8.4.5  | MandatoryPlaceholder .....                                | 100 |
| 9      | Standard Methods .....                                    | 100 |
| 9.1    | GetMonitoredItems .....                                   | 100 |
| 9.2    | ResendData .....                                          | 101 |
| 9.3    | SetSubscriptionDurable .....                              | 102 |
| 9.4    | RequestServerStateChange .....                            | 103 |
| 10     | Standard Views .....                                      | 104 |
| 11     | Standard ReferenceTypes .....                             | 104 |
| 11.1   | References .....                                          | 104 |
| 11.2   | HierarchicalReferences .....                              | 104 |
| 11.3   | NonHierarchicalReferences .....                           | 105 |
| 11.4   | HasChild .....                                            | 105 |

|         |                                          |     |
|---------|------------------------------------------|-----|
| 11.5    | Aggregates .....                         | 105 |
| 11.6    | Organizes .....                          | 106 |
| 11.7    | HasComponent.....                        | 106 |
| 11.8    | HasOrderedComponent.....                 | 107 |
| 11.9    | HasProperty.....                         | 107 |
| 11.10   | HasSubtype .....                         | 107 |
| 11.11   | HasModellingRule.....                    | 108 |
| 11.12   | HasTypeDefinition .....                  | 108 |
| 11.13   | HasEncoding.....                         | 109 |
| 11.14   | HasEventSource.....                      | 109 |
| 11.15   | HasNotifier.....                         | 109 |
| 11.16   | GeneratesEvent.....                      | 110 |
| 11.17   | AlwaysGeneratesEvent .....               | 110 |
| 11.18   | HasArgumentDescription.....              | 111 |
| 11.19   | HasOptionalInputArgumentDescription..... | 111 |
| 11.20   | HasInterface .....                       | 111 |
| 11.21   | HasAddIn.....                            | 112 |
| 11.22   | IsDeprecated.....                        | 112 |
| 11.23   | HasStructuredComponent.....              | 113 |
| 11.24   | AssociatedWith.....                      | 113 |
| 11.25   | HasKeyValueDescription .....             | 113 |
| 12      | Standard DataTypes .....                 | 114 |
| 12.1    | General .....                            | 114 |
| 12.2    | DataTypes defined in IEC 62541-3 .....   | 114 |
| 12.2.1  | BaseDataType.....                        | 114 |
| 12.2.2  | Boolean .....                            | 114 |
| 12.2.3  | ByteString.....                          | 115 |
| 12.2.4  | DateTime .....                           | 117 |
| 12.2.5  | Enumeration.....                         | 118 |
| 12.2.6  | Guid .....                               | 119 |
| 12.2.7  | LocalizedText.....                       | 119 |
| 12.2.8  | NodeId.....                              | 120 |
| 12.2.9  | Number.....                              | 120 |
| 12.2.10 | QualifiedName.....                       | 125 |
| 12.2.11 | String .....                             | 126 |
| 12.2.12 | Structure.....                           | 128 |
| 12.2.13 | XmlElement.....                          | 132 |
| 12.3    | DataTypes defined in IEC 62541-4 .....   | 133 |
| 12.3.1  | AddNodesItem.....                        | 133 |
| 12.3.2  | AddReferencesItem.....                   | 133 |
| 12.3.3  | ApplicationDescription .....             | 133 |
| 12.3.4  | ContentFilter .....                      | 134 |
| 12.3.5  | DataValue .....                          | 134 |
| 12.3.6  | DeleteNodesItem .....                    | 134 |
| 12.3.7  | DeleteReferencesItem .....               | 135 |
| 12.3.8  | DiagnosticInfo .....                     | 135 |
| 12.3.9  | ExpandedNodeId .....                     | 135 |
| 12.3.10 | MessageSecurityMode .....                | 136 |
| 12.3.11 | NumericRange.....                        | 136 |

|         |                                                                            |     |
|---------|----------------------------------------------------------------------------|-----|
| 12.3.12 | SecurityTokenRequestType .....                                             | 136 |
| 12.3.13 | SignedSoftwareCertificate.....                                             | 137 |
| 12.3.14 | StatusCode .....                                                           | 137 |
| 12.3.15 | UserIdentityToken.....                                                     | 137 |
| 12.3.16 | VersionTime .....                                                          | 139 |
| 12.4    | BuildInfo .....                                                            | 139 |
| 12.5    | RedundancySupport.....                                                     | 140 |
| 12.6    | ServerState.....                                                           | 141 |
| 12.7    | RedundantServerDataType.....                                               | 142 |
| 12.8    | SamplingIntervalDiagnosticsDataType .....                                  | 142 |
| 12.9    | ServerDiagnosticsSummaryDataType .....                                     | 143 |
| 12.10   | ServerStatusDataType .....                                                 | 144 |
| 12.11   | SessionDiagnosticsDataType.....                                            | 145 |
| 12.12   | SessionSecurityDiagnosticsDataType .....                                   | 147 |
| 12.13   | ServiceCounterDataType.....                                                | 148 |
| 12.14   | StatusResult .....                                                         | 149 |
| 12.15   | SubscriptionDiagnosticsDataType .....                                      | 150 |
| 12.16   | ModelChangeStructureDataType.....                                          | 151 |
| 12.17   | SemanticChangeStructureDataType .....                                      | 153 |
| 12.18   | BitFieldMaskDataType .....                                                 | 153 |
| 12.19   | NetworkGroupDataType .....                                                 | 154 |
| 12.20   | EndpointUrlListDataType.....                                               | 154 |
| 12.21   | KeyValuePair .....                                                         | 155 |
| 12.22   | RationalNumber.....                                                        | 155 |
| 12.23   | Vector .....                                                               | 156 |
| 12.24   | 3DVector .....                                                             | 156 |
| 12.25   | CartesianCoordinates.....                                                  | 157 |
| 12.26   | 3DCartesianCoordinates .....                                               | 157 |
| 12.27   | Orientation.....                                                           | 158 |
| 12.28   | Frame .....                                                                | 158 |
| 12.29   | DataTypeSchemaHeader.....                                                  | 159 |
| 12.30   | DataTypeDescription.....                                                   | 160 |
| 12.31   | StructureDescription .....                                                 | 160 |
| 12.32   | EnumDescription .....                                                      | 161 |
| 12.33   | SimpleTypeDescription.....                                                 | 161 |
| 12.34   | UABinaryFileDataType .....                                                 | 162 |
| 12.35   | PortableQualifiedName .....                                                | 163 |
| 12.36   | PortableNodeId .....                                                       | 163 |
| 12.37   | UriString .....                                                            | 164 |
| 12.38   | UnsignedRationalNumber .....                                               | 164 |
| 12.39   | SemanticVersionString DataType .....                                       | 165 |
| 12.40   | Handle.....                                                                | 167 |
| 12.41   | TrimmedString.....                                                         | 167 |
| 12.42   | RedundantServerMode.....                                                   | 167 |
| 12.43   | BitFieldDefinition .....                                                   | 168 |
| 12.43.1 | Type Definition .....                                                      | 168 |
| 12.43.2 | Example (informative).....                                                 | 169 |
| Annex A | (informative) Design decisions when modelling the server information ..... | 172 |
| A.1     | Overview .....                                                             | 172 |

|              |                                                         |     |
|--------------|---------------------------------------------------------|-----|
| A.2          | ServerType and Server Object .....                      | 172 |
| A.3          | Typed complex Objects beneath the Server Object .....   | 172 |
| A.4          | Properties versus DataVariables .....                   | 172 |
| A.5          | Complex Variables using complex DataTypes .....         | 173 |
| A.6          | Complex Variables having an array .....                 | 173 |
| A.7          | Redundant information .....                             | 173 |
| A.8          | Usage of the BaseDataVariableType .....                 | 174 |
| A.9          | Subtyping .....                                         | 174 |
| A.10         | Extensibility mechanism .....                           | 174 |
| Annex B      | (informative) DataDictionary .....                      | 175 |
| B.1          | Overview .....                                          | 175 |
| Annex C      | (informative) OPC Binary Type Description System .....  | 176 |
| C.1          | Concepts .....                                          | 176 |
| C.2          | Schema description .....                                | 177 |
| C.2.1        | TypeDictionary .....                                    | 177 |
| C.2.2        | TypeDescription .....                                   | 177 |
| C.2.3        | OpaqueType .....                                        | 178 |
| C.2.4        | EnumeratedType .....                                    | 178 |
| C.2.5        | StructuredType .....                                    | 179 |
| C.2.6        | FieldType .....                                         | 179 |
| C.2.7        | EnumeratedValue .....                                   | 181 |
| C.2.8        | ByteOrder .....                                         | 182 |
| C.2.9        | ImportDirective .....                                   | 182 |
| C.3          | Standard Type descriptions .....                        | 182 |
| C.4          | Type Description examples .....                         | 183 |
| C.5          | OPC Binary XML schema .....                             | 185 |
| C.6          | OPC Binary Standard TypeDictionary .....                | 186 |
| Bibliography | .....                                                   | 189 |
| Figure 1     | – Standard AddressSpace structure .....                 | 87  |
| Figure 2     | – Views organization .....                              | 88  |
| Figure 3     | – Objects organization .....                            | 89  |
| Figure 4     | – ObjectTypes organization .....                        | 90  |
| Figure 5     | – VariableTypes organization .....                      | 91  |
| Figure 6     | – ReferenceType definitions .....                       | 92  |
| Figure 7     | – EventTypes organization .....                         | 93  |
| Figure 8     | – InterfaceTypes Organization .....                     | 94  |
| Figure 9     | – Locations organization .....                          | 95  |
| Figure 10    | – Excerpt of diagnostic information of the Server ..... | 96  |
| Figure 11    | – MyBitFieldType Example Illustration .....             | 170 |
| Figure 12    | – MyBitFieldArrayType Example Illustration .....        | 171 |
| Figure C.1   | – OPC Binary Dictionary structure .....                 | 176 |
| Table 1      | – Examples of DataTypes .....                           | 19  |
| Table 2      | – TypeDefinition Table .....                            | 20  |
| Table 3      | – Common Node Attributes .....                          | 21  |

|                                                                   |    |
|-------------------------------------------------------------------|----|
| Table 4 – Common Object Attributes .....                          | 21 |
| Table 5 – Common Variable Attributes.....                         | 22 |
| Table 6 – Common VariableType Attributes.....                     | 22 |
| Table 7 – Common Method Attributes .....                          | 22 |
| Table 8 – BaseObjectType definition .....                         | 23 |
| Table 9 – ServerType definition .....                             | 24 |
| Table 10 – ServerCapabilitiesType definition.....                 | 27 |
| Table 11 – ServerDiagnosticsType definition.....                  | 30 |
| Table 12 – SessionsDiagnosticsSummaryType definition.....         | 31 |
| Table 13 – SessionDiagnosticsObjectType definition.....           | 32 |
| Table 14 – VendorServerInfoType definition.....                   | 32 |
| Table 15 – ServerRedundancyType definition.....                   | 33 |
| Table 16 – TransparentRedundancyType definition.....              | 33 |
| Table 17 – NonTransparentRedundancyType definition .....          | 34 |
| Table 18 – NonTransparentNetworkRedundancyType definition .....   | 34 |
| Table 19 – OperationLimitsType definition.....                    | 35 |
| Table 20 – AddressSpaceFileType definition .....                  | 37 |
| Table 21 – NamespaceMetadataType definition.....                  | 38 |
| Table 22 – NamespacesType definition.....                         | 40 |
| Table 23 – NonTransparentBackupRedundancyType definition .....    | 40 |
| Table 24 – BaseEventType definition.....                          | 42 |
| Table 25 – AuditEventType definition.....                         | 45 |
| Table 26 – AuditSecurityEventType definition.....                 | 46 |
| Table 27 – AuditChannelEventType definition.....                  | 46 |
| Table 28 – AuditOpenSecureChannelEventType definition.....        | 47 |
| Table 29 – AuditSessionEventType definition .....                 | 48 |
| Table 30 – AuditCreateSessionEventType definition .....           | 49 |
| Table 31 – AuditUrlMismatchEventType definition.....              | 49 |
| Table 32 – AuditActivateSessionEventType definition.....          | 50 |
| Table 33 – AuditCancelEventType definition.....                   | 51 |
| Table 34 – AuditCertificateEventType definition.....              | 51 |
| Table 35 – AuditCertificateDataMismatchEventType definition ..... | 52 |
| Table 36 – AuditCertificateExpiredEventType definition.....       | 52 |
| Table 37 – AuditCertificateInvalidEventType definition .....      | 53 |
| Table 38 – AuditCertificateUntrustedEventType definition.....     | 53 |
| Table 39 – AuditCertificateRevokedEventType definition .....      | 54 |
| Table 40 – AuditCertificateMismatchEventType definition .....     | 54 |
| Table 41 – AuditNodeManagementEventType definition .....          | 55 |
| Table 42 – AuditAddNodesEventType definition.....                 | 55 |
| Table 43 – AuditDeleteNodesEventType definition .....             | 56 |
| Table 44 – AuditAddReferencesEventType definition .....           | 56 |
| Table 45 – AuditDeleteReferencesEventType definition.....         | 57 |
| Table 46 – AuditUpdateEventType definition .....                  | 57 |

|                                                                    |    |
|--------------------------------------------------------------------|----|
| Table 47 – AuditWriteUpdateEventType definition .....              | 58 |
| Table 48 – AuditHistoryUpdateEventType definition .....            | 58 |
| Table 49 – AuditUpdateMethodEventType definition .....             | 59 |
| Table 50 – SystemEventType definition .....                        | 60 |
| Table 51 – DeviceFailureEventType definition .....                 | 60 |
| Table 52 – SystemStatusChangeEvent definition .....                | 61 |
| Table 53 – BaseModelChangeEvent definition .....                   | 61 |
| Table 54 – GeneralModelChangeEvent definition .....                | 62 |
| Table 55 – SemanticChangeEvent definition .....                    | 62 |
| Table 56 – EventQueueOverflowEventType definition .....            | 63 |
| Table 57 – ProgressEventType definition .....                      | 63 |
| Table 58 – AuditClientEventType definition .....                   | 64 |
| Table 59 – AuditClientUpdateMethodResultEventType definition ..... | 64 |
| Table 60 – ModellingRuleType definition .....                      | 65 |
| Table 61 – FolderType definition .....                             | 65 |
| Table 62 – DataTypeEncodingType definition .....                   | 66 |
| Table 63 – AggregateFunctionType definition .....                  | 66 |
| Table 64 – BaseInterfaceType definition .....                      | 66 |
| Table 65 – OrderedListType Definition .....                        | 67 |
| Table 66 – OrderedListType Additional Subcomponents .....          | 67 |
| Table 67 – IOrderedObjectType Definition .....                     | 68 |
| Table 68 – BaseVariableType definition .....                       | 69 |
| Table 69 – PropertyType definition .....                           | 69 |
| Table 70 – BaseDataVariableType definition .....                   | 70 |
| Table 71 – ServerVendorCapabilityType definition .....             | 70 |
| Table 72 – ServerStatusType definition .....                       | 71 |
| Table 73 – BuildInfoType definition .....                          | 71 |
| Table 74 – ServerDiagnosticsSummaryType definition .....           | 72 |
| Table 75 – SamplingIntervalDiagnosticsArrayType definition .....   | 73 |
| Table 76 – SamplingIntervalDiagnosticsType definition .....        | 73 |
| Table 77 – SubscriptionDiagnosticsArrayType definition .....       | 74 |
| Table 78 – SubscriptionDiagnosticsType definition .....            | 74 |
| Table 79 – SessionDiagnosticsArrayType definition .....            | 76 |
| Table 80 – SessionDiagnosticsVariableType definition .....         | 76 |
| Table 81 – SessionSecurityDiagnosticsArrayType definition .....    | 79 |
| Table 82 – SessionSecurityDiagnosticsType definition .....         | 80 |
| Table 83 – OptionSetType definition .....                          | 81 |
| Table 84 – SelectionListType definition .....                      | 82 |
| Table 85 – AudioVariableType definition .....                      | 82 |
| Table 86 – RationalNumberType Definition .....                     | 83 |
| Table 87 – VectorType Definition .....                             | 83 |
| Table 88 – 3DVectorType Definition .....                           | 84 |
| Table 89 – CartesianCoordinatesType Definition .....               | 84 |

|                                                                           |     |
|---------------------------------------------------------------------------|-----|
| Table 90 – 3DCartesianCoordinatesType Definition .....                    | 85  |
| Table 91 – OrientationType Definition .....                               | 85  |
| Table 92 – FrameType Definition .....                                     | 86  |
| Table 93 – BitFieldType definition .....                                  | 87  |
| Table 94 – Root definition .....                                          | 88  |
| Table 95 – Views definition.....                                          | 89  |
| Table 96 – Objects definition .....                                       | 89  |
| Table 97 – Types definition.....                                          | 90  |
| Table 98 – ObjectTypes definition .....                                   | 91  |
| Table 99 – VariableTypes definition.....                                  | 91  |
| Table 100 – ReferenceTypes definition .....                               | 92  |
| Table 101 – DataTypes definition .....                                    | 93  |
| Table 102 – EventTypes definition.....                                    | 93  |
| Table 103 – InterfaceTypes definition .....                               | 94  |
| Table 104 – Locations definition.....                                     | 95  |
| Table 105 – Server definition .....                                       | 96  |
| Table 106 – Server Additional Conformance Units .....                     | 97  |
| Table 107 – ExposesItsArray definition .....                              | 99  |
| Table 108 – Mandatory definition .....                                    | 99  |
| Table 109 – Optional definition .....                                     | 99  |
| Table 110 – OptionalPlaceholder definition .....                          | 100 |
| Table 111 – MandatoryPlaceholder definition .....                         | 100 |
| Table 112 – GetMonitoredItems Method AddressSpace definition.....         | 101 |
| Table 113 – ResendData Method AddressSpace definition .....               | 102 |
| Table 114 – SetSubscriptionDurable Method AddressSpace definition .....   | 103 |
| Table 115 – RequestServerStateChange Method AddressSpace definition ..... | 104 |
| Table 116 – References ReferenceType .....                                | 104 |
| Table 117 – HierarchicalReferences ReferenceType .....                    | 104 |
| Table 118 – NonHierarchicalReferences ReferenceType .....                 | 105 |
| Table 119 – HasChild ReferenceType.....                                   | 105 |
| Table 120 – Aggregates ReferenceType .....                                | 106 |
| Table 121 – Organizes ReferenceType .....                                 | 106 |
| Table 122 – HasComponent ReferenceType.....                               | 106 |
| Table 123 – HasOrderedComponent ReferenceType.....                        | 107 |
| Table 124 – HasProperty ReferenceType.....                                | 107 |
| Table 125 – HasSubtype ReferenceType .....                                | 108 |
| Table 126 – HasModellingRule ReferenceType.....                           | 108 |
| Table 127 – HasTypeDefinition ReferenceType .....                         | 108 |
| Table 128 – HasEncoding ReferenceType.....                                | 109 |
| Table 129 – HasEventSource ReferenceType.....                             | 109 |
| Table 130 – HasNotifier ReferenceType.....                                | 110 |
| Table 131 – GeneratesEvent ReferenceType .....                            | 110 |
| Table 132 – AlwaysGeneratesEvent ReferenceType .....                      | 110 |

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| Table 133 – HasArgumentDescription ReferenceType .....             | 111 |
| Table 134 – HasOptionalInputArgumentDescription ReferenceType..... | 111 |
| Table 135 – HasInterface ReferenceType .....                       | 112 |
| Table 136 – HasAddIn ReferenceType.....                            | 112 |
| Table 137 – IsDeprecated ReferenceType.....                        | 112 |
| Table 138 – HasStructuredComponent ReferenceType.....              | 113 |
| Table 139 – AssociatedWith ReferenceType .....                     | 113 |
| Table 140 – HasKeyValueDescription ReferenceType .....             | 114 |
| Table 141 – BaseDataType definition .....                          | 114 |
| Table 142 – Boolean definition.....                                | 115 |
| Table 143 – ByteString definition.....                             | 115 |
| Table 144 – AudioDataType definition .....                         | 115 |
| Table 145 – Image definition.....                                  | 116 |
| Table 146 – ImageBMP definition.....                               | 116 |
| Table 147 – ImageGIF definition .....                              | 116 |
| Table 148 – ImageJPG definition .....                              | 117 |
| Table 149 – ImagePNG definition.....                               | 117 |
| Table 150 – DateTime definition.....                               | 117 |
| Table 151 – UtcTime definition.....                                | 118 |
| Table 152 – Enumeration definition .....                           | 118 |
| Table 153 – IdType definition.....                                 | 118 |
| Table 154 – NodeClass definition.....                              | 119 |
| Table 155 – StructureType definition .....                         | 119 |
| Table 156 – Guid definition.....                                   | 119 |
| Table 157 – LocalizedText definition.....                          | 120 |
| Table 158 – NodeId definition .....                                | 120 |
| Table 159 – Number definition .....                                | 120 |
| Table 160 – Decimal definition.....                                | 121 |
| Table 161 – Double definition .....                                | 121 |
| Table 162 – Duration definition .....                              | 121 |
| Table 163 – Float definition .....                                 | 122 |
| Table 164 – Integer definition .....                               | 122 |
| Table 165 – Int16 definition .....                                 | 122 |
| Table 166 – Int32 definition .....                                 | 123 |
| Table 167 – Int64 definition .....                                 | 123 |
| Table 168 – SByte definition .....                                 | 123 |
| Table 169 – UInteger definition .....                              | 124 |
| Table 170 – Byte definition .....                                  | 124 |
| Table 171 – UInt16 definition .....                                | 124 |
| Table 172 – AccessRestrictionType definition.....                  | 125 |
| Table 173 – UInt32 definition .....                                | 125 |
| Table 174 – UInt64 definition .....                                | 125 |
| Table 175 – QualifiedName definition .....                         | 126 |

|                                                        |     |
|--------------------------------------------------------|-----|
| Table 176 – String definition .....                    | 126 |
| Table 177 – LocaleId definition .....                  | 126 |
| Table 178 – NormalizedString definition .....          | 127 |
| Table 179 – DecimalString definition .....             | 127 |
| Table 180 – DurationString definition .....            | 127 |
| Table 181 – TimeString definition .....                | 128 |
| Table 182 – DateString definition .....                | 128 |
| Table 183 – Structure definition .....                 | 128 |
| Table 184 – Argument definition .....                  | 129 |
| Table 185 – CurrencyUnitType definition .....          | 129 |
| Table 186 – DataTypeDefinition definition .....        | 129 |
| Table 187 – EnumDefinition definition .....            | 130 |
| Table 188 – StructureDefinition definition .....       | 130 |
| Table 189 – EnumValueType definition .....             | 130 |
| Table 190 – EnumField definition .....                 | 131 |
| Table 191 – OptionSet definition .....                 | 131 |
| Table 192 – RolePermissionType definition .....        | 131 |
| Table 193 – StructureField definition .....            | 132 |
| Table 194 – TimeZoneDataType definition .....          | 132 |
| Table 195 – Union definition .....                     | 132 |
| Table 196 – XmlElement definition .....                | 133 |
| Table 197 – AddNodesItem definition .....              | 133 |
| Table 198 – AddReferencesItem definition .....         | 133 |
| Table 199 – ApplicationDescription definition .....    | 134 |
| Table 200 – ContentFilter definition .....             | 134 |
| Table 201 – DataValue definition .....                 | 134 |
| Table 202 – DeleteNodesItem definition .....           | 135 |
| Table 203 – DeleteReferencesItem definition .....      | 135 |
| Table 204 – DiagnosticInfo definition .....            | 135 |
| Table 205 – ExpandedNodeId definition .....            | 136 |
| Table 206 – MessageSecurityMode definition .....       | 136 |
| Table 207 – NumericRange definition .....              | 136 |
| Table 208 – SecurityTokenRequestType definition .....  | 137 |
| Table 209 – SignedSoftwareCertificate definition ..... | 137 |
| Table 210 – StatusCode definition .....                | 137 |
| Table 211 – UserIdentityToken definition .....         | 138 |
| Table 212 – AnonymousIdentityToken definition .....    | 138 |
| Table 213 – IssuedIdentityToken definition .....       | 138 |
| Table 214 – UserNameIdentityToken definition .....     | 139 |
| Table 215 – X509IdentityToken definition .....         | 139 |
| Table 216 – VersionTime definition .....               | 139 |
| Table 217 – BuildInfo Structure .....                  | 140 |
| Table 218 – BuildInfo definition .....                 | 140 |

|                                                                  |     |
|------------------------------------------------------------------|-----|
| Table 219 – RedundancySupport values .....                       | 140 |
| Table 220 – RedundancySupport definition .....                   | 141 |
| Table 221 – ServerState values .....                             | 141 |
| Table 222 – ServerState definition .....                         | 142 |
| Table 223 – RedundantServerDataType Structure .....              | 142 |
| Table 224 – RedundantServerDataType definition .....             | 142 |
| Table 225 – SamplingIntervalDiagnosticsDataType Structure .....  | 143 |
| Table 226 – SamplingIntervalDiagnosticsDataType definition ..... | 143 |
| Table 227 – ServerDiagnosticsSummaryDataType Structure .....     | 143 |
| Table 228 – ServerDiagnosticsSummaryDataType definition .....    | 144 |
| Table 229 – ServerStatusDataType Structure .....                 | 144 |
| Table 230 – ServerStatusDataType definition .....                | 145 |
| Table 231 – SessionDiagnosticsDataType Structure .....           | 145 |
| Table 232 – SessionDiagnosticsDataType definition .....          | 147 |
| Table 233 – SessionSecurityDiagnosticsDataType Structure .....   | 148 |
| Table 234 – SessionSecurityDiagnosticsDataType definition .....  | 148 |
| Table 235 – ServiceCounterDataType Structure .....               | 149 |
| Table 236 – ServiceCounterDataType definition .....              | 149 |
| Table 237 – StatusResult Structure .....                         | 149 |
| Table 238 – StatusResult definition .....                        | 149 |
| Table 239 – SubscriptionDiagnosticsDataType Structure .....      | 150 |
| Table 240 – SubscriptionDiagnosticsDataType definition .....     | 151 |
| Table 241 – ModelChangeStructureDataType Structure .....         | 152 |
| Table 242 – ModelChangeStructureDataType definition .....        | 153 |
| Table 243 – SemanticChangeStructureDataType Structure .....      | 153 |
| Table 244 – SemanticChangeStructureDataType definition .....     | 153 |
| Table 245 – BitFieldMaskDataType definition .....                | 154 |
| Table 246 – NetworkGroupDataType Structure .....                 | 154 |
| Table 247 – NetworkGroupDataType definition .....                | 154 |
| Table 248 – EndpointUrlListDataType Structure .....              | 154 |
| Table 249 – EndpointUrlListDataType definition .....             | 155 |
| Table 250 – KeyValuePair Structure .....                         | 155 |
| Table 251 – KeyValuePair definition .....                        | 155 |
| Table 252 – RationalNumber Structure .....                       | 155 |
| Table 253 – RationalNumber definition .....                      | 156 |
| Table 254 – Vector Structure .....                               | 156 |
| Table 255 – Vector definition .....                              | 156 |
| Table 256 – 3DVector Structure .....                             | 156 |
| Table 257 – 3DVector definition .....                            | 157 |
| Table 258 – CartesianCoordinates Structure .....                 | 157 |
| Table 259 – CartesianCoordinates definition .....                | 157 |
| Table 260 – 3DCartesianCoordinates Structure .....               | 157 |
| Table 261 – 3DCartesianCoordinates definition .....              | 158 |

|                                                                         |     |
|-------------------------------------------------------------------------|-----|
| Table 262 – Orientation Structure .....                                 | 158 |
| Table 263 – Orientation definition .....                                | 158 |
| Table 264 – Frame Structure .....                                       | 158 |
| Table 265 – Frame definition .....                                      | 159 |
| Table 266 – DataTypeSchemaHeader structure .....                        | 159 |
| Table 267 – DataTypeSchemaHeader definition .....                       | 160 |
| Table 268 – DataTypeDescription structure .....                         | 160 |
| Table 269 – DataTypeDescription definition .....                        | 160 |
| Table 270 – StructureDescription structure .....                        | 160 |
| Table 271 – StructureDescription definition .....                       | 161 |
| Table 272 – EnumDescription structure .....                             | 161 |
| Table 273 – EnumDescription definition .....                            | 161 |
| Table 274 – SimpleTypeDescription structure .....                       | 162 |
| Table 275 – SimpleTypeDescription definition .....                      | 162 |
| Table 276 – UABinaryFileDataType structure .....                        | 162 |
| Table 277 – UABinaryFileDataType definition .....                       | 163 |
| Table 278 – PortableQualifiedName Structure .....                       | 163 |
| Table 279 – PortableQualifiedName definition .....                      | 163 |
| Table 280 – PortableNodeId Structure .....                              | 163 |
| Table 281 – PortableNodeId definition .....                             | 164 |
| Table 282 – UriString definition .....                                  | 164 |
| Table 283 – UnsignedRationalNumber structure .....                      | 164 |
| Table 284 – UnsignedRationalNumber definition .....                     | 165 |
| Table 285 – SemanticVersionString definition .....                      | 165 |
| Table 286 – Backus–Naur Form Grammar for SemanticVersionString .....    | 166 |
| Table 287 – Handle definition .....                                     | 167 |
| Table 288 – TrimmedString definition .....                              | 167 |
| Table 289 – RedundantServerMode values .....                            | 167 |
| Table 290 – RedundantServerMode definition .....                        | 168 |
| Table 291 – BitFieldDefinition Structure .....                          | 168 |
| Table 292 – BitFieldDefinition definition .....                         | 169 |
| Table 293 – MyBitFieldType VariableType Example .....                   | 169 |
| Table 294 – MyBitFieldDefinitions BitFieldDefinition Example .....      | 169 |
| Table 295 – MyBitFieldSubType VariableType Example .....                | 170 |
| Table 296 – MyBitFieldSubDefinitions BitFieldDefinition Example .....   | 170 |
| Table 297 – MyBitFieldArrayType VariableType Example .....              | 171 |
| Table 298 – MyBitFieldArrayDefinitions BitFieldDefinition Example ..... | 171 |
| Table C.1 – TypeDictionary components .....                             | 177 |
| Table C.2 – TypeDescription components .....                            | 178 |
| Table C.3 – OpaqueType components .....                                 | 178 |
| Table C.4 – EnumeratedType components .....                             | 179 |
| Table C.5 – StructuredType components .....                             | 179 |
| Table C.6 – FieldType components .....                                  | 180 |

|                                             |     |
|---------------------------------------------|-----|
| Table C.7 – EnumeratedValue components..... | 181 |
| Table C.8 – ImportDirective components..... | 182 |
| Table C.9 – Standard Type descriptions..... | 182 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### **OPC unified architecture - Part 5: Information Model**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62541-5 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Annex B has been removed and used to create IEC 62451-16;
- b) Annex C has been removed and used to create IEC 62451-20;
- c) currency information model has been added;
- d) information model for Interfaces and AddIns has been added;
- e) information model for Method Metadata has been added;

- f) MaxSessions, MaxSubscriptions, and MaxMonitoredItems have been added to capabilities;
- g) information model for ordered list of objects has been added;
- h) PortableQualifiedName and PortableNodeId DataTypes have been added;
- i) UriString DataType has been added;
- j) SemanticVersionString DataType has been added;
- k) AssociatedWith Reference Type has been added;
- l) ConfigurationVersion Property has been added to NamespaceMetadataType;
- m) AuditClientEventType and AuditClientUpdateMethodResultEventType have been added;
- n) ModelVersion has been added to NamespaceMetadataType;
- o) NoTransparentBackupRedundancyType has been added to support a Primary/Standby use case;
- p) BitFieldType and BitFieldDefinitionType have been added.

The text of this International Standard is based on the following documents:

| Draft        | Report on voting |
|--------------|------------------|
| 65E/1062/CDV | 65E/1130/RVC     |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

*Italics* are used to denote a defined term or definition that appears in the "Terms and definitions" clause in one of the parts of the IEC 62541 series.

*Italics* are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms* and *names* are, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts in the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## 1 Scope

This part of IEC 62541 defines the Information Model. The Information model describes standardised *Nodes* of a *Server's AddressSpace*. These *Nodes* are standardised types as well as standardised instances used for diagnostics or as entry points to server-specific *Nodes*. Thus, the Information Model defines the *AddressSpace* of an empty OPC UA *Server*. However, it is not expected that all *Servers* will provide all of these *Nodes*.

Annex C defines the OPC Binary Types Description System.

Annex B refers to encoding information for custom *DataTypes* in previous versions of this document.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62541-1, *OPC Unified Architecture - Part 1: Concepts*

IEC 62541-3, *OPC Unified Architecture - Part 3: Address Space Model*

IEC 62541-4, *OPC Unified Architecture - Part 4: Services*

IEC 62541-6, *OPC Unified Architecture - Part 6: Mappings*

IEC 62541-7, *OPC Unified Architecture - Part 7: Profiles*

IEC 62541-8, *OPC Unified Architecture - Part 8: Data Access*

IEC 62541-9, *OPC Unified Architecture - Part 9: Alarms and conditions*

IEC 62541-18, *OPC Unified Architecture - Part 18: Role-Based Security*

IEC 62541-20, *OPC Unified Architecture - Part 20: File Transfer*

ISO/IEC 11578:1996, *Information technology - Open Systems Interconnection - Remote Procedure Call (RPC)*

ISO/IEC/IEEE 60559:2011, *Information technology - Microprocessor Systems - Floating-Point arithmetic*

IETF RFC 3629, F. Yergeau, *UTF-8, a transformation format of ISO 10646*, November 2003, available at <http://www.ietf.org/rfc/rfc3629.txt>

IETF RFC 3986, T. Berners-Lee, R. Fielding, L. Masinter, January 2005, *Uniform Resource Identifier (URI): Generic Syntax* available at <https://www.ietf.org/rfc/rfc3986.txt>

Semantic Versioning 2.0.0 [viewed 2025-10-7]. Available at <https://semver.org/>

Unicode Character Database, [viewed 2025-10-7]. Available at <https://www.unicode.org/Public/UCD/latest/ucd/PropList.txt>

## Bibliography

IEC 62541-11, *OPC Unified Architecture - Part 11: Historical Access*

ISO 9787:2013, *Robots and robotic devices - Coordinate systems and motion nomenclatures*

IETF RFC 2045, N. Freed, N. Borenstein, *Multipurpose Internet Mail Extensions (MIME) - Part One: Format of Internet Message Bodies*, November 1996, available at <https://www.ietf.org/rfc/rfc2045.txt>

IETF RFC 2046, N. Freed, N. Borenstein, *Multipurpose Internet Mail Extensions (MIME) - Part Two: Media Types*, November 1996, available at <https://www.ietf.org/rfc/rfc2046.txt>

IETF RFC 2047, K. Moore, *Multipurpose Internet Mail Extensions (MIME) Part Three: Message Header Extensions for Non-ASCII Text*, November 1996, available at <https://www.ietf.org/rfc/rfc2047.txt>

---