

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

**Household refrigerating appliances - Characteristics and test methods -
Part 2: Performance requirements**

CONTENTS

FOREWORD	4
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions and symbols	8
4 Performance requirements and tests covered in this standard	8
4.1 General	8
4.2 Storage test	8
4.3 Cooling capacity test	8
4.4 Freezing capacity test	8
4.5 Automatic ice-making capacity test	9
4.6 Other tests	9
4.7 Test summary	9
5 General test conditions	11
6 Storage test	11
6.1 Objective	11
6.2 Preparation of refrigerating appliance	11
6.3 Air temperature sensor location and test and M-package loading	12
6.3.1 Unfrozen compartments (except chill compartment and wine storage compartment)	12
6.3.2 Chill compartments	12
6.3.3 Frozen compartments/sections	14
6.4 Test procedure	22
6.4.1 Overview	22
6.4.2 Details	23
6.4.3 Compliance criteria	25
6.5 Storage temperature	25
6.6 Data to be recorded	25
7 Cooling capacity test	25
7.1 Objective	25
7.2 Set-up procedure	26
7.2.1 Ambient temperature	26
7.2.2 Installation	26
7.2.3 Adjustment of compartments	26
7.2.4 Arrangement of shelves	26
7.3 Test procedure	27
7.3.1 General	27
7.3.2 Positioning of the load in the fresh food compartment	28
7.3.3 M-packages	28
7.4 Data to be recorded	29
8 Freezing capacity test	30
8.1 Objective	30
8.2 Method overview	30
8.3 Set-up procedure	30
8.3.1 Ambient temperature	30
8.3.2 Preparation of the refrigerating appliance	30

8.3.3	Loading of refrigerating appliance	31
8.4	Test procedure	32
8.4.1	Starting conditions	32
8.4.2	Setting of control devices	33
8.4.3	Freezing of the light load	33
8.4.4	Intermediate test data to be recorded	34
8.5	Criteria to achieve a four-star compartment rating Determination of the freezing time and freezing capacity and four-star rating	34
8.6	Data to be recorded	35
9	Automatic ice-making capacity test	36
9.1	Objective	36
9.2	Procedure	36
9.2.1	Ambient and water temperatures	36
9.2.2	Preparation of refrigerating appliance	36
9.2.3	Test procedures	37
9.3	Data to be recorded	38
Annex A (normative)	Pull-down test	39
A.1	General	39
A.2	Method overview	39
A.3	Set-up procedure	39
A.3.1	Test room ambient temperature	39
A.3.2	Installation	39
A.3.3	Disconnection of devices	39
A.3.4	User-adjustable features	39
A.3.5	Internal components	40
A.3.6	Determination of compartment temperature	40
A.4	Test procedure	40
A.4.1	General	40
A.4.2	Heat soak	40
A.4.3	Pull down	41
A.5	Test end-point	41
A.6	Data to be recorded	41
Annex B (normative)	Wine storage appliances and compartments; storage test	42
B.1	Objective	42
B.2	Storage temperature requirements	42
B.3	Measurement of compartment temperature	42
B.4	Preparation of refrigerating appliance	43
B.5	Measurements	43
B.5.1	General	43
B.5.2	Conditions for demonstration of compliance	43
B.6	Data to be recorded	44
Annex C (normative)	Temperature rise test	45
C.1	Objective	45
C.2	Procedure	45
C.2.1	Ambient temperature	45
C.2.2	Preparation of refrigerating appliance	45
C.2.3	Operation of the refrigerating appliance	45
C.3	Test period and measurements	45
C.4	Temperature rise time	45

C.5	Data to be recorded	46
Annex D (normative)	Water vapour condensation test	47
D.1	Objective	47
D.2	Procedure	47
D.2.1	Ambient temperature	47
D.2.2	Relative humidity	47
D.2.3	Preparation of refrigerating appliance	47
D.2.4	Operation of the refrigerating appliance	47
D.2.5	Test period	48
D.3	Observations	48
D.4	Data to be recorded	48
Figure 5	– Package placement illustration for non flat surfaces	16
Figure 1	– Location of packages in frozen compartment, showing clearances (1 of 2)	18
Figure 2	– Location of test packages and M-packages, in frozen compartment (1 of 3)	20
Figure 3	– Storage test sequence illustration	24
Figure 4	– Filling of a shelf with test packages and M-packages for cooling capacity test	29
Figure D.1	– Condensation codes	48
Table 1	– Test summary	10
Table 2	– Compartment temperatures	11
Table 3	– Chill compartment storage load	14
Table 4	– Requirements for periods <i>S</i> and <i>E</i>	23
Table 5	– M-Packages in the light load	34
Table A.1	– Pull-down temperatures for compartments	41
Table D.1	– Humidity conversions	47

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Household refrigerating appliances - Characteristics and test methods - Part 2: Performance requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 62552-2 edition 1.2 contains the first edition (2015-02) [documents 59M/62/FDIS and 59M/65/RVD], its amendment 1 (2020-11) [documents 59M/127/FDIS and 59M/133/RVD] and its amendment 2 [documents 59M/187/FDIS and 59M/191/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62552-2 has been prepared by subcommittee 59M: Performance of electrical household and similar cooling and freezing appliances, of IEC technical committee 59: Performance of household and similar electrical appliances

IEC 62552-1, IEC 62552-2 and IEC 62552-3 together constitute a technical revision and include the following significant technical changes with respect to IEC 62552:2007:

- a) All parts of the standard have been largely rewritten and updated to cope with new testing requirements, new product configurations, the advent of electronic product controls and computer based test-room data collection and processing equipment.
- b) In Part 1 there are some changes to test room equipment specifications and the setup for testing to provide additional flexibility especially when testing multiple appliances in a single test room.
- c) For more efficient analysis and to better characterise the key product characteristics under different operating conditions, the test data from many of the energy tests in Part 3 is now split into components (such as steady state operation and defrost and recovery). The approach to determination of energy consumption has been completely revised, with many internal checks now included to ensure that data complying with the requirements of the standard is as accurate as possible and of high quality.
- d) Part 3 of the standard now provides a method to quantify each of the relevant energy components and approaches on how these can be combined to estimate energy under different conditions on the expectation that different regions will select components and weightings that are most applicable when setting both their local performance and energy efficiency criteria while using a single set of global test measurements.
- e) For energy consumption measurements in Part 3, no thermal mass (test packages) is included in any compartment and compartment temperatures are based on the average of air temperature sensors (compared to the temperature in the warmest test package). There are also significant differences in the position of temperature sensors in unfrozen compartments.
- f) The energy consumption test in Part 3 now has two specified ambient temperatures (16°C and 32°C).
- g) While, in Part 2 (this part) test packages are still used for the storage test to confirm performance in different operating conditions, in Part 1 they have been standardised to one size (100 mm × 100 mm × 50 mm) to simply loading and reduce test variability. A clearance of at least 15 mm is now specified between test packages and the compartment liner.
- h) A load processing energy efficiency test has been added in Part 3.
- i) A tank-type ice making energy efficiency test has been added in Part 3.
- j) A cooling capacity test has been added in Part 2 (this part).
- k) A pull-down test has been added in Part 2 (this part).
- l) Shelf area and storage volume measurement methods are no longer included. In Part 3 the volume measurement has been revised to be the total internal volume with only components necessary for the satisfactory operation of the refrigeration system considered as being in place.
- m) Tests (both performance (Part 2 – this part) and energy (Part 3)) have been added for wine storage appliances.

The following print types are used in this international standard:

- requirements: in roman type;
- test variables: in *italic type*;
- notes: in small roman type.
- words in **bold** are defined in IEC 62552-1:2015.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62252 series, published under the general title *Household refrigerating appliances – characteristics and test methods*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

IEC 62552 is split into 3 parts as follows:

- Part 1: Scope, definitions, instrumentation, test room and set up of refrigerating products;
- Part 2: General performance requirements for **refrigerating appliances** and methods for testing them (this part);
- Part 3: **Energy consumption** and **volume** determination.

1 Scope

This part of IEC 62552 specifies the essential characteristics of household **and similar refrigerating appliances** cooled by internal natural convection or forced air circulation, and **specifies** **establishes** test methods for checking these characteristics.

This part of IEC 62552 describes the methods for the determination of performance requirements. Although there is some commonality in the set-ups for different tests (and so it may be an advantage to apply them all to one sample), these are separate tests to evaluate specific characteristics of the sample being tested. This part of IEC 62552 does not specify a procedure to generalise the results from sample test results to a prediction of the characteristics of the whole population from which that sample was selected.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62552-1:2015, *Household refrigerating appliances – Characteristics and test methods – Part 1: General requirements*

IEC 62552-3:2015, *Household refrigerating appliances – Characteristics and test methods – Part 3: Energy consumption and volume*

CONTENTS

FOREWORD	4
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions and symbols	8
4 Performance requirements and tests covered in this standard	8
4.1 General	8
4.2 Storage test	8
4.3 Cooling capacity test	8
4.4 Freezing capacity test	8
4.5 Automatic ice-making capacity test	9
4.6 Other tests	9
4.7 Test summary	9
5 General test conditions	11
6 Storage test	11
6.1 Objective	11
6.2 Preparation of refrigerating appliance	11
6.3 Air temperature sensor location and test and M-package loading	12
6.3.1 Unfrozen compartments (except chill compartment and wine storage compartment)	12
6.3.2 Chill compartments	12
6.3.3 Frozen compartments/sections	14
6.4 Test procedure	21
6.4.1 Overview	21
6.4.2 Details	22
6.4.3 Compliance criteria	23
6.5 Storage temperature	23
6.6 Data to be recorded	23
7 Cooling capacity test	24
7.1 Objective	24
7.2 Set-up procedure	24
7.2.1 Ambient temperature	24
7.2.2 Installation	24
7.2.3 Adjustment of compartments	25
7.2.4 Arrangement of shelves	25
7.3 Test procedure	25
7.3.1 General	25
7.3.2 Positioning of the load in the fresh food compartment	26
7.3.3 M-packages	27
7.4 Data to be recorded	28
8 Freezing capacity test	29
8.1 Objective	29
8.2 Method overview	29
8.3 Set-up procedure	29
8.3.1 Ambient temperature	29
8.3.2 Preparation of the refrigerating appliance	29

8.3.3	Loading of refrigerating appliance	30
8.4	Test procedure	31
8.4.1	Starting conditions	31
8.4.2	Setting of control devices	31
8.4.3	Freezing of the light load	32
8.4.4	Intermediate test data to be recorded	33
8.5	Determination of the freezing time and freezing capacity and four-star rating	33
8.6	Data to be recorded	34
9	Automatic ice-making capacity test	34
9.1	Objective	34
9.2	Procedure	34
9.2.1	Ambient and water temperatures	34
9.2.2	Preparation of refrigerating appliance	35
9.2.3	Test procedures	35
9.3	Data to be recorded	36
Annex A (normative)	Pull-down test	37
A.1	General	37
A.2	Method overview	37
A.3	Set-up procedure	37
A.3.1	Test room ambient temperature	37
A.3.2	Installation	37
A.3.3	Disconnection of devices	37
A.3.4	User-adjustable features	37
A.3.5	Internal components	38
A.3.6	Determination of compartment temperature	38
A.4	Test procedure	38
A.4.1	General	38
A.4.2	Heat soak	38
A.4.3	Pull down	38
A.5	Test end-point	39
A.6	Data to be recorded	39
Annex B (normative)	Wine storage appliances and compartments; storage test	40
B.1	Objective	40
B.2	Storage temperature requirements	40
B.3	Measurement of compartment temperature	40
B.4	Preparation of refrigerating appliance	41
B.5	Measurements	41
B.5.1	General	41
B.5.2	Conditions for demonstration of compliance	41
B.6	Data to be recorded	41
Annex C (normative)	Temperature rise test	43
C.1	Objective	43
C.2	Procedure	43
C.2.1	Ambient temperature	43
C.2.2	Preparation of refrigerating appliance	43
C.2.3	Operation of the refrigerating appliance	43
C.3	Test period and measurements	43
C.4	Temperature rise time	43

C.5	Data to be recorded	44
Annex D (normative)	Water vapour condensation test	45
D.1	Objective	45
D.2	Procedure	45
D.2.1	Ambient temperature	45
D.2.2	Relative humidity	45
D.2.3	Preparation of refrigerating appliance	45
D.2.4	Operation of the refrigerating appliance	45
D.2.5	Test period	46
D.3	Observations	46
D.4	Data to be recorded	46
Figure 5	– Package placement illustration for non flat surfaces	15
Figure 1	– Location of packages in frozen compartment, showing clearances (1 of 2)	17
Figure 2	– Location of test packages and M-packages, in frozen compartment (1 of 3)	19
Figure 3	– Storage test sequence illustration	23
Figure 4	– Filling of a shelf with test packages and M-packages for cooling capacity test	28
Figure D.1	– Condensation codes	46
Table 1	– Test summary	10
Table 2	– Compartment temperatures	11
Table 3	– Chill compartment storage load	14
Table 4	– Requirements for periods <i>S</i> and <i>E</i>	22
Table 5	– M-Packages in the light load	33
Table A.1	– Pull-down temperatures for compartments	39
Table D.1	– Humidity conversions	45

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Household refrigerating appliances - Characteristics and test methods - Part 2: Performance requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 62552-2 edition 1.2 contains the first edition (2015-02) [documents 59M/62/FDIS and 59M/65/RVD], its amendment 1 (2020-11) [documents 59M/127/FDIS and 59M/133/RVD] and its amendment 2 [documents 59M/187/FDIS and 59M/191/RVD].

This Final version does not show where the technical content is modified by amendments 1 and 2. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 62552-2 has been prepared by subcommittee 59M: Performance of electrical household and similar cooling and freezing appliances, of IEC technical committee 59: Performance of household and similar electrical appliances

IEC 62552-1, IEC 62552-2 and IEC 62552-3 together constitute a technical revision and include the following significant technical changes with respect to IEC 62552:2007:

- a) All parts of the standard have been largely rewritten and updated to cope with new testing requirements, new product configurations, the advent of electronic product controls and computer based test-room data collection and processing equipment.
- b) In Part 1 there are some changes to test room equipment specifications and the setup for testing to provide additional flexibility especially when testing multiple appliances in a single test room.
- c) For more efficient analysis and to better characterise the key product characteristics under different operating conditions, the test data from many of the energy tests in Part 3 is now split into components (such as steady state operation and defrost and recovery). The approach to determination of energy consumption has been completely revised, with many internal checks now included to ensure that data complying with the requirements of the standard is as accurate as possible and of high quality.
- d) Part 3 of the standard now provides a method to quantify each of the relevant energy components and approaches on how these can be combined to estimate energy under different conditions on the expectation that different regions will select components and weightings that are most applicable when setting both their local performance and energy efficiency criteria while using a single set of global test measurements.
- e) For energy consumption measurements in Part 3, no thermal mass (test packages) is included in any compartment and compartment temperatures are based on the average of air temperature sensors (compared to the temperature in the warmest test package). There are also significant differences in the position of temperature sensors in unfrozen compartments.
- f) The energy consumption test in Part 3 now has two specified ambient temperatures (16°C and 32°C).
- g) While, in Part 2 (this part) test packages are still used for the storage test to confirm performance in different operating conditions, in Part 1 they have been standardised to one size (100 mm × 100 mm × 50 mm) to simply loading and reduce test variability. A clearance of at least 15 mm is now specified between test packages and the compartment liner.
- h) A load processing energy efficiency test has been added in Part 3.
- i) A tank-type ice making energy efficiency test has been added in Part 3.
- j) A cooling capacity test has been added in Part 2 (this part).
- k) A pull-down test has been added in Part 2 (this part).
- l) Shelf area and storage volume measurement methods are no longer included. In Part 3 the volume measurement has been revised to be the total internal volume with only components necessary for the satisfactory operation of the refrigeration system considered as being in place.
- m) Tests (both performance (Part 2 – this part) and energy (Part 3)) have been added for wine storage appliances.

The following print types are used in this international standard:

- requirements: in roman type;
- test variables: in *italic type*;
- notes: in small roman type.
- words in **bold** are defined in IEC 62552-1:2015.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62252 series, published under the general title *Household refrigerating appliances – characteristics and test methods*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

IEC 62552 is split into 3 parts as follows:

- Part 1: Scope, definitions, instrumentation, test room and set up of refrigerating products;
- Part 2: General performance requirements for **refrigerating appliances** and methods for testing them (this part);
- Part 3: **Energy consumption** and **volume** determination.

1 Scope

This part of IEC 62552 specifies the essential characteristics of household and similar **refrigerating appliances** cooled by internal natural convection or forced air circulation, and establishes test methods for checking these characteristics.

This part of IEC 62552 describes the methods for the determination of performance requirements. Although there is some commonality in the set-ups for different tests (and so it may be an advantage to apply them all to one sample), these are separate tests to evaluate specific characteristics of the sample being tested. This part of IEC 62552 does not specify a procedure to generalise the results from sample test results to a prediction of the characteristics of the whole population from which that sample was selected.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62552-1:2015, *Household refrigerating appliances – Characteristics and test methods – Part 1: General requirements*

IEC 62552-3:2015, *Household refrigerating appliances – Characteristics and test methods – Part 3: Energy consumption and volume*