

Edition 1.0 2016-09

INTERNATIONAL STANDARD



Electronic paper displays -

Part 3-3: Optical measuring methods for displays with integrated lighting units

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.120; 31.260 ISBN 978-2-8322-3616-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

Ε(DREWOR	D	5
1	Scope.		7
2	Norma	tive references	7
3	Terms,	definitions and abbreviated terms	7
	3.1 T	erms and definitions	7
	3.2 A	bbreviated terms	8
4	Standa	rd measuring conditions	8
	4.1 S	tandard environmental measuring conditions	8
		iewing direction coordinate system	
		tandard lighting conditions	
	4.3.1 General comments and remarks on the measurement of electronic paper displays		9
	4.3.2	Dark room conditions	
	4.3.3	Standard indoor ambient illumination spectra	
	4.3.4	Standard illumination geometries	
		djustment of the EPD	
		tandard conditions of measuring equipment	
		/orking standards and references	
		tandard locations of measurement field	
	4.7.1	Matrix displays	11
	4.7.2	Segment displays	12
5	Optical	measuring methods	12
	5.1 R	eflection measurements	12
	5.1.1	General	12
	5.1.2	Measuring conditions	12
	5.1.3	Measuring the hemispherical diffuse reflectance	13
	5.1.4	Measuring the reflectance factor for a directed light source	15
	5.2 Display photometric uniformity in a dark room		
	5.2.1	Purpose	16
	5.2.2	Measuring equipment	16
	5.2.3	Measurement method	16
	5.2.4	Definitions and evaluations	17
	5.3 Dark room contrast ratio		
	5.3.1	Purpose	17
	5.3.2	Measuring equipment	17
	5.3.3	Measurement method	
	5.3.4	Definitions and evaluations	
	5.4 Contrast ratio under indoor illumination		
	5.4.1	Purpose	
	5.4.2	Measurement conditions	
	5.4.3	Measurement method	
		ross-talk	
	5.5.1	Purpose	
	5.5.2	Measuring equipment	
	5.5.3	Greyscale matrix displays	
	5.5.4	Black and white (two-level) matrix displays	21

5.6 Di	splay colour, colour gamut, and colour gamut area	22
5.6.1	Purpose	22
5.6.2	Measuring equipment	22
5.6.3	Measurement method	22
5.6.4	Display colour gamut	22
5.6.5	Display colour gamut area	
5.7 Di	splay colorimetric uniformity in a dark room	25
5.7.1	Purpose	
5.7.2	Measuring equipment	
5.7.3	Measurement method	
5.7.4	Definitions and evaluations	
5.8 Di	splay colour under indoor illumination	
5.8.1	Purpose	
5.8.2	Measurement conditions	
5.8.3	Measurement method	
5.8.4	Definitions and evaluations	
	olour gamut volume under indoor illumination	
5.9.1	Purpose	
5.9.2	Measurement conditions	
5.9.3	Measurement method	
5.9.4	Definitions and evaluations	
5.9.5	Recording	
	ewing direction dependence in a dark room	
5.10.1	Purpose	
5.10.2	Measuring conditions	
5.10.3	Measuring method	
5.10.4	Definitions and evaluations	
	ormative) Calculation method of daylight colour gamut volume	
	rpose	
A.2 Pr	ocedure for calculating the colour gamut volume	34
A.3 Su	rface subdivision method for CIELAB gamut volume calculation	36
A.3.1	Purpose	36
A.3.2	Assumptions	36
A.3.3	Algorithm	36
A.3.4	Software example	36
Bibliography		41
Figure 1 – R	epresentation of the coordinate system used to specify the viewing or	
	t orientation	9
Figure 2 – S	andard measurement positions	12
_	indow pattern for cross-talk measurement	
		20
	kample representation of the same primary colours in the CIE 1931 (left) 6 (right) chromaticity diagrams	22
	cample of evaluation results for the colour gamut area on the a^*b^* plane	22
	B colour space	25
	n example of the range in colours produced by an sRGB display as	20
	by the CIELAB colour space	29
•	cample of contrast ratio dependence on viewing direction	32
	vanime or contrast tand decendence of MEWOOD Officion	

Figure A.1 – Analysis flow chart for calculating the colour gamut volume	34
Figure A.2 – Graphical representation of the colour gamut volume for sRGB in the CIELAB colour space	35
Table 1 – Eigenvalues M_1 and M_2 for CIE daylight Illuminant D50	14
Table 2 – Input signals for CIELAB and CIE UCS <i>u'v'</i> colour gamut area measurements	24
Table 3 – Example data of in-plane colour non-uniformity	26
Table 4 – Example of minimum colours required for gamut volume calculation of a 3-primary 8-bit display	29
Table 5 – Measured tristimulus values for the minimum set of colours (see Table 4) required for gamut volume calculation under the specified indoor illumination conditions	30
Table 6 – Calculated white point in the darkened room and indoor ambient condition	
Table 7 – Colour gamut volume in the CIELAB colour space	30
Table 8 – Example format used for recording viewing direction performance	33
Table A.1 – Tristimulus values of the sRGB primary colours	35
Table A.2 – Example of sRGB colour set represented in the CIELAB colour space	35
Table A.3 – Example of an sRGB colour gamut volume in the CIELAB colour space	36

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRONIC PAPER DISPLAYS -

Part 3-3: Optical measuring methods for displays with integrated lighting units

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard 62679-3-3 has been prepared by IEC technical committee 110: Electronic display devices.

The text of this standard is based on the following documents:

CDV	Report on voting
110/723/CDV	110/780/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62679 series, published under the general title *Electronic paper displays*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ELECTRONIC PAPER DISPLAYS -

Part 3-3: Optical measuring methods for displays with integrated lighting units

1 Scope

This part of IEC 62679 specifies the standard measurement conditions and measurement methods for determining the optical performance of electronic paper display (EPD) devices which have an operating integrated lighting unit (such as a front light). The scope of this document is restricted to EPDs using segmented or matrix structures with either monochromatic or colour type displays. The measurement methods are intended for EPDs operated in a reflective mode with the integrated lighting unit (ILU) turned on in a dark or indoor ambient lighting environment. Colour systems beyond three primaries are not covered in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements for this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62679-1-1, Electronic paper displays – Part 1-1: Terminology

IEC 62679-3-1:2014, Electronic paper displays – Part 3-1: Optical measuring methods

IEC 61966-2-1, Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB

CIE 15, Colorimetry