



IEC 62769-3

Edition 3.0 2023-04
REDLINE VERSION

INTERNATIONAL STANDARD



**Field device integration (FDI®) –
Part 3: Server**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-6805-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	8
1 Scope.....	8
2 Normative references	8
3 Terms, definitions, abbreviated terms and conventions acronyms.....	9
3.1 Terms and definitions.....	9
3.2 Abbreviated terms and acronyms	10
3.3 Conventions.....	10
4 Overview	10
5 Information Model.....	11
5.1 General.....	11
5.2 Online/Offline.....	11
5.2.1 Overview	11
5.2.2 Transfer to device.....	12
5.2.3 Transfer from device.....	12
5.2.4 Interactive Transfer to device	12
5.3 Access privileges	12
5.4 Private Parameters	13
5.5 Locking.....	13
5.6 EditContext.....	14
5.6.1 Concept and usage model	14
5.6.2 Services	15
5.6.3 NodeIds.....	16
5.6.4 Reading.....	16
5.6.5 Writing.....	16
5.6.6 Writing dominant and dependent Variables.....	16
5.6.7 Actions (EDD METHODS).....	18
5.6.8 UIDs	18
5.6.9 Synchronization.....	19
5.7 Reading	19
5.7.1 General	19
5.7.2 Reading offline variables	20
5.7.3 Reading online variables	20
5.8 Writing	21
5.8.1 General	21
5.8.2 Write offline variables	22
5.8.3 Writing online variables	23
5.8.4 Writing to an EditContext.....	24
5.9 Subscription.....	25
5.9.1 General	25
5.9.2 Subscription of offline variables	26
5.9.3 Subscription of online variables	27
5.10 Device topology	28
5.10.1 General	28
5.10.2 Connection Points	28
5.10.3 Topology management	29

5.10.4	Topology scanning.....	32
5.10.5	Use of SCAN function.....	33
5.10.6	Validation of defined topology.....	33
5.11	User Interface Elements.....	34
5.11.1	User Interface Descriptions.....	34
5.11.2	User Interface Plug-ins.....	35
5.12	Actions.....	35
5.12.1	FDI® Server – FDI® Client interaction.....	35
5.12.2	Action state machine.....	38
5.12.3	Actions Proxies.....	39
5.12.4	INTERACTIVE_TRANSFER_TO_DEVICE Action.....	40
5.12.5	Actions, EDD Actions and Actions Proxies.....	41
6	OPC UA services.....	42
6.1	OPC UA profiles.....	42
6.2	Service error information.....	42
6.2.1	Overview.....	42
6.2.2	OPC UA services and their response.....	42
6.2.3	Mappings of EDDL response codes to OPC UA service response.....	43
6.3	Parameter value update during write service request.....	44
6.4	Localization.....	44
6.5	Audit events.....	44
7	Communication.....	44
7.1	Notation.....	44
7.2	General.....	45
7.2.1	Concepts.....	45
7.2.2	Terms.....	47
7.3	Communication Service processing.....	48
7.3.1	Communication Service invocation.....	48
7.3.2	Analyze communication path.....	48
7.3.3	Manage communication relations.....	49
7.3.4	Communication service request mapping.....	49
7.3.5	Communication service request propagation.....	50
7.3.6	Communication error handling.....	51
7.4	FDI® Communication Server specific handling.....	51
7.4.1	Discovery.....	51
7.4.2	Information Model synchronization.....	52
8	Parallel Execution within the FDI® Server.....	52
8.1	Motivation.....	52
8.2	Internal structure of the EDD interpreter.....	53
8.3	Rules for running an EDD entity.....	53
Annex A (informative) FDI® Server functional structure.....		55
A.1	FDI® functional elements.....	55
A.2	FDI® Server extension.....	56
Annex B (informative) Access privileges and user roles.....		58
B.1	User roles and usage case.....	58
B.2	Private data usage.....	59
Annex C (informative) Parallel execution within the FDI® Server – Examples.....		60
C.1	Simple example for a synchronous execution.....	60

C.2	Example for a concurrent execution	60
C.3	Deadlock detection in concurrent execution	62
Annex D (informative)	Read-Only mode for UID Views	63
D.1	Definition	63
Figure 1	– FDI® architecture diagram	8
Figure 2	– Locking services	14
Figure 3	– EditContext models	15
Figure 4	– Online EditContext state diagram for dominant and dependent Variables	17
Figure 5	– Offline EditContext state diagram for dominant and dependent Variables	18
Figure 6	– EditContext for EDD Methods	18
Figure 7	– Offline variable read	20
Figure 8	– Online variable read	21
Figure 9	– Offline variable write immediate	22
Figure 10	– Online variable write immediate	23
Figure 11	– Write with EditContext	25
Figure 12	– Offline variable subscription	26
Figure 13	– Online variable subscription	27
Figure 14	– Topology with Network objects (non-normative)	28
Figure 15	– Add Device to topology	30
Figure 16	– Remove Device from topology	31
Figure 17	– Scan topology	32
Figure 18	– Action execution	37
Figure 19	– Action state machine	38
Figure 20	– System communication integration example	45
Figure 21	– FDI® Communication Server integration example	46
Figure 22	– Gateway integration example	47
Figure 23	– Message propagation example scenario	50
Figure A.1	– Functional components of an FDI® Server	55
Figure A.2	– FDI® Server extensions	57
Figure B.1	– User roles and access privileges	58
Figure C.1	– Synchronous execution of two triggers	60
Figure C.2	– Concurrent execution of two triggers (step 1)	60
Figure C.3	– Concurrent execution of two triggers (step 2)	61
Figure C.4	– Concurrent execution of two triggers (step 3)	61
Figure C.5	– Concurrent execution of two triggers (step 4)	61
Figure C.6	– Concurrent execution of two triggers	62
Table 1	– Action states	38
Table 2	– Action state transitions	39
Table 3	– EDD Action types and the EDD constructs that use them	41
Table 4	– OPC UA severity bits and EDDL response codes TYPE	43

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE INTEGRATION (FDI®) –

Part 3: Server

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62769-3:2021. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 62769-3 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This third edition cancels and replaces the second edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added interactive transfer to device.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/856/CDV	65E/913/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62769 series, published under the general title *Field device integration (FDI[®])*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62769 series has the general title *Field Device Integration (FDI)* and the following parts:

- Part 1: Overview
- Part 2: FDI Client
- Part 3: FDI Server
- Part 4: FDI Packages
- Part 5: FDI Information Model
- Part 6: FDI Technology Mapping
- Part 7: FDI Communication Devices
- Part 100: Profiles — Generic Protocol Extensions
- Part 101-1: Profiles — Foundation Fieldbus H1
- Part 101-2: Profiles — Foundation Fieldbus HSE
- Part 103-1: Profiles — PROFIBUS
- Part 103-4: Profiles — PROFINET
- Part 109-1: Profiles — HART and WirelessHART
- Part 115-2: Profiles — Protocol-specific Definitions for Modbus RTU
- Part 150-1: Profiles — ISA 100.11a

FIELD DEVICE INTEGRATION (FDI®) –

Part 3: Server

1 Scope

This part of IEC 62769 specifies the FDI®¹ Server. The overall FDI® architecture is illustrated in Figure 1. The architectural components that are within the scope of this document have been highlighted in this figure. Annex A provides a functional description of the FDI® Server.




Figure 1 – FDI® architecture diagram

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies.

¹ FDI® is a registered trademark of the non-profit organization Fieldbus Foundation, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance does not require use of the trade name. Use of the trade name requires permission of the trade name holder.

For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 61804 (all parts), Function blocks (FB) for process control and electronic device description language (EDDL)~~

IEC 61804-3, *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 3: EDDL syntax and semantics*

~~IEC 61804-4:2020, Function blocks (FB) for process control and electronic device description language (EDDL) – Part 4: EDD interpretation~~

IEC 61804-4, *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 4: EDD interpretation*

IEC 61804-5, *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 5: EDDL Builtin library*

IEC 62541-4, *OPC unified architecture – Part 4: Services*

IEC 62541-7, *OPC unified architecture – Part 7: Profiles*

IEC 62769-1, *Field Device Integration (FDI®) – Part 1: Overview*

IEC 62769-2, *Field Device Integration (FDI®) – Part 2: ~~FDI~~ Client*

IEC 62769-4, *Field Device Integration (FDI®) – Part 4: FDI® Packages*

IEC 62769-5, *Field Device Integration (FDI®) – Part 5: FDI® Information Model*

IEC 62769-7, *Field Device Integration (FDI®) – Part 7: Communication Devices*

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Field device integration (FDI®) –
Part 3: Server**

**Intégration des appareils de terrain (FDI®) –
Partie 3: Serveur**

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, abbreviated terms and acronyms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms and acronyms	8
3.3 Conventions.....	9
4 Overview	9
5 Information Model.....	9
5.1 General.....	9
5.2 Online/Offline.....	10
5.2.1 Overview	10
5.2.2 Transfer to device.....	10
5.2.3 Transfer from device.....	11
5.2.4 Interactive Transfer to device	11
5.3 Access privileges	11
5.4 Private Parameters	11
5.5 Locking.....	12
5.6 EditContext.....	13
5.6.1 Concept and usage model	13
5.6.2 Services	14
5.6.3 NodeIds.....	14
5.6.4 Reading.....	14
5.6.5 Writing.....	15
5.6.6 Writing dominant and dependent Variables.....	15
5.6.7 Actions (EDD METHODS).....	16
5.6.8 UIDs	16
5.6.9 Synchronization	17
5.7 Reading	17
5.7.1 General	17
5.7.2 Reading offline variables	18
5.7.3 Reading online variables	18
5.8 Writing	19
5.8.1 General	19
5.8.2 Write offline variables	20
5.8.3 Writing online variables	21
5.8.4 Writing to an EditContext	22
5.9 Subscription.....	23
5.9.1 General	23
5.9.2 Subscription of offline variables	24
5.9.3 Subscription of online variables	25
5.10 Device topology	26
5.10.1 General	26
5.10.2 Connection Points	26
5.10.3 Topology management	27
5.10.4 Topology scanning.....	30
5.10.5 Use of SCAN function.....	31

5.10.6	Validation of defined topology.....	31
5.11	User Interface Elements.....	32
5.11.1	User Interface Descriptions.....	32
5.11.2	User Interface Plug-ins.....	33
5.12	Actions.....	33
5.12.1	FDI® Server – FDI® Client interaction.....	33
5.12.2	Action state machine.....	36
5.12.3	Actions Proxies.....	37
5.12.4	INTERACTIVE_TRANSFER_TO_DEVICE Action.....	38
5.12.5	Actions, EDD Actions and Actions Proxies.....	39
6	OPC UA services.....	40
6.1	OPC UA profiles.....	40
6.2	Service error information.....	40
6.2.1	Overview.....	40
6.2.2	OPC UA services and their response.....	40
6.2.3	Mappings of EDDL response codes to OPC UA service response.....	41
6.3	Parameter value update during write service request.....	42
6.4	Localization.....	42
6.5	Audit events.....	42
7	Communication.....	42
7.1	Notation.....	42
7.2	General.....	43
7.2.1	Concepts.....	43
7.2.2	Terms.....	45
7.3	Communication Service processing.....	46
7.3.1	Communication Service invocation.....	46
7.3.2	Analyze communication path.....	46
7.3.3	Manage communication relations.....	47
7.3.4	Communication service request mapping.....	47
7.3.5	Communication service request propagation.....	48
7.3.6	Communication error handling.....	49
7.4	FDI® Communication Server specific handling.....	49
7.4.1	Discovery.....	49
7.4.2	Information Model synchronization.....	50
8	Parallel Execution within the FDI® Server.....	50
8.1	Motivation.....	50
8.2	Internal structure of the EDD interpreter.....	51
8.3	Rules for running an EDD entity.....	51
Annex A (informative)	FDI® Server functional structure.....	53
A.1	FDI® functional elements.....	53
A.2	FDI® Server extension.....	54
Annex B (informative)	Access privileges and user roles.....	56
B.1	User roles and usage case.....	56
B.2	Private data usage.....	57
Annex C (informative)	Parallel execution within the FDI® Server – Examples.....	58
C.1	Simple example for a synchronous execution.....	58
C.2	Example for a concurrent execution.....	58
C.3	Deadlock detection in concurrent execution.....	60

Annex D (informative) Read-Only mode for UID Views.....	61
D.1 Definition	61
Figure 1 – FDI® architecture diagram	7
Figure 2 – Locking services	12
Figure 3 – EditContext models	13
Figure 4 – Online EditContext state diagram for dominant and dependent Variables	15
Figure 5 – Offline EditContext state diagram for dominant and dependent Variables	16
Figure 6 – EditContext for EDD Methods.....	16
Figure 7 – Offline variable read.....	18
Figure 8 – Online variable read.....	19
Figure 9 – Offline variable write immediate	20
Figure 10 – Online variable write immediate	21
Figure 11 – Write with EditContext.....	23
Figure 12 – Offline variable subscription	24
Figure 13 – Online variable subscription	25
Figure 14 – Topology with Network objects (non-normative)	26
Figure 15 – Add Device to topology	28
Figure 16 – Remove Device from topology.....	29
Figure 17 – Scan topology	30
Figure 18 – Action execution.....	35
Figure 19 – Action state machine	36
Figure 20 – System communication integration example	43
Figure 21 – FDI® Communication Server integration example	44
Figure 22 – Gateway integration example	45
Figure 23 – Message propagation example scenario.....	48
Figure A.1 – Functional components of an FDI® Server.....	53
Figure A.2 – FDI® Server extensions.....	55
Figure B.1 – User roles and access privileges.....	56
Figure C.1 – Synchronous execution of two triggers.....	58
Figure C.2 – Concurrent execution of two triggers (step1).....	58
Figure C.3 – Concurrent execution of two triggers (step 2).....	59
Figure C.4 – Concurrent execution of two triggers (step 3).....	59
Figure C.5 – Concurrent execution of two triggers (step 4).....	59
Figure C.6 – Concurrent execution of two triggers.....	60
Table 1 – Action states	36
Table 2 – Action state transitions	37
Table 3 – EDD Action types and the EDD constructs that use them	39
Table 4 – OPC UA severity bits and EDDL response codes TYPE	41

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE INTEGRATION (FDI®) –**Part 3: Server****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62769-3 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This third edition cancels and replaces the second edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added interactive transfer to device.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/856/CDV	65E/913/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62769 series, published under the general title *Field device integration (FDI[®])*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIELD DEVICE INTEGRATION (FDI®) – Part 3: Server

1 Scope

This part of IEC 62769 specifies the FDI®¹ Server. The overall FDI® architecture is illustrated in Figure 1. The architectural components that are within the scope of this document have been highlighted in this figure. Annex A provides a functional description of the FDI® Server.




Figure 1 – FDI® architecture diagram

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies.

¹ FDI® is a registered trademark of the non-profit organization Fieldbus Foundation, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance does not require use of the trade name. Use of the trade name requires permission of the trade name holder.

For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61804-3, *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 3: EDDL syntax and semantics*

IEC 61804-4, *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 4: EDD interpretation*

IEC 61804-5, *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 5: EDDL Builtin library*

IEC 62541-4, *OPC unified architecture – Part 4: Services*

IEC 62541-7, *OPC unified architecture – Part 7: Profiles*

IEC 62769-1, *Field Device Integration (FDI®) – Part 1: Overview*

IEC 62769-2, *Field Device Integration (FDI®) – Part 2: Client*

IEC 62769-4, *Field Device Integration (FDI®) – Part 4: FDI® Packages*

IEC 62769-5, *Field Device Integration (FDI®) – Part 5: FDI® Information Model*

IEC 62769-7, *Field Device Integration (FDI®) – Part 7: Communication Devices*

SOMMAIRE

AVANT-PROPOS	65
1 Domaine d'application	67
2 Références normatives	67
3 Termes, définitions, abréviations et acronymes	68
3.1 Termes et définitions	68
3.2 Abréviations et acronymes	68
3.3 Conventions	68
4 Vue d'ensemble	69
5 Modèle d'Information	69
5.1 Généralités	69
5.2 En ligne/Hors-ligne	70
5.2.1 Vue d'ensemble	70
5.2.2 Transfert vers l'appareil	71
5.2.3 Transfert à partir de l'appareil	71
5.2.4 Transfert interactif vers l'appareil	71
5.3 Privilèges d'accès	71
5.4 Paramètres privés	72
5.5 Verrouillage	72
5.6 EditContext	73
5.6.1 Concept et modèle d'utilisation	73
5.6.2 Services	74
5.6.3 Nodeld	75
5.6.4 Lecture	75
5.6.5 Ecriture	75
5.6.6 Ecriture de Variables dominantes et dépendantes	76
5.6.7 Actions (MÉTHODES EDD)	77
5.6.8 UID	78
5.6.9 Synchronisation	78
5.7 Lecture	78
5.7.1 Généralités	78
5.7.2 Lecture de variables hors-ligne	79
5.7.3 Lecture de variables en ligne	79
5.8 Ecriture	80
5.8.1 Généralités	80
5.8.2 Ecriture de variables hors-ligne	81
5.8.3 Ecriture de variables en ligne	82
5.8.4 Ecriture dans un EditContext	84
5.9 Abonnement	85
5.9.1 Généralités	85
5.9.2 Abonnement aux variables hors-ligne	85
5.9.3 Abonnement aux variables en ligne	86
5.10 Topologie d'Appareils	88
5.10.1 Généralités	88
5.10.2 Points de Connexion	88
5.10.3 Gestion de topologie	89
5.10.4 Balayage de topologie	92
5.10.5 Utilisation de la fonction SCAN	93

5.10.6	Validation de la topologie définie	94
5.11	Eléments de l'Interface Utilisateur	94
5.11.1	Descriptions d'Interface Utilisateur	94
5.11.2	Plugiciels d'Interface Utilisateur	95
5.12	Actions	95
5.12.1	Interaction Serveur FDI® – Client FDI®	95
5.12.2	Diagramme d'états Action	98
5.12.3	Proxys d'Actions	100
5.12.4	INTERACTIVE_TRANSFER_TO_DEVICE_ACTION	101
5.12.5	Actions, Actions EDD et Proxys d'Actions	101
6	Services OPC UA	103
6.1	Profils OPC UA	103
6.2	Informations relatives aux erreurs de services	103
6.2.1	Vue d'ensemble	103
6.2.2	Services OPC UA et leur réponse	103
6.2.3	Mappings des codes de réponse EDDL à la réponse à la demande de service OPC UA	104
6.3	Mise à jour de valeurs de paramètres au cours de la demande de service write	105
6.4	Localisation	105
6.5	Evénements d'audit	106
7	Communication	106
7.1	Notation	106
7.2	Généralités	106
7.2.1	Concepts	106
7.2.2	Termes	108
7.3	Traitement de Services de Communication	109
7.3.1	Appel du Service de Communication	109
7.3.2	Analyse de chemin de communication	109
7.3.3	Gestion des relations de communication	110
7.3.4	Mapping des demandes de services de communication	110
7.3.5	Propagation des demandes de services de communication	111
7.3.6	Traitement des erreurs de communication	113
7.4	Traitement spécifique à un Serveur de Communication FDI®	113
7.4.1	Découverte	113
7.4.2	Synchronisation de Modèles d'Information	113
8	Exécution parallèle au sein du Serveur FDI®	114
8.1	Motivation	114
8.2	Structure interne de l'interprète EDD	114
8.3	Règles pour exécuter une entité EDD	114
Annex A (informative)	Structure fonctionnelle d'un Serveur FDI®	116
A.1	Eléments fonctionnels FDI®	116
A.2	Extension de Serveur FDI®	117
Annex B (informative)	Privilèges d'accès et rôles d'utilisateur	119
B.1	Rôles d'utilisateur et cas d'utilisation	119
B.2	Utilisation de données privées	120
Annex C (informative)	Exécution parallèle dans le Serveur FDI® – Exemples	121
C.1	Exemple simple pour une exécution synchrone	121
C.2	Exemple pour une exécution simultanée	121

C.3	Détection d'impasse en exécution simultanée	122
Annex D (informative)	Mode lecture seule pour les vues d'UID	124
D.1	Définition	124
Figure 1	– Diagramme de l'architecture FDI®	67
Figure 2	– Services de verrouillage	73
Figure 3	– Modèles d'EditContext	74
Figure 4	– Diagramme d'états EditContext Online pour les Variables dominantes et dépendantes	76
Figure 5	– Diagramme d'états EditContext Offline pour les Variables dominantes et dépendantes	77
Figure 6	– EditContext pour les Méthodes EDD	77
Figure 7	– Variable hors-ligne lue	79
Figure 8	– Lecture de variables en ligne	80
Figure 9	– Ecriture immédiate de variables hors-ligne	82
Figure 10	– Ecriture immédiate de variables hors-ligne	83
Figure 11	– Ecriture avec EditContext	84
Figure 12	– Abonnement aux variables hors-ligne	86
Figure 13	– Abonnement aux variables en ligne	87
Figure 14	– Topologie avec des objets Réseaux (non normative)	88
Figure 15	– Ajout d'un Appareil à la topologie	90
Figure 16	– Retrait d'un Appareil de la topologie	91
Figure 17	– Balayage de topologie	92
Figure 18	– Exécution d'Action	97
Figure 19	– Diagramme d'états Action	98
Figure 20	– Exemple d'intégration des communications d'un système	106
Figure 21	– Exemple d'intégration de Serveur de Communication FDI®	107
Figure 22	– Exemple d'intégration de passerelle	108
Figure 23	– Exemple de scénario de propagation de message	112
Figure A.1	– Composants fonctionnels d'un Serveur FDI®	116
Figure A.2	– Extensions de Serveur FDI®	118
Figure B.1	– Rôles d'utilisateur et privilèges d'accès	119
Figure C.1	– Exécution synchrone de deux déclencheurs	121
Figure C.2	– Exécution simultanée de deux déclencheurs (étape 1)	121
Figure C.3	– Exécution simultanée de deux déclencheurs (étape 2)	122
Figure C.4	– Exécution simultanée de deux déclencheurs (étape 3)	122
Figure C.5	– Exécution simultanée de deux déclencheurs (étape 4)	122
Figure C.6	– Exécution simultanée de deux déclencheurs	123
Tableau 1	– Etats Action	99
Tableau 2	– Transitions d'états Action	99
Tableau 3	– Types d'Actions EDD et constructions EDD qui les utilisent	102
Tableau 4	– Bits Severity de l'OPC UA et TYPE des codes de réponse EDDL	104

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

INTÉGRATION DES APPAREILS DE TERRAIN (FDI®) –

Partie 3: Serveur

AVANT-PROPOS

- 1) La Commission Electrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. A cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de l'IEC peuvent faire l'objet de droits de brevet. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets.

L'IEC 62769-3 a été établie par le sous-comité 65E: Les dispositifs et leur intégration dans les systèmes de l'entreprise, du comité d'études 65 de l'IEC: Mesure, commande et automation dans les processus industriels. Il s'agit d'une Norme internationale.

Cette troisième édition annule et remplace la deuxième édition parue en 2021. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) ajout du transfert interactif vers l'appareil.

Le texte de cette Norme internationale est issu des documents suivants:

Projet	Rapport de vote
65E/856/CDV	65E/913/RVC

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à son approbation.

La langue employée pour l'élaboration de cette Norme internationale est l'anglais.

Ce document a été rédigé selon les Directives ISO/IEC, Partie 2, il a été développé selon les Directives ISO/IEC, Partie 1 et les Directives ISO/IEC, Supplément IEC, disponibles sous www.iec.ch/members_experts/refdocs. Les principaux types de documents développés par l'IEC sont décrits plus en détail sous www.iec.ch/standardsdev/publications.

Une liste de toutes les parties de la série IEC 62769, publiées sous le titre général *Intégration des appareils de terrain (FDI®)*, se trouve sur le site web de l'IEC.

Le comité a décidé que le contenu de ce document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous webstore.iec.ch dans les données relatives au document recherché. A cette date, le document sera

- reconduit,
- supprimé,
- remplacé par une édition révisée, ou
- amendé.

IMPORTANT – Le logo "colour inside" qui se trouve sur la page de couverture de cette publication indique qu'elle contient des couleurs qui sont considérées comme utiles à une bonne compréhension de son contenu. Les utilisateurs devraient, par conséquent, imprimer cette publication en utilisant une imprimante couleur.

INTÉGRATION DES APPAREILS DE TERRAIN (FDI®) –

Partie 3: Serveur

1 Domaine d'application

La présente partie de l'IEC 62769 spécifie le Serveur FDI®. L'architecture FDI® complète est représentée à la Figure 1. Les composants architecturaux qui relèvent du domaine d'application du présent document ont été mis en évidence dans cette figure. L'Annex A fournit une description fonctionnelle du Serveur FDI®.




Figure 1 – Diagramme de l'architecture FDI®

2 Références normatives

Les documents suivants sont cités dans le texte de sorte qu'ils constituent, pour tout ou partie de leur contenu, des exigences du présent document. Pour les références datées, seule l'édition citée s'applique. Pour les références non datées, la dernière édition du document de référence s'applique (y compris les éventuels amendements).

IEC 61804-3, *Les dispositifs et leur intégration dans les systèmes de l'entreprise – Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produits (EDDL) – Partie 3: Sémantique et syntaxe EDDL*

IEC 61804-4, *Les dispositifs et leur intégration dans les systèmes de l'entreprise – Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 4: Interprétation EDD*

IEC 61804-5, *Les dispositifs et leur intégration dans les systèmes de l'entreprise – Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 5: Bibliothèque de Builtin EDDL*

IEC 62541-4, *Architecture unifiée OPC – Partie 4: Services*

IEC 62541-7, *Architecture unifiée OPC – Partie 7: Profils*

IEC 62769-1, *Intégration des appareils de terrain (FDI®) – Partie 1: Vue d'ensemble*

IEC 62769-2, *Intégration des appareils de terrain (FDI®) – Partie 2: Client*

IEC 62769-4, *Intégration des appareils de terrain (FDI®) – Partie 4: Paquetages FDI®*

IEC 62769-5, *Intégration des appareils de terrain (FDI®) – Partie 5: Modèle d'Information FDI®*

IEC 62769-7, *Intégration des appareils de terrain (FDI®) – Partie 7: Appareils de communication*