



IEC 62783-1

Edition 2.0 2023-05

INTERNATIONAL STANDARD

**Twinax cables for digital communications –
Part 1: Generic specification**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.20

ISBN 978-2-8322-7002-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	9
4 Materials and cable construction	9
4.1 General remarks	9
4.2 Cable construction	10
4.2.1 General	10
4.2.2 Conductor.....	10
4.2.3 Insulation.....	10
4.2.4 Cable element	10
4.2.5 Cable make-up	11
4.2.6 Screening of the cable core	11
4.2.7 Sheath.....	12
4.2.8 Identification.....	12
4.2.9 Finished cable	12
5 Requirements and test methods	13
5.1 General requirements	13
5.2 Electrical characteristics and tests	13
5.2.1 General	13
5.2.2 Conductor resistance.....	13
5.2.3 Resistance unbalance.....	13
5.2.4 Dielectric strength.....	13
5.2.5 Insulation resistance.....	13
5.2.6 Surface transfer impedance	14
5.2.7 Coupling attenuation.....	14
5.3 Transmission characteristics and tests.....	14
5.3.1 General	14
5.3.2 Length	14
5.3.3 Characteristic impedance	15
5.3.4 Return loss	15
5.3.5 Attenuation	15
5.3.6 Propagation delay, inter-pair skew, and intra-pair skew	16
5.3.7 Near-end crosstalk (NEXT).....	16
5.3.8 Differential mode to common mode conversion (Scd21).....	17
5.3.9 Equal level transverse conversion transfer loss (Scd21-Sdd21)	17
5.4 Mechanical and dimensional requirements and test methods	17
5.4.1 General	17
5.4.2 Measurement of dimensions	17
5.4.3 Elongation at break of the conductor.....	17
5.4.4 Tensile strength of the insulation	17
5.4.5 Elongation at break of the sheath	18
5.4.6 Tensile strength of the sheath.....	18
5.4.7 Crush test of the cable.....	18
5.4.8 Cold impact test of the cable	18

5.4.9	Repeated bending of the cable	18
5.4.10	Tensile performance of the cable	18
5.4.11	Vibration test of the cable	18
5.5	Environmental tests	18
5.5.1	Shrinkage of the insulation	18
5.5.2	Wrapping test of the insulation after thermal ageing	18
5.5.3	Bending test of the insulation at low temperature	18
5.5.4	Tensile strength and elongation of the sheath after ageing	18
5.5.5	Sheath pressure test at high temperature	18
5.5.6	Cold bend test of the cable	19
5.5.7	Heat shock test.....	19
5.5.8	Damp heat steady state	19
5.5.9	Salt mist	19
5.5.10	Flame propagation characteristics of a single cable	19
5.5.11	Flame propagation characteristics of bunched cables	19
5.5.12	Halogen-free compounds test	19
5.5.13	Smoke generation.....	19
5.5.14	Combined flame and smoke test for cables in environmental air handling spaces.....	19
Bibliography.....		20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TWINAX CABLES FOR DIGITAL COMMUNICATIONS –

Part 1: Generic specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62783-1 has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

This second edition cancels and replaces the first edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes compared with the previous edition:

- 4.1: single pair twinax cable is permitted;
- 5.2.1: addition of length requirement for electrical tests;
- 5.3.1, 5.3.2: addition of test equipment, fixtures and length requirements of cable under test for transmission tests;
- 5.3.3.2: introduction of characteristic impedance in time domain;
- 5.4.11: addition of vibration test of the cable;

- 5.5.8, 5.5.9 and 5.5.12: addition of environmental tests: damp heat steady state, salt mist, halogen-free compounds;
- 5.5.11: updating the test method of flame propagation characteristics of bunched cables.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46C/1257/FDIS	46C/1261/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62783 series, published under the general title *Twinax cables for digital communications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This document specifies the generic characteristics of twinax cables for the transmission of digital signals, which use single or multiple twinax cable element(s).

Twinax cables are intended for use in high-performance information technology systems and data interface interconnection systems. These cables are generally used in short-reach data communication links, which reach about 0,3 m to 10 m. Information technology interconnection standards that use twinax cables include Ethernet, Fibre channel, SAS, SATA, SFP, PCIE and others.

IEC 62783 (all parts) includes separate family specifications, which provide the requirements for each specific twinax cable used in information technology interconnection systems.

TWINAX CABLES FOR DIGITAL COMMUNICATIONS –

Part 1: Generic specification

1 Scope

This part of IEC 62783 specifies definitions, requirements and test methods of twinax cables used in digital communication systems: computer rooms, data centres, servers, etc. These cables are intended to be used indoors.

This document details the requirements and transmission characteristics for single twinax elements as well as multiple twinax elements within the same sheath, i.e. “twinax cable”.

This document is applicable to twinax cables and also twinax cable assemblies.

This document is supplemented with family specifications that give additional requirements based on the specific application, for example, the minimum and maximum specified frequency of the cables.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60028, *International standard of resistance for copper*

IEC 60050-726, *International Electrotechnical Vocabulary (IEV) – Part 726: Transmission lines and waveguides*

IEC 60068 (all parts), *Environmental testing*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60189-1, *Low-frequency cables and wires with PVC insulation and PVC sheath – Part 1: General test and measuring methods*

IEC 60304, *Standard colours for insulation for low-frequency cables and wires*

IEC 60332-1-2, *Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame*

IEC 60332-2-2, *Tests on electric and optical fibre cables under fire conditions – Part 2-2: Test for vertical flame propagation for a single small insulated wire or cable – Procedure for diffusion flame*

IEC 60332-3-24, *Tests on electric and optical fibre cables under fire conditions – Part 3-24: Test for vertical flame spread of vertically-mounted bunched wires or cables – Category C*

IEC 60332-3-25, *Tests on electric and optical fibre cables under fire conditions – Part 3-25: Test for vertical flame spread of vertically-mounted bunched wires or cables – Category D*

IEC 60684-2, *Flexible insulating sleeving – Part 2: Methods of test*

IEC 60754-1, *Test on gases evolved during combustion of materials from cables – Part 1: Determination of the halogen acid gas content*

IEC 60754-2, *Test on gases evolved during combustion of materials from cables – Part 2: Determination of acidity (by pH measurement) and conductivity*

IEC 60794-1-21:2015, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical tests methods*

IEC 60811-201, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 201: General tests – Measurement of insulation thickness*

IEC 60811-202, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath*

IEC 60811-203, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions*

IEC 60811-401, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven*

IEC 60811-406, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 406: Miscellaneous tests – Resistance to stress cracking of polyethylene and polypropylene compounds*

IEC 60811-501, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds*

IEC 60811-502, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 502: Mechanical tests – Shrinkage test for insulations*

IEC 60811-504, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 504: Mechanical tests – Bending tests at low temperature for insulation and sheaths*

IEC 60811-506, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 506: Mechanical tests – Impact test at low temperature for insulations and sheaths*

IEC 60811-508, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 508: Mechanical tests – Pressure test at high temperature for insulation and sheaths*

IEC 60811-509, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 509: Mechanical tests – Test for resistance of insulations and sheaths to cracking (heat shock test)*

IEC 60811-510, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 510: Mechanical tests – Methods specific to polyethylene and polypropylene compounds – Wrapping test after thermal ageing in air*

IEC 61034 (all parts), *Measurement of smoke density of cables burning under defined conditions*

IEC 61156-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC TR 61156-1-2, *Multicore and symmetrical pair/quad cables for digital communications – Part 1-2: Electrical transmission characteristics and test methods of symmetrical pair/quad cables*

IEC 61196-1-105, *Coaxial communication cables – Part 1-105: Electrical test methods – Test for withstand voltage of cable dielectric*

IEC 62012-1:2002, *Multicore and symmetrical pair/quad cables for digital communications to be used in harsh environments – Part 1: Generic specification*

IEC 62153-4-3, *Metallic communication cable test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*

IEC 62153-4-5, *Metallic communication cable test methods – Part 4-5: Electromagnetic compatibility (EMC) – Screening or coupling attenuation – Absorbing clamp method*

IEC 62153-4-9, *Metallic communication cable test methods – Part 4-9: Electromagnetic compatibility (EMC) – Coupling attenuation of screened balanced cables, triaxial method*

IEC 62783-1-1, *Twinax cables for digital communications - Part 1-1: Time domain test methods for twinax cables for digital communications – General requirements*