



IEC 62908-12-10

Edition 2.0 2023-01

INTERNATIONAL STANDARD



**Touch and interactive displays –
Part 12-10: Measurement methods of touch displays – Touch and electrical
performance**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120

ISBN 978-2-8322-6393-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Measuring conditions.....	7
4.1 Standard measuring environmental conditions	7
4.2 Standard atmospheric conditions for reference measurements and tests	8
4.3 Standard positioning equipment and setup.....	8
4.4 Human operator alternative to standard positioning equipment	9
4.5 Test bar and touch pen	10
5 Touch performance measurement methods	11
5.1 General.....	11
5.2 Accuracy test.....	11
5.2.1 Purpose.....	11
5.2.2 Test procedure	11
5.2.3 Report	15
5.3 Repeatability or jitter test	15
5.3.1 Purpose.....	15
5.3.2 Test procedure	16
5.3.3 Report	18
5.4 Linearity test.....	18
5.4.1 Purpose.....	18
5.4.2 Test procedure	18
5.4.3 Report	21
5.5 Reproducibility test.....	21
5.5.1 Purpose.....	21
5.5.2 Test procedure	22
5.5.3 Report	23
5.6 Signal-to-noise ratio (SNR) test	24
5.6.1 Purpose.....	24
5.6.2 Test procedure	25
5.6.3 Report	26
5.7 Report rate test.....	26
5.7.1 Purpose.....	26
5.7.2 Test procedure	26
5.7.3 Report	27
5.8 Latency test	27
5.8.1 Purpose.....	27
5.8.2 Test procedure	27
5.8.3 Report	28
5.9 Electrical noise immunity test.....	28
5.9.1 Purpose.....	28
5.9.2 Test procedure	28
5.9.3 Report	29
5.10 Water droplet immunity test	29
5.10.1 Purpose.....	29
5.10.2 Test procedure	30

- 5.10.3 Report 30
- 5.11 Optical noise immunity test 30
 - 5.11.1 Purpose 30
 - 5.11.2 Test procedure 31
 - 5.11.3 Report 31
- 5.12 Power consumption test 31
 - 5.12.1 Purpose 31
 - 5.12.2 Test procedure 31
 - 5.12.3 Report 31
- 5.13 Perpendicular hover distance test 31
 - 5.13.1 Purpose 31
 - 5.13.2 Test procedure 31
 - 5.13.3 Report 32
- 6 In-plane hovering performance measurement methods 32
 - 6.1 General 32
 - 6.2 Accuracy test 32
 - 6.2.1 Purpose 32
 - 6.2.2 Test procedure 32
 - 6.2.3 Report 35
 - 6.3 Repeatability or jitter test 35
 - 6.3.1 Purpose 35
 - 6.3.2 Test procedure 35
 - 6.3.3 Report 38
 - 6.4 Report rate test 38
 - 6.4.1 Purpose 38
 - 6.4.2 Test procedure 38
 - 6.4.3 Report 40
- Annex A (informative) Electrical performance measurement methods of touch sensors 41
 - A.1 Resistance 41
 - A.1.1 General 41
 - A.1.2 Test samples 41
 - A.1.3 Measurement equipment 41
 - A.1.4 Procedures 41
 - A.1.5 Data analysis 42
 - A.1.6 Report 42
 - A.2 Trans-capacitance 42
 - A.2.1 General 42
 - A.2.2 Test samples 42
 - A.2.3 Measurement equipment 42
 - A.2.4 Procedure 42
 - A.2.5 Data analysis 43
 - A.2.6 Report 43
- Bibliography 44
- Figure 1 – Composition of test equipment 9
- Figure 2 – Concept of performance measurement 9
- Figure 3 – Example of manual test tool (left), positioning without triggering a touch event (middle) and recording a touch event (right) 10

Figure 4 – Examples of test bars.....	11
Figure 5 – Location of edge area and centre area	12
Figure 6 – Point grid	12
Figure 7 – Accuracy definition.....	13
Figure 8 – Example of measurement result and calculation of accuracy.....	15
Figure 9 – Repeatability in the touch sensor module	16
Figure 10 – Example of measurement result for repeatability	18
Figure 11 – Dragging line for linearity test.....	19
Figure 12 – Linearity definition.....	19
Figure 13 – Example of measurement and calculation of linearity	21
Figure 14 – Example of reproducibility test results	22
Figure 15 – Reproducibility test procedure	23
Figure 16 – Examples of measurements of reproducibility – Velocity dependence.....	24
Figure 17 – SNR definition concept.....	25
Figure 18 – Dragging direction for reporting time measurement	26
Figure 19 – Reporting time interval measurement	27
Figure 20 – Latency measurement	27
Figure 21 – Example of the effect of external noise.....	28
Figure 22 – External noise injection	29
Figure 23 – Report of external noise immunity	29
Figure 24 – Example of water drop effect.....	30
Figure 25 – Water droplet test procedure	30
Figure 26 – Perpendicular hover distance measurement.....	32
Figure 27 – Point grid	33
Figure 28 – Accuracy definition for in-plane of XY coordinates on the target projection plane (l) of the active area	33
Figure 29 – Accuracy definition for Z coordinate on the target projection plane (l) of the active area.....	34
Figure 30 – Repeatability for in-plane of XY coordinates on the target projection plane (l) of the active area.....	36
Figure 31 – Repeatability for Z coordinate on the target projection plane (l) of the active area.....	36
Figure 32 – Dragging direction of in-plane for reporting time measurement.....	39
Figure 33 – Dragging direction of Z -axis for reporting time measurement.....	39
Figure 34 – Reporting time interval measurement	40
Figure A.1 – Diagrammatic representation of measurement of resistance	42
Figure A.2 – Diagrammatic representation of measurement of capacitance.....	43
Table 1 – Standard conditions for reference measurements and tests.....	8
Table A.1 – Specification of LCR impedance meter.....	41

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TOUCH AND INTERACTIVE DISPLAYS –

**Part 12-10: Measurement methods of touch displays –
Touch and electrical performance**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62908-12-10 has been prepared by IEC technical committee 110: Electronic displays. It is an International Standard.

This second edition cancels and replaces the first edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added hovering performance measurement methods, especially in-plane characteristics at a constant distance from the touch sensor;
- b) added pen touch performance.

The text of this International Standard is based on the following documents:

Draft	Report on voting
110/1434/CDV	110/1480A/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62908 series, published under the general title *Touch and interactive displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

TOUCH AND INTERACTIVE DISPLAYS –

Part 12-10: Measurement methods of touch displays – Touch and electrical performance

1 Scope

This part of IEC 62908 specifies the standard measuring conditions and measurement methods for determining touch and hovering performance of a touch sensor module. This document is applicable to touch sensor modules, where the structural relationship between touch sensor, touch controller, touch sensor module, display panel, touch display panel, and touch display module is defined in IEC 62908-1-2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 62908-1-2, *Touch and interactive displays – Part 1-2: Generic – Terminology and letter symbols*