

INTERNATIONAL STANDARD

**Touch and interactive displays -
Part 12-10: Measurement methods of touch displays - Touch and electrical
performance**

CONTENTS

FOREWORD	5
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Measuring conditions	7
4.1 Standard measuring environmental conditions	7
4.2 Standard atmospheric conditions for reference measurements and tests	7
4.3 Standard positioning equipment and setup	8
4.4 Human operator alternative to standard positioning equipment	9
4.5 Test bar and touch pen	10
4.6 Equipment for measurement of force-output characteristics	10
5 Touch performance measurement methods	11
5.1 General	11
5.2 Accuracy test	11
5.2.1 Purpose	11
5.2.2 Test procedure	12
5.2.3 Report	16
5.3 Repeatability or jitter test	16
5.3.1 Purpose	16
5.3.2 Test procedure	17
5.3.3 Report	19
5.4 Linearity test	19
5.4.1 Purpose	19
5.4.2 Test procedure	19
5.4.3 Report	22
5.5 Reproducibility test	22
5.5.1 Purpose	22
5.5.2 Test procedure	23
5.5.3 Report	24
5.6 Signal-to-noise ratio (SNR) test	25
5.6.1 Purpose	25
5.6.2 Test procedure	26
5.6.3 Report	27
5.7 Report rate test	27
5.7.1 Purpose	27
5.7.2 Test procedure	27
5.7.3 Report	28
5.8 Latency test	28
5.8.1 Purpose	28
5.8.2 Test procedure	28
5.8.3 Report	29
5.9 Electrical noise immunity test	29
5.9.1 Purpose	29
5.9.2 Test procedure	29
5.9.3 Report	30
5.10 Water droplet immunity test	30

5.10.1	Purpose	30
5.10.2	Test procedure	31
5.10.3	Report	31
5.11	Optical noise immunity test	31
5.11.1	Purpose	31
5.11.2	Test procedure	32
5.11.3	Report	32
5.12	Power consumption test	32
5.12.1	Purpose	32
5.12.2	Test procedure	32
5.12.3	Report	32
5.13	Perpendicular hover distance test	32
5.13.1	Purpose	32
5.13.2	Test procedure	32
5.13.3	Report	33
5.14	Force-output characteristics test	33
5.14.1	Purpose	33
5.14.2	Test procedure	33
5.14.3	Report	34
6	In-plane hovering performance measurement methods	34
6.1	General	34
6.2	Accuracy test	34
6.2.1	Purpose	34
6.2.2	Test procedure	35
6.2.3	Report	37
6.3	Repeatability or jitter test	38
6.3.1	Purpose	38
6.3.2	Test procedure	38
6.3.3	Report	40
6.4	Report rate test	41
6.4.1	Purpose	41
6.4.2	Test procedure	41
6.4.3	Report	42
Annex A (informative)	Electrical performance measurement methods of touch sensors	43
A.1	Resistance	43
A.1.1	General	43
A.1.2	Test samples	43
A.1.3	Measurement equipment	43
A.1.4	Procedures	43
A.1.5	Data analysis	44
A.1.6	Report	44
A.2	Trans-capacitance	44
A.2.1	General	44
A.2.2	Test samples	44
A.2.3	Measurement equipment	44
A.2.4	Procedure	44
A.2.5	Data analysis	45
A.2.6	Report	45

Bibliography.....	46
Figure 1 – Composition of test equipment	8
Figure 2 – Concept of performance measurement.....	9
Figure 3 – Example of manual test tool (left), positioning without triggering a touch event (middle) and recording a touch event (right)	9
Figure 4 – Examples of test bars.....	10
Figure 5 – Force sensor added to Figure 1 (in red) for measurement of force-output characteristics of a force sensitive touch sensor module	11
Figure 6 – Block diagram showing functions and data added to Figure 2 (in red) for force-output characteristics measurement.....	11
Figure 7 – Location of edge area and centre area	12
Figure 8 – Point grid	13
Figure 9 – Accuracy definition.....	13
Figure 10 – Example of measurement result and calculation of accuracy	16
Figure 11 – Repeatability in the touch sensor module	17
Figure 12 – Example of measurement result for repeatability	19
Figure 13 – Dragging line for linearity test.....	20
Figure 14 – Linearity definition.....	20
Figure 15 – Example of measurement and calculation of linearity	22
Figure 16 – Example of reproducibility test results	23
Figure 17 – Reproducibility test procedure	24
Figure 18 – Examples of measurements of reproducibility – Velocity dependence.....	25
Figure 19 – SNR definition concept.....	26
Figure 20 – Dragging direction for reporting time measurement	27
Figure 21 – Reporting time interval measurement	28
Figure 22 – Latency measurement	28
Figure 23 – Example of the effect of external noise.....	29
Figure 24 – External noise injection	30
Figure 25 – Report of external noise immunity	30
Figure 26 – Example of water drop effect.....	31
Figure 27 – Water droplet test procedure	31
Figure 28 – Perpendicular hover distance measurement	33
Figure 29 – Examples of force-output characteristics	33
Figure 30 – Point grid	35
Figure 31 – Accuracy definition for in-plane of XY coordinates on the target projection plane (I) of the active area	36
Figure 32 – Accuracy definition for Z coordinate on the target projection plane (I) of the active area.....	36
Figure 33 – Repeatability for in-plane of XY coordinates on the target projection plane (I) of the active area	38
Figure 34 – Repeatability for Z coordinate on the target projection plane (I) of the active area.....	39
Figure 35 – Dragging direction of in-plane for reporting time measurement.....	41
Figure 36 – Dragging direction of Z -axis for reporting time measurement.....	42

Figure 37 – Reporting time interval measurement	42
Figure A.1 – Diagrammatic representation of measurement of resistance	44
Figure A.2 – Diagrammatic representation of measurement of capacitance.....	45
Table 1 – Standard conditions for reference measurements and tests.....	8
Table A.1 – Specification of LCR impedance meter.....	43

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Touch and interactive displays -
Part 12-10: Measurement methods of touch displays -
Touch and electrical performance**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62908-12-10 has been prepared by IEC technical committee 110: Electronic displays. It is an International Standard.

This third edition cancels and replaces the second edition published in 2023. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added principle of force sensitive touch sensor module and force-output characteristics measurement;
- b) added required equipment for force-output characteristic measurement of force sensitive touch sensor module;
- c) added test method for force-output characteristics measurement.

The text of this International Standard is based on the following documents:

Draft	Report on voting
110/1757/CDV	110/1794A/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62908 series, published under the general title *Touch and interactive displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 62908 specifies the standard measuring conditions and measurement methods for determining touch and hovering performance of a touch sensor module. This document is applicable to touch sensor modules, whereas the structural relationship between touch sensor, touch controller, touch sensor module, display panel, touch display panel, and touch display module is defined in IEC 62908-1-2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing - Part 1: General and guidance*

IEC 62908-1-2, *Touch and interactive displays - Part 1-2: Generic - Terminology and letter symbols*

Bibliography

IEC TR 62908-1-3, *Touch and interactive displays - Part 1-3: Generic - General introduction of pen touch technology*

ISO 7500-1, *Metallic materials - Calibration and verification of static uniaxial testing machines - Part 1: Tension/compression testing machines - Calibration and verification of the force-measuring system*
