INTERNATIONAL STANDARD

IEC 88528-11

First edition 2004-03

Reciprocating internal combustion engine driven alternating current generating sets –

Part 11:

Rotary uninterruptible power systems – Performance requirements and test methods

© IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland



PRICE CODE



CONTENTS

FO	REW	ORD	5	
1	Scor	pe	7	
2	Norr	mative references	7	
3	Terms and definitions			
	3.1	General	8	
	3.2	Performance of systems and components		
	3.3	Specified values		
	3.4	Input values	11	
	3.5	Output values	12	
4	Sym	bols and abbreviations	12	
5	Sele	ction criteria	12	
6	Gen	eral description	13	
	6.1	Rotary UPS		
	6.2	Types of rotary UPS		
	0.2	6.2.1 Series connected rotary UPS		
		6.2.2 Line interactive rotary UPS		
	6.3	Parallel operation of a rotary UPS installation		
		6.3.1 General	15	
		6.3.2 Parallel operation	15	
		6.3.3 Redundant operation	15	
	6.4	Power system changeover with rotary UPS installations (bypass)	16	
	6.5	Enclosure protection	16	
7	Modes of operation			
	7.1	Power conditioning mode	17	
	7.2	Independent mode	17	
	7.3	Bypass mode	18	
	7.4	7.4 Off mode		
	7.5	Transitions	18	
		7.5.1 Transition 1, starting the system with mains voltage present	18	
		7.5.2 Transition 2, start-up without mains voltage (black start)	18	
		7.5.3 Transition 3, disconnect from grid	19	
		7.5.4 Transition 4, connect to grid		
		7.5.5 Transition 6, transfer		
		7.5.6 Transition 7, 8, retransfer		
8	Serv	rice conditions		
	8.1	Normal service conditions		
	8.2	Operation at extended ambient		
		8.2.1 Ambient service temperature		
		8.2.2 Ambient storage and transportation conditions		
	8.3	Engines		
	8.4	Rotating electrical machines		
	8.5	Control logic	20	

9	Electrical service conditions and performance		
	9.1	General – all rotary UPS	20
	9.2	Performance	21
10	Manu	facturer technical declarations	22
	10.1	General	22
	10.2	Purchaser specification guidelines	22
		10.2.1 Type of rotary UPS, additional features, and system requirements	
		10.2.2 Rotary UPS input	
		10.2.3 Load to be supplied from a rotary UPS	23
		10.2.4 Rotary UPS output	
		10.2.5 Battery (where applicable)	24
		10.2.6 General application requirements and special service conditions	25
		10.2.7 Multi-module system configurations	25
		10.2.8 Electromagnetic compatibility	26
11	Testi	ng	27
	11.1	Static output voltage and frequency deviations	27
	11.2	Dynamic output voltage and frequency deviations	28
	11.3	Input current characteristics	28
	11.4	Measurement of filter properties	28
		11.4.1 From mains to output	28
		11.4.2 From output to mains	30
	11.5	System performance	30
		11.5.1 Efficiency	30
		11.5.2 Stored energy times	30
		11.5.3 Multi-module rotary UPS performance	30
	11.6	Black start test	31
		Environmental tests	
	11.8	Audible noise	31
	11.9	Testing	31
12	Main	enance and product marking	33
	12.1	Nameplate markings	33
	12.2	Label requirements	34
	12.3	Name plate marker	34
	12.4	Decals – labelling	35
		12.4.1 Safety instructions and documentation	35
	12.5	Maintenance	35
Anr	nex A	(informative) Typical energy storage devices	36
Anr	nex B	(normative) Reference non-linear load – Single-phase	40
Anr	nex C	(normative) Reference non-linear load – Three-phase	42
Anr	nex D	(normative) Input mains failure – Test method	43
Anr	nex E	(informative) Types of uninterruptible power systems (UPS) configurations	44
Ei~	uro 1	Types of LIPS systems	4.0
_		- Types of UPS systems	
_		- Typical example series connected rotary UPS	
_		- Typical example of a line interactive rotary UPS	
Ei~	uro 1	Parallel operation of a rotary LIPS	15

Figure 5 – Bypass operation	16
Figure 6 – Illustration of rotary UPS operation	17
Figure 7 – Operating modes	18
Figure 8 – Surge test	29
Figure 9 – Warning label	34
Figure A.1 – Dual conversion – direct-coupled flywheel	37
Figure A.2 – Line interactive – direct-coupled flywheel	37
Figure A.3 – Dual conversion – indirect coupled flywheel	37
Figure A.4 – Line interactive – indirect coupled flywheel	38
Figure A.5 – Double fed a.c. machine	38
Figure A.6 – Dual conversion with battery	38
Figure A.7 – Line interactive with battery	39
Figure B.1 – Single-phase non-linear load	40
Figure C.1 – Three-phase non-linear load	42
Figure D.1 – Input mains failure test method	43
Figure E.1 – Series connected type 1	44
Figure E.2 – Series connected type 2	45
Figure E.3 – Line interactive	45
Figure E.4 – Typical UPS	46
Figure E.5 – Typical switchless dual feed UPS	47
Table 1 – Compatibility levels for individual harmonic voltages in mains power	21
Table 2 – Operating steady-state limit values for performance classes	21
Table 3 – Operating dynamic limit values for performance classes (note 1)	22
Table 4 – Technical data sheets – Manufacturers declaration	26
Table 5 – Test methods for rotary UPS performance characteristics	32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RECIPROCATING INTERNAL COMBUSTION ENGINE DRIVEN ALTERNATING CURRENT GENERATING SETS –

Part 11: Rotary uninterruptible power systems – Performance requirements and test methods

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 88528-11 has been prepared jointly by IEC technical committee 2: Rotating machinery, and ISO technical committee 70: Internal combustion engines.

The text of this standard is based on the following documents:

FDIS	Report on voting
2/1275/FDIS	2/1280/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until 2007. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IEC 88528-11 is integrated into the ISO 8528 series listed below, under the general title Reciprocating internal combustion engine driven alternating current generating sets:

- Part 1: Application, ratings and performance
- Part 2: Engines
- Part 3: Alternating current generators for generating sets
- Part 4: Controlgear and switchgear
- Part 5: Generating sets
- Part 6: Test methods
- Part 7: Technical declarations for specification and design
- Part 8: Requirements and tests for low-power generating sets (available in English only)
- Part 9: Measurement and evaluation of mechanical vibrations (available in English only)
- Part 10: Measurement of airborne noise by the enveloping surface method
- Part 12: Emergency power supply to safety services

RECIPROCATING INTERNAL COMBUSTION ENGINE DRIVEN ALTERNATING CURRENT GENERATING SETS –

Part 11: Rotary uninterruptible power systems – Performance requirements and test methods

1 Scope

This International Standard, which forms part of the ISO 8528 series, specifies criteria, including performance and test methods, for rotary uninterruptible power systems (UPS) arising out of a combination of mechanical and electrical rotating machines. This standard applies to power supplies primarily designed for supplying uninterrupted a.c. power to the consumer. When operated without input mains feed, the power is provided by stored energy and/or reciprocating internal combustion (RIC) engine and the output power is provided by one or more rotating electrical machines.

This part 11 applies to a.c. power supplies primarily designed for supplying uninterruptible electrical power for stationary land and marine use, excluding supplies for aircraft, land vehicles or locomotives. It also excludes power supplies where the output power is generated by static converters. (See IEC 62040-3.)

The use of a rotary UPS installation to improve the quality of a.c. power supply, to provide voltage and/or frequency conversion, and to provide peak shaving is also described.

For some specific applications (for example, essential hospital supplies, offshore, non-stationary applications, high rise buildings, nuclear, etc.) supplementary requirements may be necessary. The provisions of this part of ISO 8528 should be used as a basis.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1:2003, Rotating Electrical Machines - Part 1: Rating and performance

IEC 60034-22:1996, Rotating Electrical Machines – Part 22: AC generators for reciprocating internal combustion (RIC) engine driven generating sets

IEC 60417 (all parts), Graphical symbols for use on equipment. Index, survey and compilation of the single sheets

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 61000, Electromagnetic compatibility (EMC)

ISO 3046-1:2003, Reciprocating internal combustion engines

ISO 7000, Graphical symbols for use on equipment

ISO 8178-1, Reciprocating internal combustion engines – Exhaust emission measurement – Part 1: Test-bed measurement of gaseous and particulate exhaust emissions

ISO 8528-1, Reciprocating internal combustion engine driven alternating current generating sets – Part 1: Application, ratings and performance

ISO 8528-6, Reciprocating internal combustion engine driven alternating current generating sets – Part 6: Test methods

ISO 8528-9, Reciprocating internal combustion engine driven alternating current generating sets – Part 9: Measurement and evaluation of mechanical vibrations

ISO 8528-10, Reciprocating internal combustion engine driven alternating current generating sets – Part 10: Measurement of airborne noise by the enveloping surface method