

IEC GUIDE 116

Edition 2.0 2018-11

GUIDE



Guidelines for safety related risk assessment and risk reduction for low voltage equipment

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ISBN 978-2-8322-6097-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	REWC)RD	4
IN	TRODU	JCTION	6
1	Scop	e and object	7
	1.1	Scope	7
	1.2	Object	7
	1.3	Exclusion and limitation	7
2	Norm	native references	8
3	Terms definitions and abbreviations		
	3.1	Terms and definitions	8
	3.2	Abbreviations	12
4	Basic principles		
	4.1	Principle of SAFETY INTEGRATION	12
	4.2	Basic concepts	13
	4.2.1	Information for RISK ASSESSMENT	15
	4.2.2	Information related to LV equipment description	16
	4.2.3	Related standards and other applicable documents	16
	4.2.4	Information related to application experience	16
	4.2.5	Relevant ergonomic principles	16
5	Dete	rmination of the limits of the LV equipment	16
6	HAZA	RD identification	17
7	RISK estimation		18
	7.1	General	18
	7.2	Elements of RISK	18
	7.2.1	Combination of elements of RISK	18
	7.2.2	Severity of harm	20
	7.2.3	Probability of occurrence of harm	21
	7.2.4		
	7.3	Aspects to be considered during RISK estimation	
	7.3.1	—··F · · · F - · - · · · · · · · ·	
	7.3.2	31 / 1 3	
	7.3.3	, 0,	
8	Risk	evaluation	23
	8.1	General	
	8.2	Aspects to be considered during RISK evaluation	
	8.2.1		
	8.2.2	•	
	8.2.3	,	
	8.2.4	,	
	8.2.5		
	8.2.6	•	
	8.3	Elimination of hazards or reduction of RISK by RISK REDUCTION MEASURES	
9	8.4	Comparison of RISKsreduction	
		mentation	
10	וטטע	IIII CIII (auvii	∠9

Annex A (normative) SAFETY aspects relating to LOW VOLTAGE EQUIPMENT	30				
A.1	General	30				
A.2	Preliminary observations	30				
A.3	SAFETY INTEGRATION	30				
A.4	Protection against electrical hazards	31				
A.5	Protection against mechanical hazards	31				
A.6	Protection against other hazards	31				
A.6.1	General	31				
A.6.2	Explosion	31				
A.6.3	Hazards arising from electric, magnetic, and electromagnetic fields, other ionising and non-ionising radiation	32				
A.6.4	Electric, magnetic or electromagnetic disturbances	32				
A.6.5	Optical radiation	32				
A.6.6	Fire	32				
A.6.7	Temperature	32				
A.6.8	Acoustic noise	32				
A.6.9	Biological and chemical effects	32				
A.6.1	Emissions, production and/or use of hazardous substances (e.g. gases, liquids, dusts, mists, vapour)	33				
A.6.1	1 Unattended operation	33				
A.6.1	2 Connection to and interruption from power supply	33				
A.6.1	3 Combination of equipment	33				
A.6.1	4 Implosion	33				
A.6.1	5 Hygiene conditions	33				
A.6.1	6 Ergonomics	33				
A.7	FUNCTIONAL SAFETY and reliability	33				
A.7.1	General	33				
A.7.2	Equipment design	34				
A.7.3	Equipment type related hazards	34				
A.7.4	System faults	34				
A.8	SAFETY-RELATED SECURITY RISK	34				
A.9	Information requirements	35				
Annex B (informative) Supporting standards	36				
B.1	Basic SAFETY standards	36				
B.2	Group SAFETY standards					
	informative) Table C.1 – Examples of hazards, hazardous situations and					
	S EVENTS	37				
Annex D (informative) Tool for the application of this IEC Guide	39				
`	hy					
	,					
Figure 1 –	Principle of safety integration	13				
Figure 2 – Iterative process of RISK ASSESSMENT and RISK reduction1						
Figure 3 – Elements of RISK for RISK estimation19						
Figure 4 – Graph for RISK estimation2						
Figure 5 – RISK reduction process						
i igalo o –	The Council process.	20				
Table D.1	- RISK ASSESSMENT documentation	39				

INTERNATIONAL ELECTROTECHNICAL COMMISSION

GUIDELINES FOR SAFETY RELATED RISK ASSESSMENT AND RISK REDUCTION FOR LOW VOLTAGE EQUIPMENT

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This second edition of IEC Guide 116 has been prepared, in accordance with ISO/IEC Directives, Part 1, Annex A, by the IEC Advisory Committee on Safety (ACOS). This is a non-mandatory guide in accordance with SMB Decision 136/8.

This second edition of IEC Guide 116 cancels and replaces its first edition published in 2010 and constitutes a technical revision; main changes with respect to the first edition are as follows:

- addition of a clause dealing with safety related security aspects, derived from the IEC 62443 series (Clause A.8);
- reference to "domestic animals" rather than to "livestock", throughout the text of the guide;
- alignment of definitions and Figure 2 with the latest edition of ISO/IEC Guide 51 (2014);
- editorial improvements throughout the text;
- updates of the links to the IEC website.

The text of this IEC Guide is based on the following documents:

FDIS	Report on voting
ACOS/2084/DV	ACOS/2108/RV

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This non-mandatory IEC Guide is intended to be applied to RISK ASSESSMENT and risk reduction for SAFETY of LOW VOLTAGE EQUIPMENT.

This Guide provides guidance to those developing and revising standards, specifications and similar publications. However, the RISK ASSESSMENT method of this guide can be useful as background information for, amongst others, designers, architects, manufacturers, service providers, educators, communicators, auditors, SAFETY inspectors and policy makers.

This IEC Guide reflects ISO/IEC Guide 51 and gives additional guidance to ISO/IEC Guides 50, 51, and 71 on more detailed practical way of carrying out RISK ASSESSMENT and implementing RISK reduction for RISKs commonly considered during all relevant phases of the life of LOW VOLTAGE EQUIPMENT.

The user of this Guide is expected to take into account safety-related standards when available (see also Annex B) and their use automatically reflects the state of the art as defined in ISO/IEC Guide 2.

This Guide provides useful information in the absence of a specific standard.

GUIDELINES FOR SAFETY RELATED RISK ASSESSMENT AND RISK REDUCTION FOR LOW VOLTAGE EQUIPMENT

1 Scope and object

1.1 Scope

This non-mandatory IEC Guide complements ISO/IEC Guide 51 and establishes guidelines useful for achieving SAFETY in low voltage (LV) equipment. These guidelines include RISK ASSESSMENT, in which the knowledge and experience of the design, use, incidents, accidents and HARM related to LOW VOLTAGE EQUIPMENT are brought together in order to assess the RISKs during the relevant phases of the life of the equipment, as specified in Clause 6, and to implement the basic principles for RISK REDUCTION MEASURES. This IEC guide should be used by technical committees as far as appropriate and to the extent they decide to apply it.

This IEC Guide gives additional guidance to ISO/IEC Guides 50, 51 and 71 on the information required to allow RISK ASSESSMENT to be performed. Procedures are described for identifying hazards, estimating and evaluating RISK (including comparison of RISKs) and RISK reduction where necessary. Harms considered in this document include possible damages to persons, property, or domestic animals. It is not intended that the structure of this guide be adopted by technical committees.

This IEC Guide also includes requirements for the equipment documentation to include adequate information for the safe use of equipment.

1.2 Object

The purpose of this IEC Guide is to provide guidance for technical committees for decisions to be made on the SAFETY of LOW VOLTAGE EQUIPMENT and the type of documentation required to verify the RISK ASSESSMENT carried out.

This IEC Guide applies to all electrical equipment designed for use with a voltage range up to 1 000 V a.c. (1 500 V d.c.). Voltage ratings refer to the voltage of the electrical input or output, not to voltages that may appear inside the equipment.

Annex A of this Guide identifies basic health and SAFETY requirements, typically for LOW VOLTAGE EQUIPMENT.

Annex D can be used as a tool for documenting a self-assessment by a Technical Committee.

1.3 Exclusion and limitation

This guide does not apply to those basic components whose RISK ASSESSMENT depends to a very large extent on how they are used and incorporated into a machine, electrical system or installation. However, other electrical components that are intended to be incorporated into other electrical equipment and for which a RISK ASSESSMENT can be undertaken are covered by this IEC Guide, in general requiring a further assessment of the SAFETY aspects related to the way in which such components are incorporated.

NOTE 1 The scope of the exclusion of basic components should not be misunderstood and extended to items like lamps, starters, fuses, switches for household use, elements of electrical installations, etc.

These components, even if they are often used in conjunction with other electrical equipment and have to be properly installed in order to deliver their useful function, are themselves to be considered electrical equipment in the sense of this Guide.

NOTE 2 RISK REDUCTION MEASURES to be taken by the user of a product are subject to legal requirements in many countries, especially in the occupational health and SAFETY framework.

This IEC Guide itself is not intended to be used for the purpose of certification. Product committees are encouraged to include a clause in product SAFETY standards pertaining to RISK ASSESSMENT, to be used when the requirements of these standards do not fully encompass all possible hazards with equipment within the standard's scope, especially for emerging technologies, where new hazards may arise.

If the RISK ASSESSMENT identifies aspects not directly related to health and SAFETY such as environment protection, energy consumption, climate change, etc., the RISK reduction for health and SAFETY related RISKs in particular with respect to persons overrules the priority of those other aspects. However such aspects can be defined by regulations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC Guide 104:2010, The preparation of safety publications and the use of basic safety publications and group safety publications

IEC Guide 117:2010, Electrotechnical equipment – Temperatures of touchable hot surfaces

ISO/IEC Guide 51:2014, Safety aspects - Guidelines for their inclusion in standards