

PUBLICLY  
AVAILABLE  
SPECIFICATION

IEC  
**PAS 61076-3-114**

Pre-Standard

First edition  
2005-11

---

---

**Connectors for electronic equipment –**

**Part 3-114:**

**Rectangular connectors – Protective housings  
for use with 8-way shielded and unshielded  
connectors for frequencies up to 600 MHz  
for industrial environments incorporating  
the IEC 60603-7 series interface –  
Variant 11 related to IEC 61076-3-106 –  
Bayonet coupling type**

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE

**R**

*For price, see current catalogue*

## CONTENTS

|                                                                     |    |
|---------------------------------------------------------------------|----|
| FOREWORD.....                                                       | 4  |
| 1 General data .....                                                | 6  |
| 1.1 Scope.....                                                      | 6  |
| 1.2 Normative references .....                                      | 6  |
| 1.3 IEC type designation.....                                       | 7  |
| 2 Terms and definitions .....                                       | 8  |
| 3 Dimensional information .....                                     | 8  |
| 3.1 Common features .....                                           | 8  |
| 3.2 General.....                                                    | 9  |
| 3.3 Contact arrangement of all connector types.....                 | 9  |
| 3.4 IP65 and IP67 sealing.....                                      | 9  |
| 3.5 Industrial IEC 60603-7 variant 11 – Bayonet coupling.....       | 9  |
| 3.5.1 Industrial IEC 60603-7 variant 11, fixed connectors .....     | 9  |
| 3.5.2 Industrial IEC 60603-7 variant 11, free connectors.....       | 10 |
| 3.6 Termination and mounting information.....                       | 11 |
| 3.7 General.....                                                    | 11 |
| 3.8 Mounting information for variant 11 fixed connectors .....      | 11 |
| 4 Gauges .....                                                      | 12 |
| 4.1 Connectors, IEC 60603-7 interface .....                         | 12 |
| 5 Characteristics .....                                             | 12 |
| 5.1 Climatic category.....                                          | 12 |
| 5.2 Electrical .....                                                | 12 |
| 5.2.1 Clearance and creepage distances.....                         | 12 |
| 5.2.2 Voltage proof .....                                           | 13 |
| 5.2.3 Current-carrying capacity .....                               | 13 |
| 5.2.4 Mating cycles with power applied .....                        | 13 |
| 5.2.5 Initial contact resistance.....                               | 13 |
| 5.2.6 Input-to-output resistance.....                               | 13 |
| 5.2.7 Resistance unbalance .....                                    | 14 |
| 5.2.8 Initial insulation resistance .....                           | 14 |
| 5.3 Transmission characteristics .....                              | 14 |
| 5.3.1 General .....                                                 | 14 |
| 5.3.2 Mechanical .....                                              | 14 |
| 5.3.3 Mechanical operation .....                                    | 14 |
| 5.3.4 Effectiveness of connector coupling devices transversal ..... | 14 |
| 5.3.5 Effectiveness of connector coupling devices .....             | 14 |
| 5.3.6 Separation and engagement forces .....                        | 14 |
| 6 Test schedule.....                                                | 15 |
| 6.1 General.....                                                    | 15 |
| 6.2 Test procedures and measuring methods .....                     | 15 |
| 6.3 Preconditioning.....                                            | 15 |
| 6.4 Wiring and mounting of specimens.....                           | 15 |
| 6.4.1 Wiring.....                                                   | 15 |
| 6.4.2 Mounting.....                                                 | 15 |

|       |                                                             |    |
|-------|-------------------------------------------------------------|----|
| 6.5   | Arrangement for contact resistance test .....               | 15 |
| 6.6   | Arrangement for dynamic stress tests (test phase AP2) ..... | 16 |
| 6.7   | Basic (minimum) test schedule .....                         | 16 |
| 6.8   | Full test schedule .....                                    | 16 |
| 6.8.1 | Test preliminary group P .....                              | 16 |
| 6.8.2 | Test group P .....                                          | 17 |
| 6.8.3 | Test group AP .....                                         | 18 |
| 6.8.4 | Test group BP .....                                         | 19 |
| 6.8.5 | Test group CP .....                                         | 20 |
| 6.8.6 | Test group DP .....                                         | 20 |
| 6.8.7 | Test group EP .....                                         | 20 |

Withdrawn

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRONIC EQUIPMENT –****Part 3-114: Rectangular connectors – Protective housings  
for use with 8-way shielded and unshielded connectors  
for frequencies up to 600 MHz for industrial environments  
incorporating the IEC 60603-7 series interface – Variant 11 related to  
IEC 61076-3-106 – Bayonet coupling type**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning Amphenol<sup>1)</sup>.

The holder of this patent right has assured the IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

Amphenol Socapex S.A.S.  
948 Promenade de l'Arve  
B.P. 29  
74311 Thyez Cedex, France

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

1) Amphenol is the trade name of Amphenol Socapex S.A.S. This information is given for the information of users of this PAS and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name Amphenol. Use of the trade name Amphenol requires permission from Amphenol Socapex S.A.S.

A PAS is a technical specification not fulfilling the requirements for a standard but made available to the public.

IEC-PAS 61076-3-114 has been processed by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

| <b>Draft PAS</b> | <b>Report on voting</b> |
|------------------|-------------------------|
| 48B/1517/NP      | 48B/1546/RVN            |

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned will transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of three years starting from 2005-10. The validity may be extended for a single three-year period, following which it shall be revised to become another type of normative document or shall be withdrawn.

Withdrawn

## CONNECTORS FOR ELECTRONIC EQUIPMENT –

### **Part 3-114: Rectangular connectors – Protective housings for use with 8-way shielded and unshielded connectors for frequencies up to 600 MHz for industrial environments incorporating the IEC 60603-7 series interface – Variant 11 related to IEC 61706-3-106 – Bayonet coupling type**

## **1 General data**

### **1.1 Scope**

This Publicly Available Specification (PAS) covers protective housings for upgrading existing 8-way shielded and unshielded connectors utilizing the interface described in IEC 60603-7-2, IEC 60603-7-3, IEC 60603-7-4, IEC 60603-7-5, and IEC 60603-7-7 to IP65 and IP67 ratings, according to IEC 60529, for use in industrial environments.

The housings cover a variety of different locking mechanisms according to this PAS and a variety of different mounting configurations and termination types which are detailed in IEC 60603-7.

Common mating configurations for all variants are defined in IEC 60603-7. The mating dimensions for the housings under Clause 3 allow the mating conditions according to IEC 60603-7 to be fulfilled.

The fully assembled variants (connectors) described in this PAS incorporate fixed and free connectors which are fully compliant with IEC 60603-7.

### **1.2 Normative references**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581:1978, *International Electrotechnical Vocabulary (IEV) – Chapter 581: Electromechanical components for electronic equipment*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-14, *Environmental testing – Part 2: Tests – Test N: Change of temperature*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h) cycle*

IEC 60512-1, *Connectors for electronic equipment – Tests and measurements – Part 1: General*

IEC 60512-1-100, *Connectors for electronic equipment – Tests and measurements – Part 1-100: Applicable publications*<sup>2</sup>

IEC 60529, *Degree of protection provided by enclosure (IP Code)*

<sup>2</sup> The various parts of IEC 60512 are listed in IEC 60512-1-100.

IEC 60603-7, *Connectors for frequencies below 3 MHz for use with printed boards – Part 7: Detail specification for connectors, 8-way, including fixed and free connectors with common mating features, with assessed quality*

IEC 60603-7-1, *Connectors for electronic equipment – Part 7-1: Detail specification for 8-way, shielded free and fixed connectors with common mating features, with assessed quality*

IEC 60603-7-2, *Connectors for electronic equipment – Part 7-2: Detail specification for 8-way, unshielded, free and fixed connectors for data transmission with frequencies up to 100 MHz<sup>3</sup>*

IEC/PAS 60603-7-3, *Connectors for electronic equipment – Part 7-3: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 100 MHz*

IEC 60603-7-4, *Connectors for electronic equipment – Part 7-4: Detail specification for 8-way, unshielded, free and fixed connectors for data transmission with frequencies up to 250 MHz*

IEC 60603-7-5, *Connectors for electronic equipment – Part 7-5: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz<sup>4</sup>*

IEC 60603-7-7, *Connectors for electronic equipment – Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 600 MHz*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 61076-1, *Connectors for electronic equipment – Part 1: Generic specification*

IEC 61156-2, *Multicore and symmetrical pair/quad cables for digital communications – Part 2: Horizontal floor wiring – Sectional specification*

IEC 61156-3, *Multicore and symmetrical pair/quad cables for digital communications – Part 3: Work area wiring – Sectional specification*

IEC 61156-4, *Multicore and symmetrical pair/quad cables for digital communications – Part 4: Riser cables – Sectional specification*

---

<sup>3</sup> To be published.

<sup>4</sup> To be published.