



PUBLICLY AVAILABLE SPECIFICATION



Household and similar electrical air cleaning appliances – Methods for measuring the performance
Part 3-1: Method for assessing the reduction rate of key bioaerosols by portable air cleaners using an aerobiology test chamber

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 23.120

ISBN 978-2-8322-7057-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|--|----|
| FOREWORD..... | 3 |
| INTRODUCTION..... | 5 |
| 1 Scope..... | 6 |
| 2 Normative references | 6 |
| 3 Terms and definitions | 7 |
| 4 Principle | 9 |
| 5 Apparatus and materials | 9 |
| 6 Preparation of the stock cultures and working cultures of the test microbes..... | 12 |
| 7 Procedures..... | 12 |
| 8 Calculation and expression of results..... | 16 |
| 9 Test report..... | 20 |
| Annex A (informative) Test chamber | 21 |
| Annex B (informative) Example calculations for machine decay | 23 |
| Annex C (informative) Alternate microbes for testing..... | 24 |
| Annex D (informative) Slit sampler operation | 25 |
| Annex E (informative) Suggested test report using this method..... | 26 |
| Bibliography..... | 28 |
| | |
| Figure 1 – SKC biosampler | 11 |
| Figure 2 – Process table | 16 |
| Figure 3 – Alternate process table | 16 |
| Figure A.1 – Example – Main chamber with a glove box for external operation | 21 |
| Figure A.2 – See-through of example chamber | 22 |
| Figure B.1 – Graphical representation for decay curves | 23 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL AIR CLEANING APPLIANCES –
METHODS FOR MEASURING THE PERFORMANCE –****Part 3-1: Method for assessing the reduction rate of key bioaerosols by
portable air cleaners using an aerobiology test chamber**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is an intermediate specification made available to the public and needing a lower level of consensus than an International Standard to be approved by vote (simple majority).

IEC PAS 63086-3-1 has been processed by subcommittee 59N: Electrical air cleaners for household and similar purposes, of IEC technical committee 59: Performance of household and similar electrical appliances, in co-operation with ISO technical committee 142: Cleaning equipment for air and other gases.

It is published as a double logo PAS.

It is based on ANSI/AHAM AC-5-2022.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

| Draft PAS | Report on voting |
|------------------|-------------------------|
| 59N/28/DPAS | 59N/33/RVDPAS |

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 2 years starting from the publication date. The validity may be extended for a single period up to a maximum of 2 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

Words in **bold** type in the text are defined in Clause 3.

A list of all parts in the IEC 63086 series, published under the general title *Household and similar electrical air cleaning appliances*, can be found on the IEC website.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This Publicly Available Specification (PAS) contains test procedures for measuring the reduction by the air cleaner of micro-organisms suspended in the air in the specified test chamber. It also prescribes a method for measuring the operating power and stand-by power of the air cleaner. The test procedures may be applied to any brand or model of household and similar electrical air cleaners within the stated confines of the standard limits of measurability for measuring performance.

The annexes to this PAS are included for informative purposes only unless the annexes are noted as normative.

Warning – The tests given in this document shall be performed by expert staff trained to handle microorganism-related techniques and in properly equipped laboratories under the supervision of a skilled microbiologist. Some of the test micro-organisms might be facultative pathogens for humans, animals and plants and require a laboratory of an appropriate bio-safety level. National and international safety procedures for working with infectious biomaterials shall be followed to prevent any contamination of laboratory staff, apparatus, working place or environment in compliance with national standards or regulations. This document does not purport to address all of the safety aspects, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and ensure compliance with any national, regional or international regulatory conditions.

This PAS may involve hazardous materials, operations and equipment. This PAS does not purport to address all of the safety problems associated with its use. It is the responsibility of whoever uses this PAS to consult and establish appropriate safety and health practices and determine the applicability of any regulatory limitations prior to use.

HOUSEHOLD AND SIMILAR ELECTRICAL AIR CLEANING APPLIANCES – METHODS FOR MEASURING THE PERFORMANCE –

Part 3-1: Method for assessing the reduction rate of key bioaerosols by portable air cleaners using an aerobiology test chamber

1 Scope

This part of IEC 63086 specifies a method to evaluate the capability of portable household air cleaners to reduce the concentration and viability of key experimentally generated bioaerosols in a specified chamber.

Indoor air free of harmful microbes is important to the health of occupants. This is particularly relevant with regard to increased time spent indoors.

Air cleaners are used to reduce the concentrations of microorganisms in indoor air.

The efficiency of such air cleaners to reduce airborne microorganisms can be assessed in test chambers at controlled air temperature and relative air humidity.

The test is applicable to portable air cleaners commonly used in single room spaces such as those based on mechanical filtration, ultraviolet (UV), ionizers, photocatalytic oxidation, and ozone generators in-unit technology.

If the air cleaner does not claim to have the function of reducing microorganisms, this document may not be applicable unless it is being used to simply evaluate the performance.

This document deals with measurement procedures regarding the reduction of the microbial contamination related to electrical air cleaner appliances for household and similar use.

This document does not apply to appliances intended to be used in medical, veterinary, or pharmaceutical applications.

This document does not address sanitization, disinfection, or sterilization measures.

This document does not support, by itself any health-related claims or conclusions about prevention or treatment of a disease or health improvement.

NOTE 1 IEC 63086-3-1 is created for household and similar electrical air cleaners and is not intended to conflict with or replace standards for commercial or industrial consumers.

NOTE 2 In this document, we do not suggest performance test methods that measure the by-products of either the interaction between microbes or between the air cleaner and the microbes tested in this document. The formation of by-products is an important subject. The subject of measuring by-products is under study, and AHAM will address this in future documents.

NOTE 3 This document does not apply to appliances intended for use in medical treatment locations, such as surgical suites, laboratories, medical treatment rooms, etc.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 63086-1:2020, *Household and similar electrical air cleaning appliances – Methods for measuring the performance – Part 1: General requirements*

ASTM E741-11:2017, *Standard Test Method for Determining Air Change in a Single Zone by Means of a Tracer Gas Dilution*