



Edition 1.0 2022-09

# SYSTEMS REFERENCE DELIVERABLE



Smart cities reference architecture methodology

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 03.100.70; 13.020.20

ISBN 978-2-8322-4569-9

Warning! Make sure that you obtained this publication from an authorized distributor.

# CONTENTS

F	DREWO	)RD	16
ΙN	TRODU	JCTION	18
1	Scope		
2	Norm	native references	19
3	Term	ns and definitions	19
	3.1	Information technology	19
	3.2	Urban	
	3.3	Systems approach	
	3.4	Digital transformation	
	3.5	Architecting	
4	Abbr	eviated terms	
5	Linkii	ng the IEC SyC Smart Cities scope with the SCRAM and SCRA	30
	5.1	Methodology	
	5.2	Problem space description	
	5.3	Problem space specifics	
	5.4	Stakeholders classification	
	5.5	Stakeholders and their estimated concerns	
	5.6	Dependency matrix "Stakeholders classification" versus "Stakeholders"	
	5.7	Dependency matrix "Problem space description" versus "Stakeholders"	
	5.8	Stakeholders' aggregated concerns	
	5.9	Mission statement	36
	5.10	Dependency matrix "Problem space description" and "Problem space specifics" versus "Mission statement"	37
	5.11	Dependency matrix "Stakeholders" versus "Mission statement" and "Stakeholders' aggregated concerns"	38
	5.12	Vision statement	38
	5.13	Dependency matrix "Mission statement" and "Stakeholders' aggregated concerns" versus "Vision statement"	39
	5.14	Strategic goals	39
	5.15	Dependency matrix "Vision statement" vs "Strategic goals"	
	5.16	Solution space constraints	40
	5.17	Essential desirable characteristics of the solution space	
	5.18	Dependency matrix "Strategic goals" and "Solution space constraints" versus "Essential desirable characteristics"	41
	5.19	Architecture principles of the solution space	42
	5.19.	.1 Digital orientation	42
	5.19.	.2 Platform-enabled agile solutions orientation	44
	5.19.	.3 Capabilities, functions and processes orientation	48
	5.19.	.4 Services, microservices and APIs orientation	50
	5.19.	.5 Common engineering practices orientation	52
	5.19.	.6 Crosscutting aspects orientation	54
	5.19.	.7 Common governance, management and operations practices orientation	55
	5.19.	.8 Existing knowledge orientation	55
	5.20	Dependency matrix "Essential desired characteristic" versus "Architecture principles"	56
	5.21	All dependencies together	
6		ne of the SCRAM	

	6.1	SCRAM data schema	. 57
	6.2	How the SCRA will be created by the SCRAM	. 58
	6.3	Tailoring the SCRAM and SCRA	. 59
	6.4	Using the SCRA	. 59
7	SCRA	AM viewpoints	. 60
	7.1	General	60
	7.2	Value viewpoint	
	7.2.1	General description	
	7.2.2	·	
	7.3	Big picture viewpoint	
	7.3.1	General description	
	7.3.2	·	
	7.4	System-solution engineering viewpoint	
	7.4.1	General description	
	7.4.2	·	
	7.4.3		
	7.5	Platform engineering viewpoint	
	7.5.1	General description	
	7.5.1	·	
	7.6	Platform component engineering viewpoint	
	7.6.1	General description	
	7.6.2	·	
	7.0.2	Solution engineering viewpoint	
	7.7.1	General description	
	7.7.2	·	
	7.8	Crosscutting aspects engineering viewpoint	
	7.8.1	General description	
	7.8.2	·	
	7.0.2	Corporate viewpoint	
	7.9.1	General description	
	7.9.2	·	
		Risk management viewpoint	
	7.10.	·	
	7.10.	·	
	7.11	Software factory viewpoint	
	7.11.	•	
	7.11.		
	7.12	Standards viewpoint	
	7.12.	·	
	7.12.	·	
8		AM model-types	
-	8.1	General	
	8.2	Problem space description	
	8.2.1	General description	
	8.2.2	·	
	8.2.3	Primary generated artefact-types	
	8.3	Problem space terminology	
	8.3.1	General description	
	0.0.1	Toohniquee	٥٠.

8.3.3	Smart cities example	66
8.4 Prol	blem space specifics nomenclature	66
8.4.1	General description	66
8.4.2	Techniques	66
8.4.3	Primary generated artefact-types	67
8.4.4	Smart cities example	67
8.5 Prol	blem space classifications nomenclature	67
8.5.1	General description	67
8.5.2	Techniques	67
8.5.3	Smart cities example	67
8.6 Stal	keholders nomenclature	
8.6.1	General description	
8.6.2	Techniques	
8.6.3	Primary generated artefact-types	
8.7 Stal	keholders' concerns nomenclature	
8.7.1	General description	
8.7.2	Techniques	
8.7.3	Primary generated artefact-types	
8.7.4	Smart cities example	70
	endencies between generic stakeholders, stakeholders, stakeholders' cerns and categories of concerns model-type	70
8.8.1	General description	
8.8.2	Techniques	
8.8.3	Primary generated artefact-types	
8.8.4	Smart cities example	
	n-level requirements nomenclature	
8.9.1	General description	
8.9.2	Techniques	
8.9.3	Recommended activities	
8.9.4	Smart cities example	
	n-level stories nomenclature	
•	General description	
8.10.2	Techniques	
8.10.3	Recommended activities	
	n-level use cases nomenclature	
8.11.1	General description	
8.11.2	Techniques	
8.11.3	Recommended activities	
8.11.4	Primary generated artefact-types	
8.12 Prol	blem space coverage by the high-level use cases	
8.12.1	General description	
8.12.2	Techniques	
	mission statement	
8.13.1	General description	
8.13.2	Techniques	
8.13.3	Primary generated artefact-types	
8.13.4	Smart cities example	
8.14 The	vision statement	
8.14.1	General description	

8.14.2	Techniques	75
8.14.3	Primary generated artefact-types	75
8.14.4	Smart cities example	76
8.15	The strategic goals nomenclature	76
8.15.1	General description	76
8.15.2	Techniques	76
8.15.3	Smart cities example	76
8.16	Solution space boundaries	76
8.16.1	General description	76
8.16.2	Techniques	76
8.16.3	·	
8.17	Solution space terminology	
8.17.1		
8.17.2	·	
8.17.3	·	
	Solution space constraints nomenclature	
8.18.1	·	
8.18.2		
8.18.3	·	
8.18.4	·	
	Solution space classifications nomenclature	
8.19.1	·	
8.19.2		
	Solution space essential desired characteristics nomenclature	
8.20.1	·	
8.20.2		
8.20.3	·	
8.20.4		
	Dependency matrix of problem space essential high-level requirements and	10
	solution space constraints versus solution space essential desired	
	characteristics	79
8.21.1	General	79
8.21.2	Techniques	79
8.21.3	Primary generated artefact-types	79
8.22	Solution space architecture principles nomenclature	79
8.22.1	General	79
8.22.2	Techniques	80
8.22.3	Smart cities example	80
8.22.4	Primary generated artefact-types	80
8.23	Dependency of between solution space essential desired characteristics	
•	versus solution space architecture principles	80
8.23.1	General	80
8.23.2	Techniques	80
8.23.3	Primary generated artefact-types	80
8.24	High-level illustrative diagrams	81
8.24.1	General	81
8.24.2	Techniques	81
8.24.3	Smart cities example	81
8.25	High-level business map	81
8.25.1	General	81

8	3.25.	2	Techniques	82
8	3.25.	3	Smart cities example	82
8.	26	Bene	eficiaries' journeys nomenclature	82
8	3.26.	1	General description	82
8	3.26.	2	Techniques	83
8	3.26.	3	Primary generated artefact-types	83
8.2	27	High	l-level reference capability map	83
8	3.27.	1	General	83
8	3.27.	2	Techniques	83
8	3.27.	3	Primary generated artefact-types	83
8	3.27.	4	Smart cities example	83
8.	28	High	ı-level process map	84
8	3.28.	1	General	84
8	3.28.	2	Techniques	84
8	3.28.	3	Primary generated artefact-types	84
8.	29	High	l-level architecture	84
8	3.29.	1	General	84
8	3.29.	2	Techniques	85
8.	30	Capa	ability map	85
8	3.30.	1	General description	
8	3.30.	2	Techniques	85
8	3.30.	3	Primary generated artefact-types	85
8.:	31	Low-	-level use cases nomenclature	85
8	3.31.	1	General description	85
8	3.31.	2	Techniques	85
8	3.31.	3	Primary generated artefact-types	85
8.:	32	Fund	ction map	86
8	3.32.	1	General description	86
8	3.32.	2	Techniques	86
8	3.32.		Primary generated artefact-types	
8.:	33	Part	ners nomenclature	
8	3.33.	1	General description	86
8	3.33.	2	Techniques	86
8	3.33.	3	Primary generated artefact-types	86
8.	34	Serv	rices nomenclature	86
8	3.34.	1	General description	86
8	3.34.	2	Techniques	86
8	3.34.	3	Primary generated artefact-types	87
8	3.34.	4	Smart cities example	87
8.	35	Proc	ess map	87
8	3.35.	1	General description	87
8	3.35.	2	Techniques	87
8	3.35.		Primary generated artefact-types	
	36		sions nomenclature	
	3.36.		General description	
	3.36.		Techniques	
	3.36.		Primary generated artefact-types	
			nts nomenclature	
8	3.37.	1	General description	88

8.37.2	Techniques	88
8.37.3	Primary generated artefact-types	88
8.38 Dat	a schemas nomenclature	88
8.38.1	General description	88
8.38.2	Techniques	88
8.38.3	Primary generated artefact-types	89
8.39 Info	rmation flows nomenclature	89
8.39.1	General description	89
8.39.2	Techniques	89
8.39.3	Primary generated artefact-types	89
8.40 Dod	cument/content classifications nomenclature	89
8.40.1	General description	89
8.40.2	Techniques	89
8.40.3	Primary generated artefact-types	89
8.41 Key	performance indicators nomenclature	
8.41.1	General description	89
8.41.2	Techniques	90
8.41.3	Primary generated artefact-types	
8.42 Rep	ports nomenclature	
8.42.1	General description	
8.42.2	Primary generated artefact-types	
8.43 Pla	tforms nomenclature	
8.43.1	General description	
8.43.2	Primary generated artefact-types	
8.44 Pla	tform overview	
8.44.1	General description	
8.44.2	Techniques	
8.44.3	Primary generated artefact-types	
	tform terminology	
8.45.1	General description	
8.45.2	Techniques	
	tform components nomenclature	
8.46.1	General description	
8.46.2	Primary generated artefact-types	
	tform solutions nomenclature	
8.47.1	General description	
8.47.2	Primary generated artefact-types	
	ndards and norms nomenclature	
8.48.1	General description	
8.48.2	Primary generated artefact-types	
	tform software factory configuration	
8.49.1	General description	
8.49.2	Techniques	
8.49.3	Primary generated artefact-types	
8.50.1	tform governance, management and operations manual	
8.50.1	·	
8.50.3	Techniques	
	Primary generated artefact-typestform component overview	
J.JI FIA		5∠

	8.51.	.1	General description	92
	8.51.	.2	Techniques	93
	8.51.	.3	Primary generated artefact-types	93
8	.52	Platf	form component terminology	93
	8.52.	.1	General description	93
	8.52.	.2	Techniques	93
8	.53	Platf	form component capability map	93
	8.53.	.1	General description	93
	8.53.	.2	Techniques	93
	8.53.	.3	Primary generated artefact-types	93
8	.54	Platf	form component function map	93
	8.54.	.1	General description	93
	8.54.	.2	Techniques	93
	8.54.	.3	Primary generated artefact-types	94
8.	.55	Platf	form component process map	94
	8.55.	.1	General description	94
	8.55.	.2	Techniques	94
	8.55.	.3	Primary generated artefact-types	94
8.	.56	Platf	form component business specifications	
	8.56.		General description	
	8.56.	.2	Techniques	
	8.56.	.3	Primary generated artefact-types	
8.	.57	Platf	form component information specifications	
	8.57.		General description	
	8.57.		Techniques	
	8.57.		Primary generated artefact-types	
	.58		form component application specifications	
	8.58.		General description	
	8.58.		Techniques	
	8.58.		Primary generated artefact-types	
	.59	_	form component data specifications	
	.00 8.59.		General description	
	8.59.		Techniques	
	8.59.		Primary generated artefact-types	
	.60		form component infrastructure specifications	
	.00 8.60.		General description	
	8.60.		Techniques	
	8.60.		Primary generated artefact-types	
	.61		form component security specifications	
-	.0 i 8.61.		General description	
	8.61.		Techniques	
	8.61.		Primary generated artefact-types	
	.62		form component services and APIs nomenclature	
	8.62.		General description	
	8.62.		Techniques	
	8.62.		Primary generated artefact-types	
	.63		form component software factory configuration	
	8.63.		General description	
	8.63.	.2	Techniques	98

	8.63.3	Primary generated artefact-types	98
8	8.64 Plat	form component management and operations manual	98
	8.64.1	General description	98
	8.64.2	Techniques	
	8.64.3	Primary generated artefact-types	
	8.65 Solu	ıtion overview	98
	8.65.1	General description	98
	8.65.2	Techniques	
	8.65.3	Primary generated artefact-types	
		ıtion terminology	
	8.66.1	General description	
	8.66.2	Techniques	
		ution capability map	
	8.67.1	General description	
	8.67.2	Techniques	
	8.67.3	Primary generated artefact-types	
•		Ition function map	
	8.68.1	General description	
	8.68.2 8.68.3	Techniques  Primary generated artefact-types	
		ition process map	
•	8.69.1	General description	
	8.69.2	Techniques	
	8.69.3	Primary generated artefact-types	
		ition business specifications	
•	8.70.1	General description	
	8.70.2	Techniques	
	8.70.3	Primary generated artefact-types	
		ition information specifications	
	8.71.1	General description	
	8.71.2	Techniques	
į	8.72 Solu	ution application specifications	101
	8.72.1	General description	101
	8.72.2	Techniques	101
	8.72.3	Primary generated artefact-types	101
8	8.73 Solu	ıtion data specifications	101
	8.73.1	General description	
	8.73.2	Techniques	
		ution infrastructure specifications	
	8.74.1	General description	
	8.74.2	Techniques	
	8.74.3	Primary generated artefact-types	
		Ition security specifications	
	8.75.1	General description	
	8.75.2	Techniques	
	8.75.3	Primary generated artefact-types	
•		Ition services and APIs nomenclature	
	8.76.1 8.76.2	General description	102
	~ / n /	I DETERMINE	1112

	8.76.3	Primary generated artefact-types	103
8	.77 Solu	ition software factory configuration	103
	8.77.1	General description	103
	8.77.2	Techniques	103
	8.77.3	Primary generated artefact-types	103
8	.78 Solu	ition management and operations manual	103
	8.78.1	General description	103
	8.78.2	Techniques	103
	8.78.3	Primary generated artefact-types	103
8	.79 Inter	roperability aspect	104
	8.79.1	General description	104
	8.79.2	Techniques	104
	8.79.3	Primary generated artefact-types	104
8	.80 Seci	urity aspect	
	8.80.1	General description	104
	8.80.2	Techniques	104
	8.80.3	Primary generated artefact-types	104
8	.81 Priva	acy aspect	105
	8.81.1	General description	105
	8.81.2	Techniques	105
	8.81.3	Primary generated artefact-types	105
8	.82 Safe	ety aspect	105
	8.82.1	General description	
	8.82.2	Techniques	105
	8.82.3	Primary generated artefact-types	
8	.83 Relia	ability and resilience management aspects	
	8.83.1	General description	
	8.83.2	Techniques	106
	8.83.3	Primary generated artefact-types	
8	.84 Low	cost of operations and time-to-market aspects	
	8.84.1	General description	
	8.84.2	Techniques	106
	8.84.3	Primary generated artefact-types	
8	.85 Self-	-reference aspect	
	8.85.1	General description	
	8.85.2	Primary generated artefact-types	
8	.86 Orga	anizational structure	
	8.86.1	General description	107
	8.86.2	Techniques	
	8.86.3	Primary generated artefact-types	
8	.87 Gov	ernance structure	
	8.87.1	General description	
	8.87.2	Techniques	
	8.87.3	Primary generated artefact-types	
8		ect management	
_	8.88.1	General description	
	8.88.2	Techniques	
	8.88.3	Primary generated artefact-types	
8			108

8.89.1	General description	108
8.89.2	Techniques	108
8.89.3	Primary generated artefact-types	108
8.90 Inde	ependent evaluation	
8.90.1	General description	
8.90.2	Techniques	
8.90.3	Primary generated artefact-types	
	ics, integrity and anti-corruption	
8.91.1	General description	
8.91.2	Techniques	
8.91.3	Primary generated artefact-types	
	rironment and health	
8.92.1	General description	
	•	
8.92.2	Techniques	
8.92.3	Primary generated artefact-types	
	k management aspect	
8.93.1	General description	
8.93.2	Techniques	
8.93.3	Primary generated artefact-types	
	npliance management aspect	
8.94.1	General description	
8.94.2	Techniques	
8.94.3	Primary generated artefact-types	
8.95 Reg	gulatory management aspects	
8.95.1	General description	111
8.95.2	Techniques	
8.95.3	Primary generated artefact-types	111
8.96 Crir	ne prevention and detection	111
8.96.1	General description	111
8.96.2	Techniques	. 111
8.96.3	Primary generated artefact-types	111
8.97 Aud	liting	111
8.97.1	General description	111
8.97.2	Techniques	. 112
8.97.3	Primary generated artefact-types	112
8.98 Inde	ependent investigation	
8.98.1	General description	
8.98.2	Techniques	
8.98.3	Primary generated artefact-types	
	sis management	
8.99.1	General description	
8.99.2	Techniques	
8.99.3	Primary generated artefact-types	
	tware factory overviewtware factory overview	
8.100.1	General description	
8.100.1	Techniques	
	·	
8.100.3	Primary generated artefact-types	
	totyping practices	114 11 <i>1</i>
	I SANATAL NACETINUAN	1 1 /1

8.101.2	Techniques	114
8.101.3	Primary generated artefact-types	114
8.102 Eng	ineering practices	114
8.102.1	General description	114
8.102.2	Techniques	114
8.102.3	Primary generated artefact-types	114
8.103 Ass	embling practices	114
8.103.1	General description	
8.103.2	Techniques	
8.103.3	Primary generated artefact-types	
	ting practices	
8.104.1	General description	
8.104.2	Techniques	
8.104.3	Primary generated artefact-types	
	ployment practices	
8.105.1	General description	
8.105.2	Techniques	
8.105.3	Primary generated artefact-types	
	nitoring practices	
8.106.1	General description	
8.106.2	Techniques	
8.106.3	Primary generated artefact-types	
	Sting standards nomenclature	
8.107.1 8.107.2	General description	
8.107.3	Primary generated artefact-types	
	ential standards nomenclature	
8.108.1	General description	
8.108.2	Techniques	
8.108.3	Primary generated artefact-types	
	rmative) Viewpoints from the Zachman Framework	
•	rmative) Summary of the SRG work on systems approach	
	tems approach foundation	
,	ucture of the SRG work on systems approach	
	/IEC/IEEE 42010 foundation	
	tems architecting foundation	
B.4.1	General	
B.4.2	Simple scenario	
B.4.3	Average scenario	
B.4.4	Complex scenario	
Annex C (info	rmative) Some smart cities frameworks	126
•	rmative) SCRAM artefact-types	
•	neral	
	blemSpaceDescription	
	blemSpaceKeyPhase	
	blemSpaceSpecifics	
	blemSpaceSpecificKeyPhase	
	keholderTerm	

D.7	StakeholderDescription	129
D.8	ConcernTemplate	130
D.9	ConcernWhoTerm	130
D.10	ConcernWhatTerm	130
D.11	ConcernWhyTerm	130
D.12	ConcernHowWellTerm	131
D.13	IndependentLink	131
D.14	HLUCTemplate	131
D.15	HLUCWhoTerm	131
D.16	HLUCWhatTerm	131
D.17	HLUCWhyTerm	132
D.18	HLUCWhereTerm	132
D.19	HLUCWhenTerm	132
D.20	HLUCHowTerm	132
D.21	MissionDescription	133
D.22	MissionKeyPhase	133
D.23	VisionDescription	133
D.24	VisionKeyPhase	133
D.25	SolutionSpaceDescription	133
D.26	SolutionSpaceConstraintDescription	134
D.27	SolutionSpaceConstraintKeyPhase	134
D.28	EssentialDesiredCharacteristicDescription	134
D.29	EssentialDesiredCharacteristicKeyPhase	134
D.30	ArchitecturePrincipleDescription	135
D.31	ArchitecturePrincipleKeyPhase	135
D.32	JourneyTemplate	135
D.33	ProcessDiagram	135
D.34	Capability	136
D.35	Function	136
D.36	SolutionPartnerOrganization	
D.37	Service	136
D.38	Decision	137
D.39	Event	137
D.40	DataSchema	137
D.41	InformationFlow	137
D.42	DocumentClassification	138
D.43	ContentClassification	138
D.44	KeyPerformanceIndicator	138
D.45	Report	139
D.46	InternalStandard	139
D.47	InternalNorm	139
D.48	Platform	139
D.49	PlatformComponent	140
D.50	Solution	
D.51	SoftwareFactoryConfiguration	
D.52	WikiManual	140
D.53	UI	141
D.54	LLUC	141
D.55	SoftwareComponent	141

D.56	SoftwareProtocol	141
D.57	API	142
D.58	InformationSecurityPoint	142
D.59	InformationSecurityControl	142
D.60	InformationSecurityMethod	
D.61	PersonalSecurityPoint	
D.62	PersonalSecurityControl	
D.63	PersonalSecurityMethod	
D.64	PhysicalSecurityPoint	
D.65	PhysicalSecurityControl	
D.66	PhysicalSecurityMethod	
D.67	PrivacyPoint	
D.68	PrivacyControl	
D.69	PrivacyMethod	
D.70	PrivacyInformationClassification	
D.71	PrivacyRule	
D.72	SafetyPoint	
D.73	SafetyControl	
D.74	SafetyMethod	
D.75	SafetyRule	
D.76	Organigram	
D.77	GovernanceBody	
D.78	RiskPoint	
D.79	RiskControl	
D.80	RiskMethod	
D.81	CompliancePoint	
D.82	ComplianceControl	
D.83	ComplianceMethod	
D.84	RegulationPoint	
	phy	
Figure 1	- Relationships within the "justification" viewpoint	21
•	· · · · · · · · · · · · · · · · · · ·	
	- A dependency matrix "Stakeholders classification" versus "Stakeholders"	
Figure 3	– A dependency matrix "Problem space description" versus "Stakeholders"	36
	– A dependency matrix "Problem space description" and "Problem space  versus "Mission statement"	37
Figure 5	– A dependency matrix "Stakeholders" versus "Mission statement" and lders' aggregated concerns"	38
Figure 6	– A dependency matrix "Mission statement" and "Stakeholders' aggregated " versus "Vision statement"	
_	A dependency matrix "Vision statement" vs "Strategic goals"	40
	A dependency matrix "Strategic goals" and "Solution space constraints"     ssential desirable characteristics"	42
Figure 9	– Becoming digital-first	42
Figure 10	– Many representations of the same house and relationships between them	43
•	– Platform-based agile solutions pattern	
	! – Unique and common functionality in each city	
. Iguic 12	Single and common functionality in caon only	

Figure 13 – Reference architecture helps agreement on common functionality of Smart Cities	46
Figure 14 – Common Smart Cities Digital Repeatable Platform	46
Figure 15 – Investment opportunities	47
Figure 16 – An example of Common Smart Cities Digital Repeatable Platform structure	48
Figure 17 – Using together services, microservices and monoliths	51
Figure 18 – Advantage of process-based microservice assemblies	51
Figure 19 – Reference application architecture for solutions	52
Figure 20 – Mapping various artefact facets to platforms and solutions (example)	53
Figure 21 – Linking security, architecture and risks	54
Figure 22 – A dependency matrix "Essential desired characteristic" versus  "Architecture principles"	56
Figure 23 – All relationships	56
Figure 24 – All relationships with highlighted ones (see the attached file for details)	57
Figure 25 – Fragment of the architecture elements relation	58
Figure 26 – Dependencies between the SCRAM model-types	59
Figure 27 – Using the SCRA	60
Figure 28 – Dependencies between (from left to right) system stakeholders, stakeholders' concerns and classification of these concerns	71
Figure 29 – Descriptive framework from ISO 37105:2019	81
Figure 30 – Business Canvas model for smart city	82
Figure 31 – Potential SCRA level 1 reference capability map	84
Figure 32 – Example of city services	87
Figure B.1 – Systems traditions	120
Figure B.2 – The summary of the SRG work on systems approach	121
Figure B.3 – Viewpoints and views	122
Figure B.4 – Different views, models and artefacts	123
Figure B.5 – Simple scenario	124
Figure B.6 – Average scenario	125
Figure B.7 – Complex scenario	125

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

\_\_\_\_

### SMART CITIES REFERENCE ARCHITECTURE METHODOLOGY

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC SRD 63188, which is a Systems Reference Deliverable, has been prepared by IEC systems committee Smart Cities: Electrotechnical aspects of Smart Cities.

The text of this Systems Reference Deliverable is based on the following documents:

Draft	Report on voting
SyCSmartCities/229/DTS	SyCSmartCities/255/RVDTS

Full information on the voting for the approval of this systems reference document can be found in the report on voting indicated in the above table.

The language used for the development of this Systems Reference Deliverable is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/standardsdev/publications">www.iec.ch/standardsdev/publications</a>.

In this document, the following print types are used.

- In 5.3, 5.4, 5.5, 5.14, 5.16 and 5.17, bold is used for text fragments that will be used in some dependency matrix.
- In 8.7.2, 8.9.2, 8.10.2 and 8.11.2, various colours are used to link interrogatives and placeholders <> within questions.

This document contains attached files in the form of Excel spreadsheets. These files are intended to be used as a complement and do not form an integral part of the document. Three files are attached:

- "SCRAM Figures 1-8, 23 and 24.xlsm";
- "SCRAM Figure 26.xlsm";
- "SCRAM Figure 28.xlsm".

All these files contain some macros for generation of illustrations. However, these macros are not necessary for viewing illustrations.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### INTRODUCTION

The Smart Cities Reference Architecture Methodology (SCRAM) is an adaptation of the summary of the IEC Systems Resource Group (SRG) work on systems approach (see Annex B) for the smart cities system domain. The purpose of the SCRAM is to provide a common methodology for developing the Smart Cities Reference Architecture (SCRA) which will be used as a common and tailorable template for architectures of, practically, any city system.

In 2017, when IEC SyC Smart Cities decided to work on the SCRAM, it was known that there were already various reference architectures for smart cities (see Annex C). However, the majority of these reference architectures were created under different and not publicly agreed methodologies, thus it is very difficult to make them work together. The scope of IEC SyC Smart Cities required the development of a reference architecture which is widely understood and widely used. Therefore, IEC SyC Smart Cities needed to develop the SCRAM as a publicly agreed way of doing this.

Although the primary responsibility of IEC SyC Smart Cities is electrotechnical aspects of smart cities, the SCRAM (and the SCRA) covers city systems as a whole because the electrotechnical aspects can only be properly understood in this wider context. The standardization of system elements defined by the SCRA will be done, depending on the nature of those system elements, within various SDOs Thus, the SCRAM and the SCRA are not limited to electrotechnical aspects only.

The SCRAM provides a methodology for the SCRA to achieve necessary granularity of city system elements to allow the development of practical standards. This is governed by the scope of IEC SyC Smart Cities, which is defined by the IEC SMB as "To foster the development of standards in the field of electrotechnology to help with the integration, interoperability and effectiveness of city systems."

The SCRA covers stages 1 to 4 of summary of the SRG work on systems approach – domain analysis, system architecting, use case analysis and system modelling. Effectively, the SCRA will define for smart cities a set of capabilities, data structures, processes and interfaces which can be standardized to simplify implementation of various smart cities. This set will be used as an input for the stages 5 and 6 of the summary of the SRG work on systems approach – standards analysis and gap analysis – to map the existing standards to this set and to identify standardization opportunities to existing SyCs, TCs/SCs and other SDOs.

## SMART CITIES REFERENCE ARCHITECTURE METHODOLOGY

#### 1 Scope

This document, which is a Systems Reference Deliverable, proposes a methodology that defines a coherent structure for developing Smart Cities Reference Architecture (SCRA). The Smart Cities Reference Architecture Methodology (SCRAM) reviews and defines the desired characteristics of Smart Cities, diverse SCRA viewpoints and corresponding SCRA model types in order to promote consistency and uniformity across architectures for various smart cities.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC/IEEE 42010:2011, Systems and software engineering – Architecture description