

## IEC TR 60728-201

Edition 1.0 2024-02

# TECHNICAL REPORT



Cable networks for television signals, sound signals and interactive services – Part 201: A study of IPTV systems with examples and applications for optical broadcast services

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.160.01; 33.160.99; 33.180.10

ISBN 978-2-8322-8167-3

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

FC	DREWO	PRD	6
1	Scop	e	8
2	Norm	native references	8
3	Term	is and definitions	8
	3.1	Terms and definitions	8
	3.2	Abbreviated terms	
4	Towa	ard IPTV services	11
	4.1	Service scenario	11
	4.1.1	General	11
	4.1.2	IP unicast distribution technology	12
	4.1.3	IP multicast distribution technology	12
	4.1.4	Migration to ALL IP FTTH NETWORK	13
	4.1.5	Step 1	13
	4.1.6	Step 2	14
	4.2	Quality assurance	14
	4.2.1	General	14
	4.2.2	Carrier's network quality assurance	15
	4.2.3	Customer premises' network quality assurance	16
	4.2.4	QoE for Progressive Download and DASH	17
5	Tech	nologies for supporting service	17
	5.1	IPTV Protocols	17
	5.1.1	Classification based on video streaming system configuration	17
	5.1.2	5 1	
	5.1.3	Last-mile streaming protocol	19
	5.2	ABR and M-ABR	20
	5.2.1	ABR (adaptive bit rate)	20
	5.2.2	,	
	5.3	MPEG-DASH	
	5.4	DRM and CENC	
	5.4.1		
	5.4.2		
	5.4.3		
	5.5 Virtualization		
	5.5.1		
	5.5.2		
	5.5.3	,	
	5.5.4 Network virtualization technology and vCPE		
	5.6	Proof of concept experiments of video broadcasting through IP streaming	
	5.6.1	1	
	5.6.2	<b>3</b> ,	
6	5.6.3	Low latency streaming technology for live streaming (CMAF validation)	
6	Ū		
	6.1	General Design Assured All ID assured	
	6.2	Grand Design toward All IP services	
	6.3	HFC (hybrid fibre coaxial) system	
	6.4	Strategies to All IP from HFCs	33

6.5	Completion of All IP Migration from HFC around 2025	34
6.6	FTTH (up to 10G) system configuration	34
6.7	FTTH (up to 100G) system configuration	35
6.8	Migration strategies to all IP from FTTH	36
6.9	Completion of All IP migration from FTTH around 2030	37
Annex A	(informative) ATSC 3.0 Broadcast System	
A.1	General	38
A.2	Overview of the ATSC 3.0 system	
A.3	System specification	
A.3.1		
A.3.2	Description of the ATSC 3.0 standard	39
A.3.3	B Emergency messaging	42
A.3.4		
A.3.5	Personalization	43
A.4	Receiver protocol stack	43
A.5	Convergence of broadcast and broadband services	
Annex B	(informative) NHK Plus: Simultaneous streaming of broadcast signal through	
		45
B.1	General	45
B.2	Overview of system specification	45
B.3	On-demand service	45
B.4	Video Masking	46
B.5	Overview of streaming technology	46
B.6	Overview of streaming facility	47
B.7	Overview of streaming platform	48
Annex C	(informative) Cable 4K IP	50
C.1	General	50
C.2	Abstract of service	50
C.2.1	1 General	50
C.2.2	Number of subscribers	50
C.3	Concept of Cable 4K IP platform	50
C.4	IP distribution	51
Annex D	(informative) Optical TV	52
D.1	General	52
D.1.1		
D.1.2		
D.1.3		
D.1.4		
D.1.5		
D.2	Requirements	
D.2.1	·	
D.2.2	·	
D.3	Customer premises' network	
D.3.1	•	
	(informative) DVB-I	
E.1	General	
E.2	DVB-I components and interfaces	
E.3	Conceptual model of a DVB-I client	

E.4 Service discovery	57
E.5 Content guide metadata	58
Annex F (informative) SAT>IP	59
F.1 General	
F.2 Network topology	
F.3 IP adapter/IP multiswitch	
F.4 IP-based SMATV/multi-dwelling units	
F.5 Protocol specification	
Dibliography	
Figure 1 – IP unicast distribution	12
Figure 2 – IP multicast distribution	12
Figure 3 – Step 0	13
Figure 4 – Step 1	14
Figure 5 – Step 2	14
Figure 6 – Carrier's network and home network	15
Figure 7 – Applicable point to assure carrier's network quality	16
Figure 8 – Applicable point to assure customer premises' network quality	16
Figure 9 – Example of a video streaming system configuration	18
Figure 10 – Different kinds of streaming solutions	19
Figure 11 – Latency associated with the protocols	19
Figure 12 – Sharing multiple protocols using CMAF	20
Figure 13 – Aspect of Just-in time ABR	21
Figure 14 – Aspect of M-ABR	22
Figure 15 – Architecture of MPEG-DASH	23
Figure 16 – Construction of MPD	23
Figure 17 – DRM processing	24
Figure 18 – Content encryption by DRM	25
Figure 19 – Aspect of ISO BMFF and CENC	25
Figure 20 – An attack detection system by WM	26
Figure 21 – Concept of virtual CPE	27
Figure 22 – Concept of virtual STB	28
Figure 23 – VoD streaming (vSTB)	28
Figure 24 – Cloud storage (vNAS)	29
Figure 25 – Experimental setup used for IP streaming of 4K broadcast	29
Figure 26 – Experimental setup for advanced broadcasting system using broadband (M-ABR validation)	30
Figure 27 – Verification experiments on low latency live streaming (CMAF verification)	30
Figure 28 – Types of IPTV	31
Figure 29 – HFC system topology	32
Figure 30 – HFC system topology 2	33
Figure 31 – HFC system topology 3	33
Figure 32 – Migration strategies to All IP from HFC system	34
Figure 33 – Completion of All IP migration from HFC around 2025	
Figure 34 - FTTH system tonology 1 (FPON system)	35

Figure 35 – FTTH system topology 2 (EPON system)	35
Figure 36 – 100G-EPON system configuration	36
Figure 37 – NG-PON2 system configuration	36
Figure 38 – Migration strategies to All IP from FTTH system	37
Figure 39 – Completion of All IP Migration from FTTH around 2030	37
Figure A.1 – Layered architecture used in ATSC 3.0 system	38
Figure A.2 – ATSC 3.0 standards set and structure	39
Figure A.3 – General physical layer frame structure	40
Figure A.4 – Audio watermark system architecture	40
Figure A.5 – An example of watermarked video frame	41
Figure A.6 – Example of AEA signal flow	42
Figure A.7 – ATSC 3.0 receiver protocol stack model	43
Figure A.8 – ATSC 3.0 Hybrid Delivery Architecture	44
Figure B.1 – Overview of on-demand service	46
Figure B.2 – Video masking to block the uncopyrighted contents	46
Figure B.3 – Technologies used for adaptive streaming	47
Figure B.4 – System configuration used for the NHK plus streaming service	48
Figure B.5 – Streaming platform used for the streaming service	49
Figure C.1 – Concept of Cable 4K IP	50
Figure D.1 – IPTV service chain	53
Figure D.2 – IPTV system model	54
Figure D.3 – Equipment logical connection in customer premises	54
Figure E.1 – Simplified example DVB-I components and interfaces	56
Figure E.2 – Conceptual model of a DVB-I client	57
Figure E.3 – Relationships between service list entry point, service list, service and LCN table	58
Figure F.1 – SAT>IP protocol between server and client	59
Figure F.2 – SAT>IP Network Topology	60
Figure F.3 – IP Adapter / Multiswitch and In-Home Digital Network	60
Figure F.4 – An example of IP based SMATV by SAT>IP	61
Figure F.5 – SAT>IP Protocol Stack	61
Figure F.6 – SAT>IP protocol containing UPnP protocol stack	62
Table 1 – Average throughput	
Table 2 – Protocols supporting low latency	
Table 3 – Expected transmission capacity to serve video service over ALL IP network	
Table 4 – Grand design toward all IP services	
Table 5 – Wavelength and maximum speed of PON system	
Table A.1 – PHY layer parameters	
Table B.1 – NHK Plus specification overview	
Table B.2 – NHK Plus system overview	
Table C.1 – Abstract characteristics of Cable 4K IP platform	
Table D 1 – Specification of Optical TV (example)	52

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

# Part 201: A study of IPTV systems with examples and applications for optical broadcast services

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 60728-201 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
100/4073/DTR	100/4103/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

A list of all parts in the IEC 60728 series, published under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

# Part 201: A study of IPTV systems with examples and applications for optical broadcast services

#### 1 Scope

This part of IEC 60728 describes the technical background of IPTV systems and commercially available products related to audio, video and multimedia systems and equipment to enable cable operators and customers to understand current IPTV systems that include application, middleware, network, equipment and terminal devices. This document is to encourage all TA5 experts to develop new IS related to IPTV system over optical broadcast network. This Technical Report examines the mechanisms of IPTV systems developed by major standards development organizations (SDOs) and known national regulations. This document concludes with observations and recommendations for the potential future technical standards development activities especially for TA5 under the scope of TC 100.

The purpose of this TR is to give cable operators an appropriate way how to adopt IPTV services with current FTTH system recognizing that optical system is the best solution for the effective transmission of 4K and 8K video signals. This TR gives an overall but essential information on current IPTV systems to cable operators; however, too much detailed information is omitted due to the limitation of document size. The author of this document recommends the cable operator who plans to develop IPTV services to study the original international standards shown in this document. It also describes a migration from the HFC to FTTH system for effective introduction to IPTV services.

DOCSIS 4.0 can be considered on HFC as an alternative way to provide 10Gbps service. If bandwidth and other constraints (without Amp, etc.) are cleared, the IPTV service described in this document can of course be provided.

In addition to present international standards and recommendations, this document describes some major technology supporting IPTV services such as unicast, multicast, ABR (Adapting Bit Rate) and MPEG-DASH. The experiment of 4K and 8K video transmission over IP, virtual STB are also described.

#### 2 Normative references

There are no normative references in this document.