



TECHNICAL REPORT



Optical amplifiers – Part 6: Distributed Raman amplification

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.10; 33.180.30

ISBN 978-2-8322-6366-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	2
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	8
4 Background	8
4.1 General.....	8
4.2 Raman amplification process	9
4.3 Distributed vs. lumped amplification	10
4.4 Tailoring the Raman gain spectrum.....	11
4.5 Forward and backward pumping configuration	11
4.6 Typical performance of DRA	13
5 Applications of distributed Raman amplification	14
5.1 General.....	14
5.2 All-Raman systems	14
5.3 Hybrid EDFA Raman systems	15
5.3.1 General	15
5.3.2 Long repeaterless links.....	15
5.3.3 Long span masking in multi-span links.....	16
5.3.4 High capacity long haul and ultra-long-haul systems.....	16
6 Performance characteristics and test methods.....	16
6.1 General.....	16
6.2 Performance of the Raman pump module.....	16
6.2.1 Basic configuration	16
6.2.2 Pump wavelengths.....	17
6.2.3 Pump output power.....	17
6.2.4 Pump degree-of-polarization (DOP).....	17
6.2.5 Pump relative intensity noise (RIN).....	18
6.2.6 Insertion loss.....	18
6.2.7 Other passive characteristics.....	19
6.3 System level performance.....	19
6.3.1 General	19
6.3.2 On-off signal gain	19
6.3.3 Gain flatness	21
6.3.4 Polarization dependant gain (PDG).....	21
6.3.5 Equivalent noise figure	21
6.3.6 Multi-path interference (MPI)	22
7 Operational issues.....	22
7.1 General.....	22
7.2 Dependence of Raman gain on transmission fibre.....	22
7.3 Fibre line quality	23
7.4 High pump power issues	24
7.4.1 General	24
7.4.2 Laser safety.....	24

7.4.3	Damage to the fibre line.....	24
8	Conclusions.....	25
	Bibliography.....	26
Figure 1	– Stimulated Raman scattering process and Raman gain spectrum for silica fibres	9
Figure 2	– Distributed vs. lumped amplification	11
Figure 3	– The use of multiple pump wavelengths to achieve flat broadband gain	11
Figure 4	– Simulation results showing pump and signal propagation along an SMF span	12
Figure 5	– On-off gain and equivalent NF for SMF using a dual pump backward DRA with pumps at 1 424 nm and 1 452 nm.....	13
Figure 6	– Typical configuration of an amplification site in an all-Raman system	15
Figure 7	– Typical configuration of a Raman pump module used for counter-propagating DRA	17
Figure 8	– Model for signal insertion loss (IL) of a Raman pump module used for counter-propagating DRA.....	19
Figure 9	– Typical configuration used to measure on-off gain (a) for co-propagating DRA and (b) for counter-propagating DRA on-off gain of DRA	20
Figure 10	– Variations of Raman on-off gain for different transmission fibres	23

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL AMPLIFIERS –

Part 6: Distributed Raman amplification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC TR 61292-6:2010. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC TR 61292-6 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) correction of the formula for noise figure;
- b) correction of errors in Figure 10.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
86C/1822/DTR	86C/1831/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 61292 series, published under the general title *Optical amplifiers*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Distributed Raman amplification (DRA) describes the process whereby Raman pump power is introduced into the transmission fibre, leading to signal amplification within the transmission fibre through stimulated Raman scattering. This technology has become increasingly widespread in recent years due to many advantages that it offers to optical system designers, including improved system optical signal-to-noise ratio (OSNR) and the ability to tailor the gain spectrum to cover any or several transmission bands.

A fundamental difference between distributed Raman amplification and amplification using discrete amplifiers, such as erbium-doped fibre amplifiers (EDFAs), is that the latter can be described using a black box approach, while the former is an inherent part of the transmission system in which it is deployed. Thus, a discrete amplifier is a unique and separate element with well-defined input and output ports, allowing rigorous specifications of the amplifier performance characteristics and the methods used to test these characteristics. On the other hand, a distributed Raman amplifier is basically a pump module, with the actual amplification process taking place along the transmission fibre. This means that many of the performance characteristics of distributed Raman amplification are inherently coupled to the transmission system in which ~~it~~ a Raman amplifier is deployed.

This document provides an overview of DRA and its applications. It also provides a detailed discussion of the various performance characteristics related to DRA, as well as some of the methods that can be used to test these characteristics. Information is also provided on some of the operational issues related to the distributed nature of the amplification process, such as the sensitivity to transmission line quality and eye-safety.

The material provided is intended to provide a basis for future development of specifications and test method standards related to DRA.

OPTICAL AMPLIFIERS –

Part 6: Distributed Raman amplification

1 Scope

This part of IEC 61292, which is a Technical Report, relates to distributed Raman amplification (DRA). Its main purpose is to provide background material for future standards related to DRA, such as specifications, test methods and operating procedures. This document covers the following aspects:

- general overview of Raman amplification;
- applications of DRA;
- performance characteristics and test methods related to DRA;
- operational issues relating to the deployment of DRA.

As DRA is a relatively new technology, and still rapidly evolving, some of the material in this document ~~may~~ can become obsolete or irrelevant in a fairly short period of time. This document will be updated frequently to minimize this possibility.

2 Normative references

~~The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.~~

~~IEC 60825-2, Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)~~

~~IEC 61290-3, Optical amplifiers – Test methods – Part 3: Noise figure parameters~~

~~IEC 61290-3-1, Optical amplifiers – Test methods – Part 3-1: Noise figure parameters – Optical spectrum analyzer method~~

~~IEC 61290-3-2, Optical amplifiers – Test methods – Part 3-2: Noise figure parameters – Electrical spectrum analyzer method~~

~~IEC 61290-7-1, Optical amplifiers – Test methods – Part 7-1: Out of band insertion losses – Filtered optical power meter method~~

~~IEC 61291-1, Optical amplifiers – Part 1: Generic specification~~

~~IEC/TR 61292-3, Optical amplifiers – Part 3: Classification, characteristics and applications~~

~~IEC/TR 61292-4, Optical amplifiers – Part 4: Maximum permissible optical power for the damage-free and safe use of optical amplifiers, including Raman amplifiers~~

~~ITU-T G.664, Optical safety procedures and requirements for optical transport systems~~

~~ITU-T G.665, Generic characteristics of Raman amplifiers and Raman amplified subsystems~~

NOTE – A list of informative references is given in the Bibliography.

There are no normative references in this document.

TECHNICAL REPORT



Optical amplifiers – Part 6: Distributed Raman amplification



CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, and abbreviated terms	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms.....	7
4 Background	8
4.1 General.....	8
4.2 Raman amplification process	8
4.3 Distributed vs. lumped amplification	10
4.4 Tailoring the Raman gain spectrum.....	11
4.5 Forward and backward pumping configuration	11
4.6 Typical performance of DRA	13
5 Applications of distributed Raman amplification	14
5.1 General.....	14
5.2 All-Raman systems	14
5.3 Hybrid EDFA Raman systems	15
5.3.1 General	15
5.3.2 Long repeaterless links.....	15
5.3.3 Long span masking in multi-span links.....	16
5.3.4 High capacity long haul and ultra-long-haul systems.....	16
6 Performance characteristics and test methods.....	16
6.1 General.....	16
6.2 Performance of the Raman pump module.....	16
6.2.1 Basic configuration	16
6.2.2 Pump wavelengths.....	17
6.2.3 Pump output power.....	17
6.2.4 Pump degree-of-polarization (DOP).....	17
6.2.5 Pump relative intensity noise (RIN).....	18
6.2.6 Insertion loss.....	18
6.2.7 Other passive characteristics.....	19
6.3 System level performance.....	19
6.3.1 General	19
6.3.2 On-off signal gain	19
6.3.3 Gain flatness	20
6.3.4 Polarization dependant gain (PDG).....	21
6.3.5 Equivalent noise figure	21
6.3.6 Multi-path interference (MPI)	21
7 Operational issues.....	22
7.1 General.....	22
7.2 Dependence of Raman gain on transmission fibre.....	22
7.3 Fibre line quality	23
7.4 High pump power issues	23
7.4.1 General	23
7.4.2 Laser safety.....	24

7.4.3 Damage to the fibre line..... 24

8 Conclusions..... 25

Bibliography..... 26

Figure 1 – Stimulated Raman scattering process and Raman gain spectrum for silica fibres 9

Figure 2 – Distributed vs. lumped amplification 10

Figure 3 – The use of multiple pump wavelengths to achieve flat broadband gain 11

Figure 4 – Simulation results showing pump and signal propagation along an SMF span 12

Figure 5 – On-off gain and equivalent NF for SMF using a dual pump backward DRA with pumps at 1 424 nm and 1 452 nm..... 13

Figure 6 – Typical configuration of an amplification site in an all-Raman system 15

Figure 7 – Typical configuration of a Raman pump module used for counter-propagating DRA 17

Figure 8 – Model for signal insertion loss (IL) of a Raman pump module used for counter-propagating DRA..... 18

Figure 9 – Typical configuration used to measure on-off gain of DRA 20

Figure 10 – Variations of Raman on-off gain for different transmission fibres 23

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL AMPLIFIERS –

Part 6: Distributed Raman amplification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 61292-6 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) correction of the formula for noise figure;
- b) correction of errors in Figure 10.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
86C/1822/DTR	86C/1831/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 61292 series, published under the general title *Optical amplifiers*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Distributed Raman amplification (DRA) describes the process whereby Raman pump power is introduced into the transmission fibre, leading to signal amplification within the transmission fibre through stimulated Raman scattering. This technology has become increasingly widespread in recent years due to many advantages that it offers to optical system designers, including improved system optical signal-to-noise ratio (OSNR) and the ability to tailor the gain spectrum to cover any or several transmission bands.

A fundamental difference between distributed Raman amplification and amplification using discrete amplifiers, such as erbium-doped fibre amplifiers (EDFAs), is that the latter can be described using a black box approach, while the former is an inherent part of the transmission system in which it is deployed. Thus, a discrete amplifier is a unique and separate element with well-defined input and output ports, allowing rigorous specifications of the amplifier performance characteristics and the methods used to test these characteristics. On the other hand, a distributed Raman amplifier is basically a pump module, with the actual amplification process taking place along the transmission fibre. This means that many of the performance characteristics of distributed Raman amplification are inherently coupled to the transmission system in which a Raman amplifier is deployed.

This document provides an overview of DRA and its applications. It also provides a detailed discussion of the various performance characteristics related to DRA, as well as some of the methods that can be used to test these characteristics. Information is also provided on some of the operational issues related to the distributed nature of the amplification process, such as the sensitivity to transmission line quality and eye-safety.

The material provided is intended to provide a basis for future development of specifications and test method standards related to DRA.

OPTICAL AMPLIFIERS –

Part 6: Distributed Raman amplification

1 Scope

This part of IEC 61292, which is a Technical Report, relates to distributed Raman amplification (DRA). Its main purpose is to provide background material for future standards related to DRA, such as specifications, test methods and operating procedures. This document covers the following aspects:

- general overview of Raman amplification;
- applications of DRA;
- performance characteristics and test methods related to DRA;
- operational issues relating to the deployment of DRA.

As DRA is a relatively new technology, and still rapidly evolving, some of the material in this document can become obsolete or irrelevant in a fairly short period of time. This document will be updated frequently to minimize this possibility.

2 Normative references

There are no normative references in this document.