

TECHNICAL REPORT



Communication networks and systems for power utility automation – Part 7-5: IEC 61850 Modelling concepts

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-9647-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

CONTENTS	2
FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	8
4 Control	8
4.1 Control authorization.....	8
4.1.1 Basics	8
4.1.2 Validating a control request	9
4.1.3 Exclusive control authorization for one out of multiple actors of the same level of control hierarchy	12
4.1.4 Different control permissions for different actors of the same level of control hierarchy.....	13
4.2 Control authority for process equipment.....	13
4.2.1 Control commands for process equipment from automations instead of HMI	13
5 Quality and its propagation	15
5.1 Standard processing principle	15
5.1.1 General	15
5.1.2 Respecting behaviour	15
5.1.3 LN specific calculations	16
5.1.4 detailQual is not propagated	16
5.1.5 Configurable propagation of the value of the element 'source'	16
5.1.6 operatorBlocked is not propagated	16
5.2 Special processing principle for (single phase) XCBR mapping to CSWI	16
5.2.1 General	16
5.2.2 Respecting the Behaviour.....	18
5.2.3 LN specific calculations	18
5.2.4 Propagation of detailQual	18
5.2.5 Substitution of switchgear position signals.....	18
5.2.6 operatorBlocked is not propagated	19
5.3 Conclusion.....	19
6 Health and its application	20
6.1 General.....	20
6.2 The use of LPHD.PhyHealth, LLN0.Health, LN.Health and LN.EEHealth	20
6.3 Health in Proxy-IEDs, in LNs of type Mirror and in a LD hierarchy	22
7 Special functions	24
7.1 Use of cross domain schedules and scheduler.....	24
7.1.1 Introduction	24
7.1.2 Example 1	25
7.1.3 Example 2	28
8 Restoration of functions/communication after IED restart (power cycle)	31
8.1 Functional description	31

8.2	Priorities	31
8.3	Stored and non-stored data.....	31
	Bibliography.....	33
	Figure 1 – Communication vs. application layer model for controls	9
	Figure 2 – Different levels of control authority (example)	12
	Figure 3 – Single-phase monitoring of the CB position	17
	Figure 4 – Examples of use of Health and EEHealth in models	23
	Figure 5 – FSCH and FSCC LN class	24
	Figure 6 – State Machine	25
	Figure 7 – Relation between schedule controller, schedules and entity scheduled	25
	Figure 8 – Use case charging architecture	26
	Figure 9 – LN instances and relationships in example 1	27
	Figure 10 – Timelines associated to the example 1	27
	Figure 11 – LN instances and relationships in example 2	28
	Figure 12 – Timelines associated to the example 2	30
	Table 1 – Dependence of checking Interlocking (IL) conditions on the control command and on the server configuration.....	10
	Table 2 – Dependence of checking synchronism (CS) conditions on the control command and on the server configuration.....	11
	Table 3 – Use case 1 definition.....	14
	Table 4 – Example of fixed rules: Boolean OR out of two input signals	19
	Table 5 – Health in IEC 61850-7-4	21
	Table 6 – Examples for stored and non-stored data for restart	32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 7-5: IEC 61850 Modelling concepts

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 61850-7-5 has been prepared by Working Group 10 of IEC Technical Committee 57: Power systems management and associated information exchange. It is a Technical Report.

The text of this Technical Report is based on the following documents:

DTR	Report on voting
57/2253/DTR	57/2322/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available

at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 61850 series, published under the general title *Communication networks and systems for power utility automation*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 61850 standard series provides a very broad range of data models covering as much as possible all application functions in the range of power utility automation. The modelling both in the domains and between the domains show differences which may impact interoperability. Therefore, some informative guidelines are helpful to reach a common approach in application function modelling. A lot of basic functionality is based on the concept of IEC 61850 and is, therefore, the same for all application domains. As result, a basic cross-domain part in the form of a Technical Report is useful. Domain specific issues are addressed in the Technical Reports IEC TR 61850-7-5xx (e.g. IEC TR 61850-7-500 for substation automation).

To cover all domains in a comprehensive way would not come to a result in a reasonable time. This may be a task for future editions of this document. Therefore, this document describes in selected examples the use of logical nodes for modelling application functions and related concepts and guidelines in general independently from any application domain respectively valid for all application domains in the utility automation (substation automation, distributed energy resources, hydro power, wind power, etc.). It also includes some tutorial material where helpful.

The modelling of the use cases given in this document is based on the class model introduced in IEC 61850-7-1. The logical node and data names used in this document are defined in IEC 61850-7-4 and IEC 61850-7-3, the services applied in IEC 61850-7-2. If needed for the understanding of modelling these use cases, the application of services is also described. If different options cannot be excluded, all options may be mentioned.

If extensions are needed in the use cases, the normative naming rules for multiple instances and private, compatible extensions of Logical Node (LN) Classes and Data Object (DO) Names defined in IEC 61850-7-1 are considered.

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 7-5: IEC 61850 Modelling concepts

1 Scope

This part of IEC 61850, which is a technical report, establishes modelling concepts that help the user to understand how to apply the models defined in IEC 61850-7-4 and IEC 61850-7-3 to implement practical applications.

This document provides the basic concepts that are valid for all application domains using IEC 61850. Domain specific concepts are defined in other technical reports as in the document range of IEC 61850-7-5xx; as an example, IEC 61850-7-500 describes modelling concepts for functions related to substation automation.

On one side the number of potential topics for cross-domain modelling may be very high but on the other side it may be limited by domain specific restrictions often created by the historical evolution of IEC 61850 in the domains.

The first topic selected is the common control of power utility primary objects by means of the power utility automation systems based mainly on the long experience in substation automation systems. Common attributes for reliable power utility automation systems in all domains are quality and health. A special function having a broad application range in power utility automation systems is the scheduling of services as provided by the domain distributed energy resources (DER) used in smart grids, especially also for electric mobility. Not yet so much discussed in the context of IEC 61850 but very important for all IEDs is the impact of restart (power cycle) on the data model parameters. Non-agreed behaviour will raise problems for interoperability in multi-vendor systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 61850-2, *Communication networks and systems for power utility automation - Part 2: Glossary*

IEC 61850-7-1, *Communication networks and systems for power utility automation - Part 7-1: Basic communication structure - Principles and models*

IEC 61850-7-2:2010, *Communication networks and systems for power utility automation - Part 7-2: Basic information and communication structure - Abstract communication service interface (ACSI)*
IEC 61850-7-2:2010/AMD1:2020

IEC 61850-7-4:2010, *Communication networks and systems for power utility automation - Part 7-4: Basic communication structure - Compatible logical node classes and data object classes*
IEC 61850-7-4:2010/AMD1:2020

IEC TR 61850-7-500, *Communication networks and systems for power utility automation - Part 7-500: Basic information and communication structure - Use of logical nodes for modeling application functions and related concepts and guidelines for substations*

IEC 61850-8-1, *Communication networks and systems for power utility automation - Part 8-1: Specific communication service mapping (SCSM) - Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3*

IEC 61850-8-2, *Communication networks and systems for power utility automation - Part 8-2: Specific communication service mapping (SCSM) - Mapping to Extensible Messaging Presence Protocol (XMPP)*

IEC TR 61850-90-2, *Communication networks and systems for power utility automation - Part 90-2: Using IEC 61850 for communication between substations and control centres*

IEC TR 61850-90-8, *Communication networks and systems for power utility automation - Part 90-8: Object model for E-mobility*

IEC 62351, *Power systems management and associated information exchange – Data and communications security (all parts)*